


# Standard Dome Accessories


Accessories for Indoor/Outdoor Ceiling, Wall, Pole, and Corner Mounting Solutions




**Ceiling Mount Configuration**




**Wall Mount Configuration**




**Wall Mount Configuration with Pole Mount Adapter**



**Wall Mount Configuration with Corner Mount Adapter**



**Cap Options**



\* Can be switched with SO3-CAP, SV-CAP, or MD-CAP

**Compatible Cameras**



**SurroundVideo® Series**  
SurroundVideo, SurroundVideo G5, SurroundVideo G5 Mini, SurroundVideo Omni (G1), SurroundVideo Omni G2, and SurroundVideo Omni G3



**MegaDome® Series**  
MegaDome UltraHD, MegaDome 4K, MegaDome G3, and MegaDome G3 RS

**MegaVideo® G5**  
Camera in D4SO-3 Housing

## AV-EBAR

Round Electrical Box Adapter Plate




### Features:

- Easy Installation and Superior Design
- Heavy Duty Enclosure Protection for Applications in Harsh Environments
- Die-Cast Aluminum is Resistant to Impact and Salt Damage

<b>Compatibility**</b>	Compatible with 3/4" NPT standard
	Works with MegaBall® Series, MicroDome® -S cameras, SurroundVideo®, SurroundVideo G5, SurroundVideo Omni Series**, MCD-CMT, and MB2-JBA

<b>Mechanical</b>	<b>Casing</b>	Die-cast aluminum
		IP66 weather proof standard
		IK-10 impact-resistant
	<b>Color</b>	Ivory (Pantone Cool Gray 1C)
	<b>Dimensions</b>	Ø6" (152.4mm) x 0.15" W (4mm)
<b>Weight</b>	w/o Camera	0.4lbs (0.18kg)



Hole No.	Model Compatibility
1	MegaBall Series wall mount (legacy), MCD-CMT
2	MegaBall Series dome mount
3	MegaBall Series bell mount, MicroDome Series surface mount
4	SurroundVideo, SurroundVideo G5, and MB2-JBA
5	4S box
6	4-11/16" square box
7	Single gang box
8	Double gang box
9	SurroundVideo Omni Series**

### Quick Installation:

1. Pass cables through the center hole of the adapter plate.
2. Attach the adapter plate to the electrical box (sold separately) using the appropriate hardware and mounting holes.
3. Attach the compatible part noted above.

## AV-EBAS

Square Electrical Box Adapter Plate




### Features:

- Easy Installation and Superior Design
- Heavy Duty Enclosure Protection for Applications in Harsh Environments
- Die-Cast Aluminum is Resistant to Impact and Salt Damage

<b>Compatibility**</b>	Compatible with 3/4" NPT standard
	Works with MegaView® Series, MicroBullet®, SurroundVideo®, SurroundVideo G5, AV-JBA, AV-WMJB, AV-SWMJB, MCD-WMT, MDD-WMT, HSG2-WMT, and AV-PMJB

<b>Mechanical</b>	<b>Casing</b>	Die-cast aluminum
		IP66 weather proof standard
		IK-10 impact-resistant
	<b>Color</b>	Ivory (Pantone Cool Gray 1C)
	<b>Dimensions</b>	4.7" L (120mm) x 0.15" W (4mm) x 4.7" H (120mm)
<b>Weight</b>	w/o Camera	0.33lbs (0.13kg)



Hole No.	Model Compatibility
1	AV-JBA, AV-WMJB, AV-PMJB, MegaView 2 (standard), SurroundVideo, SurroundVideo G5
2	HSG2-WMT, AV-WMJB bracket, AV-PMJB bracket, MegaView 2 bracket
3	AV-SWMJB, MCD-WMT, MDD-WMT
4	MicroBullet
5	Single gang box
6	Double gang box
7	4S box (4" square, 4" octagonal)
8	4-11/16" square box

### Quick Installation:

1. Pass cables through the center hole of the adapter plate.
2. Attach the adapter plate to the electrical box (sold separately) using the appropriate hardware and mounting holes.
3. Attach the compatible part noted above.

\*\* The mounting plate on all MegaDome Series cameras, SurroundVideo G5 Mini, MicroDome Duo, and the D4SO-3 housing negate the need for a separate electrical box adapter plate and therefore this accessory is not applicable.

## AV-PMJB



Pendant Mount Bracket with Standard Junction Box






### Features:

- Easy Installation and Superior Design
- Heavy Duty Enclosure Protection for Applications in Harsh Environments
- Die-Cast Aluminum is Resistant to Impact and Salt Damage

<b>Compatibility</b>	Compatible with 1.5" NPT female
	Works with SurroundVideo® Series, MegaDome® UltraHD, MegaDome 4K, MegaDome G3, MegaDome G3 RS, and MegaVideo® G5 Camera in D4SO-3 Housing

<b>Mechanical</b>	<b>Casing</b>	Die-cast aluminum
		IP66 weather proof standard
		IK-10 impact-resistant
	<b>Color</b>	Ivory (Pantone® Cool Gray 1C)
	<b>Dimensions</b>	5.87" H (149.31mm) x 4.69" W (119.20mm)
<b>Weight</b>	w/o Camera 2.12lbs (0.96kg)	



## AV-WMJB



Wall Mount Bracket with Standard Junction Box






### Features:

- Easy Installation and Superior Design
- Heavy Duty Enclosure Protection for Applications in Harsh Environments
- Die-Cast Aluminum is Resistant to Impact and Salt Damage

<b>Compatibility</b>	Compatible with 1.5" NPT female
	Works with SurroundVideo Series, MegaDome UltraHD, MegaDome 4K, MegaDome G3, MegaDome G3 RS, and MegaVideo G5 Camera in D4SO-3 Housing

<b>Mechanical</b>	<b>Casing</b>	Die-cast aluminum
		IP66 weather proof standard
		IK-10 impact-resistant
	<b>Color</b>	Ivory (Pantone® Cool Gray 1C)
	<b>Dimensions</b>	7.68" L (195.05mm) x 4.69" W (119.20mm)
<b>Weight</b>	w/o Camera 2.49lbs (1.13kg)	



## AV-PMA

Pole Mount Adapter





### Features:

- Easy Installation and Superior Design
- Heavy Duty Enclosure Protection for Applications in Harsh Environments
- Die-Cast Aluminum is Resistant to Impact and Salt Damage


**Compatibility** Works with AV-WMJJB, AV-SWMJB, MDD-WMT, MCD-WMT, and AV-JBA

<b>Mechanical</b>	<b>Casing</b>	Die-cast aluminum
		IP66 weather proof standard
		IK-10 impact-resistant
	<b>Color</b>	Ivory (Pantone® Cool Gray 1C)
	<b>Dimensions</b>	5.01" W (127.32mm) x 4.92" H (125mm)
	<b>Weight</b>	<b>w/o Camera</b> 0.32lbs (0.15kg)



## AV-CRMA

Corner Mount Adapter





### Features:

- Easy Installation and Superior Design
- Heavy Duty Enclosure Protection for Applications in Harsh Environments
- Die-Cast Aluminum is Resistant to Impact and Salt Damage

**Compatibility** Works with AV-WMJJB, AV-SWMJB, MDD-WMT, MCD-WMT, and AV-JBA

<b>Mechanical</b>	<b>Casing</b>	Die-cast aluminum
		IP66 weather proof standard
		IK-10 impact-resistant
	<b>Color</b>	Ivory (Pantone® Cool Gray 1C)
	<b>Dimensions</b>	13.04" W (331.25mm) x 4.92" H (125mm)
	<b>Weight</b>	<b>w/o Camera</b> 0.59lbs (0.27kg)



## SO3-CAP

Mounting Cap




### Features:

- Easy Installation and Superior Design
- Heavy Duty Enclosure Protection for Applications in Harsh Environments
- Die-Cast Aluminum is Resistant to Impact and Salt Damage

<b>Compatibility</b>	Compatible with 1.5" NPT male
	Works with SurroundVideo® Omni G3

<b>Mechanical</b>	<b>Casing</b>	Die-cast aluminum
		IP66 weather proof standard
		IK-10 impact-resistant
<b>Color</b>	Ivory (Pantone® Cool Gray 1C)	
<b>Dimensions</b>	Ø 8.9" (227.4mm) x 1.8" H (46.5mm)	
<b>Weight</b>	<b>w/o Camera</b>	1.22lbs (0.55kg)



## SO-CAP

Mounting Cap




### Features:

- Easy Installation and Superior Design
- Heavy Duty Enclosure Protection for Applications in Harsh Environments
- Die-Cast Aluminum is Resistant to Impact and Salt Damage

<b>Compatibility</b>	Compatible with 1.5" NPT male
	Works with SurroundVideo Omni and SurroundVideo Omni G2

<b>Mechanical</b>	<b>Casing</b>	Die-cast aluminum
		IP66 weather proof standard
		IK-10 impact-resistant
<b>Color</b>	Ivory (Pantone® Cool Gray 1C)	
<b>Dimensions</b>	Ø 7.87" (200mm) x 1.6" H (40.79mm)	
<b>Weight</b>	<b>w/o Camera</b>	0.85lbs (0.39kg)



## SV-CAP

Mounting Cap




### Features:

- Easy Installation and Superior Design
- Heavy Duty Enclosure Protection for Applications in Harsh Environments
- Die-Cast Aluminum is Resistant to Impact and Salt Damage

<b>Compatibility</b>	Compatible with 1.5" NPT standard
	Works with SurroundVideo® and SurroundVideo G5

<b>Mechanical</b>	<b>Casing</b>	Die-cast aluminum
		IP66 weather proof standard
		IK-10 impact-resistant
<b>Color</b>	Ivory (Pantone® Cool Gray 1C)	
<b>Dimensions</b>	Ø 7.4" (189mm) x 4.33" H (110mm)	
<b>Weight</b>	<b>w/o Camera</b> 1.47lbs (0.69kg)	



## MD-CAP

Mounting Cap




### Features:

- Easy Installation and Superior Design
- Heavy Duty Enclosure Protection for Applications in Harsh Environments
- Die-Cast Aluminum is Resistant to Impact and Salt Damage

<b>Compatibility</b>	Compatible with 1.5" NPT standard
	Works with MegaDome® UltraHD, MegaDome 4K, MegaDome G3, MegaDome G3 RS, SurroundVideo G5 Mini, and MegaVideo® G5 Camera in D4SO-3 Housing

<b>Mechanical</b>	<b>Casing</b>	Die-cast aluminum
		IP66 weather proof standard
		IK-10 impact-resistant
<b>Color</b>	Ivory (Pantone® Cool Gray 1C)	
<b>Dimensions</b>	Ø 6.06" (154.1mm) x 2.57" H (65.3mm)	
<b>Weight</b>	<b>w/o Camera</b> 1.02lbs (0.465kg)	



## SO3-FMA

Flush Mount Adapter




### Features:

- Easy Installation and Superior Design
- Low Profile Installation


**Compatibility** Works with SurroundVideo® Omni G3

<b>Mechanical</b>	<b>Casing</b>	Aluminum and plastic
	<b>Color</b>	Ivory (Pantone® Cool Gray 1C)
	<b>Dimensions</b>	Ø 11.2" (285.2mm) x 3.21" H (81.7mm)
	<b>Weight</b>	<b>w/o Camera</b> 2.43lbs (1.1kg)



## SV-FMA

Flush Mount Adapter




### Features:

- Easy Installation and Superior Design
- Low Profile Installation


**Compatibility** Works with SurroundVideo and SurroundVideo G5

<b>Mechanical</b>	<b>Casing</b>	Aluminum and plastic
	<b>Color</b>	Ivory (Pantone® Cool Gray 1C)
	<b>Dimensions</b>	Ø 8.54" (217mm) x 2.92" H (74.2mm)
	<b>Weight</b>	<b>w/o Camera</b> 1.3lbs (0.59kg)



## SO-FMA

Flush Mount Adapter




### Features:

- Easy Installation and Superior Design
- Low Profile Installation

**Compatibility** Works with SurroundVideo Omni and SurroundVideo Omni G2

<b>Mechanical</b>	<b>Casing</b>	Aluminum and plastic
	<b>Color</b>	Ivory (Pantone® Cool Gray 1C)
	<b>Dimensions</b>	Ø 9.46" (240.3mm) x 2.67" H (67.9mm)
	<b>Weight</b>	<b>w/o Camera</b> 1.15lbs (0.52kg)



## AV-FMA

Flush Mount Adapter




### Features:

- Easy Installation and Superior Design
- Low Profile Installation

**Compatibility** Works with MegaDome® UltraHD, MegaDome 4K, MegaDome G3, MegaDome G3 RS, SurroundVideo G5 Mini, and MegaVideo® G5 Camera in D4SO-3 Housing

<b>Mechanical</b>	<b>Casing</b>	Aluminum and plastic
	<b>Color</b>	Ivory (Pantone® Cool Gray 1C)
	<b>Dimensions</b>	Ø 7.36" (187mm) x 3.9" H (99.1mm)
	<b>Weight</b>	<b>w/o Camera</b> 1.10lb (0.5kg)



## AV-JBA

Square Standard Junction Box




### Features:

- Easy Installation and Superior Design
- Heavy Duty Enclosure Protection for Applications in Harsh Environments
- Die-Cast Aluminum is Resistant to Impact and Salt Damage

<b>Compatibility</b>	Compatible with 3/4" NPT standard
	Works with AV-PMJB***, AV-WMJB***, HSG2-WMT, and MegaView® 2***

<b>Mechanical</b>	<b>Casing</b>	Die-cast aluminum
		IP66 weather proof standard
		IK-10 impact-resistant
	<b>Color</b>	Ivory (Pantone® Cool Gray 1C)
	<b>Dimensions</b>	4.7" L (120mm) x 4.7" W (120mm) x 1.89" H (48.1mm)
<b>Weight</b>	<b>w/o Camera</b>	1.3lbs (0.63kg)



## MD-JBA

Round Junction Box




### Features:

- Easy Installation and Superior Design
- Heavy Duty Enclosure Protection for Applications in Harsh Environments
- Die-Cast Aluminum is Resistant to Impact and Salt Damage

<b>Compatibility</b>	Compatible with 3/4" NPT standard
	Works with MegaDome UltraHD, MegaDome 4K, MegaDome G3, MegaDome G3 RS, SurroundVideo® G5 Mini, and MegaVideo® G5 Camera in D4SO-3 Housing

<b>Mechanical</b>	<b>Casing</b>	Die-cast aluminum
		IP66 weather proof standard
		IK-10 impact-resistant
	<b>Color</b>	Ivory (Pantone® Cool Gray 1C)
	<b>Dimensions</b>	Ø 6.06" (154mm) x 1.5" H (40mm)
<b>Weight</b>	<b>w/o Camera</b>	1lbs (0.45kg)



## SO-SSA

Sun Shield Accessory


### Features:

- Easy Installation and Superior Design
- Protects SurroundVideo Omni Series Sensors from Sun Glare



<b>Compatibility</b>	Works with SurroundVideo Omni and SurroundVideo Omni G2
----------------------	---

<b>Mechanical</b>	<b>Casing</b>	Plastic
	<b>Color</b>	Ivory (Pantone® Cool Gray 1C)
	<b>Dimensions</b>	11.03" L (280.22mm) x 0.79" H (20.25mm)
	<b>Weight</b>	<b>w/o Camera</b>



\*\*\* Replacement part for these models

See Next Page for Ordering Information





## Compatible Accessories by Camera Model

<b>SurroundVideo Omni G3</b>	AV-PMJB, AV-WMJB, AV-CRMA, AV-PMA, SO3-CAP, SO3-FMA, AV-JBA
<b>SurroundVideo Omni G1</b>	AV-EBAR, AV-PMJB, AV-WMJB, AV-CRMA, AV-PMA, SO-CAP, SO-FMA, AV-JBA, SO-SSA
<b>SurroundVideo Omni G2</b>	
<b>SurroundVideo</b>	AV-EBAR, AV-EBAS, AV-PMJB, AV-WMJB, AV-CRMA, AV-PMA, SV-CAP, SV-FMA, AV-JBA
<b>SurroundVideo G5</b>	
<b>SurroundVideo G5 Mini</b>	
<b>MegaDome UltraHD</b>	
<b>MegaDome 4K</b>	AV-PMJB, AV-WMJB, AV-CRMA, AV-PMA, MD-CAP, AV-FMA, AV-JBA, MD-JBA
<b>MegaDome G3</b>	
<b>MegaDome G3 RS</b>	
<b>MegaVideo® G5 Camera in D4SO-3 Housing</b>	AV-PMJB, AV-WMJB, AV-CRMA, AV-PMA, MD-CAP, AV-FMA, AV-JBA, MD-JBA

## Accessory Model Numbers

<b>AV-EBAR</b>	Round Electrical Box Adapter Plate
<b>AV-EBAS</b>	Square Electrical Box Adapter Plate
<b>AV-PMJB</b>	Pendant Mount Bracket with Standard Junction Box <i>(Fits Cap 1.5" NPT, Box Fits 3/4" NPT)</i>
<b>AV-WMJB</b>	Wall Mount Bracket with Standard Junction Box <i>(Fits Cap 1.5" NPT, Box Fits 3/4" NPT)</i>
<b>AV-PMA</b>	Pole Mount Adapter
<b>AV-CRMA</b>	Corner Mount Adapter
<b>SO3-CAP</b>	Cap for SurroundVideo® Omni G3
<b>SO-CAP</b>	Mounting Cap for SurroundVideo Omni Series <sup>2</sup>
<b>SV-CAP</b>	Mounting Cap for SurroundVideo and SurroundVideo G5
<b>MD-CAP</b>	Mounting Cap for MegaDome® Series and SurroundVideo G5 Mini
<b>SO3-FMA</b>	Flush Mount Adapter for SurroundVideo Omni G3
<b>SV-FMA</b>	Flush Mount Adapter for SurroundVideo and SurroundVideo G5
<b>SO-FMA</b>	Flush Mount Adapter for SurroundVideo Omni Series <sup>2</sup>
<b>AV-FMA</b>	Flush Mount for MegaDome Series and SurroundVideo G5 Mini
<b>AV-JBA<sup>1</sup></b>	Square Standard Junction Box
<b>MD-JBA</b>	Round Junction Box for MegaDome Series and SurroundVideo G5 Mini
<b>SO-SSA</b>	Sun Shield for SurroundVideo Omni Series <sup>2</sup>

<sup>1</sup> Replacement part for AV-PMJB and AV-WMJB

<sup>2</sup> SurroundVideo Omni and SurroundVideo Omni G2 only