

EXDL-0

MULTIBAND NO GROUND PLANE OMNIDIRECTIONAL ANTENNA



PRODUCT ACCESSORY

Telguard's EXDL-0 multiband no ground plane omnidirectional antenna supports Telguard LTE Cellular Alarm Communicators.

PRODUCT FEATURES

- Mechanically robust for both indoor/outdoor applications
- Self-contained design requiring no ground plane
- Domestic LTE 700 band and global LTE 2600 band
- WiMAX 2300/2500/2600 bands

The EXDL-O supports these Telguard LTE Cellular Alarm Communicators.



Included Hardware

- Antenna with Integral Radial Ground Plane Connector
- Mounting Bracket

Cables (Not Included)

- For TG-1 Express, use CTXL-12
- use ACD-12/35/50/100

Technical Specifications

Radiation Pattern Omnidirectional 698-960, 1710-2700 MHz Frequency

VSWR 698-806 MHz <2.5: 1.0 806-960 MHz <2.0: <u>1.0</u>

Peak Gain 1710-1990 MHz: 1.7dBi

2100-2700 MHz: 2.9dBi Input Impedance **Maximum Power** 100 Watts

Polarization

Radome Material High Heat ABS

Dimensions

(8.76 x 3.68 cm)

Weight

1.1 lbs (0.5 kg)



For the most current product specifications and UL Listings visit telguard.com. In Canada, cellular data may be carried by Rogers, Bell, Telus or SaskTel.

