

PIOB-0100

6 Digital Input and 6 Digital Output Network I/O Module



► Specifications

Device

Original Manufacturer	Advantech
Product Type	Network IO Module
Original Model	ADAM-6060
Description	6 Digital Input and 6 Digital Output Network I/O Module

Network

Network Protocol & Service	TCP, IP, UDP, HTTP, DHCP
Ethernet Port	Non-PoE: 1 port(s), Ethernet (10/100 Base-T), RJ-45 connector

Integration

Unified Solution	Fully compatible with NVR 3 Corporate
------------------	---------------------------------------

Interface

Serial Port	1 x RS-485/RS-422/RS-232
Digital Input/Output	6/6








General


Power Source	DC 10-30V
Weight	216.5g (0.477lb)
Dimensions	(W x H x D): 122mm x 27mm x 70mm (4.8" x 1.06" x 2.75")
Operating Temperature	-20°C ~ 70°C (-4°F ~ 158°F)

Storage Temperature	-30 °C ~ 80 °C (-22 °F ~ 176 °F)
Approvals	CE, FCC
Warranty	1 Year(s)

▶ Related Products

NVR - Standalone NVR

ENR-220P		4-Channel 2-Bay Desktop Standalone NVR with 4-port PoE connectors, Recording Throughput 300 Mbps, HDMI Port, Remote Access, Video Export via USB, 4-Channel Synchronized Playback, 4-channel free license included, Supports External Storage (iSCSI), Plug & Play with Built-in DHCP Server, 2-Bay (Storage Disks not included), Audio, DI/DO, DC 48V
ENR-221P		9-Channel 2-Bay Desktop Standalone NVR with 8-port PoE connectors, Recording Throughput 300 Mbps, HDMI Port, Remote Access, Video Export via USB, 9-Channel Synchronized Playback, 9-channel free license included, Supports External Storage (iSCSI), Plug & Play with Built-in DHCP Server, 2-Bay (Storage Disks not included), Audio, DI/DO, DC 48V
INR-340		64-Channel 6-Bay RAID Tower Standalone NVR with Additional Computing Power, Recording Throughput 300 Mbps, Instant Playback, e-Map, HDMI, VGA and Display Port, Remote Access, Video Export, 64-Channel Synchronized Playback, 32-channel free license included (for ACTi video devices) and additional license required (for integration with POS, access control and extended devices), Supports External Storage (eSATA, iSCSI), Hardware RAID 0,1,5,10, 6-Bay (Storage Disks not included), Audio, AC 100-240V
INR-440		200-Channel 12-Bay RAID Rackmount Standalone NVR with Redundant Power Supply, Recording Throughput 300 Mbps, Instant Playback, e-Map, VGA Port, Remote Access, Video Export, 64-Channel Synchronized Playback, 64-channel free license included (for ACTi video devices) and additional license required (for integration with POS, access control and extended devices), Supports External Storage (SAS, iSCSI), Hardware RAID 0, 1, 5, 6, 10, 50, 60, 12-Bay (Storage Disks not included), AC 100-240V
INR-460		200-Channel 8-Bay RAID Rackmount Standalone NVR with Recording Throughput 300 Mbps, Instant Playback, e-Map, DVI, VGA and Display port, Remote Access, Video Export, 64-Channel Synchronized Playback, 64-channel free license included (for ACTi video devices) and additional license required (for integration with POS, access control and extended devices), Supports External Storage (eSATA, iSCSI), Hardware RAID 0,1,5,10, 8-Bay (Storage Disks not included), Audio, AC 100-240V
MNR-110		4-Channel 2-Bay Transportation Standalone NVR with Recording Throughput 300 Mbps, Shock Detection with built-in G-sensor, HDMI and VGA Port, Remote Access, Video Export via USB, 4-Channel Synchronized Playback, 4-channel free license included, Supports External Storage (iSCSI), Plug & Play with Built-in DHCP Server, 2-Bay (Storage Disks not included), Wireless (Optional), Audio, DI/DO, DC 8-36V, EN50155
MNR-110P		4-Channel 2-Bay Transportation Standalone NVR with 4-port PoE Connectors, Recording Throughput 300 Mbps, Shock Detection with built-in G-sensor, HDMI and VGA Port, Remote Access, Video Export via USB, 4-Channel Synchronized Playback, 4-channel free license included, Supports External Storage (iSCSI), Plug & Play with Built-in DHCP Server, 2-Bay (Storage Disks not included), Wireless (Optional), Audio, DI/DO, DC 8-36V, EN50155

MNR-310		32-Channel 2-Bay Transportation Standalone NVR with Recording Throughput 192 Mbps, Instant Playback, e-Map, HDMI and VGA Port, Remote Access, Video Export, 32-Channel Synchronized Playback, 16-channel free license included (for ACTi video devices) and additional license required (for integration with POS, access control and extended devices), Supports External Storage (eSATA, iSCSI), Software RAID 0,1, 2-Bay (Storage Disks not included), Wireless (Optional), DC 9-36V/AC 100-240V, e-Mark
MNR-320P		16-Channel 1-Bay GPS Transportation Standalone NVR with 4-port PoE Connectors, with Recording Throughput 192 Mbps, Instant Playback, e-Map, Shock Detection with built-in G-sensor, HDMI and VGA Port, Remote Access, Video Export, 16-Channel Synchronized Playback, 16-channel free license included (for ACTi video devices) and additional license required (for integration with POS, access control and extended devices), 1-Bay (Storage Disks not included), Wireless (Optional), Audio, DI/DO, DC 9-36V, e-Mark
MNR-330P		16-Channel 1-Bay GPS Transportation Standalone NVR with 4-port PoE Connectors, Additional Computing Power, with Recording Throughput 192 Mbps, Instant Playback, e-Map, Shock Detection with built-in G-sensor, HDMI and VGA Port, Remote Access, Video Export, 16-Channel Synchronized Playback, 16-channel free license included (for ACTi video devices) and additional license required (for integration with POS, access control and extended devices), 1-Bay (Storage Disks not included), Wireless (Optional), Audio, DI/DO, DC 9-36V, e-Mark