




**6802W**

## 7-INCH MAXI MONITOR, VIP



7" 16:9 touch monitor with full-duplex hands-free audio. Management of Audio distribution and Energy consumption as standard. Audio, ringtone, colour and contrast adjustment. Equipped with a slot to house the micro SD Card. Ringtone can be customised. Equipped with video memory function and internal directory for the management of intercom calls. Management of external floor door call and call repetition as standard. Panic and alarm input. Sensitive touch commands with LED backlighting. The audio and door-opening command is always visible, whilst the others appear after touch or swipe contact. Also has button for self-ignition, selectable privacy or doctor button (with active red privacy indicator), and 2 controls for different uses. Door Open and New Message indicator lights. Flush or wall- mounted or desk base versions. 223x124x25mm. Compatible with H264 video format.

### AWARDS

DESIGN  
MILANO





**6802W**

## 7-INCH MAXI MONITOR, VIP

### GENERAL DATA

Height (inch) (pc)	29.29
Width (inch) (pc)	52.68
Depth (inch) (pc)	5.91
Product color	White RAL9003, base grey RAL7001
Product weight (oz) (oz)	24.69
Type of finishing materials	ABS, Glass
Flush-mounted	Yes, with a dedicated accessory
Wall-mounted	Yes, with a dedicated accessory
Desk base-mounted	Yes, with a dedicated accessory

### COMPATIBLE SYSTEMS

ViP	Yes
-----	-----

### DISPLAY FEATURES

Display size (")	7
Aspect Ratio	16:9
Touch screen	Yes, resistive
Resolution (pixels)	800x480
OSD menu	Yes

### AUDIO FEATURES

Microphone	4mm (Ø), Omnidirectional
Loudspeaker	80mm (Ø), 80 Ohm, 1W
Technologies implemented	Full-Duplex



**6802W**

**7-INCH MAXI MONITOR, VIP**

**ELECTRICAL CHARACTERISTICS**

Type of power supply	PoE
PoE power supply	Standard IEEE 802.3af, Comelit PoE (56VDC)
Absorption in stand-by (W)	1.8
Maximum absorption (W)	3.4

**HARDWARE FEATURES**

Type of buttons	Capacitive
Service buttons	Lock-release, Answer, Silent (Privacy), Menu, Messages, Door open
No. of programmable buttons for additional functions	2
Clamps	CFP1 In1 AI Pan Out1 S+ S- 0V
Removable terminals	Yes
Number of inputs (n°)	1
Number of outputs (n°)	1
Memory card supported	Micro-SD (not supplied)
Communication ports	RJ45 (Ethernet)

**SETTINGS**

Loudspeaker volume	Yes
Microphone volume	Yes
Ringtone volume	Yes
Screen brightness	Yes
Screen contrast	Yes
Screen colour	Yes
Screen backlight	Yes



**6802W**

## 7-INCH MAXI MONITOR, VIP

### NETWORK AND COMMUNICATION PROTOCOLS

Type of LAN network	Ethernet 10/100 Mbit/s, IEEE 802.3, IEEE 802.3u (Fast Ethernet)
IP address assignment	Auto IP, DHCP, Static

### ENVIRONMENTAL AND COMPLIANCE FEATURES

Protection rating (IP code)	IP30
Operating temperature (°F) (°C)	41 ÷ 104
Operating humidity (RH max) (%)	25 ÷ 75
Environmental class	I
CE certifications	RoHS II - 2011/65/UE (EN 50581:2012), EMC 2014/30/UE (EN 61000-6-1:2007 , EN 61000-6-3:2007+A1:2011)

### MAIN FUNCTIONS

Door opener	Yes
Self Activation	Yes
Intercom calls	Yes
Actuator control	Yes
CPS call	Yes
Outside door call input	Yes
Output for call repetition	Yes
Silent mode (Privacy)	Yes
Video memory	Yes
Door opening on call (Doctor)	Yes
Automatic answer (handsfree)	Yes
Door open signaling	Yes
Call forwarding	Yes
Customisable ringtone	Yes
Sending alarm calls	Yes
Date/time display	Yes
Sending e-mail on event	Yes



**6802W**

## 7-INCH MAXI MONITOR, VIP

### MAIN FUNCTIONS

Receiving ViP messages	Yes
ViP anti-theft function	Yes



**6802W**

## 7-INCH MAXI MONITOR, VIP

### ACCESSORIES



**6812**    **DESK BASE FOR MAXI MONITOR**

Desk base for desktop conversion of Maxi monitor. Dimensions: 105x75x110 mm.



**6820**    **S2 & VIP MAXI MONITOR WALL SUPPORT**

Wall support for Maxi monitor in ABS UV resistant. White RAL 9003 colour.



**6817**    **FLUSH-MOUNTED BOX FOR MAXI MONITOR**

Flush-mounted box in black ABS. Dimensions: 212x115x50mm