





WI-FI VISTO KIT WITH POWER SUPPLY AND BELL, USA



Kit composed of art. Visto (smart doorbell), 3532 (chime), 3534 (power supply). Italian designed smart doorbell wich allow audio/video communication from the door to the smartphone/tablet using the Wi-Fi network. Complete with wireless bell and power supply. With the Visto app You will always be in touch with what is going on at your house, if You are accross town or even in another country. Dark graphite RAL9011 colour.

AWARDS





2/11



WI-FI VISTO KIT WITH POWER SUPPLY AND BELL, USA

KIT PRODUCTS



3534 24VDC POWER SUPPLY UNIT WITH EU-UK-US PLUG

Power supply for Visto smart doorbell, input voltage $110 \div 240$ VAC, output voltage 24 VDC. Interchangeable plugs for the European, English and American markets supplied.

| | MAIN FEATURES |
|---------------------------|---------------|
| Supply voltage | |
| Output supply voltage | |
| Output connector | |
| Plug-in power supply unit | |
| Applicable to DIN rail | |

| HARDWARE SPECIFICATIONS | |
|---|--------------|
| Product weight (oz) (oz) | |
| | GENERAL DATA |
| The state of Chair Island and the site is | |

Type of finishing materials

Product color

| | COMPATIBILITY |
|---------------------------------|---------------|
| Simplebus 2 audio/video system | |
| Building Kit audio/video system | |
| Simplebus 2 audio system | |
| Simplebus 1 audio system | |
| Vip system | |
| Kit audio/video system | |
| lpower system | |
| Traditional system | |
| Semplified system | |





WI-FI VISTO KIT WITH POWER SUPPLY AND BELL, USA COMPATIBILITY Comelbus system Image: Comparison of the system Comtel system Comtel system MOUNTING/INSTALLATION Wall-mounted Image: Colspan="2">Comparison of the system Audio/VIDEO FEATURES Audio system Image: Colspan="2">CONNECTIVITY Stabilised output CONNECTIVITY Stabilised output DIN modules (no.) (n°) DIN rail mounted Visual signalling Image: Colspan="2">Image: Colspan="2">Colspan="2"Colspa



4/11



VISTOKIT/U

WI-FI VISTO KIT WITH POWER SUPPLY AND BELL, USA



Induction loop function

KITVISTO WI-FI VISTO KIT

Italian designed smart doorbell wich allow audio/video communication from the door to the smartphone/tablet using the Wi-Fi network. Complete with adapter to use the already existing doorbell power supply (12÷20VAC or 12÷33VDC) and to interface the existing doorbell chime. With the Visto app You will always be in touch with what is going on at your house, if You are accross town or even in another country. Dark graphite RAL9011 colour.

| | GENERAL DATA |
|--------------------------|--------------|
| Туре | |
| Product weight (oz) (oz) | |
| Product color | |
| Flush-mounted | |
| Wall-mounted | |

| со | MPATIBLE SYSTEMS |
|---|------------------|
| Compatible audio and audio/video units | |
| Audio/video Simplebus 2 with power supply art. 4888CU | |
| Audio/video Simplebus 2 with power supply art. 1210/1210A | |
| Simplebus 2 audio/video kit with power supply art. 1209 | |
| Audio Simplebus 2 with power supply art. 1210/1210A | |
| Audio/video Simplebus 1 | |
| Audio Simplebus 1 | |
| ViP | |
| RESIDORG / RESIPRO | |
| | AUDIO FEATURES |

| Technical specifications are subject to | change without prior notice and | refer to the latest version of | the product released. |
|---|---------------------------------|--------------------------------|-----------------------|





WI-FI VISTO KIT WITH POWER SUPPLY AND BELL, USA

| AUDIO FEATURES | |
|--------------------|--|
| Microphone | |
| Loudspeaker | |
| Signal/noise ratio | |

CAMERA FEATURES

Camera Lens optical dimensions (pc)

ELECTRICAL CHARACTERISTICS

PoE power supply

| HARDWARE FEATURES | |
|-----------------------------|--|
| Number of push-buttons (n°) | |
| Backlight color | |
| Removable terminals | |
| Integrated proximity reader | |

| | SETTINGS |
|--|----------|
| Loudspeaker volume | |
| Microphone volume | |
| Sensitivity of capacitive push-buttons | |

| NETWORK AND COMMUNICATION PROTOCOLS | | |
|-------------------------------------|--|--|
| IP address assignment | | |
| Web page | | |
| Bluetooth | | |
| Wiegand | | |

| PROGRAMMING MODE | |
|----------------------|--|
| ViP Manager software | |





WI-FI VISTO KIT WITH POWER SUPPLY AND BELL, USA

| MAIN FUNCTIONS | | |
|-------------------------------------|--|--|
| Door opener | | |
| Input for local door release button | | |
| Door open signaling input | | |
| Access control via proximity reader | | |
| Access control via door opener code | | |
| Number of door opener codes (n°) | | |
| Visual indications of system status | | |
| Acoustic signals of system status | | |
| Speech synthesis of system status | | |
| Customizable welcome message | | |
| Customisable image of the button | | |
| Alarm management | | |
| MAC address | | |

| GENERAL FEATURES | |
|--------------------------------------|--|
| Self Activation | |
| Switchboard call function | |
| Actuator control function | |
| Total buttons (n°) | |
| Type of finishing materials | |
| Door release (direct current output) | |
| Customizable screensaver | |
| Acoustic signalling | |
| Visual signalling | |
| Speech synthesis | |





WI-FI VISTO KIT WITH POWER SUPPLY AND BELL, USA

3532 ADDITIONAL WIRELESS BELL FOR VISTO KIT

Wireless additional bell for Visto smart doorbell, 433 MHz operating frequency, adjustable volume, various selectable melodies, powered by 2 batteries (size AA, 1.5V, not included), wall mounting, white/silver color.

HARDWARE FEATURES

Customisable housing

| | MAIN FEATURES |
|------------------------|---------------|
| Height (inch) (pc) | |
| Width (inch) (pc) | |
| Depth (inch) (pc) | |
| DIN rail mounted | |
| DIN modules (no.) (n°) | |

| | GENERAL DATA |
|-----------------------------|--------------|
| Type of finishing materials | |
| Product color | |
| Customisable ringtone | |

| | COMPATIBILITY |
|---------------------------------|---------------|
| Simplebus 2 audio/video system | |
| Building Kit audio/video system | |
| Simplebus 2 audio system | |
| Vip system | |
| Kit audio/video system | |
| Traditional system | |
| Semplified system | |

MOUNTING/INSTALLATION





WI-FI VISTO KIT WITH POWER SUPPLY AND BELL, USA

Wall-mounted

AUDIO/VIDEO FEATURES

Audio/video system



9/11



WI-FI VISTO KIT WITH POWER SUPPLY AND BELL, USA

ACCESSORIES

ADAPTER PLATE FOR VISTO KIT

3528

Plate for the installation of the Visto smart doorbell on existing recessed boxes type 503 (horizontal and vertical) with interaxis of 83.5mm, square boxes with interaxis of 62mm, box type 502/German/round with

interaxis of 60mm. Made of PMMA, white color.



APP_COMELITVISTO COMELIT APP FOR VISTO SERIES SYSTEMS

The Visto app is the main interface which allows users to easily interact with the Visto smart doorbell and additional cameras. It allow full two-way communication with HD resolution video and crystal clear audio. It is possible to view the images of all the cameras of the Visto smart doorbells and of the additional cameras which might be in the system. You can view all recorded images and videos stored on your device or on the cloud.





| ACCESSORIES | | | |
|-------------|--|---|--|
| N | VISTOCAM | ADDITIONAL CAMERA FOR KITVISTO | |
| | | Visto Cam is an indoor camera that allows you to watch over the inside of the home or the workplace for greater comfort and safety. Check what your children are doing or what problems the pet may have created. Always be at home, even when you are around the world. | |
| | 3530 | WALL BRACKET FOR VISTO CAMERA | |
| T | | Spare bracket for VISTOCAM camera, plastic base, steel joint. | |
| 3527W | 3527W | CLOUD WHITE COVER FOR VISTO EXTERNAL UNIT | |
| | | Cover replacement for Visto smart doorbell. Plastic material, cloud white RAL9003 color. | |
| 35275 | 3527S | SILVER MIST COVER FOR VISTO EXTERNAL UNIT | |
| | | Cover replacement for Visto smart doorbell. Plastic material, silver mist RAL9006 color. | |
| З527В | 3527B | DARK GRAPHITE COVER FOR VISTO EXTERNAL UNIT | |
| | Cover replacement for Visto smart doorbell. Plastic material, dark graphite RAL9011 color. | | |
| | 3525 | LEFT-RIGHT ADJUSTABLE BRACKET FOR VISTO | |
| | | Left/right adjustable bracket for Visto smart doorbell, 20° horizontal inclination, plastic material, silver mist RAL9006 colour. | |





WI-FI VISTO KIT WITH POWER SUPPLY AND BELL, USA

ACCESSORIES



3522

ADAPTER FOR WI-FI VISTO KIT

Voltage adapter for Visto smart doorbell. Input voltage $12 \div 20$ VAC, output for powering the Visto smart doorbell. It is possible to control already existing bells. Case in plastic material, dark graphite RAL9011 color. Dimensions (W x H x D): 59 x 40 x 14mm.