


Securitron® M32, M62, M82 Magnalock® Accessories

ASB Aluminum Spacer Bracket

- Use when a blade stop requires the Magnalock to be lowered
- Comes pre-drilled for the mounting bolts and wire
- Provides a blind nut for surface installation of strike
- Available in clear aluminum or black anodized
- MagnaCare® lifetime replacement, no fault, no questions asked warranty



Part Number | Description


ASB-32BK	Alum Frame Spacer Bracket - M32, Black Anodized
ASB-32CL	Alum Frame Spacer Bracket - M32, Clear Anodized
ASB-62BK	Alum Frame Spacer Bracket - M62, Black Anodized
ASB-62CL	Alum Frame Spacer Bracket - M62, Clear Anodized

Part Number | Description

ASB-82BK2	Alum Frame Spacer Bracket - M82, Black Anodized
ASB-82CL	Alum Frame Spacer Bracket - M82, Clear Anodized
ASCWB-DM62CL	Alum 1-1/2" Spacer - Concrete/Wood Bracket, DM62, Clear

CWB Concrete Wood Bracket

- Used on wood or concrete filled metal frames
- Provides a concealed wire chamber
- Available in clear aluminum or black anodized
- MagnaCare® lifetime replacement, no fault, no questions asked warranty



Part Number | Description

CWB-32BK	Concrete/Wood Bracket - M32, Black Anodized
CWB-32CL	Concrete/Wood Bracket - M32, Clear Anodized
CWB-62BK	Concrete/Wood Bracket - M62, Black Anodized

Part Number | Description

CWB-62CL	Concrete/Wood Bracket - M62, Clear Anodized
CWB-82BK	Concrete/Wood Bracket - M82, Black Anodized
CWB-82CL	Concrete/Wood Bracket - M82, Clear Anodized



Securitron M32/62/82 Magnalock Accessories *continued*

AOS Offset Strike Plate

- Alters the position of the mounting hole by 1/4" [6mm]. This is often required to clear the glass on aluminum frame store front doors
- Includes Offset Strike Plate only
- MagnaCare® lifetime replacement, no fault, no questions asked warranty



Part Number | Description

AOS-62	Strike Plate - M62, Offset
AOS-62D	Strike Plate - M62D, Offset
AOS-82	Strike Plate - M82, Offset

ASS Split Strike/ Replacement Strike Plate

- Allows a single M32, M62 or M82 Magnalock to secure a double door at traffic control holding force level
- Includes Split Strike Plates only
- MagnaCare® lifetime replacement, no fault, no questions asked warranty




Part Number | Description

ASS-32	Strike Plate M32 - Split Set w/ Fasteners & Sex Bolt
ASS-62	Strike Plate M62 - Split Set w/ Fasteners & Sex Bolt
ASS-82	Strike Plate M82 - Split Set w/ Fasteners & Sex Bolt

ZA Z Bracket Kits - Adjustable

- Use on in-swing doors with Magnalock "F" options (8-1/2" overall length)
- Provides 1-1/4" of lateral movement to accommodate most openings and allows for precision adjustments (2-1/4" to 3-1/2" from door/header)
- Includes an oversized dress cover
- MagnaCare® lifetime replacement, no fault, no questions asked warranty



Part Number | Description

ZA-32/62BK	Adjustable Z-Bracket - M32/62, Black Anodized
ZA-32/62CL	Adjustable Z-Bracket - M32/62, Clear Anodized
ZA-32/62SS	Adjustable Z-Bracket - M32/62, Satin Stainless

Part Number | Description

ZA-82BK	Adjustable Z-Bracket - M82, Black Anodized
ZA-82CL	Adjustable Z-Bracket - M82, Clear Anodized
ZA-82SS	Adjustable Z-Bracket - M82, Satin Stainless




MagnaCare
Warranty

Securitron M32/62/82 Magnalock® Accessories

EASB Energy Absorbing Sex Bolt

The Energy Absorbing Sex Bolt provides additional protection and shock absorption to augment holding force when a door experiences dynamic forces such as kicks or repeated blows. Used in mental health care and detention ancillary or administrative doors, and perimeter doors.

- For high-security applications on inflexible doors
- Replaces the standard Sex Bolt
- Contains a powerful internal spring that absorbs and dissipates the force of a blow
- MagnaCare® lifetime replacement, no fault, no questions asked warranty



Part Number | Description

- EASB-250** Energy Absorbing Bolt - 1/4" Spacer Kit
- EASB-32** Energy Absorbing Sex Bolt - Model 32

Part Number | Description

- EASB-62** Energy Absorbing Sex Bolt - Model 62
- EASB-82** Energy Absorbing Sex Bolt - Model 82

TDK-1 Accessory for Thick Doors

- Provides replacement screws so armature plates for the M32, M62, M82, M38 and M68 can be used on doors thicker than 1-3/4", and up to 3"
- MagnaCare® lifetime replacement, no fault, no questions asked warranty



Part Number | Description

- TDK-1** Thick Door Kit

SB-1 Sex Bolt Replacement

- Replaces armature plate sex bolt for M32, M38, M62, M68, and M82B Magnalocks
- Available in clear, polished brass or oil rubbed bronze finish
- MagnaCare® lifetime replacement, no fault, no questions asked warranty



Part Number | Description

- SB-1** Sex Bolt - Replacement, Clear
- SB-1-03** Sex Bolt - Replacement, Polished Brass
- SB-1-10B** Sex Bolt - Replacement, Oil-Rubbed Bronze



Securitron M32/62/82 Magnalock Accessories *continued*

DC Dress Covers

- Use with M32, M62, and M82
- Install using foam adhesive tape
- Available in clear, black, polished stainless and polished brass finish
- MMagnaCare® lifetime replacement, no fault, no questions asked warranty



Part Number | Description

DC-32BK DC - M32, Black Anodized

DC-32BP DC - M32, Brass Polished

DC-32CL DC - M32, Clear Anodized

DC-32SP DC - M32, Stainless Polished

DC-62BK DC - M62, Black Anodized

DC-62BP DC - M62, Brass Polished

Part Number | Description

DC-62CL DC - M62, Clear Anodized

DC-62SP DC - M62, Stainless Polished

DC-82BK DC - M82, Black Anodized

DC-82BP DC - M82, Brass Polished

DC-82CL DC - M82, Clear Anodized

DC-82SP DC - M82, Stainless Polished

DDC Double Dress Covers

The Energy Absorbing Sex Bolt provides additional protection and shock absorption to augment holding force when a door experiences dynamic forces such as kicks or repeated blows. Used in mental health care and detention ancillary or administrative doors, and perimeter doors.

- For high-security applications on inflexible doors
- Replaces the standard Sex Bolt
- Contains a powerful internal spring that absorbs and dissipates the force of a blow
- MagnaCare® lifetime replacement, no fault, no questions asked warranty



Part Number | Description

DC-32BK DC - M32, Black Anodized

DC-32BP DC - M32, Brass Polished

DC-32CL DC - M32, Clear Anodized

DC-32SP DC - M32, Stainless Polished




MagnaCare
Warranty

Securitron M32/62/82 Magnalock® Accessories

HHD / HHSL / HHSR / HVD Full Length Housings

- Vertical or horizontal configurations
- Fit one or two locks (not included)
- (SLR) Single Left Hand Reverse
- (SRR) Single Right Hand Reverse
- MagnaCare® lifetime replacement, no fault, no questions asked warranty



Part Number | Description

HHD-32	Lock Housing for M32 - Dbl. Horizontal
HHD-62	Lock Housing for M62 - Dbl. Horizontal
HHD-82	Lock Housing for M82 - Dbl. Horizontal
HHSL-32	Lock Housing for M32 - SLR Horizontal
HHSL-62	Lock Housing for M62 - SLR Horizontal

Part Number | Description

HHSR-32	Lock Housing for M32 - SRR Horizontal
HHSR-62	Lock Housing for M62 - SRR Horizontal
HVD-32	Lock Housing for M32 - Dbl. Vertical
HVD-62	Lock Housing for M62 - Dbl. Vertical
HVD-82	Lock Housing for M82 - Dbl. Vertical

Model	A	B	C	Max Length*
HHD-32	1.75"	2.1"	2.35"	96"
HHD-62	2.1"	2.6"	3.5"	96"
HHD-82	2.1"	2.6"	3.5"	96"
HHSL-32	1.75"	2.1"	2.35"	48"
HHSL-62	2.1"	2.6"	3.5"	48"
HHSR-32	1.75"	2.1"	2.35"	48"
HHSR-62	2.1"	2.6"	3.5"	48"
HVD-32	1.75"	2.1"	2.35"	96"
HVD-62	2.1"	2.6"	3.5"	96"
HVD-82	2.1"	2.6"	3.5"	96"

*Full length housings are individually manufactured to custom specifications up to the maximum length shown.

How to Order

Specify quantity and the following information. Order related products separately.

Model Series	Mounting Method	Monitoring Options Specify Length
HHD	-32	(83")
HHD	32	HHD Max Length 96"
HHSL	62	HHD Max Length 96"
HHSR	82	HHSR Max Length 48"
HVD		HVD Max Length 96"



Securitron® M38, M68 Bracket Mounted Magnalock® Accessories

DC Dress Cover

- Available for the M38 and M68
- Install using foam adhesive tape
- MagnaCare® lifetime replacement, no fault, no questions asked warranty



Part Number | Description

DC-38SP DC-M38, Stainless Polished

DC-68SP DC-M68, Stainless Polished

TJ Top Jamb - In-Swing Door Kit


- Available for the M38 and M68
- Used to mount the lock on the secure side of a door that swings into a secured area
- Includes a Z-Bracket and an oversized Dress Cover
- MagnaCare® lifetime replacement, no fault, no questions asked warranty




Part Number | Description

TJ-38CL In-Swing Door Kit—M38, Clear

TJ-68CL In-Swing Door Kit—M68, Clear



M38



M68



Grade 3



MagnaCare
Warranty



Auto Sensing
Dual Voltage
12/24



PoE
Friendly



Fire Rated



Preload