# 430 Series

### Small Mushroom Button Switches







SDC's 430 heavy duty industrial series incorporates a 11/2" round mushroom button with heavy duty contacts. The assembly is capable of withstanding high impact and is ideal for heavy duty high frequency use.

432K models latch when depressed and must be reset with the built-in-key. Applications include alarm, panic alarm and emergency door release where systems are restored by authorized personnel only.



432KLDUR

### **MODELS**

431 Alternate Action (AA) On/Off, SPST

432 Momentary (MO), SPST

432K Momentary (MO) Latching with Key Reset, DPST

434 Momentary (MO), DPST

435 Alternate Action (AA) On/Off, DPST

### STANDARD FEATURES

- 11/2" mushroom exit switches
- Heavy duty to withstand impact
- · Water resistant contacts
- · Ideal for high frequency use
- Screw terminal wire connections
- · Green button standard\*
- \* Red button is standard for 432K models

## OPTIONAL FEATURES

- Red button
- Visual status indicator (LED)
- Alternative signage







# **SPECIFICATIONS**

Size

Dimensions Signage

	431	432	432K	433	434	435
Faceplate	20 Guage	20 Guage	20 Guage	20 Guage	20 Guage	20 Guage
	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
Button	Green	Green	Red	Green	Green	Green
Weight	0.5 lbs	0.5 lbs	0.5 lbs	0.5 lbs	0.5 lbs	0.5 lbs
Contact	SPST	SPST	DPST	SPST	DPST	DPST
Rating	6 Amp @ 30 VDC	6 Amp @ 30 VDC	6 Amp @ 30 VDC	6 Amp @ 30 VDC	6 Amp @ 30 VDC	6 Amp @ 30 VD
	Resistive	Resistive	Resistive	Resistive	Resistive	Resistive
Туре	Alternate Action	Momentary (MO)	Momentary (MO)	Momentary (MO) w/	Momentary (MO)	Alternate Action
	(AA) On/Off		Latching w/ Key Reset	External Relock Timer		(AA) On/Off
Normally Closed (NC)	431C	432C				
Normally Open (NO)	4310	4320		433		
	431CN	432CN				
	431CN 431ON	432CN 432ON	432KN		434N	435N
Size			432KN Narrow		<b>434N</b> Narrow	<b>435N</b> Narrow
Size Dimensions	4310N	4320N				
	<b>4310N</b> Narrow	4320N Narrow	Narrow		Narrow	Narrow
Dimensions	<b>4310N</b> Narrow 1¾" × 4½"	<b>4320N</b> Narrow 13/4" × 41/2"	Narrow 13/4" x 41/2"		Narrow 13/4" x 41/2"	Narrow 13/4" x 41/2"
Dimensions	<b>4310N</b> Narrow 1¾" × 4½"	<b>4320N</b> Narrow 13/4" × 41/2"	Narrow 13/4" x 41/2"		Narrow 13/4" x 41/2"	Narrow 13/4" x 41/2"
Dimensions	4310N Narrow 1¾" x 4½"	4320N Narrow 134" x 41/2" EXIT	Narrow 1¾" x 4½" 		Narrow 13/4" x 41/2"	Narrow 13/4" x 41/2"
Dimensions	4310N Narrow 1 <sup>3</sup> / <sub>4</sub> " × 4 <sup>1</sup> / <sub>2</sub> " 	4320N Narrow 134" x 41/2" EXIT	Narrow 1 <sup>3</sup> / <sub>4</sub> " x 4 <sup>1</sup> / <sub>2</sub> " 		Narrow 13/4" x 41/2" EXIT	Narrow 1%" x 4½" 
Dimensions Signage	4310N Narrow 13/4" x 41/2"  431C 4310	4320N Narrow 13/4" x 41/2" EXIT 432C 432O	Narrow  1¾" x 4½"   432K 432KLD		Narrow 134" x 41/2" EXIT	Narrow 1%" x 4½" 

433

EXIT

Double Gang

4½" x 4½"

----

----

----

----



----

<sup>\*</sup> LOCKDOWN signage is for 432KLD models only. The 432K does not have any signage on the faceplate.



UL 294 Access Control System Units\*

\* Only 432KLD models are UL 294 listed.



#### FOLLOW STEPS FOR ORDERING

Designates optional step

### 1| SPECIFY MODEL

NARROW 431CN Alternate Action (AA) On/Off, SPST-NC	SIGN [none]
4310N Alternate Action (AA) On/Off, SPST-NO	[none]
432CN Momentary (MO), SPST-NC	EXIT
4320N Momentary (MO), SPST-NO	EXIT
432KN* Momentary (MO) Latching w/ Key Reset, DPST	[none]
434N Momentary (MO), DPST	EXIT
435N Alternate Action (AA) On/Off, DPST	[none]

<sup>\*</sup> Latching models only available with red mushroom button. Must specify option "R".

#### SINGLE GANG

SINGLE GANG  431C Alternate Action (AA) On/Off, SPST-NC	SIGN [none]
4310 Alternate Action (AA) On/Off, SPST-NO	[none]
432C Momentary (MO), SPST-NC	EXIT
4320 Momentary (MO), SPST-NO	EXIT
432K* Momentary (MO) Latching w/ Key Reset, DPST	[none]
432KLD* Momentary (MO) Latching w/ Key Reset, DPST	LOCKDOWN
434N Momentary (MO), DPST	EXIT
435 Alternate Action (AA) On/Off, DPST	[none]

<sup>\*</sup> Latching models only available with red mushroom button. Must specify option "R".

#### 2| SPECIFY FINISHES

- U 630 Dull Stainless
- **⊘**Standard
- C 605 Bright Brass
- H 613 Dark Oil Rubbed Bronze
- D 606 Dull Brass
- **S** 629 Bright Stainless

#### 3| SPECIFY OPTIONS

- R Red Button
- L1G Visual Status Indicator (LED), One-Color (Green)
- L1R Visual Status Indicator (LED), One-Color (Red)
- L2 Visual Status Indicator (LED), Two-Color
- LT Visual Status Indicator (LED), Tri-Color
- E\* Add "EXIT" Sign
- B\*\* No Sign, Blank
- \* Available for 431 and 435 models only.
- \*\* Available for 432 and 433 models only.

STEP NUMBER:	1	2	3
ORDERING EXAMPLE:	432KLD	U	R



RETROFIT BACK BOX

**BB1D** Single Gang, 21/4" x 33/4" x 23/4"





