

Please check our website regularly



OUIET DUO™ ELR Kit

- For Use With Fire Rated & Non Fire Rated Exit Devices
- Simultaneous Electric Latch Retraction & Dogging*
- 700 mA Inrush, 200 mA Continuous
- Quiet Mechanical and Electric Operation

Patents # US 8,851,530



OUIET DUO™ LR100 Series available for these brands:

- Von Duprin
- Yale
- Corbin Russwin
- Dor-O-Matic

Adams Rite

- K2
- PHI • IDC
- TownSteel
- Arrow
- Dorma

Hager

Falcon

- Detex
- PDO
- Falcon IR
- Marshall Best
- Sargent
- SDC

Refer to page 2 to confirm compatibility of Rim, Mortise, Surface & Concealed Vertical Rod for each brand.

Application

The SDC LR100 Series Electric Latch Retraction Kit enables electric access control and dogging of mechanical exit devices. When energized the motor retracts the exit device latch and pulls the pushpad into the dogged (depressed) position enabling momentary or sustained push and pull operation of the door.

The latch retraction mechanism may be activated by an access control, remote control device or building automation system. The exit device always provides uninhibited egress.

Field Installed Retrofit Kit - See page 2 for ordering information

• UL Classified for use with 3hr fire rated & non-fire rated exit devices

SDC Factory Installed Kit - See page 2 for ordering information

- UL Listed for use with 3hr fire rated & non-fire rated exit devices
- Distributor sends exit device to SDC for kit installation



SDC is not a licensee of, or affiliated or connected with any of the following companies: Von Duprin, Yale, Corbin Russwin Dor-O-Matic, Dorma, Hager, Adams Rite, PHI, K2, Cal-Royal


Features

- 700 mA Inrush, 200 mA Continuous @ 24VDC
- For access control and sustained dogging applications
- Simultaneous latch retraction and dogging (pushpad depressed*) for most exit devices
- Pushpad is depressed* electrically for guieter push / pull operation
- Automatic re-trigger if device does not pull on first try
- * IMPORTANT NOTE: Electric pushpad depression not available with Corbin Russwin, Yale, Adams Rite and Sargent

Benefits

- Eliminates need for costly replacement of existing exit device
- Significantly less labor and costs compared to competitive retrofit kits
- Eliminates need for costly power supplies with high inrush circuitry. Compatible with UL Listed Access Control Power Supply
- Only 1 Amp SDC brand power supply required for up to 2 exit devices
- Low current enables longer wire runs with smaller gauge wire
- No door sequencers required for pairs of manual doors
- Installs in Von Duprin non-fire rated panic device without removing from the door





Ordering Information

Adams Rite Exit Device					
Opening for	Field Retrofit Kit		Factory Installed		
36"	LR100ARK		LR100AR		
Models	Models				
Rim Mount		8700 /	8800 / 3700		
Surface Vertical Rod		8100 / 8200 / 3100			
Concealed V	ertical Rod	8600 /	3600		

^{*} Note: Retracts only the latch

Arrow	1000 Series Exit Devices			
Opening for	Field Retrofit Kit		Factory Installed	
36" - 48"	LR100AWK		LR100AW	
Models				
Rim Mount S12		S1250		
Surface Vertical Rod		S1150		

Corbin Russwin ED Series Exit Devices				
Opening for	Field Retrofit Kit		Factory Installed	
36"	LR100CRK		LR100CR	
42" - 48"	LR100CRK-42	/48	LR100CR-42/48	
Models		'		
Rim Mount		ED520	0 / ED4200	
Surface Verti	cal Rod	ED5400	0	
Concealed V	ertical Rod	ED580	0	
Options				
LRCR1L	Latch	Latch Status Kit		
LRCR1R	Pushp	Pushpad/Dogging Status or REX Status Kit		

^{*} Note: Retracts only the latch

Design Hardware Exit		Exit Device	s	
Opening for	Field Retrofit Kit		Factory Installed	
36"- 48"	LR100DHK		LR100DH	
Models				
Rim Mount		1000R		
Surface Vertical Rod		1000V		

Detex	Exit Device			
Opening for	Field Retrofit Kit		Factory Installed	
36"	LR100DXK		LR100DX	
Models				
Rim Mount	Rim Mount 10 /		I0 Series	
Surface Vertical Rod 20 /		20 / 5	20 / 50 Series	
Concealed Vertical Rod 80		80 / 6	60 Series	

Dorma	Exit Devices			
Opening for	Field Retrofit Kit		Factory Installed	
36"- 48"	LR100DAK		LR100DA	
Models	odels			
Rim Mount	unt 9300			
Surface Vertical Rod 9400		9400		

Falcon	24/25 Series Exit Devices				
Opening for	Field Retrofit Kit		Factory Installed		
36"	LR100FRK		LR100FR		
Models	Models				
Rim Mount	t 25-R /		F-25-R / 24-R / F-24-R		
Surface Vertical Rod 25-		25-V / I	F-25-V / 24-V / F-24-V		
Concealed Vertical Rod		25-C / F-25-C / 24-C / F-24-C			

Falcon Dor-O-Matic Exit Device			es	
Opening for	Field Retrofit Kit		Factory Installed	
36"	LR100FAK		LR100FA	
Models				
Rim Mount		1790		
Concealed V	/ertical Rod	1690		
Opening for	Field Retrofit Kit		Factory Installed	
36"	LR100DMK		LR100DM	
Models				
Rim Mount	1590			
Concealed V	/ertical Rod	1490		

Hager 4500 Series Exit Devices				
Opening for	Field Retro	l ofit Kit		Factory Installed
36"- 48"	LR10	00HK		LR100H
30"	LR10	00HEM		LR100HEM
Models				
Rim Mount	Rim Mount 4501 - Rim			Rim
Surface Vert	ical Roo	d 4501 -		SVR
Options				
LRH1L		Latch Status Kit		
LRH1R		Pushpad/Dogging Status or REX Status Kit		

PDQ Exit Devices					
Opening for	Field Retrofit Kit		Factory Installed		
36"	LR100PDQK		LR100PDQ		
Models					
Rim Mount		6200R			
Surface Vertical Rod		6200	V		

IDC (International Door Closers) 8000 Series Exit Devices					
Opening for	Field Retro	fit Kit		Factory Installed	
36"- 48"	LR10	OIDCK		LR100IDC	
30"	LR10	OIDCKEM		LR100IDCEM	
Models	Models				
Rim Mount			8610 / 8	810 / 8510 / 8710	
Surface Vert	ical Roc	l	8630 / 8	830 / 8530 / 8730	
Mortise			8620 / 8	8820	
Concealed V	ertical F	Rod	8650 / 8	850 / 8550 / 8750	
Options					
LRIDC1L		Latch Status Kit			
LRIDC1R		Pushpad/Dogging Status or REX Status Kit			

PHI (Pre	cisio	ion Hardware)		Exit Devices	
Opening for	Field Retro	ofit Kit		Factory Installed	
36"	LR10	00PDK		LR100PD	
Models					
Rim Mount			210	1	
Surface Vert	ical Ro	ical Rod 2201			
Concealed \	/ertical l	Rod	280	1	
Rim Mount			510	0	
Surface Vert	ical Ro	d	520	00	
Options					
LRP1L		Latch Status Kit for PHI Rim 2000 Series			
LRP2L		Latch Status Kit for PHI Vertical 2000 Series			
LRP1R		REX Status or Pushpad/Dogging Status for PHI 2000 Series			

K2	QED Series Exit Devices				
Opening for	Field Retro	ofit Kit		Factory Installed	
36"- 48"	LR10	00K2K		LR100K2	
30"	LR10	00K2KEM		LR100K2EM	
Models					
Rim Mount			QED111		
Surface Vertical Rod		QED114			
Concealed Vertical Rod		QED124			
Options					
LRK2R		Latch Status and REX Status or Pushpad/ Dogging Status Kit			

Sargent	Exit Devices			
Opening for	Field Retrofit Kit		Factory Installed	
36"- 48"	LR100SGK	LR100SG		
30"	LR100SGKEM	LR100SGEM		
Models				
Rim Mount		8800		
Surface Vert	ical Rod	8700		
Concealed Vertical Rod		8600		
* Note: Defende and the letele				

* Note: Retracts only the latch


Marshall Best Exit Devices					
Opening for	Field Retrofit Kit		Factory Installed		
36"	LR100MBSK		LR100MBS		
Models					
Rim Mount		Q1100/QF1100			
Surface Vertical Rod		Q1200	/QF1200		

SDC	SDC 6000 Series Exit Devices				
Opening for	Field Retrof	fit Kit		Factory Installed	
36"-48"	LR10	0SDCK		LR100SDC	
30"	LR10	0SDCKEM		LR100SDCEM	
Models					
Rim Mount			S6100		
Surface Vertical Rod			S6200		
Mortise			S6300		
Concealed Vertical Rod			S6800		
Options					
LRSDC11	_	Latch Status Kit			
LRSDC1I	₹	Pushpad/Dogging Status or REX Status Kit			

TownSteel ED1100 Series Exit Devices					
Opening for	Field Retrofit Kit		Factory Installed		
36"- 48"	LR100TSK		LR100TS		
30"	LR100TSKEM		LR100TSEM		
Models					
Rim Mount		ED1100			
Concealed Vertical Rod		ED1300			

Von Duprin 22 Series Exit Devices				
Opening for	Field Retrofit Kit			Factory Installed
36" 48"	LR10	VDK22		LR100VD22
30"	LR100	VDKEM22		LR100VDEM22
Models				
Rim Mount			22	
Surface Vertical Rod			2227	
Options				
LRVD1L Latch Status 22 Series		s Kit f	or Von Duprin 98/99 and	
LRVD2L Latch Status		s Kit for Von Duprin 33/35 Series		
		or Pushpad/Dogging Status for 98/99 and 33/35 Series		
LRVD2R REX Status Von Duprin			shpad/Dogging Status for ries	





Von Dup	rin 98/99 a	nd 33/	/35 Series Exit Devices		
Opening for	Field Retrofit Kit		Factory Installed		
36"- 48"	LR100VDK		LR100VD		
30"	LR100VDKEM		LR100VDEM		
Models					
Rim Mount		98/99			
Surface Vertical Rod		9827/9927			
Concealed Vertical Rod		9847/9947			
Mortise		9875/9975			
Three Point	latching	9857/	9957		

Yale 7000 Series Exit Devices					
Opening for	Field Retro	eld etrofit Kit		Factory Installed	
36"	LR10	00YDK		LR100YD	
42" - 48"	LR10	0YDK-42/48		LR100YD-42/48	
Models					
Rim Mount	Rim Mount 7		7100,	7100, 7102, 7200	
Surface Vertical Rod 7		7110,	7110, 7210		
Concealed Vertical Rod 712		7120	7120		
Options					
LRY1L		Latch Status Kit			
LRY1R		Pushpad/Dogging Status or REX Status Kit			
* Note: Detroote auto the late					

^{*} Note: Retracts only the latch

Power Supplies

602RF 1 Amp, 12/24VDC Power Supply, UL 294 Listed For use with up to two 24VDC devices Add one EMC sequencer for 2 single or 1 pair of automatic doors.

632RF 2 Amp, 12/24VDC Power Supply, UL 294 Listed For use with up to four 24VDC devices

Add two EMC sequencers for 4 single or 2 pairs of automatic doors

Two Door Sequencer

EMC 2 Station Door Sequencer

Each EMC provides interface and sequencing for two single or one double automatic door. Not required for manual doors.

Power Transfer Devices

PTH-4Q Power Transfer hinge, UL Listed, Fire Rated

PTH-10Q Power Transfer hinge, UL Listed, Fire Rated

PT-5 Mortise Power Transfer Device, UL 294 Listed, Fire Rated

PT-3V Stainless steel door loop with surface wire junction

PTM-2 Electric Power Transfer Device, (2) 18 GA wires,

5 Amp Max., UL Listed, Fire Rated

PTM-10 Electric Power Transfer Device, (10) 24 Ga. wires,

1 Amp Max., UL Listed, Fire Rated

www.sdcsecurity.com service@sdcsecurity.com [t] 800.413.8783 805.494.0622

801 Avenida Acaso, Camarillo CA 93012 • PO Box 3670, Camarillo CA 93011-3670

SECURITY DOOR CONTROLS