

NStar™

A young girl with blonde braids and blue eyes is smiling slightly. She is holding a piece of white chalk and has just written the letters 'A B C' on a dark green chalkboard behind her. The letters are written in a simple, childlike style. The background is a plain, light-colored wall.


A B C

QUICK REFERENCE GUIDE


**Install it, use it, expand it.
It's as easy as ABC.**

Honeywell

Typical 2 Reader NStar System



NStar System Expansion



* Please note that COM Expansion Board (NTEXPD14) and Output Cables (NTEXPC9) may be required if second COM Port is not available

ADI-G Ref	Part Code	Description
PC with NStar Software		
1	927-2231	PC-NSTAR NStar PC Build pre-configured with NStar Software when purchased with NStar Starter Kit
Or PC with Min. Specs: 2GHz Intel Pentium 4, 512MB RAM, 1024x768 Display, 18GB Hard Disk, 17" Monitor, 1 Serial, 1 Parallel, Windows XP Pro, 2000 Pro, 2003 Server		
Network Interfaces		
A	912-0301	LANSERIALTUK Network Serial Comms Interface
B	912-0306	NSLAN-1 Ethernet Daughter Board
NStar Starter and Expansion Kits		
2	911-0388	NSSKRI-UK 1x NStar Access Control Software 1x NS2 2-Reader Control Panel 1x PSX220 Combo Transformer 2x S-4 Suppressor Kits 1x RS232/485 Interface 1x CBL50 - Serial Comms Cable (15m) 2x OmniProx Readers (OP10)
or		
2	911-0387	NSSKI-UK As above, but without readers Contact Technical Support to ensure compatibility of alternative readers
2a	911-0386	NSEKRI-UK NStar Expansion Kit: 1x NS2 2-Reader Control Panel 1x PSX220 Combo Transformer 2x S-4 Suppressor Kits 2x OmniProx Readers (OP10)
or		
2a	911-0385	NSEKI-UK As above, but without readers Contact Technical Support to ensure compatibility of alternative readers

ADI-G Ref	Part Code	Description
Lock Components		
3	922-0056	1382N 12Vdc, 2 Amp PSU
4	924-0005	MUS3A Surface Mount Break Glass Unit
5	919-0109	S300 Mini Magnetic Lock (10001)
	026-0021	A60 Flush door status contact, white
	923-0040	RTE001S Surface/Flush mount exit button
System Cable – drums of 305 metres (1000')		
6	927-2216	NC2441-TN RS485 Panel Comms Cable
7	927-2213	NC1861-BL Reader Cable
8	927-2211	NC1821-OR Output/Power Cable
OmniProx Readers (Compatible with HID Cards)		
	909-0452	PR-OMNI-10HONE OP10 Proximity Mullion Reader (Small)
	909-0454	PR-OMNI-30HONE OP30 Proximity Mullion Reader
	909-0456	PR-OMNI-45HONE OP45 Proximity Reader (fits UK single-gang electrical box)
	909-0461	PR-OP90HONE OP90 Vandal Resistant Reader
OmniProx Cards		
	926-0755	PX-4-H HID Prox Card (34 bit)
	926-0795	PVC-H-4 HID PVC Prox Card (34 bit)
	926-0769	PX-4-H-SPEC As above but specific site code & number range