

Trove2HW2 Kit / THW2 Backplane Access & Power Integration Solution

Description

Altronix Trove™ enclosures and backplanes let you easily integrate Altronix power with Honeywell access controllers and accessories. Trove simplifies board layout and wire management, reduces installation time and labor costs.

Trove2 Enclosure + THW2 Backplane Features

- Accommodates the following Honeywell power controllers with or without Altronix power/accessories:
 - PRO32E1PS, PRO32IC, PRO32R2, PRO32IN, PRO32OUT, PW6K2E2PS, PW6K1IC, PW6K1IN, PW6K1OUT, PW6K1R2, PW6K1ICE, and PW6K1R1E
- Altronix Power Supplies
- Altronix Sub-Assemblies
- Includes Altronix Trove2 Enclosure and one (1) removable THW2 backplane

Features

- Simplifies board layout and wire management
- Convenient knockout configuration:
 - Single 2" diameter knockout located top center of enclosure
 - Sixteen (16) double knockouts (1" and 0.75")
- Accommodates up to four (4) 12VDC/7AH batteries
- 16 AWG powder coated steel
- Includes cam lock, tamper switch and mounting hardware

Dimensions (H x W x D):

27.25" x 21.5" x 6.5" (692.15mm x 546.1mm x 165.1mm)

Weights:

Product - 37.1 lbs. (16.83 kg)
Shipping - 43.1 lbs. (19.5 kg)



THW2
* Boards not included

Honeywell

THW2 Backplane Features

- Accommodates the following Honeywell power controllers with or without Altronix power/accessories:
 - PRO32E1PS, PRO32IC, PRO32R2, PRO32IN, PRO32OUT, PW6K2E2PS, PW6K1IC, PW6K1IN, PW6K1OUT, PW6K1R2, PW6K1ICE, and PW6K1R1E
- Altronix Power Supplies
- Altronix Sub-Assemblies
- Backplane features:
 - Simplifies board layout and wire management
 - 16 AWG galvanized steel

Dimensions: 25.375"H x 19.375"W x 0.3125"D
(644.52mm x 492.12mm x 7.94mm)

Weights: Product - 8.0 lbs. (3.63 kg)
Shipping - 10.0 lbs. (4.53 kg)

Trove2HW2 Interior Backplane - Optional Mounting Configurations



