


Trove3HW3

Access and Power Integration Solution for Honeywell



Altronix Trove™ enclosures and backplanes let you easily integrate Altronix power with Honeywell access controllers and accessories. Trove simplifies board layout and wire management, reduces installation time and labor costs.



Trove3HW3

* Boards not included



Trove3 Enclosure + THW3 Backplane Features

- Accommodates the following Honeywell power controllers with or without Altronix power/accessories:
 - PRO32E1PS, PRO32IC, PRO32R2, PRO32IN, PRO32OUT, PW6K2E2PS, PW6K1IC, PW6K1R2, PW6K1IN, PW6K1OUT, PW6K1ICE, and PW6K1R1E
 - Altronix Power Supplies and Sub-Assemblies
- Includes Altronix Trove3 Enclosure and one (1) removable THW3 backplane

Agency Listings

UL:

UL294 - Access Control System.

cUL:

CAN/ULC - s319-05 - Electronic Access Control Systems.

CE

European Conformity.

Features:

- Simplifies board layout and wire management
- Convenient knockout configuration:
 - One (1) single knockout 2.415" (2" Conduit).
 - One (1) double knockout 1.948" (1.5" Conduit) / 1.701" (1.25" Conduit).
 - Sixteen (16) double knockouts 1.362" (1" Conduit) / 1.115" (3/4" Conduit).
- Accommodates up to four (4) 12VDC/12AH batteries
- 16 AWG powder coated steel
- Includes cam lock, tamper switch and mounting hardware.

Dimensions (H x W x D):

36.12" x 30.125" x 7.06" (917.5mm x 768.1mm x 179.3mm)

Weights:

Product - 80 lb. (36.29 kg)

Shipping - 92 lb. (41.73 kg)

THW3 Backplane Features

- Accommodates the following Honeywell power controllers with or without Altronix power/accessories:
 - PRO32E1PS, PRO32IC, PRO32R2, PRO32IN, PRO32OUT, PW6K2E2PS, PW6K1IC, PW6K1R2, PW6K1IN, PW6K1OUT, PW6K1ICE, and PW6K1R1E
 - Altronix Power Supplies and Sub-Assemblies
- Backplane features:
 - Simplifies board layout and wire management
 - 16 AWG galvanized steel

Dimensions (H x W x D):

34" x 28" x 0.3125" (863.6mm x 711.2mm x 8mm)

Weights:

Product - 20 lb. (9.1 kg)

Shipping - 25 lb. (11.74 kg)

THWD2 Door Backplane Features

- Accommodates the following Honeywell power controllers with or without Altronix power/accessories:
 - PRO32IC, PRO32R2, PRO32IN, PRO32OUT, PRO22MX, PW6K1IC, PW6K1R2, PW6K1IN, PW6K1OUT
- Backplane features:
 - Simplifies board layout and wire management
 - 16 AWG galvanized steel

Dimensions (H x W x D):

23.75" x 18.125" x 0.3125" (603.3mm x 460mm x 8mm)

Weights:


Product - 8.0 lb. (3.63 kg)

Shipping - 10.0 lb. (4.53 kg)

Trove3HW3

Access and Power Integration Solution for Honeywell

Trove3HW3 Interior Backplane - Optional Mounting Configurations



Optional THWD2 Door Backplane - Mounting Configurations



Trove3HW3

Access and Power Integration Solution for Honeywell

