


Trove3CV3

Access and Power Integration Solution for CDVI



Altronix Trove™ enclosures and backplanes let you easily integrate Altronix power with CDVI Atrium access controllers and accessories. Trove simplifies board layout and wire management, reduces installation time and labor costs.



Trove3CV3

* Boards not included



Trove3 Enclosure + TCV3 Backplane Features

- Accommodates the following CDVI Atrium controllers with or without Altronix power/accessories:
 - CDVI Atrium A22K/A22NB/ADH10
 - Altronix Power Supplies
 - Altronix Sub-Assemblies
- Includes Altronix Trove3 Enclosure and one (1) removable TCV3 backplane.

Agency Listings

UL:

UL294 - Access Control System.

cUL:

CAN/ULC - s319-05 - Electronic Access Control Systems.

CE

European Conformity

Features

- Simplifies board layout and wire management
- Convenient knockout configuration:
 - One (1) single knockout 2.415" (2" Conduit).
 - One (1) double knockout 1.948" (1.5" Conduit) / 1.701" (1.25" Conduit).
 - Sixteen (16) double knockouts 1.362" (1" Conduit) / 1.115" (3/4" Conduit).
- Accommodates up to four (4) 12VDC/12AH batteries
 - 16 AWG powder coated steel
 - Includes cam lock, tamper switches and mounting hardware

Dimensions (H x W x D):

36.12" x 30.125" x 7.06" (917.5mm x 768.1mm x 179.3mm)

Weights:

Product - 80 lb. (36.29 kg)

Shipping - 92 lb. (41.73 kg)

TCV3 Backplane Features

- Accommodates the following CDVI Atrium controllers with or without Altronix power/accessories:
 - CDVI Atrium A22K/A22NB/ADH10
 - Altronix Power Supplies
 - Altronix Sub-Assemblies
- Includes Altronix Trove3 Enclosure and one (1) removable TCV3 backplane.
- Backplane features:
 - Simplifies board layout and wire management
 - 16 AWG galvanized steel

Dimensions (H x W x D):

34" x 28" x 0.05" (863.6mm x 711.2mm x 1.3mm)

Weights:

Product - 20 lb. (9.1 kg)

Shipping - 25 lb. (11.74 kg)

Trove3CV3

Access and Power Integration Solution for CDVI

Trove3CV3 Interior Backplane - Optional Mounting Configurations



