



Product: 6502FE ☑

Security & Alarm Cable, Plenum-CMP, 4-22 AWG stranded bare copper conductors with Flamarrest® insulation, Beldfoil® shield and Flamarrest® jacket with ripcord

Product Description

Security & Sound Cable, Plenum-CMP, 4-22 AWG stranded bare copper conductors with Flamarrest® insulation, Beldfoil® shield and Flamarrest® jacket with ripcord

Technical Specifications

Product Overview

Suitable Appli	Suitable Applications: Security System, Intercom/PA, Audio/Speaker, F					
Constructi	Construction Details					
Conductor						
Element	Number of Element	Size	Stranding	Material		
Conductor(s)	4	22 AWG	7x30	BC - Bare Copper		
Insulation						
Element	Material		Thickness			
Conductor(s)	PVC - Polyvinyl Chlor	ide 0.009	in (0.23 mm)	Black, Red, Whit		
Outer Shield						
Shield Type	Material	Cover	rage Drai	nwire Type		
Таре	Bi-Laminate (Alum+Po			/G (7x32) TC		
	,					

Outer Jacket

	Material	Nom. Thickness	Nom. Diameter	Ripcord
PVC	- Polyvinyl Chloride	0.015 in (0.38 mm)	0.147 in (3.73 mm)	Yes
Overall Cable Diameter (Nominal): 0.147 in (3.73 mm)				

Electrical Characteristics

Electricals

Element	Nom. Conductor DCR	Nom. Capacitance Cond-to-Cond	Nom. Capacitance Cond-to-Other (Conds + Shield)	Max. Current
Conductor(s)	16.2 Ohm/1000ft (53.1 Ohm/km)	33 pF/ft (110 pF/m)	59 pF/ft (190 pF/m)	2.2 Amps per Conductor at 25°C

Voltage

UL Voltage Rating 300 V

Mechanical Characteristics

Temperature

Operating

0°C to +75°C

Bend Radius

Stationary Min. Installation Min.
4.6 in (120 mm) 4.6 in (120 mm)

Max. Pull Tension:	42 lbs (19 kg)
Bulk Cable Weight:	17 lbs/1000ft (25 kg/km)

Standards and Compliance

Environmental Suitability:	Indoor - Plenum, Indoor
Flammability / Reaction to Fire:	NFPA 262 Plenum Flame Test (UL910), FT6, IEC 60332-1-2
CPR Compliance:	CPR Euroclass: Eca
NEC / UL Compliance:	Article 800, CMP
CEC / C(UL) Compliance:	CMP
European Directive Compliance:	EU CE Mark, EU Directive 2015/863/EU (RoHS 2 amendment), EU Directive 2011/65/EU (RoHS 2), EU Directive 2012/19/EU (WEEE)
APAC Compliance:	China RoHS II (GB/T 26572-2011)
Non-Plenum Number:	5502FE

History

Opulate and Nevision. Nevision Number. 0.000 Nevision Date: 04-00-2022	Update and Revision:	Revision Number: 0.305 Revision Date: 04-08-2022
--	----------------------	--

Part Numbers

Variants

Item #	Color	UPC
6502FE 8771000	Natural	612825177609
6502FE 877500	Natural	612825177616
6502FE 877C500	Natural	
6502FE 877U1000	Natural	612825177593
6502FE 0071000	Violet	612825377726
6502FE 0071000	Violet	612825377726
6502FE 007U1000	Violet	612825377832
6502FE 007U1000	Violet	612825377832

© 2022 Belden, Inc

All Rights Reserved.

Although Belden makes every reasonable effort to ensure their accuracy at the time of this publication, information and specifications described here in are subject to error or omission and to change without notice, and the listing of such information and specifications does not ensure product availability.

Belden provides the information and specifications herein on an "ASIS" basis, with no representations or warranties, whether express, statutory or implied. In no event will Belden be liable for any damages (including consequential, indirect, incidental, special, punitive, or exemplary damages) whatsoever, even if Belden has been advised of the possibility of such damages, whether in an action under contract, negligence or any other theory, arising out of or in connection with the use, or inability to use, the information or specifications described herein.

All sales of Belden products are subject to Belden's standard terms and conditions of sale.

Belden believes this product to be in compliance with all applicable environmental programs as listed in the data sheet. The information provided is correct to the best of Belden's knowledge, information and belief at the date of its publication. This information is designed only as a general guide for the safe handling, storage, and any other operation of the product itself or the one that it becomes a part of. The Product Disclosure is not to be considered a warranty or quality specification. Regulatory information is for guidance purposes only. Product users are responsible for determining the applicability of legislation and regulations based on their individual usage of the product.