



S6000-101 Series

All-In-One Delayed Egress Rim & Vertical Rod Exit Devices

SDC's S6000-101 series all-in-one devices integrates the S6000 series exit device with SDC's innovative delayed egress electronics.

When unauthorized egress is initiated by depressing the push pad of the S6000-101, an audible alarm will sound and an irreversible delay period of 15 seconds will begin. After the delay period has expired, the device unlocks, permitting egress until the device is reset. In a life safety emergency, the device will immediately unlock upon loss of power or when powered by a fire control supervised power supply.

Trim is ordered separately, see related products.

- Panic and fire rated devices
- Subdued alternating alarm
- Push pad activation trigger
- Key switch reset and bypass*
- Low power consumption, energy saver

* Key cylinders not included, order separately. See related products.

ORDERING GUIDE

		FUNCTION		LENGTH		MODE	
		01		36		ND	
		02		42		NH	
		03		48		NC	
S61	01	P	U	36	R	101	ND
S61		P	FINISH		R	ELECTRIFICATION	
S62		F			L		
					LBR		
					LBRF		
					OPTIONS		

NOT REQUIRED

EXAMPLES

S6101PU36101NC	Rim, Exit Only, Panic, 630, 36", All-In-One, CBC Compliant	2,325.00
S6101FU36101NC	Rim, Exit Only, Fire, 630, 36", All-In-One, CBC Compliant	2,454.00
S6101PU48101NC	Rim, Exit Only, Panic, 630, 48", All-In-One, CBC Compliant	2,425.00
S6101FU48101NC	Rim, Exit Only, Fire, 630, 48", All-In-One, CBC Compliant	2,554.00
S6101PU42101NC	Rim, Exit Only, Panic, 630, 42", All-In-One, CBC Compliant	2,375.00

S6000-101 CONFIGURATION 1 of 1



S61



S62



Less Bottom Rod

MODEL		● ○ ○ ○ ○ ○ ○ ○ ○ ○	LIST \$
S61	Rim		783.00
S62	Surface Vertical Rod (SVR)		1,188.00

FUNCTION		○ ● ○ ○ ○ ○ ○ ○ ○ ○	ADD TO LIST
01	Exit Only (No Trim)		N/C
02	Dummy Trim (No Cylinder Prep)		N/C
03	Key Retracts Latchbolt (Nightlatch)		N/C

RATING		○ ○ ● ○ ○ ○ ○ ○ ○ ○	ADD TO LIST
P	Panic Device <small>Standard</small>		N/C
F	Fire-Rated Device		129.00

FINISH		○ ○ ○ ● ○ ○ ○ ○ ○ ○	ADD TO LIST
U	630 Dull Stainless <small>Standard</small>		N/C

LENGTH		○ ○ ○ ○ ● ○ ○ ○ ○ ○	ADD TO LIST
36	36" Door Opening <small>Standard</small>		N/C
42	42" Door Opening		50.00
48	48" Door Opening		100.00

OPTIONS		○ ○ ○ ○ ○ ● ○ ○ ○ ○	ADD TO LIST
R	Request-To-Exit (REX)		94.00
L	Latch Status (LS)		94.00
LBR*	Less Bottom Rod, Panic		N/C
LBRF*	Less Bottom Rod, Fire-Rated		N/C

** Available for S62 surface vertical rod devices only.*

ELECTRIFICATION		○ ○ ○ ○ ○ ○ ● ○ ○ ○	ADD TO LIST
101	All-In-One Delayed Egress		1,542.00

MODE		○ ○ ○ ○ ○ ○ ○ ○ ●	ADD TO LIST
ND	NFPA 101, Fixed 15 Second Egress Delay <small>Standard</small>		N/C
NH	NFPA 101, Fixed 30 Second Egress Delay		N/C
NC	CBC Compliant		N/C
BD	BOCA, Fixed 15 Second Egress Delay		N/C
BH	BOCA Fixed 30 Second Egress Delay		N/C
BC	Chicago Compliant		N/C

Related products on next page.

RELATED PRODUCTS

When you order any SDC products in this section, there are a number of related or complementary products that have proven to work well with your selection.



Eclipse Trim



Galaxy Trim



Saturn Trim



Mortise Key Cylinder



Rim Key Cylinder

EK02U	Eclipse Escutcheon Trim, Dummy, 630	262.00
EK03U*	Eclipse Escutcheon Trim, Nightlatch, 630	262.00
GK02U	Galaxy Escutcheon Trim, Dummy, 630	262.00
GK03U*	Galaxy Escutcheon Trim, Nightlatch, 630	262.00
SP02U	Saturn Escutcheon Trim, Dummy, 630	118.00
SP03U*	Saturn Escutcheon Trim, Nightlatch, 630	118.00
EKE03U*	Electrified Eclipse Escutcheon Trim, Nightlatch, 630	771.00
EKE03ULS*	Electrified Eclipse Escutcheon Trim, Nightlatch, LS, 630	865.00
GKE03U*	Electrified Galaxy Escutcheon Trim, Nightlatch, 630	771.00
GKE03ULS*	Electrified Galaxy Escutcheon Trim, Nightlatch, LS, 630	865.00
CYL-6KDQ	Mortise Cylinder, 6-Pin, 1 1/8" Length, Keyed Different	52.00
CYL-6KAQ	Mortise Cylinder 6-Pin, 1 1/8" Length, Keyed Alike	52.00
RIM-CYL-KA**	Rim Cylinder, 6-Pin, Keyed Alike	39.00
ST1P	Rim Strike, 1 3/16" Projection	25.00
ST1F	Rim Strike, 1 3/16" Projection, Fire-Rated	25.00
ST2DF	Double Door Rim Strike, 1 3/16" Projection	57.00
ST2P	Vertical Rod Top Strike, 2 9/32" Projection	23.00
ST2F	Vertical Rod Top Strike, 1 1/8" Projection, Fire-Rated	23.00
ST28T	Threshold Strike, 3/8" Projection	18.00
KR90F*	Removable Mullion, 11 Gauge Steel, 8' x 2" x 2"	743.00
ST1MP	Mullion Strike, 7/8" Projection	80.00
ST1MF	Mullion Strike, 7/8" Projection	80.00
101-SP	External 15 Watt Delayed Egress Speaker	44.00
101-1A	Single Door Indicator, Single Gang	123.00
101-4AM	Four Door Indicator, Alarm Shunt, Double Gang	366.00
101-1AK*	Single Door Indicator, Key Switch Reset & Bypass, Double Gang	366.00
101-PAM	Single Door Indicator, Alarm Shunt, Button Reset & Bypass, Double Gang	387.00

* Key cylinder not included, order separately.

** For EK03U, GK03U and SP03U trim only.