

DOOR ENTRY SYSTEMS

MAXI





EX-9000H

7" MAXI MONITOR. S2 SYSTEM FOR USA



AWARDS







EX-9000H

7" MAXI MONITOR. S2 SYSTEM FOR USA

	GENERAL DATA
Product color	
Type of finishing materials	
Product weight (oz) (oz)	
Flush-mounted	
Wall-mounted	
Desk base-mounted	
Audio/video system	

COMPATIBLE SYSTEMS

Audio/video Simplebus 2 with power supply art. 4888CU	
Audio/video Simplebus 2 with power supply art. 1210/1210A	
Simplebus 2 audio/video kit with power supply art. 1209	
Audio Simplebus 2 with power supply art. 1210/1210A	
ViP	
Comelbus system	
Comtel system	
Traditional system	

	DISPLAY
Black and white	
Touch screen	
OSD menu	
Type of display	

CAMERA FEATURES		
Lens optical dimensions (pc)		





EX-9000H

7" MAXI MONITOR. S2 SYSTEM FOR USA AUDIO FEATURES Type Induction loop function Microphone Loudspeaker

HARDWARE FEATURES			
No. of programmable buttons for additional functions			
Removable terminals			
Backlight color			
Customisable housing			
Ethernet ports (n°)			
Total buttons (n°)			
Type of connections/ports			
Additional buttons (n°)			
LED signaling (no.) (n°)			
Network connection			
Automatic gain control (AGC)			

	SETTINGS
Loudspeaker volume	
Microphone volume	
Ringtone volume	
Screen contrast	
Screen colour	
Screen backlight	

NETWORK AND COMMUNICATION PROTOCOLS		
IP address assignment		
IoT connection to Comelit Cloud		





EX-9000H

7" MAXI MONITOR. S2 SYSTEM FOR USA

NETWORK AND COMMUNICATION PROTOCOLS

Firmware update via Comelit Cloud

Operating system

GENERAL FEATURES			
Door opening on call (Doctor)			
Door opener			
IP assignment			
Audio Simplebus 1			
Self Activation			
Call to group addresses			
Call to multiple addresses			
CPS call			
Selective intercom call			
Intercom calls			
Priority calls			
Actuator control			
Comaptibility with Video Entry Comelit App			
Compatibility with Comelit app (with external gateway)			
Sound diffusion control			
Interchangeable cover			
Call forwarding			
Doctor			
Alarm function			
ViP anti-theft function			
Switchboard call function			
Floor door call function			
Actuator control function			





EX-9000H

7" MAXI MONITOR. S2 SYSTEM FOR USA

G	ENERAL FEATURES
Privacy conversation function	
Induction loop function	
Intercom function	
Privacy function	
Key button function	
Hands-free function	
Multiple address	
Outside door call input	
Integration with voice assistants	
Sending alarm calls	
Sending emails on event	
Sending e-mail on event	
Video memory	
Message for absent	
Silent mode (Privacy)	
Loudspeaker volume control	
Microphone volume control	
Ringtone volume control	
Images reception	
Receiving text messages	
Receiving ViP messages	
Face recognition	
Redial	
Automatic answer (handsfree)	
Led to additional signaling (no.) (n°)	
Door open signaling	
Acoustic signalling	
Visual signalling	





EX-9000H

7" MAXI MONITOR. S2 SYSTEM FOR USA

GENERAL FEATURES			
Audio system			
Simplebus 1 audio system			
Simplebus 2 audio system			
Building Kit audio/video system			
Simplebus 2 audio/video system			
Kit audio/video system			
Semplified system			
Vip system			
Electronic bell			
Mechanical ringtone			
Customisable ringtone			
Sensitive Touch technology			
Date/time display			







EX-9000H

7" MAXI MONITOR. S2 SYSTEM FOR USA

ACCESSORIES

6820	S2 & VIP	ΜΑΧΙ	MONITOR	WALL	SUPPORT
0020					

Wall support for Maxi monitor in ABS UV resistant. White RAL 9003 colour.