



HFX-7004M

KIT W/4 USERS W/MEC. QUADRA AND MINI HF, 2 WIRES



The HFX7004M is our NEW and improved entry level video intercom kit with all the perks of its predecessor along with an updated design and improved technology. The kit includes our NEW 4.3" MINI-HF monitor (4 pcs), along with a power supply & and our NEW Quadra door entry station. Expandable up to 4 door stations.



HFX-7004M

KIT W/4 USERS W/MEC. QUADRA AND MINI HF, 2 WIRES

KIT PRODUCTS



EX-DSME 2-WIRE QUADRA EXTERNAL UNIT

External Unit with new mechanical push button and call buttons featuring exclusive “Sensitive Touch” technology. Die-cast aluminum cover with a protection degree of IK08. Colour HD camera, 4 indicator LEDs for call sent, door open, audio active, system busy and white LED for illumination. Nameplate holder in versions with 1/2/4 buttons that are programmable. Wall-mounted installation. Expandable up to 4 Panels - Expansion part number EX-DSQE. Only compatible for HFX-7000M, HFX-7000MW, HFX-8000M and HFX-9000M.

GENERAL DATA

Wall-mounted

Yes

HARDWARE FEATURES

Clamps

LL RTE COM DO SE- SE+C NC NO

ENVIRONMENTAL AND COMPLIANCE FEATURES

Operating temperature (°F) (°C)

-13 ÷ 131



HFX-7004M

KIT W/4 USERS W/MEC. QUADRA AND MINI HF, 2 WIRES



EX-7000H **COLOUR HANDS-FREE MINI MONITOR, S2**

Door-entry phone with electronic call function, conversation button on base, call volume control and privacy function, door open button and supplementary button or additional services with independent common. On this model it is not possible to add extra buttons or LEDs. Dimensions: 95x215x58 mm.



HFX-7004M

KIT W/4 USERS W/MEC. QUADRA AND MINI HF, 2 WIRES



1209/4 4 OUTPUT POWER SUPPLY FOR 2-WIRE VIDEO KIT

Power supply for 2-wires video kit, 4 monitor outputs.



HFX-7004M

KIT W/4 USERS W/MEC. QUADRA AND MINI HF, 2 WIRES

ACCESSORIES



4793MC CORTEN FACEPLATE FOR QUADRA W/BUTTONS

Corten color faceplate for Quadra entrance panel with mechanical buttons.



4793MB BLACK FACEPLATE FOR QUADRA W/BUTTONS

Black faceplate for Quadra entrance panel with mechanical buttons



4793MA ALUMINIUM FACEPLATE FOR QUADRA W/BUTTONS

Aluminium colour faceplate for Quadra entrance panel with mechanical buttons



4791 Adapter plate for Quadra

Plate allowing installation of the Quadra external unit in 1- and 2-module flush-mounted boxes by Comelit, Bticino and Urmet. Dimensions 137x236 mm



4792 RAIN SHIELD FOR QUADRA ENTRANCE PANEL

Rain shield in painted aluminum for Quadra entrance panel, grey colour. Dimensions (W x H x D): 99 x 210 x 41 mm.



1217 NAME TAG SHEETS FOR QUADRA ENTRANCE PANEL

The kit contains 10 sheets of adhesive labels for nameplates



HFX-7004M

KIT W/4 USERS W/MEC. QUADRA AND MINI HF, 2 WIRES

ACCESSORIES



6732

DESK BASE FOR HANDSFREE MINI MONITOR

Desk base for desktop conversion of Handsfree Mini monitor. Complete with 1x 2 metre cable with RJ45 connector to connect monitor terminals to the coupler or domestic series socket. Dimensions: 140x190x140mm.



6720

Access. cables external passage for MINI HF. S2

Wall support bracket for handsfree Mini monitor allowing thru-routing of external cables.



1405

DIGITAL EXCHANGE 2 QUADRA INPUTS. S2

Audio/video switching module for audio/video kit systems. For use in systems with a maximum of 2 entrances with Quadra series external unit. Power supply from bus line. Dimensions: 35x90x58mm (2 DIN modules).



6710

BACKPLATE AND DISTRIBUTION TERMINAL FOR MINI MONITOR

Wall-mounting or residential series box backplate for MINI monitor, /BM versions with handset featuring magnetic induction for hearing aid wearers. Also includes riser distribution terminal Art. 1214/2C. Dimensions 145x100x4 mm.



1235A

NAMEPLATE LABEL PRINTING SOFTWARE

Dedicated software for the creation and printing of nameplate and information labels for Ikall, Vandalcom, Quadra and 316 Analog entrance panels. Requires use of adhesive labels art.1217, 1218, 1219 or art.1220. This software is available to download free of charge from the Comelit website



HFX-7004M

KIT W/4 USERS W/MEC. QUADRA AND MINI HF, 2 WIRES


ACCESSORIES



1409

ACCESSORY FOR REMOTE COLOUR CAMERAS, 2-WIRE SYSTEM

Remote camera module for Simplebus 2 2-wire digital systems. Allows management of up to 3 colour cameras in cyclical sequence from door entry monitors using a dedicated button. 12 Vac or 20 Vdc power supply. Dimensions: 60x85x35 mm (4 DIN modules).



1404

SIMPLEBUS2 DIGITAL SWITCHING DEVICE

Audio/video switching module for Simplebus 2 digital systems. To be used in systems with more than one entrance. Power supply from bus line. Dimensions: 60x85x35 mm (4 DIN modules).



1229A

ADDITIONAL RINGTONE ACCESSORY. S2

Wall-mounted accessory for additional ringtone for direct connection to 2-wire bus. Allows ringtone selection and adjustment of ringtone volume with privacy function, equipped with dip switches for user code programming, floor door call input terminals and call repeat. Fitted with distribution terminal art. 1214/2C. Dimensions: 125x95x24mm.



6733W

ADDITIONAL BUTTONS KIT FOR MINI MONITOR, WHITE

Accessory for transforming MINI monitors Art 6700W-/BM and 6701W-/BM into versions with 8 buttons. Includes an 8-button faceplate and an electronic module for activating the buttons, which can be installed quickly without opening up the monitor.



1209

SIMPLEBUS2 VIDEO KIT POWER SUPPLY UNIT

33 VDC power supply unit with overload and short circuit protection devices. It has two separate continuous outputs: one to power the external unit and electric lock, and the other to power the monitor. Input voltage 110-240 VAC. Dimensions: 106x62x89mm (6 DIN modules).



HFX-7004M

KIT W/4 USERS W/MEC. QUADRA AND MINI HF, 2 WIRES

ACCESSORIES



1256

ACCESSORY - SIMPLEBUS SYSTEM DIGITAL RELAY ACTUATOR

Intelligent Simplebus device for controlling a relay on board (12÷24 VAC/VDC - 10A max). For use and programming of the function required, follow the indications given in the technical documentation. It can be used in Simplebus system. Power supply: 12 VAC or 20 VDC. Dimensions: 66X85X35mm (4 DIN modules). Line branch terminal art. 1214/2C in equipment.