







IX0106

SWITCH FRONT PLATE WITH 6 BUTTONS





Front plate for Switch entrance panel in 2.5 mm thick brushed AISI 316 stainless steel. Adapter art. 1250U (supplied) offers the option of using the audio or audio/video module - not supplied - depending on the type of wiring applied (Simplebus digital 2-wire or ViP). Complete with 6 pre-fitted, pre-wired buttons. White LED nameplate backlighting. Nameplate replacement from the front. Protection rating IK08. To be finished with flush-mounted box or surface-mounted casing (not supplied). Dimensions (L x H x P): 150 x 369.1 x 2.5 mm.

AWARDS

DESIGN MILANO



2/4



IX0106

SWITCH FRONT PLATE WITH 6 BUTTONS

	GENERAL DATA
Туре	Monoblock
Height (inch) (pc)	87.19
Width (inch) (pc)	35.43
Depth (inch) (pc)	0.59
Product color	Steel
Flush-mounted	Yes, with a dedicated accessory
Wall-mounted	Yes, with a dedicated accessory

COMPATIBLE SYSTEMS	
Compatible audio and audio/video units	Art.1682, Art.1682HVC, Art.4682HD, Art.1621, Art.1622, Art.1622VC, Art.4680C, Art.4681
Audio/video Simplebus 2 with power supply art. 4888CU	Yes
Audio/video Simplebus 2 with power supply art. 1210/1210A	Yes
Simplebus 2 audio/video kit with power supply art. 1209	Yes
Audio Simplebus 2 with power supply art. 1210/1210A	Yes
Audio Simplebus 1	Yes
ViP	Yes

AUDIO FEATURES		
Technologies implemented	Echo canceling	
HARDWARE FEATURES		
НА	RDWARE FEATURES	
HA Call type	RDWARE FEATURES Push-buttons	

Backlight color

Number of push-buttons (n°)

ENVIRONMENTAL AND COMPLIANCE FEATURES

Technical specifications are subject to change without prior notice and refer to the latest version of the product released.

6

White



3/4



IX0106

SWITCH FRONT PLATE WITH 6 BUTTONS

IP protection rating	IP54
Vandal Resistant rating (IK code)	IK08
Operating temperature (°F) (°F)	-13 ÷ 131
Operating humidity (RH max) (%)	25 ÷ 95
Environmental class	III

GENERAL FEATURES	
Type of finishing materials	Stainless steel AISI 316





IX0106

SWITCH FRONT PLATE WITH 6 BUTTONS

ACCESSORIES



IX9161 HOUSING FOR FRONT PLATE W/ 5-6-7-8 BUTTONS

Surface-mounted casing for entrance panels art. IX0105, IX0106, IX0107 and IX0108 with 5-6-7-8 buttons.



IX9151 FLUSH-MOUNTED BOX FOR FRONT PLATE W/ 5-6-7-8 BUTT.

Flush-mounted box for entrance panels art. IX0105, IX0106, IX0107 and IX0108 with 5-6-7-8 buttons. Dimensions: 124x343.1x56 mm.