


# 6P6C RJ-11 Voice Wall Plate

## PRODUCT SPECIFICATION

**Package includes:**

- A. 6P6C Voice Wall Plate, 1 pc
- B. #6-32 x 3/4" Oval Head, Countersink Machine Screw, 2 pcs




**Features and Benefits:**

- Configured to fit standard single gang outlet box
- Designed for all voice connectivity to the work area for commercial or residential applications
- Provides with traditional screw down terminals for voice connectivity on the rear
- Rugged and durable construction
- Used with ICLC4 and ICLC6 line cords
- Available in ivory and white
- ANSI/TIA-568-C and UL 1863 compliant

<b>WALL PLATE, VOICE 6P6C</b>			
ITEM NO.	IC630E60XX		REV. B
DWG NO.	PS630E6000		PAGE NO. 1

CUSTOMER CARE / TECHNICAL SUPPORT \* CSR@ICC.COM / 888-ASK-4-ICC (275-4422) \* 2100 E. Valencia Dr, Suite D, Fullerton, CA 92831 \* www.icc.com



**NOTE: UNLESS OTHERWISE SPECIFIED**

**1. FACEPLATE:**

- A. MATERIAL: ABS, UL 94V-0
- B. COLOR: XX: IV-IVORY & WH-WHITE

**2. WIRING BLOCK:**

**A. MATERIAL & FINISH:**


- HOUSING: ABS, UL 94V-0
- SPRING WIRE CONTACTS: PHOSPHOR BRONZE GOLD PLATING OVER 100 MICRO INCH NICKEL
- GOLD PLATING: 1.27 MICRON/50 MICRO INCH MIN
- WIRE LEADS: 26 AWG STRANDED WIRE
- TERMINATION SCREWS: #6-20 X .415 FLAT PAN HEAD TAPPING SCREWS WITH TWO WASHERS 15 LBS/INCH MIN TORQUE ZINC CHROMATIC PLATED STEEL
- TERMINATION LUGS: BRASS

**B. ELECTRICAL:**

- CURRENT RATING: 1.5 AMP MAX
- DIELECTRIC WITHSTANDING VOLTAGE: 1,000 VOLTS RMS, 60 Hz
- CONTACT RESISTANCE: < 20 MILLIOHMS
- INSULATION RESISTANCE: > 10 MEGAOHMS
- PERFORMANCE: RETURN LOSS OF -20 dB MAX  
FREQUENCY RANGE DC -1.5 GHz

**C. MECHANICAL:**

- TOTAL MATING FORCE: 500 GRAMS FOR 6 WIRES LEAD
- RETENTION: 17 LBS BETWEEN JACK AND PLUG
- CRIMP TENSILE STRENGTH: 4.0-500 LBS



**WIRING DIAGRAM**

JACK POSITION	WIRE COLOR
	<b>6 COND.</b>
1	WHITE
2	BLACK
3	RED
4	GREEN
5	YELLOW
6	BLUE

US FILE NO. 125268

<b>WALL PLATE, VOICE 6P6C</b>		<b>Premium Products</b> <i>Proven Performance</i> <i>Competitive Prices</i>	
ITEM NO.	IC630E60XX		REV. B
DWG NO.	PS630E6000		PAGE NO. 2

CUSTOMER CARE / TECHNICAL SUPPORT \* CSR@ICC.COM / 888-ASK-4-ICC (275-4422) \* 2100 E. Valencia Dr, Suite D, Fullerton, CA 92831 \* www.icc.com