

24-Port 8P2C Female Telco Patch Panel

Package Includes


- A. 24-Port 8P2C Telco Patch Panel, 1 pc
- B. #12-24 x 5/8" Pan Head, Pilot Point Machine Screw, 4 pcs



Features and Benefits

- Rack mounted 8-position 2-conductor Telco patch panel provides voice connectivity applications
- Integrated with one female 50-pin Telco connector
- Designed to fit all standard 19" racks and cabinets
- 1 rack mount space (RMS)
- Country Of Origin: Taiwan
- TAA Compliant

Specifications



WIRING CHART

PORT NO.	TELCO 60 PIN	USOC RJ-45, 2-WIRE
PORT 1	26	5
	1	4
PORT 2	27	4
	2	4
PORT 3	28	5
	3	4
PORT 4	29	4
	4	4
PORT 5	30	5
	5	4
PORT 6	31	4
	6	4
PORT 7	32	5
	7	4
PORT 8	33	5
	8	4
PORT 9	34	5
	9	4
PORT 10	35	5
	10	4
PORT 11	36	5
	11	4
PORT 12	37	5
	12	4
PORT 13	38	5
	13	4
PORT 14	39	5
	14	4
PORT 15	40	5
	15	4
PORT 16	41	5
	16	4
PORT 17	42	5
	17	4
PORT 18	43	5
	18	4
PORT 19	44	5
	19	4
PORT 20	45	5
	20	4
PORT 21	46	5
	21	4
PORT 22	47	5
	22	4
PORT 23	48	5
	23	4
PORT 24	49	5
	24	4
-	50	OPEN
	25	

NOTE: UNLESS OTHERWISE SPECIFIED

1. MATERIAL:

- A. 24-PORT PATCH PANEL: 16 GA CRS
 - B. JACK HOUSING: ABS, UL 94V-0
 - C. SPRING WIRE: SQUARE SPRING WIRE, TEMPERED PHOSPHOR BRONZE
 - D. GOLD RATING: 50 MICRO INCHES OF GOLD OVER 100 MICRO INCHES OF NICKEL
2. SURFACE FINISH: BLACK POWDER COAT

For warranty information, go online to icc.com/warranty.

Part No: ICMPP24TF2 Rev: A

Part No.: ICMPP24TF2
 Rev: A
 Page 2 of 2

| 888-ASK-4ICC | icc.com | csr@icc.com |

