

EON718S

Powered 18-inch PA Subwoofer



SPEC SHEET



OVERVIEW

The **JBL EON718S** 18-inch powered subwoofer, part of JBL's new EON700 Series of powered loudspeakers, brings advanced DSP and control to portable PA systems for live sound and installed applications, with class-leading volume and clarity and comprehensive features that make setup and operation a breeze.



REAR PANEL CONNECTIONS

PRODUCT HIGHLIGHTS

- 18-inch woofer
- Power:** 1,500W Peak / 750W RMS
- Frequency response:** 31Hz - 150Hz (-10)
40Hz - 120Hz (-3)
- Max SPL:** 131 dB
- Audio I/Os:** 2 XLR Combo, 2 XLR loop-thru
- Advanced dbx DSP:** Parametric EQ, polarity inversion, speaker delay
- Built-in 2-channel digital mixer
- Color backlit LCD screen provides easy access to functions
- Universal JBL Pro Connect app control
- Durable birch plywood cabinet with duraflex paint and metal grille
- Two ergonomic handles simplify transport
- Built-in threaded pole mount.
- Built to stack for storage and use in cardioid mode.
- Net Weight:** 37 kg (81.6 lbs.)
- Shipping Weight:** 42.8 kg (94.4 lbs.)

EON718S

Powered 18-inch PA Subwoofer



SPEC SHEET

SPECIFICATIONS ■

| | | | |
|-----------------------------|---|-------------------------|---|
| System Type | 18IN Powered Subwoofer | Cooling | Passive |
| Woofers Model | 718G | LED Indicators | 1 Power LED, 1 System Limit, 1 Front LED |
| Woofers Size | 18" | Input Impedance | 50k/100k un-balanced/balanced |
| Woofers Magnet | Ferrite | Input Gain | -∞ to +36db |
| Woofers Voice Coil | 3" | I/O | 2 XLR Combo 2 XLR M Thru |
| Transducer Impedance | 4 ohm rated | Cabinet | 18mm Duraflex-coated Birch Plywood |
| Max SPL | 131dB @1m/2Pi | Grille | 16GA perforated steel with acoustically transparent black cloth backing |
| Freq Range -10 | 31Hz - 150Hz | Suspension/Mount | 1 M20 Threaded Polecup |
| Freq Range -3 | 40Hz -120Hz | Handles | 2 |
| Hor Dispersion | Omni | Net Weight | 35.5kg (78.26 in.) |
| Vert Dispersion | Omni | Gross Weight | 42.5kg (93.70 in.) |
| Crossover Frequency | 80, 100, 120Hz selectable | Product Dims | HxWxD 674x609x637mm (26.54x23.98x25.08 in.) |
| Power Rating | 1500W Peak Power 1500Wpk/500Wrms/170Wcont. | Shipping Dims | HxWxD 722x743x713mm (28.43x29.25x28.07 in.) |
| AC Power Input | 100V-120V or 220V-240V | | |


EON718S

Powered 18-inch PA Subwoofer



SPEC SHEET

FREQUENCY RESPONSE ■



PRODUCT DIMENSIONS ■



HARMAN Professional 8500 Balboa Blvd. Northridge, CA 91329 USA

© 2021 HARMAN International Industries, Incorporated. All rights reserved.
Features, specifications and appearance are subject to change without notice.

www.jblpro.com

Issued: 10/2021