

# CERTIFICATE OF COMPLIANCE

**Certificate Number** E5946  
**Report Reference** E5946-20200817  
**Issue Date** 2020-AUGUST-25

**Issued to:** COOPER WHEELOCK INC  
273 BRANCHPORT AVE  
LONG BRANCH NJ 07740-6830

**This certificate confirms that  
representative samples of**

Audible-Signal Appliances; Visual and Visual-Audible Signal  
Appliances, Fire Alarm, Including Accessories; Audible  
Signal Appliances, Fire Alarm, Including Accessories;  
Signaling Appliances and Equipment for the Hearing  
Impaired; Visual-Signal Appliances For Fire-Protective  
Signaling Systems

See Addendum Page for models

Have been investigated by UL in accordance with the  
Standard(s) indicated on this Certificate.

**Standard(s) for Safety:**  
**Additional Information:**

See Addendum Page for Standards

See the UL Online Certifications Directory at  
<https://iq.ulprospector.com> for additional information.

This *Certificate of Compliance* does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program  
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



# CERTIFICATE OF COMPLIANCE

**Certificate Number** E5946  
**Report Reference** E5946-20200817  
**Issue Date** 2020-AUGUST-25

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

## Standards:

UL 464, Audible Signaling Devices For Fire Alarm And Signaling Devices, Including Accessories  
CAN/ULC S525:2016, Audible Signaling Devices For Fire Alarm And Signaling Systems, Including Accessories  
CAN/ULC S526:2016, Visible Signaling Devices For Fire Alarm And Signaling Systems, Including Accessories  
UL 1638, Visible Signaling Devices For Fire Alarm And Signaling Systems, Including Accessories  
UL1971, Signaling Devices For The Hearing Impaired

## Models:

Horn: Model ELHN, followed by a suffix representing product color, and may be followed by a suffix representing lettering, mounted on a wall or ceiling, intended for indoor use only.  
Horn: Model ELHN, followed by a suffix representing product color, followed by the letter 'C', and may be followed by a suffix representing lettering, mounted on a wall or ceiling, intended for indoor use only.  
520Hz Horn: Model ELFHN, followed by a suffix representing product color, and may be followed by a suffix representing lettering, mounted on a wall or ceiling, intended for indoor use only.  
520Hz Horn: Model ELFHN, followed by a suffix representing product color, followed by the letter 'C', and may be followed by a suffix representing lettering, mounted on a wall or ceiling, intended for indoor use only.  
Strobe Light: Model ELST, followed by a suffix representing product color, and may be followed by a suffix representing lettering. Synchronous or non synchronous, mounted on a wall, intended for indoor use only.  
Strobe Light: Model ELST, followed by a suffix representing product color, followed by the letter 'C' and may be followed by a suffix representing lettering. Synchronous or non synchronous, mounted on a ceiling, intended for indoor use only.  
Horn/Strobe Light: Model ELHS, followed by a suffix representing product color, and may be followed by a suffix representing lettering. Synchronous or non synchronous. Mounted on a wall. Intended for indoor use only.  
Horn/Strobe Light: Model ELHS, followed by a suffix representing product color, followed by the letter 'C' and may be followed by a suffix representing lettering. Synchronous or non synchronous, mounted on a ceiling. Intended for indoor use only.  
520Hz Horn/Strobe Light: Model ELFHS, followed by a suffix representing product color, and may be followed by a suffix representing lettering. Synchronous or non synchronous. Mounted on a wall. Intended for indoor use only.  
520Hz Horn/Strobe Light: Model ELFHS, followed by a suffix representing product color, followed by the letter 'C' and may be followed by a suffix representing lettering. Synchronous or non synchronous, mounted on a ceiling. Intended for indoor use only.  
Strobe Light: Model ELST, followed by a suffix representing product color, followed by a suffix representing lettering, followed by a suffix representing lens color (A for amber, B for blue).



Bruce Mahrenholz, Director North American Certification Program  
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



# CERTIFICATE OF COMPLIANCE

**Certificate Number** E5946  
**Report Reference** E5946-20200817  
**Issue Date** 2020-AUGUST-25

Synchronous or non synchronous, mounted on a wall. Intended for Private Mode Emergency Use, indoor use only.

Strobe Light: Model ELST, followed by a suffix representing product color, followed by the letter 'C', followed by a suffix representing lettering, followed by a suffix representing lens color (A for amber, B for blue). Synchronous or non synchronous, mounted on a ceiling. Intended for Private Mode Emergency Use, indoor use only.

Replacement Grille: Model ELGHN followed by a suffix representing lettering and color. For use with Model ELHN.

Replacement Grille: Model ELGHNC followed by a suffix representing lettering and color. For use with Model ELHNC.

Replacement Grille: Model ELGFHN followed by a suffix representing lettering and color. For use with Model ELFHN.

Replacement Grille: Model ELGLFHNC followed by a suffix representing lettering and color. For use with Model ELFHNC.

Replacement Grille: Model ELGST followed by a suffix representing lettering and color. For use with Model ELST.


Replacement Grille: Model ELGSTC followed by a suffix representing lettering and color. For use with Model ELSTC.

Replacement Grille: Model ELGHS followed by a suffix representing lettering and color. For use with Model ELHS.

Replacement Grille: Model ELGHSC followed by a suffix representing lettering and color. For use with Model ELHSC.

Replacement Grille: Model ELGLFHS followed by a suffix representing lettering and color. For use with Model ELFHS.

Replacement Grille: Model ELGLFHSC followed by a suffix representing lettering and color. For use with Model ELFHSC.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



# CERTIFICATE OF COMPLIANCE

**Certificate Number** S2652  
**Report Reference** S2652-20200818  
**Issue Date** 2020-AUGUST-25

**Issued to:** COOPER WHEELOCK INC  
273 BRANCHPORT AVE  
LONG BRANCH NJ 07740-6830

**This certificate confirms that  
representative samples of**

SPEAKERS AND AMPLIFIERS FOR FIRE-PROTECTIVE SIGNALING SYSTEMS; SPEAKERS AND ACCESSORIES FOR FIRE ALARM SYSTEMS; SIGNALING APPLIANCES AND EQUIPMENT FOR THE HEARING IMPAIRED; VISUAL-SIGNAL APPLIANCES FOR FIRE PRETECTIVE SIGNALING SYSTEMS; VISUAL AND VISUAL-AUDIBLE SIGNAL APPLIANCES, FIRE ALARM, INCLUDING ACCESSORIES

See Addendum Page for models

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

**Standard(s) for Safety:** See Addendum Page for Standards  
**Additional Information:** See the UL Online Certifications Directory at <https://iq.ulprospector.com> for additional information.

This *Certificate of Compliance* does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program  
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



# CERTIFICATE OF COMPLIANCE

**Certificate Number** S2652  
**Report Reference** S2652-20200818  
**Issue Date** 2020-AUGUST-25

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

## Standards:

UL 1480, Speakers For Fire Alarm And Signaling Systems, Including Accessories  
CAN/ULC S541:2016, Speakers For Fire Alarm And Signaling Systems, Including Accessories  
CAN/ULC S526:2016, Visible Signaling Devices For Fire Alarm And Signaling Systems, Including Accessories  
UL 1638, Visible Signaling Devices For Fire Alarm And Signaling Systems, Including Accessories  
UL1971, Signaling Devices For The Hearing Impaired

## Models:

Speaker Model ELSPK, followed by a suffix representing product color, and may be followed by a suffix representing lettering, mounted on a wall or ceiling, intended for indoor use only.

Speaker Model ELSPK, followed by a suffix representing product color, followed by the letter 'C', and may be followed by a suffix representing lettering, mounted on a wall or ceiling, intended for indoor use only.

Speaker Strobe: Model ELSPST, followed by a suffix representing product color, and may be followed by a suffix representing lettering, mounted on a wall. Synchronous or non synchronous, intended for indoor use only.

Speaker Strobe: Model ELSPST, followed by a suffix representing product color, followed by the letter 'C', and may be followed by a suffix representing lettering, mounted on a ceiling. Synchronous or non synchronous, intended for indoor use only.

Speaker Strobe: Model ELSPST, followed by a suffix representing product color, followed by a suffix representing lettering, followed by a suffix representing lens color (A for amber), mounted on a wall. Synchronous or non synchronous. Intended for Private Mode Emergency Use, indoor use only.

Speaker Strobe: Model ELSPST, followed by a suffix representing product color, followed by the letter 'C', followed by a suffix representing lettering, followed by a suffix representing lens color (A for amber) mounted on a ceiling. Synchronous or non synchronous. Intended for Private Mode Emergency Use, indoor use only.

Replacement Grille: Model ELGSPST followed by a suffix representing lettering and color. For use with Model ELSPST.

Replacement Grille: Model ELGSPSTC followed by a suffix representing lettering and color. For use with Model ELSPSTC.

Replacement Grille: Model ELGSPK followed by a suffix representing lettering and color. For use with Model ELSPK.

Replacement Grille: Model ELGSPKC followed by a suffix representing lettering and color. For use with Model ELSPKC.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

