

Universal Module V3



www.danalock.com




Specifications

12-24V DC
100mA
2
Potential-free contacts(NO/NC)
+4dBm
48V
Bluetooth® 4.2 Low Energy
5 - 10 meters

Wiring

Set up your Universal module according to this schematic. Use relay 1 before relay 2 if possible.



4

Click commands

You can configure the Universal Module via the button found in the small hole on the module. When you get to the setting you want, wait for 5 seconds and the Universal Module will react. If you make a wrong number of clicks, just stop at an unmarked number of clicks and wait for 5 seconds. The LED will flash red.


Clicks	Color	Activity
1	Green	Inclusion mode

This command is for setting up the Universal Module with a smart home gateway such as Z-Wave or ZigBee (not HomeKit). The Universal Module will respond by blinking green. Now the module is in ex/inclusion mode and you have 30 seconds to pair or unpair it with a gateway.

10	Red	Reset the Danalock
Deletes all settings	and all keys on the Unive	ersal Module The Universa

Deletes all settings and all keys on the Universal Module. The Universal Module will respond by blinking red.

LED signals



LED mode	LED color	Status indication
3 sec constant white		Power on
Constant purple		Firmware update activated
Blinking blue light		Settings changed
5 sec blinking white light		Identify
5 sec constant red		Factory reset
5 sec constant green followed by green blinks		Inclusion mode activated



Danalock International ApS

Gammel Stillingvej 427C 8462 Harlev, DK

+45 4242 8122 info@danalock.com