

PMAX-0316

Wall Mount (for D5x, D9x, E5x, E9x, E9xx/M)



► Specifications

Device

Product Type	Camera Mount
Application Environment	Indoor
Description	Wall Mount (for D5x, D9x, E5x, E9x, E9xx/M)

General
















Weight	278.5g (0.61lb)
Dimensions	(W x H x D): 140.5mm x 121mm x 55.5mm (5.53" x 4.76" x 2.19")
Color	Warm Gray
Material	Aluminum
Warranty	1 Year(s)

► Ordering Information




SMAx-0274	Pole Mount with Wall Mount (for E78, E9x, E9xx) (PMAx-0506+PMAx-0316)
-----------	---

► Related Products







Dome - Mini Dome

E91		1MP Indoor Mini Dome with Basic WDR, Fixed lens, f2.93mm/F2.0 (HOV:72°), H.264, 720p/30fps, DNR, MicroSDHC/MicroSDXC, PoE, IK08
E911		3MP Video Analytics Indoor Mini Dome with Extreme WDR, SLLS, Fixed lens, f2.1mm/F1.8 (HOV:117.5°), H.265/H.264, 1080p/60fps, 2D+3D DNR, MicroSDHC/MicroSDXC, PoE, IK08, Built-in Analytics
E912		5MP Video Analytics Indoor Mini Dome with Extreme WDR, SLLS, Fixed lens, f2.1mm/F1.8 (HOV:94.7°), H.265/H.264, 1080p/30fps, 2D+3D DNR, MicroSDHC/MicroSDXC, PoE, IK08, Built-in Analytics
E93		5MP Indoor Mini Dome with Basic WDR, Fixed lens, f1.9mm/F2.8 (HOV:126.9° (overview area), 77.4° (high detail area)), H.264, 1080p/30fps, DNR, MicroSDHC/MicroSDXC, PoE, IK08
E95		2MP Indoor Mini Dome with Basic WDR, SLLS, Fixed lens, f3.6mm/F1.85 (HOV:87.5°), H.264, 1080p/30fps, DNR, MicroSDHC/MicroSDXC, PoE, IK08
E97		10MP Indoor Mini Dome with Basic WDR, Fixed lens, f3.6mm/F1.8 (HOV:101.4°), H.264, 1080p/30fps, DNR, MicroSDHC/MicroSDXC, PoE, IK08
Q93		1MP People Counting Indoor Mini Dome with D/N, Adaptive IR, Extreme WDR, SLLS, Fixed lens, f2.55mm/F2.2 (HOV:108.6°), H.264, 720p/30fps, 2D+3D DNR, MicroSDHC/MicroSDXC, PoE/DC12V, Built-in Analytics
Q94		1MP People Counting Indoor Mini Dome with D/N, Adaptive IR, Extreme WDR, SLLS, Fixed lens, f4.2mm/F1.8 (HOV:73.1°), H.264, 720p/30fps, 2D+3D DNR, MicroSDHC/MicroSDXC, PoE/DC12V, Built-in Analytics
E918		3MP Outdoor Mini Dome with Superior WDR, Fixed lens, f1.9mm/F2.8 (HOV:126.4° (overview area), 77.1° (high detail area)), H.264, 1080p/30fps, DNR, Audio, MicroSDHC/MicroSDXC, PoE, IP68, IK10, EN50155
E918M		3MP Outdoor Mini Dome with Superior WDR, M12 connector, Fixed lens, f1.9mm/F2.8 (HOV:126.4° (overview area), 77.1° (high detail area)), H.264, 1080p/30fps, DNR, Audio, MicroSDHC/MicroSDXC, PoE, IP68, IK10, EN50155
E928		3MP Outdoor Mini Dome with D/N, Adaptive IR, Superior WDR, Fixed lens, f2.93mm/F2.0 (HOV:85.7°), H.264, 1080p/30fps, 2D+3D DNR, Audio, MicroSDHC/MicroSDXC, PoE, IP68, IK10, EN50155
E933		2MP Video Analytics Outdoor Mini Dome with D/N, Adaptive IR, Extreme WDR, SLLS, Fixed lens, f2.55mm/F2.2 (HOV:110.3°), H.264, 1080p/60fps, 2D+3D DNR, Audio, MicroSDHC/MicroSDXC, PoE, IP68, IK10, EN50155, Built-in Analytics
E933M		2MP Video Analytics Outdoor Mini Dome with D/N, Adaptive IR, Extreme WDR, SLLS, M12 connector, Fixed lens, f2.55mm/F2.2 (HOV:110.3°), H.264, 1080p/60fps, 2D+3D DNR, Audio, MicroSDHC/MicroSDXC, PoE, IP68, IK10, EN50155, Built-in Analytics
E936		2MP Video Analytics Outdoor Mini Dome with Extreme WDR, SLLS, Fixed lens, f2.55mm/F2.2 (HOV:110.3°), H.264, 1080p/60fps, 2D+3D DNR, Audio, MicroSDHC/MicroSDXC, PoE, IP68, IK10, EN50155, Built-in Analytics
E936M		2MP Video Analytics Outdoor Mini Dome with Extreme WDR, SLLS, M12 connector, Fixed lens, f2.55mm/F2.2 (HOV:110.3°), H.264, 1080p/60fps, 2D+3D DNR, Audio, MicroSDHC/MicroSDXC, PoE, IP68, IK10, EN50155, Built-in Analytics

Dome - Dome

E710		3MP Video Analytics Outdoor Dome with D/N, Adaptive IR, Extreme WDR, SLLS, Fixed lens, f2.1mm/F1.8 (HOV:117.5°), H.265/H.264, 1080p/60fps, 2D+3D DNR, Built-in Microphone, MicroSDHC/MicroSDXC, PoE/DC12V, IP68, IK10, DI/DO, Built-in Analytics
E78		2MP Video Analytics Outdoor Dome with D/N, Adaptive IR, Extreme WDR, SLLS, Fixed lens, f3.6mm/F1.85 (HOV:84.5°), H.264, 1080p/60fps, 2D+3D DNR, Audio, MicroSDHC/MicroSDXC, PoE/DC12V, IP68, IK10, DI/DO, Built-in Analytics
E79		5MP Video Analytics Outdoor Dome with D/N, Adaptive IR, Extreme WDR, SLLS, Fixed lens, f2.1mm/F1.8 (HOV:94.7°), H.265/H.264, 1080p/30fps, 2D+3D DNR, Built-in Microphone, MicroSDHC/MicroSDXC, PoE/DC12V, IK09, DI/DO, Built-in Analytics

Dome - Mini Fisheye Dome

E96		5MP Indoor Mini Fisheye Dome with Basic WDR, Fixed lens, f1.19mm/F2.0 (HOV:189.7° (overview area), 115.7° (high detail area)), H.264, DNR, MicroSDHC/MicroSDXC, PoE, IK08
E921		5MP Outdoor Mini Fisheye Dome with Basic WDR, Fixed lens, f1.19mm/F2.0 (HOV:189.7° (overview area), 115.7° (high detail area)), H.264, DNR, Audio, MicroSDHC/MicroSDXC, PoE, IP68, IK10, EN50155
E921M		5MP Outdoor Mini Fisheye Dome with Basic WDR, M12 connector, Fixed lens, f1.19mm/F2.0 (HOV:189.7° (overview area), 115.7° (high detail area)), H.264, DNR, Audio, MicroSDHC/MicroSDXC, PoE, IP68, IK10, EN50155
E923		10MP Outdoor Mini Fisheye Dome with Basic WDR, Fixed lens, f1.37mm/F2.0 (HOV:187.7° (overview area), 114.5° (high detail area)), H.264, DNR, Audio, MicroSDHC/MicroSDXC, PoE, IP68, IK10, EN50155
E925		5MP Outdoor Mini Fisheye Dome with D/N, Adaptive IR, Basic WDR, Fixed lens, f1.19mm/F2.0 (HOV:189.7° (overview area), 115.7° (high detail area)), H.264, 2D+3D DNR, Audio, MicroSDHC/MicroSDXC, PoE, IP68, IK10, EN50155
E925M		5MP Outdoor Mini Fisheye Dome with D/N, Adaptive IR, Basic WDR, M12 connector, Fixed lens, f1.19mm/F2.0 (HOV:189.7° (overview area), 115.7° (high detail area)), H.264, 2D+3D DNR, Audio, MicroSDHC/MicroSDXC, PoE, IP68, IK10, EN50155