



VideoEdge Hybrid 2U & 3U Network Video Recorder



Key Features

- 2U features up to 200 Mbps of recording throughput to, with the 3U supporting up to 300 Mbps
- Integrate analog cameras without the cost of encoders
- 2U supports 16 analog and up to 16 IP cameras simultaneously, or up to 32 IP cameras
- 3U supports 32 analog and up to 32 IP cameras simultaneously, or up to 64 IP cameras
- RAID or JBOD storage configurations up to 60TB
- Enterprise-class hard drives
- Support for Virtual IO on select cameras

A Solution That Protects Your Business and Helps it Grow

When you combine the powerful capabilities of victor with the intelligence of VideoEdge NVRs you reach new heights in video management with actionable insights to save time, money and lives. Save administrator resources with powerful features like person-based intelligent search, narrowing down search time from minutes to seconds and gain the upper hand against potential threats. Leveraging high-performance smart video searching, video intelligence, and case management along with an extensive feature set, users gain greater situational awareness.

Protect Your Analog Investment and Add IP

The VideoEdge Hybrid 2U and 3U Network Video Recorders (NVRs) allow you to support analog cameras without the complexity and cost of encoders. Through the local VideoEdge client, users can easily view and export video from the NVR for review and analysis. By connecting a CCTV monitor to the Hybrid NVR, security operators can instantly view real-time camera feeds for ongoing surveillance. Video is recorded on RAID or JBOD storage configurations in front-accessible drives.

Improve Incident Response and Safety with Intelligent Designs and AI Features

Once added to the system, powerful AI and intelligent video analytic features such as person-based intelligent search, area occupancy, crowd counting, object classification and more are combined and integrated with the victor and VideoEdge solution to strengthen operational efficiency and effectiveness. By simply allocating a license to a camera, the system will immediately begin collecting behavioral metadata that can be leveraged for reporting key performance indicators (KPIs) and trigger real-time alarms. Detect suspicious objects and abnormal behavior to identify trends that help mitigate threats, and pinpoint exact location of alarms on maps to arm security teams with life-saving details. With the powerful, automated and forensic search capabilities powered by Tyco AI, victor and VideoEdge users are able to save time when minutes matter.

Additional tools that help with both live streaming and forensic search include Smart Streaming and Smart Search. Smart Streaming reduces client hardware requirements while viewing more cameras simultaneously without increasing bandwidth usage. Smart Search finds specific video clips based on metadata from behaviors, analytics, and event details within a forensic region of interest. VideoEdge® TrickleStor provides cost-effective redundancy by storing video on select Illustra cameras when network connectivity to the NVR is lost. Finally, VideoEdge NVRs are all ONVIF Profile S conformant for increased camera compatibility.

Ensure Reliability and Business Continuity with a Cybersecurity Program

VideoEdge NVRs have been designed to be resilient against cyber threats. This solution includes a security audit page that allows administrators to quickly determine if the proper levels of protection are applied. The VideoEdge NVRs adhere to the rigorous standards of the Johnson Controls Cyber Solutions Product Security Program. The holistic approach to cyber protection is aimed at providing peace of mind to our customers. Our security mindset begins at initial design concept and is supported through deployment, including a rapid incident response to meet the comprehensive and evolving cybersecurity environments.

Hardware Specifications

| Specification | Description | |
|---------------------------------|--|--|
| | VideoEdge Hybrid 2U NVR | VideoEdge Hybrid 3U NVR |
| Camera Type | IP and SD Analog | IP and SD Analog |
| Video Recording Throughput | 200 Mbps ¹ | 300 Mbps ¹ |
| Max # of Cameras (IP or Analog) | 32 ² | 64 ² |
| Max # of Analog Inputs | 16 | 32 |
| Operating System | VideoEdge OS built on openSUSE Linux | VideoEdge OS built on openSUSE Linux |
| OS Drive | 256GB 2.5" SSD | 256GB 2.5" SSD |
| Network Interface | 2 x 1 GigE NICs | 2 x 1 GigE NICs |
| RAID Controller | Yes | Yes |
| Video Storage | 0, 12, 18, 24, 30, 48, 60 TB | 0, 12, 18, 24, 30, 48, 60 TB |
| Video Storage Drives | up to 6 | up to 6 |
| USB Ports | Front: 2 x USB 2.0 Back: 2 x USB 2.0, 4 x USB 3.0 | Front: 2 x USB 2.0 Back: 2 x USB 2.0, 4 x USB 3.0 |
| Power Supply | 400W, 100~240VAC | 400W, 100~240VAC |
| Max BTU | 1000 | 1000 |
| Monitor Interface | 1 x HDMI, 1 x Display Port, 1 x VGA | 1 x HDMI, 1 x Display Port, 1 x VGA |

| | | |
|---------------------------|-----|-----|
| Max. Digital Monitors | 1 | 1 |
| Max. Analog Spot Monitors | 2 | 2 |
| VideoEdge Client | Yes | Yes |
| Audio Inputs | 16 | 32 |
| Audio Output | Yes | Yes |

¹Reduce Mbps by half with VideoEdge Client

²Stream parameters vary greatly - Refer to Tyco | American Dynamics Resource Estimator www.americandynamics.net/Calculators/Tyco-American-Dynamics-Resources-Estimator.xlsx and Storage Calculator <https://www.americandynamics.net/Calculators/ipconfig/indexhtml> to best determine server and storage.



Ordering Information

| Model Numbers | Description |
|------------------------------|--|
| VideoEdge 2U Hybrid | |
| ADVER60R5H2G | VideoEdge 2U Hybrid with 16 analog channels, 60TB RAID 5 (72 Total), 2 NIC |
| ADVER48R5H2G | VideoEdge 2U Hybrid with 16 analog channels, 48TB RAID 5 (60 Total), 2 NIC |
| ADVER30R5H2G | VideoEdge 2U Hybrid with 16 analog channels, 30TB RAID 5 (36 Total), 2 NIC |
| ADVER24N0H2H | VideoEdge 2U Hybrid with 16 analog channels, 24TB JBOD, 2 NIC |
| ADVER18R5H2G | VideoEdge 2U Hybrid with 16 analog channels, 18TB RAID 5 (24 Total), 2 NIC |
| ADVER12N0H2H | VideoEdge 2U Hybrid with 16 analog channels, 12TB JBOD, 2 NIC |
| ADVER00N0H2G | VideoEdge 2U Hybrid with 16 analog channels, 0TB storage, 2 NIC |
| VideoEdge NVR HD Kits | |
| ADVER12TBTAD | VideoEdge HDD Kit, Compatible with VideoEdge 2U or 3U NVR, 12 TB Hot Plug HD Kit w/ Tray |
| ADVER06TBTAD | VideoEdge HDD Kit, Compatible with VideoEdge 1U, 2U or 3U NVR, 6 TB Hot Plug HD Kit w/Tray |



Ordering Information

| Model Numbers | Description |
|------------------------------|--|
| VideoEdge 3U Hybrid | |
| ADVER60R5H3G | VideoEdge 3U Hybrid with 32 analog channels, 60TB RAID 5 (72 Total), 2 NIC |
| ADVER48R5H3G | VideoEdge 3U Hybrid with 32 analog channels, 48TB RAID 5 (60 Total), 2 NIC |
| ADVER36N0H3G | VideoEdge 3U Hybrid with 32 analog channels, 36TB JBOD, 2 NIC |
| ADVER30R5H3G | VideoEdge 3U Hybrid with 32 analog channels, 30TB RAID 5 (36 Total), 2 NIC |
| ADVER24N0H3H | VideoEdge 3U Hybrid with 32 analog channels, 24TB JBOD, 2 NIC |
| ADVER18R5H3G | VideoEdge 3U Hybrid with 32 analog channels, 18TB RAID 5 (24 Total), 2 NIC |
| ADVER12N0H3H | VideoEdge 3U Hybrid with 32 analog channels, 12TB JBOD, 2 NIC |
| ADVER00N0H3G | VideoEdge 3U Hybrid with 32 analog channels, 0TB storage, 2 NIC |
| VideoEdge NVR HD Kits | |
| ADVER12TBTAD | VideoEdge HDD Kit, Compatible with VideoEdge 2U or 3U NVR, 12 TB Hot Plug HD Kit w/Tray |
| ADVER06TBTAD | VideoEdge HDD Kit, Compatible with VideoEdge 2U and 3U NVRs, 6 TB Hot Plug HD Kit w/Tray |

Camera Connection Licenses

| Model Numbers | Description |
|---------------|--|
| ADVEC01* | VideoEdge NVR Add-on 1 IP Camera License |
| ADVC-CENTLIC | victor Professional Central License Management for VideoEdge |
| ADVC-VECAM* | victor Professional Centrally Managed VideoEdge IP Camera Connection License - Single Camera License |

*Not required with Illustra Pro cameras

For analytic ordering information, see Video Intelligence, Facial Biometric and License Plate Recognition data sheets

Tyco American Dynamics victor VMS and VideoEdge Recorders are sold, serviced and supported by a network of Certified Installers.

For specific information regarding Certification and Training requirements please consult your local sales representative.

Johnson Controls

At Johnson Controls (NYSE:JCI), we transform the environments where people live, work, learn and play. As the global leader in smart, healthy and sustainable buildings, our mission is to reimagine the performance of buildings to serve people, places and the planet.

Building on a proud history of more than 135 years of innovation, we deliver the blueprint of the future for industries such as healthcare, schools, data centers, airports, stadiums, manufacturing and beyond through OpenBlue, our comprehensive digital offering.

Today, with a global team of 100,000 experts in more than 150 countries, Johnson Controls offers the world's largest portfolio of building technology and software as well as service solutions from some of the most trusted names in the industry.

Visit www.johnsoncontrols.com for more information and follow [@Johnson Controls](https://twitter.com/JohnsonControls) on social platforms.

© 2022 Johnson Controls. All rights reserved. Product offerings and specifications are subject to change without notice. Actual products may vary from photos. Not all products include all features. Availability varies by region; contact your sales representative.

AD1385-DS-202210-R06-HS-EN

The power behind **your mission**