



PoE Servers Powered by DW Spectrum

State of the art hyper-optimized video management platform designed for ease, speed and efficiency.

Blackjack® DX™ slim desktop servers — Up to 480Mbps

DW-BJDX71XXT



Default Login Information for DW Spectrum® IPVMS

Username: admin Password: admin12345

Default login information for the server's OS

Username: **dwuser** Password: **Dw5pectrum**

WHAT'S IN THE BOX					
Blackjack DX™ server		1	Keyboard and mouse		1 set
Quick start guide		1	Power cable		1

NOTE: Download all your support materials and tools in one place.


- 1. Go to: http://www.digital-watchdog.com/support-download/.
- 2. Search your product by entering the part number in the 'Search by Product' search bar. Results for applicable part numbers will populate automatically based on the part number you enter.
- 3. Click 'Search'. All supported materials, including manuals, Quick start guides (QSG), software and firmware will appear in the results.

Attention: This document is intended to serve as a quick reference for initial setup.

See the DW Spectrum® full manual for more information on features and functionality.




BLACKJACK® DX™ SLIM DESKTOP - FRONT PANEL



- F1 Power Button/Power LED
- F2 Mic in (3.5mm)
- F3 Audio out (3.5mm)
- F4 2x USB 3.0 ports
- F5 2x USB 2.0 ports
- F6 HDD Activity LED

BLACKJACK® DX™ SLIM DESKTOP - REAR PANEL



B1	Power port	B7	USB 3.2 Gen2x2 Type-C port	B13	USB 2.0 port
B2	Antenna ports (not used)	B8	USB 2.0 port	B14	BIOS flashback button
B3	Microphone (pink)	B9	USB 3.2 Gen2 port	B15	1G LAN RJ45 Port
B4	Line in (light blue)	B10	2x USB 2.0 ports	B16	2.5G LAN RJ45 port

B5 Front speaker (lime)
B11 True HD video output
USB 3.2 Gen2 Type-A port
B12 DisplayPort 1.4 video output

Default Login Information for DW Spectrum® IPVMS

Username: **admin** Password: **admin12345** Username: **dwuser** Password: **Dw5pectrum**

Default login information for the server's OS

2

SPECIFICATIONS

MODEL		DW-BJDX71xxT		
Included IP licenses		4		
Form factor		Slim Desktop		
Operating system	Windows® 10	DW-BJDX71XXT		
	Linux Ubuntu®	N/A		
	OS on SSD	m.2 SSD		
CPU		Intel i7 processor		
Memory		16GB		
Ethernet port		1x 1G Ethernet, 1x 2.5G Ethernet		
System	Max video storage rate	480 Mbps		
Storage	Maximum HDD	2 x 3.5 SATA HDD		
	Maximum storage	20TB		
	RAID options	N/A		
Video-out	Outputs	1x true HD, 1x DP for system configuration. Maximum 1 display output at a time.		
	Video card	Onboard Intel HD Graphics		
	Resolution	True HD: 4096x2160@60Hz , DP: 7680x4320@60Hz / 5120x3200@120Hz		
Pre-loaded	VMS software	DW Spectrum® IPVMS Server		
Keyboard a	nd mouse	Included		
Rail kit		N/A		
Power supply		300W**		
Operating temperature and humidity		41°F~104°F (5°C~40°C), 20~90% RH		
Dimension (WxDxH)		13.1" x 3.8" x 15.6" (334 x 97 x 402 mm)		
Other certification		FCC, CE, RoHS, NDAA, TAA		
Warranty		5 year limited		

* UPS recommended Specifications and components mentioned are subject to change without notice.

SETTING UP THE SERVER

STEP 1: Connect external devices, power and network.

NOTE See page 2 for detailed back panel breakdown for each model.

1. Connect a monitor, USB keyboard, USB mouse and network cable to one of the Ethernet ports (B15 on the diagram). Configure the camera's network first, then configure the server's local network.

2. Connect the server to an appropriate power **(+)** source. A UPS system is 0 recommended. 600VA or وتوفي 00000 higher is recommended (per PSU). 3. Connecting the power \odot cable to a live power 0 **(+)** source may turn on the server automatically. If the server does not turn on automatically, press the power button on the front of the server (F1 on PoE switch for cameras the diagram).



STEP 2: Configure date and time

Windows®

1. Double-click on the date and time icon on the desktop.



2. Change time zone if it is not correct Change time zone... (default is UTC-08:00 Pacific Time).

- 3. Press OK after selecting the correct time zone.
- 4. Click "Change date and time..." to update the date and time if they are not correct. Value and time...
- Verify the time zone before updating the date and time. Time may show 2 or 3 hours off due to an incorrect time zone.
- 5. Press OK after adjusting to the correct date and/or time. Press OK to close the date and time when done.



STEP 3: **Configure network**

Please have the following information ready before starting the network configuration.

	Camera network	Local network (LAN)	
IP address			
Subnet mask / Netmask			
Default gateway / Gateway	Not applicable		
DNS servers	Not applicable		

^{*} The camera network and local network cannot be on the same network.

NOTE The Blackjack® server's network settings are set to DHCP as default.


NOTE If you are not sure what information to enter, contact your Network Administrator or Internet Service Provider for the information.

NOTE If you are not connecting to the Blackjack* from the same network, you may be required to perform port forwarding on your router to access the server. Contact your Network Administrator or Installer for additional information


1. Double click on the "Network Connections" on the desktop



2. Right-click on "Ethernet with cable connected" and click "Properties".



3. Select "Internet Protocol Version 4 (TCP/IPv4)" and click "Properties".







- 4. Select "Use the following IP address" (Use the following DNS server addresses will be selected automatically).
- 5. Enter the IP address and Subnet mask of the camera network. (Do not enter anything for the default gateway, preferred DNS server and alternate DNS server.
- 6. Click OK to close then click close to go back to network connections.

Local Network

- 7. Right-click on the other Ethernet, the one with network cable unplugged, and click "Properties".
- 8. Select "Internet Protocol Version 4 (TCP/IPv4)" and click "Properties".
- 9. Select "Use the following IP address" (Use the following DNS server addresses will be selected automatically).
- 10. Enter IP address and subnet mask of the camera network.
- 11. Click OK to close then click close to go back to network connections.
- 12. Connect a network cable to the Ethernet port B16 (2.5G) on the diagram (page 2) to the switch on the local network.
- 13. Close the network connections dialog.









CONFIGURE CAMERAS USING DW® IP FINDER™

Refer to the camera's QSG to configure any DW® IP camera's IP address using DW® IP finder™.

DW Spectrum® IPVMS client

OPTION 1: Double-click the DW Spectrum® desktop icon.



OPTION 2: Go to 'Start' on the bottom left and select DW Spectrum® in the Digital Watchdog folder

SETTING UP DW SPECTRUM® MEDIA SERVER

Login: **admin** Password: **admin12345**

STEP 1: Initial run from the Blackjack' server

1. Open the DW Spectrum client by double click on the DW Spectrum icon



- 2. Click on the pre-configured server.
- 3. If the pre-configured server does not automatically log in, enter the password and click Connect. *Default password: admin12345 (case sensitive).





STEP 2: To rename the server

- 1. Right-click on the server name listed on the resources then click server settings.
- 2. Go to the general tab and enter the new server name in the name field. Click OK.





STEP 3: To check for updates

- 1. Click on the menu then click "System Administration".
- 2. Go to the updates tab. If the system requires updating, click on the update system button.





* If you are on the latest version, it will say "You have the latest version installed" and the Update System button will be disabled.


3. Click OK when the update is completed.

STEP 4: Enter and activate licenses

- 1. Go to the system administration window and click on the license tab.
- 2. Enter the license key and click "Activate License". An Internet connection is required.
 - * Click on "Activate Trial License" if you have not purchased a valid license key.
- 3. Click OK to when the license key is activated.

STEP 5: Configure recording

- 1. Right-click on a camera in the resource tree to setup recording. Click on camera settings from the context menu.
- 2. Go to the recordings tab.








- 3. Click Recording to turn on recording.
- 4. Configure the camera's schedule settings for quality, FPS and recording type.
- 5. Click and drag the mouse over the recording schedule to apply the settings to multiple days and times.




* Click "All" to apply the recording settings to the entire schedule.



6. A red dot will appear next to the camera in the resource tree once recording is started.






NOTE: A Recording License is required to allow each camera to the archive.

STEP 6: Backup database

- 1. Go to the system administration window and click on the general tab.
- 2. Click "Create Backup...".
- 3. Navigate to the folder you want to save the database and enter a name for the backup file. Click save.
 - * It is strongly recommended to create a Database Backup to external storage media before and after every update in the event that a system restore point is needed.





NOTE: More information and instructions are available in the DW Spectrum® IPVMS user manual.

TROUBLESHOOTING TIPS

Problem	Possible solutions
My camera does not auto- discover	 Is the camera in the same LAN network as the media server? Is your camera compatible with DW Spectrum? (Refer to our website for full list of supported cameras.) Is the camera updated to its latest firmware? If your camera is integrated with DW Spectrum via ONVIF, make sure ONVIF is enabled on your camera. Try adding the camera manually. Try rebooting the server after installation. Allow up to 2 minutes for the server to map your network and detect all supported devices.
Videos are slow	 Are you accessing the same cameras from multiple clients? (LAN and WAN) Do you have a Gigabit network? Check your network speed.
My camera appears disconnected 1. Under camera settings, make sure the user name and password are correct. 2. Under the camera settings, use the 'Ping' button to make sure the camera is connected to the network properly. 3. If you can connect to the camera's web viewer, try rebooting the camera and/or restore it to factory default. 4. Make sure your camera is using the latest firmware available. 5. Make sure that the camera is connected to the same network as the server. 6. If you are connecting to a camera that is integrated with DW Spectrum via the ONVIF protocol (see list), make senabled. 7. Make sure your user has permissions to view that specific camera.	
 Do you have network connection between client and server (in case server and client are not on the same maching the playback video from my camera Do you have network connection between client and server (in case server and client are not on the same maching the playback video for the selected channel. Make sure the camera is set to a recording mode that would provide recorded video for the selected time and er disconnected. On the server side, check the media server log to make sure the camera you are trying to watch has not been disconnected. 	
I get 'unauthorized' message on my camera	 Make sure the camera's user name and password are properly entered in the camera's general information under the camera settings menu. If necessary, try rebooting the camera to apply the camera's user name and password.

DW SPECTRUM SYSTEM REQUIREMENTS

Recommended specs for the full client

		Single-monitor DW Spectrum workstation	Dual-monitor DW Spectrum workstation	Quad-monitor DW Spectrum workstation		
Processor		Intel i5 8th gen or AMD Ryzen 5 3000 Quad-Core or better	Intel i7 8th gen or AMD Ryzen 7 3000 Quad- Core or better	Intel i9 or AMD Ryzen 9 Quad-Core or better		
Video card		Intel HD Graphics onboard GPU or better	Intel HD Graphics onboard GPU or better	GeForce GTX 1650 or better		
RAM		8 GB DDR3 1600 MHz or better	16 GB DDR3 1600 MHz or better	32 GB or better		
NIC		1Gbps or better	2 x 1 Gbit or better	2 x 1 Gbit or better		
Storage		Dedicated SSD or NVME disk for the OS, 128 GB or larger	Dedicated SSD or NVME disk for the OS, 128 GB or larger	Dedicated SSD or NVME disk for the OS, 128 GF or larger		
		ndows OS (supported by both DW Spectrum® S - Released: October 2012 EoS: 01/2023	Server and Client).			
	• Windows Se • Windows Se • Windows Se • Windows Se • Windows Se	Windows 10 - Released: July 2015 Windows Server 2012 - Released: August 2012 EoS: 10/2023 Windows Server 2012 R2 - Released: October 2013 EoS: 10/2023 Windows Server 2016 - Released: October 2016 EoS: 01/2027 Windows Server 2019 - Released: October 2018 EoS: 01/2029 Windows Server 2022 - Released: August 2021 EoS: 10/2031 **NOTE: DW Spectrum IPVMS for Windows can be installed as a software bundle or the Server and Client software can be installed separately.				
OS	Ubuntu (Deb	ian-based Linux) OS (supported by both DW S	pectrum Server and Client).			
supported	Ubuntu 16.04 LTS "Xenial Xerus" – Released: April 2016 EoS: 04/2024 Ubuntu 18.04 LTS "Bionic Beaver" – Released: April 2018 EoS: 04/2028 Ubuntu 20.04 LTS: "Focal Fossa" – Released: April 2020 EoS: 04/2030					
	**NOTE: DW Spectrum IPVMS for Ubuntu is only available for separate installations (not bundled).					
	Macintosh OS (supported only by the DW Spectrum Client. DW Spectrum Server is not available for macOS).					
	• macOS 10.14 "Mojave" - Released: September 2018 • macOS 10.15 "Catalina" - Released: October 2019 • macOS 11.0, 11.1, 11.2 "Big Sur" - Released: November 2020 • macOS 12 "Monterey" - Released: October 2021					
	**NOTE: DW Spectrum IPVMS for macOS is only supported by the DW Spectrum Client.					

* Except Storage Server version

Important: OS not listed will be not be supported by $\mathrm{D}\mathrm{W}^{\$}$

Tel: +1 (866) 446-3595 Fax: (813) 888-9262

