

Loudspeaker Collection
May 2022



Adept Audio®



We thought the first thing a brand that designs speakers should do is learn to listen, so we listened. And we think it paid off.

We learned that audio lovers want a premium brand with superb sonic performance and designs that are affordable. Ones that stand out from the interchangeable brands.

We also listened to our legendary engineering team who are at their best living outside the box. They designed a range of indoor and outdoor loudspeakers for home and commercial settings.

Adept cabinet loudspeakers are engineered for demanding hi-res audio streams and A/V systems. In addition, our timbre-matched sonic signature lets you mix and match our speakers as you choose for a true, no compromise design, every time.

Be sure to try Adept today. You'll be glad you did.

Change Is In the Wind

Adept Audio®

↑ ↻ 🔊 🔒
UP. TWIST. CLICK. LOCK.

CEILING SPEAKERS

We designed Adept Audio ceiling speakers to deliver everything an installer might want: easy installation, rock-solid reliability, great looks and outstanding sound.

Our patented and proprietary Adept Trim-Ring™ mounting system lets installers mount our speakers quickly and safely.

Our architectural speakers are built to sound great will continue to sound excellent years down the road. In fact, that's why we offer a Lifetime Warranty.

With six down-firing in-ceiling speakers for whole-house sound systems and three LCR ceiling speakers for home theaters, there's an Adept speaker suited for any kind of room.



WHOLE HOUSE

The IC86 is our top-of-the line flagship speaker. Our architectural speaker engineers put their very best efforts into these 8" speakers, featuring graphite woofers and 1" aluminum tweeters. It delivers even response across the entire frequency spectrum so every kick drum, high note & cymbal crash rings out rich and true. And since our entire line is timbre matched, it allows mixing and matching with any of our other speakers.

IC86

8" Ceiling Speakers

Our top-of-the-line speaker delivers subtly stronger treble, increased bass response and natural sound.

- 8" Injection-Molded Graphite (IMG) Woofers
- 1" Pivoting Aluminum Dome Tweeters
- Power Handling: 175 Watts
- Frequency Response: 38Hz-20kHz
- Sensitivity: 92dB SPL, 1W/1m (3.3 ft)
- Impedance: 6Ω
- Cut-Out Diameter: 8¾"
- Grille (outside) Diameter: 10"
- Mounting Depth: 4½"
- Warranty: Limited Lifetime

UOM: Pair



Our IC82 speakers have exceptionally present bass and really jams on hip-hop, rock & R&B music. These 8" speakers sound especially vivid and have an open midrange that delivers natural-sounding voices so you hear more of the singer than the speaker. The easy to use Adept Trim-Ring™ allows you to compare both in a matter of seconds.

IC82

8" Ceiling Speakers

Strong bass output makes hip-hop, rock and R&B music sound especially exciting and vivid.

- 8" Polypropylene Woofers
- 1" Pivoting Silk Dome Tweeters
- Power Handling: 150 Watts
- Frequency Response: 40Hz-20kHz
- Sensitivity: 93dB SPL, 1W/1m (3.3 ft)
- Impedance: 6Ω
- Cut-Out Diameter: 8¾"
- Grille (outside) Diameter: 10"
- Mounting Depth: 4½"
- Warranty: Limited Lifetime

UOM: Pair





IC66

6 1/2" Ceiling Speakers

Delivers smooth response everywhere, with textbook flat response that doesn't color the sound artificially.

- 6 1/2" Injection-Molded Graphite (IMG) Woofers
- 1" Pivoting Aluminum Dome Tweeters
- Power Handling: 125 Watts
- Frequency Response: 48Hz-20kHz
- Sensitivity: 92dB SPL, 1W/1m (3.3 ft)
- Impedance: 6Ω
- Cut-Out Diameter: 8 3/4"
- Grille (outside) Diameter: 10"
- Mounting Depth: 3 3/4"
- Warranty: Limited Lifetime

UOM: Pair



IC62

6 1/2" Ceiling Speakers

An excellent budget solution you can change later for a higher performance Adept ceiling speakers.

- 6 1/2" Polypropylene Woofers
- 1" Pivoting Silk Dome Tweeters
- Power Handling: 85 Watts
- Frequency Response: 55Hz-20kHz
- Sensitivity: 91dB SPL, 1W/1m (3.3 ft)
- Impedance: 6Ω
- Cut-Out Diameter: 8 3/4"
- Grille (outside) Diameter: 10"
- Mounting Depth: 3 3/4"
- Warranty: Limited Lifetime

UOM: Pair



IC64

6 1/2" Ceiling Speakers

A great step up model for whole-house sound that provides rich bass & smooth highs.

- 6 1/2" Injection-Molded Polypropylene (IMPP) Woofers
- 1" Pivoting Teteron Dome Tweeters
- Power Handling: 100 Watts
- Frequency Response: 50Hz-20kHz
- Sensitivity: 92dB SPL, 1W/1m (3.3 ft)
- Impedance: 6Ω
- Cut-Out Diameter: 8 3/4"
- Grille (outside) Diameter: 10"
- Mounting Depth: 3 3/4"
- Warranty: Limited Lifetime

UOM: Pair



IC62TT

6 1/2" Twin Tweeter Ceiling Speaker

A 2-channel solution in one ceiling speaker, excellent for background listening.

- 6 1/2" Polypropylene Woofer
- Dual 1" Fixed Silk Dome Tweeters
- Power Handling: 80 Watts
- Frequency Response: 50Hz-20kHz
- Sensitivity: 93dB SPL, 1W/1m (3.3 ft)
- Impedance 6Ω
- Cut-Out Diameter: 8 3/4"
- Grille (outside) Diameter: 10"
- Mounting Depth: 3 3/4"
- Warranty: Limited Lifetime

UOM: Each

HOME THEATER

Our flagship ICLCR86 in-ceiling home theater speaker delivers maximum performance in any sized home theater. The 8" graphite woofers and 1" aluminum tweeters are high-impact and fill media rooms with awesome, powerful bottom end bass, crystal-clear voice articulation and smooth highs. Use ICLCR86's for an in-ceiling home theater - left, center and right, sides and rears. This no-compromise flagship speaker is perfect for those customers who demand maximum performance.


ICLCR86

8" Ceiling LCR Home Theater Speaker

The 8-inch angled woofer has dynamic bass response that makes it perfect for larger Home Theaters.

- Woofer & Tweeter Bridge Fixed at 15° Angle
- 8" Injection-Molded Graphite (IMG) Woofer
- 1" Pivoting Aluminum Dome Tweeter
- Power Handling: 175 Watts
- Frequency Response: 38Hz-20kHz
- Sensitivity: 92dB SPL, 1W/1m (3.3 ft)
- Impedance: 6Ω
- Cut-Out Diameter: 8¾"
- Grille (outside) Diameter: 10"
- Mounting Depth: 5"
- Warranty: Limited Lifetime

UOM: Each



ICLCR66

6½" Ceiling LCR Home Theater Speaker

The graphite woofer delivers tight bass response and aluminum dome tweeter drives crisp high frequencies.

- Woofer & Tweeter Bridge Fixed at 15° Angle
- 6½" Injection-Molded Graphite (IMG) Woofer
- 1" Pivoting Aluminum Dome Tweeter
- Power Handling: 125 Watts
- Frequency Response: 45Hz-20kHz
- Sensitivity: 93dB SPL, 1W/1m (3.3 ft)
- Impedance: 6Ω
- Cut-Out Diameter: 8¾"
- Grille (outside) Diameter: 10"
- Mounting Depth: 4¾"
- Warranty: Limited Lifetime

UOM: Each



ICLCR62

6½" Ceiling LCR Home Theater Speaker

Great for most home theater applications, the angled design delivers optimum listening performance.

- Woofer & Tweeter Bridge Fixed at 15° Angle
- 6½" Polypropylene Woofer
- 1" Pivoting Silk Dome Tweeter
- Power Handling: 100 Watts
- Frequency Response: 50Hz-20kHz
- Sensitivity: 91dB SPL, 1W/1m (3.3 ft)
- Impedance: 6Ω
- Cut-Out Diameter: 8¾"
- Grille (outside) Diameter: 10"
- Mounting Depth: 4¾"
- Warranty: Limited Lifetime

UOM: Each



IWLCR66

Dual Woofer 6½" In Wall LCR Home Theater Speaker

If you want a foreground sound solution, build in three of our flagship IWLCR66 around your TV. The left and right speakers provide superior vertical dispersion which opens up the height of the sound field, while the horizontal in-wall speaker lets you listen to left-to-right staging with pinpoint accuracy.

- Dual 6½" Injection-Molded Graphite (IMG) Woofers
- 1" Pivoting Aluminum Dome Tweeter
- Power Handling: 125 Watts
- Frequency Response: 50Hz-20kHz
- Sensitivity: 90dB SPL, 1W/1m (3.3 ft)
- Impedance: 8Ω
- Cut-Out Dimensions: H 6⅝" x W 14⅜"
- Grille (outside) Dimensions: H 7⅞" x W 15⅞"
- Mounting Depth: 3½"
- Warranty: Limited Lifetime

UOM: Each

IWLCR56

Dual Woofer 5" In Wall LCR Home Theater Speaker

Using our flagship graphite woofers and aluminum tweeters, this smaller-format speaker is high-value as it has a nice balance from bass and mid-ranges to treble. It's a great choice for music and movies.

- Dual 5" Injection-Molded Graphite (IMG) Woofers
- 1" Pivoting Aluminum Dome Tweeter
- Power Handling: 100 Watts
- Frequency Response: 60Hz-20kHz
- Sensitivity: 90dB SPL, 1W/1m (3.3 ft)
- Impedance: 8Ω
- Cut-Out Dimensions: H 6⅝" x W 14⅜"
- Grille (outside) Dimensions: H 7⅞" x W 15⅞"
- Mounting Depth: 3½"
- Warranty: Limited Lifetime

UOM: Each

TOUGH AND AGILE

The IW62 is one of our favorite sounding speakers for foreground listening and can sound great anywhere you want an in-wall stereo solution. They can handle all genres of music and are affordable enough to use in any project. Like our other speakers, the IW62 is timbre-matched so they can be used with other Adept speakers and they will all sound great together. The sweet neutral sound make the IW62 an excellent solution.

IW62

6½" In Wall Speakers

A pair of our in-wall speakers provide very vivid sound no matter the size of the room.

- 6½" Polypropylene Woofers
- 1" Pivoting Silk Dome Tweeters
- Power Handling: 150 Watts
- Frequency Response: 45Hz-20kHz
- Sensitivity: 90dB SPL, 1W/1m (3.3 ft)
- Impedance: 6Ω
- Cut-Out Dimensions: H 11⅞" x W 7⅞"
- Grille (outside) Dimensions: H 12⅞" x W 8⅞"
- Mounting Depth: 3½"
- Warranty: Limited Lifetime

UOM: Pair





DEEP. STIRRING. BASS.

DUAL-WOOFER DIGITAL SUBWOOFERS

Every system sounds better if you stir in a little more bass. Or even better, a bunch more bass! Adept Audio's digital, dual-drive subs can handle all the bottom-end bass that super hi-res music streams and hi-res AV media can throw at them.

Each of our floor standing digital subwoofers feature rugged, long-throw, forward-firing powered woofers. And, our subs also feature down-firing passive woofers that add more bass fill into the room, delivering the most bass from the smallest space. And with our digital-drive mono amps, rise time is super-fast and accurate, especially with movie special effects and critical bass notes in music.



OUR FLAGSHIP ADS12 DUAL-DRIVE SUBWOOFER: IT GOES DEEP, IS HIGHLY ACCURATE AND IS VERY POWERFUL

Adept Audio's Dual-Drive Digital Subwoofers can take all the bottom end that you can throw at them. Adept's flagship ADS12 is our 300 watt sub, with a massive 12-inch treated paper cone woofer and 12-inch passive radiator, which can meet the demands of larger home theater installation.



ADS12

12" Powered Subwoofer

The 12-inch dual woofer design offers big impact and deep, deep bass.

- Active Driver: 12" Front-Firing Treated Paper Woofer
- Passive Radiator: 12" Down-Firing Woofer
- Digital Amp: 300 Watts RMS / 500 Watts Peak
- Frequency Response: 21Hz-200Hz
- Subwoofer Output: 101dB SPL
- Dimensions: W 14¾" x H 15½" x D 16¾"
- Power: Auto On/Off, 5V USB
- Finish: Black Vinyl Cabinet
- Warranty: Limited 2-Year

UOM: Each



ADS10

10" Powered Subwoofer

The ADS10 is our most popular sub, with dual woofer technology for broad low frequency spectrum coverage.

- Active Driver: 10" Front-Firing Treated Paper Woofer
- Passive Radiator: 10" Down-Firing Woofer
- Digital Amp: 200 Watts RMS / 350 Watts Peak
- Frequency Response: 28Hz-250Hz
- Subwoofer Output: 99dB SPL
- Dimensions: W 13¼" x H 14½" x D 15¼"
- Power: Auto On/Off, 5V USB
- Finish: Black Vinyl Cabinet
- Warranty: Limited 2-Year

UOM: Each

ADS8

8" Powered Subwoofer

The ADS8 subwoofer provides that extra low end to bring a room alive. And it really punches above its weight class. Best utilized in more moderate sized home theaters.

- Active Driver: 8" Front-Firing Treated Paper Woofer
- Passive Radiator: 8" Down-Firing Woofer
- Digital Amp: 180 Watts RMS / 320 Watts Peak
- Frequency Response: 32Hz-250Hz
- Subwoofer Output: 95dB SPL
- Dimensions: W 11¾" x H 12½" x D 13½"
- Power: Auto On/Off, 5V USB
- Finish: Black Vinyl Cabinet
- Warranty: Limited 2-Year

UOM: Each



Adept SoundScape™

Turn-key Landscape Systems

We designed Adept SoundScape to be everything we ever wanted in an outdoor sound system. The pure, clear fidelity of the best audiophile stereo systems – with the exciting envelopment and powerful bass of a surround-sound system. But instead of doing this in just one or a few seats, like indoor systems do, this landscape system does it across an entire sound field!

Whether you want to cover a backyard patio for weekend barbecues, a pool for fun in the sun or an entire outdoor dining area, it's easy to scale Adept SoundScape to fit your customers' needs. And no matter how many satellites you use, you'll get great sound absolutely everywhere.



TURN-KEY LANDSCAPE SOUND SYSTEMS

Recognizing the importance of subtle, enveloping sound that can elevate one's connection within outdoor spaces, we developed Adept SoundScape turn-key landscape systems. Featuring an ultra-contemporary design, it was carefully engineered to bring the same clear, hi-fidelity sound of an indoor stereo system into outdoor spaces with exceptional broad coverage.

Its centerpiece is a refined, cool-running digital 200W 2-channel amp with six DSP Presets. It comes with a 10" passive subwoofer that can be used in or above ground and four premium 4¼-inch satellites, though the amp can confidently power up to eight satellites. For those large venue installations, just connect multiple systems and get high quality sound everywhere you want it.

Adept SoundScape Features & Specifications



AMP200 Digital Signal-Processing Amp

- Class D Amp – 200 Watts x 2 Channels
- Will safely run up to 8 LSAT4s and our 10" Sub
- 6 DSP Presets to optimize system performance
- ½ U Rack Height – Amp includes 19" Rack Ears
- Included with LSCAPESYS
- Limited 2-Year Warranty



LSAT4 Satellite Speakers

- 4¼" IMP Woofers
- ¾" PEI Dome Tweeters
- Frequency Response: 120Hz-20kHz
- Weather & UV Resistant ABS Enclosure
- Matte Black Finish, Ground Spike: 11"
- 4 Each Included with LSCAPESYS
- Limited Lifetime Warranty

UOM: Pair



LSUB10 10" Passive Subwoofer

- In-Ground / Above-Ground Placement
- 10" Dual Voice-Coil Polypropylene Woofer
- Sealed Enclosure for Low Bass Extension
- Matte Black Finish
- Included with LSCAPESYS
- Limited Lifetime Warranty



LSCAPESYS

Adept SoundScape 4-Sat Landscape System

Includes:

- (1) AMP200 Digital Signal-Processing Amplifier
- (2) Pair of Adept SoundScape LSAT4s
- (1) LSUB10 10" Passive Subwoofer

UOM: System

Add SoundScape Satellites

- 6-Sat System - Add one pair of LSAT4
 - 8-Sat System - Add two pair of LSAT4
- AMP200 will run 8-LSAT4s & 1-LSUB10**



LSAT4 Satellite Speakers

- 4¼" IMP Woofers
- ¾" PEI Dome Tweeters
- Frequency Response: 120Hz-20kHz
- Weather & UV Resistant ABS Enclosure
- Matte Black Finish, Ground Spike: 11"
- Limited Lifetime Warranty

UOM: Pair



BLEND. IN.

ROCK SPEAKERS

Our Rocks are built to take extreme temperatures, all the way from blazing desert heat to a moist nighttime chill in the deep tundra where you need products that are built literally like rocks. Adept Audio's 8-inch 2-Way Rocks are rugged performers that will deliver punchy, pure high fidelity sound for rocking and relaxing in the evening after a full day on the job.

Adept's Rocks deliver rich sound that is both out-of-sight and out-of-mind. They are finished in realistic looking sandstone and granite to blend in with most every outdoor installation.

ROCK80 G/S

8" Rock Speakers

Sound that is heard not seen.

- 8" Injection-Molded Polypropylene Woofers
- 1" Aluminum Dome Tweeters
- Power Handling: 60 Watts
- Frequency Response: 65Hz-20kHz
- Sensitivity: 90 dB SPL, 1W/1m (3.3 ft)
- Impedance: 8Ω
- Dimensions: W 10½" x H 13⅝" x D 9⅞"
- Granite or Sandstone
- Warranty: Limited 2-Year

UOM: Pair





SURFACE.SOUND.

INDOOR / OUTDOOR SURFACE-MOUNT SPEAKERS

Our Adept Audio surface-mount loudspeakers are tough-as-nails and can be used for small to very large indoor or outdoor sound systems.

Their front ports and rugged woofers supply deep-bass that really projects. Plus, our long-throw aluminum tweeters really carry high frequencies over long distances.

Our impact-resistant ABS enclosures and rugged mounting brackets are built to look great year after year – whether they're in the harsh sun, drowning rain or the bitter cold.

And, our mounting bracket gives you a full range of swivel along the speaker's main axis, giving you flexibility needed to aim the speaker.

From commercial jobs to homes, there's an Adept Audio surface-mount speaker that's just right for your next job.



COMMERCIAL OR RESIDENTIAL

The Adept Audio IO80 can face any kind of challenge thrown at it. Need to drive a super-big indoor or outdoor installation? No problem. Thanks to our front-mounted, 70-volt adjustable tap transformer, you can mount the IO80 then configure it later without removing it.

The IO80's rugged 8" woofers can handle all kinds of power and its tuned slot pumps out enough low-end bass to get people bouncing. And our three-way design – with woofer, midrange and tweeter – delivers the sweet sound quality that rivals much more expensive, indoor-only audiophile speakers. For jobs where stealthy appearance is more important than ultra-powerful sound, we also offer our IO60 and IO50 surface-mount speakers. They might not be as big as the IO80, but they're just as tough and they sing the same sweet tunes.



IO80 B/W

8" 3-Way Surface-Mount Indoor/Outdoor Speakers

Superb speaker for high quality sound over a long distance, delivering clean, balanced, sound.

- 8" Injection-Molded Polypropylene Woofers
- 3" Injection-Molded Polypropylene Midrange
- 1" Pivoting Aluminum Dome Tweeters
- Power Handling: 150 Watts
- Frequency Response: 39Hz-20kHz
- Sensitivity: 91dB SPL, 1W/1m (3.3 ft)
- Impedance: 4Ω
- Taps: 70V/100V - 60W, 30W, 15W & 70V- 7.5W
- Dimensions: W 10¾" x H 15" x D 10"
- Black or White
- Warranty: Limited 5-Year

UOM: Pair



Front-Mounted
70V/100V Tap for
Commercial Applications



IO60 B/W

6½" Surface-Mount Indoor/Outdoor Speakers

Exceptionally good performer offering flatter and continuous sound dispersion horizontally and vertically.

- 6½" Injection-Molded Polypropylene Woofers
- 1" Pivoting Aluminum Dome Tweeters
- Power Handling: 100 Watts
- Frequency Response: 45Hz-20kHz
- Sensitivity: 90dB SPL, 1W/1m (3.3 ft)
- Impedance: 8Ω
- Dimensions: W 9½" x H 12½" x D 8⅞"
- Black or White
- Warranty: Limited 5-Year

UOM: Pair

IO50 B/W

5¼" Surface-Mount Indoor/Outdoor Speakers

Natural sounding with excellent horizontal dispersion consistency & quality sound over large coverage areas.

- 5¼" Injection-Molded Polypropylene Woofers
- 1" Pivoting Aluminum Dome Tweeters
- Power Handling: 75 Watts
- Frequency Response: 55Hz-20kHz
- Sensitivity: 89dB SPL, 1W/1m (3.3 ft)
- Impedance: 8Ω
- Dimensions: W 8⅞" x H 10⅞" x D 7½"
- Black or White
- Warranty: Limited 5-Year

UOM: Pair




ACCESSORIES

Adept offers the key accessories installation pros rely on. Adept Accessories such as the reusable Pre-Construction Brackets are a money saver.

Our Air Pressure Plates and Metal Back Boxes are built so approval processes can proceed smoothly.

And, the Adept Trim-Ring and Grille Combo sets you up to waltz into your client's home and do Adept In-Home Demos.

Adept Accessories are designed to work with one another to help ensure quicker, safer and less expensive installations that can help you grow revenue and your increase profits.



ADEPTRBW

Reusable Ceiling Bracket

- Fits All Adept 6½" & 8" Ceiling Speakers
- Wing Span: Up to 24" On Center Max

UOM: Each




ADEPTWING

Replacement Wings For ADEPTRBW

- Fits ADEPTRBW Only
- Wing Span: 15" Each

UOM: Pair




ADEPTIWBW

In-Wall Speaker Bracket

- Fits Adept IW62 In Wall Speaker
- Wing Span: Up to 24" On Center Max

UOM: Each



ADEPTDWBW

In-Wall LCR Speaker Bracket

- Fits Adept IWLCR56 & IWLCR66
- Wing Span: Up to 24" On Center Max

UOM: Each



ADEPTRG68

Trim-Rings w/Grilles

- Fits Adept Ceiling Speakers Only
- Package Includes Two Trim-Rings & Two Grilles

UOM: Package




ADEPTPP68

Air Pressure Plate

- Fits Adept Ceiling Speaker Trim-Rings and ADEPTRG68

UOM: Each




ADEPTICSG

Square Grille for Adept Ceiling Speakers

- Fits Adept Ceiling Speakers

UOM: Each




ADEPTBB68

Lab Tested Metal Back Box

- Meets One-Hour Fire Rating Requirements
- Fits Adept IC & ICLCR Ceiling Speakers Only
- Faceplate: H 18" x W 17¾"
- Speaker Box: H 17" x W 13¼" x D 8"
- Mounting Bars: H 25⅝" x W 1⅞"
 - Use when framing is greater than 16" on center

UOM: Each



ADEPTCSTB

Adept Ceiling Speaker Tile Bridge for T-Bar Ceilings

- Fits All Adept 6½" & 8" Ceiling Speakers
- Includes:
 - (1 each) Tile Bridge Bracket
 - (2 each) 24" Long Brackets
 - (4 each) Plastic Clips

UOM: Each



UP. TWIST. CLICK. LOCK.

Adept Audio[®]

Great Sound • Superb Looks • Easy Install

Nicole (951) 295-0586 • Loren (951) 288-5085
adept-audio.com • (888) 982-3378

05012022