

The logo for Edwards Signaling, featuring the brand name in a white, italicized sans-serif font. The word "Edwards" is on the top line and "Signaling" is on the bottom line, with a small "TM" trademark symbol to the right of "Signaling". A white swoosh underline is positioned under "Edwards".

**Edwards
Signaling™**

Simply

Brilliant.

200 Class Modular Stacklights

See what's possible now.

An **EDWARDS** brand.

Endless possibilities.
Countless combinations.
Easy ordering.
Simple assembly...

Tall order.


200-Class signals from Edwards take the versatility of stacklights to a whole new level with modular convenience in five different sizes that deliver the stacklight you need in a matter of seconds – without the use of tools or special keys.

70mm and 48mm devices employ our exclusive, vibration-resistant Safe-Lock™ locking ring mechanism... insert, push and twist – it's that simple. Assembly is also a snap with our smaller 36mm, 25mm and 18mm stacklights, thanks to their unique snap-in-place modules.

Each size of light and sounder module fits together in virtually endless combinations of lens color, light source, sound pattern and operating mode. This wide range of options allows you to configure precisely the right stacklight for each specific application.

But the benefits of 200 Class stacklights don't end there. These innovative signals also excel when it comes to performance, safety, and reliability. Lenses are crafted of extra-thick, optical-grade, UV-stabilized, self-extinguishing polycarbonate, providing a high degree of durability and impact resistance, while ultra-bright LightPoint™ LED light engines ensure optimum visibility in even the most challenging environments. Brilliant.

The difference is clear.
Quality that you can see and feel.



Twist and Shout!


Safe-Lock™ locking ring system stands up to shakes, rattles, and rolls...

Safe-Lock™ modules connect with a push and twist that produces a satisfying ratchet sound and tactile feedback confirming when each module is correctly seated. This innovative locking ring design provides a tight seal that you can depend on — even when it's subjected to constant vibration.



LightPoint™ LED light engine technology shines brighter, goes further...

Our exclusive multi-LightPoint™ light engine technology delivers the visibility you need, even in the most challenging environments.



Ever looked at a car's taillight in the bright, mid-day sun and wonder whether it was on or not? Well, the same thing can happen with inferior stacklights when viewed against bright backgrounds.

Not so with 200 Class stacklights. With Edwards Signaling's Multi-LightPoint™ technology, multiple rows of super bright Luxeon Rebel LEDs create intense points of light that stand out from the background, so when they're on, you know it.

Easy Pickin's.

Safe and sound.

High output piezoelectric and magnetodynamic sounders offer up to 32 selectable tones.

The Twilight Zone.

A raised non-illuminated band between each lens makes it easier to distinguish colors in high ambient light conditions.

Bright ideas.

Mix and match light sources depending on conditions — choose super-bright incandescents, or eye-catching Xenon strobes, or long-lasting LEDs.

Tightwad.

Every gasketed joint is firmly sealed, creating a tight barrier resistant to dust and liquids.

Color your world.

Lenses are available in six bright colors: red (danger), amber, yellow (warning), green (safe), as well as blue and white for user-defined applications.

Mode swings.

Add urgency to selected signals — light modules can be individually set to operate in steady or three configurable flashing modes.

Basecamp.

The standard wiring base can be mounted as-is, or accepts 1/2-inch NPT modules for a range of options including wall mounting, wiring junctions, and extenders.



Manufacturing

Self-serve cashiers

Water treatment



Automats

Power Generation

Options in a whole new light

Build it your way!

Choose your features; choose your size; choose your colors; choose your sounder — 200 Class stacklights offer an endless array of options to get it just right.



Module diameter	18 mm	25 mm	36 mm	48 mm	70 mm
Stack Configuration	Up to five modules	Up to six modules including sounder		Up to five modules including sounder	
Connection Method	Push-to-snap			Safe-Lock™ push and twist	
Light source	LED			LED, Incandescent, or Xenon	
Number of available Sounder Tones	N/A	Single tone		Selectable 6 or 32 tones	
Operating Voltage	24V AC/DC			24V AC/DC, 120/240V AC	12, 24, 48, 110, 240V AC/DC
Output mode	Steady on			Selectable steady or flashing	
NEMA Rating	IP54		IP65		IP54 or IP 65
Field connections	Wire leads			Terminal connectors	
Ordering and option details	Data Sheet ES001-0119	Data Sheet ES001-0120	Data Sheet ES001-0121	Data Sheet ES001-0122	Data Sheet ES001-0123



All modules are available with architecturally neutral white or basic black housings.

Accessories for the long haul

Mount it your way!

A comprehensive assortment of mounting and wiring accessories ensure 200 Class stacklights are installed where they need to be, and look like they belong there.



Single and double wall mount brackets



Flexible extender



Stainless steel extension rods



Color matched bases, extenders, and junction boxes

How do 200 Series devices stack up against the competition? See for yourself. Contact your local Edwards Signaling representative or visit www.edwardssignaling.com today!



200 Class Modular Stacklights from Edwards

Versatile status indication for equipment and material

Reliable warning of dangerous conditions

Affordable audible and visible notification for general purpose signaling

Innovative no-tool assembly with advanced high-performance optical resolution



Manufacturing



Self-serve cashiers



Water treatment



Automats



Power Generation



Detection & alarm since 1872

U.S.
T 800 336 4206
F 860 284 3083

Canada
Chubb Edwards
T 519 376 2430
F 519 376 7258

Southeast Asia
T : +65 6391 9300
F : +65 6391 9306

India
T : +91 80 4344 2000
F : +91 80 4344 2050

Australia
T +61 3 9239 1200
F +61 3 9239 1299

Europe
T +32 2 725 11 20
F +32 2 721 86 13

Latin America
T 305 593 4301
F 305 593 4300

www.edwardssignaling.com

© 2011 UTC Fire & Security.
All rights reserved.

Innovation... Invention... Ingenuity...

Throughout its entire 140 year history as an industry pioneer, these have always been the hallmarks of Edwards. Today, Edwards Signaling products and systems perform day-in and day-out in the toughest, most critical commercial and industrial applications throughout the world. From the bells that have reliably announced the opening and closing of the New York Stock Exchange every trading day since 1902, to innovative hazardous location signaling and fire alarm systems in petrochemical plants, Edwards Signaling is there for its customers.

When it comes to selecting Audible & Visual Signaling, Fire Alarm, Mass Notification and Voice Evacuation Systems, Machine Safeguarding and Video Security products, Edwards Signaling is a smart choice.

The future is bright... Edwards Signaling



200 Class Modular Stacklights from Edwards

Versatile status indication of equipment and material

Reliable warning of dangerous conditions

Affordable audible and visible notification for general purpose signaling

Innovative no-tool assembly with advanced high-performance optical resolution

EDWARDS
SIGNALLING

Detection & alarm since 1872

U.S.
P. 800 234 4205
F. 800 234 2653

Canada
C. 800 234 4205
F. 919 278 7258

Southwest Asia
T. +91 8381 4000
F. +91 8381 4000

India
T. +91 80 6544 2000
F. +91 80 6544 2000

Australia
T. +61 7 5229 1200
F. +61 7 5229 1200

Europe
T. +32 2 735 18 26
F. +32 2 735 18 31

Latin America
T. 800 234 4205
F. 800 234 4205

www.edwardssignaling.com

© 2011 UTC Fire & Security. All rights reserved.

Innovation... Invention... Ingenuity...

Throughout its entire 140 year history as an industry pioneer, these have always been the hallmarks of Edwards. Today, Edwards Signaling products and systems perform day-in and day-out in the toughest, most critical commercial and industrial applications throughout the world. From the bells that have reliably announced the opening and closing of the New York Stock Exchange every trading day since 1902, to innovative hazardous location signaling and fire alarm systems in petrochemical plants, Edwards Signaling is there for its customers.

When it comes to selecting Audible & Visual Signaling, Fire Alarm, Mass Notification and Voice Evacuation Systems, Machine Safeguarding and Video Security products, Edwards Signaling is a smart choice.

The future is bright... Edwards Signaling



Simply Brilliant.

200 Class Modular Stacklights

An EDWARDS brand.

Tall order.

Endless possibilities. Countless combinations. Easy ordering. Simple assembly...

200-Class signals from Edwards take the versatility of stacklights to a whole new level with modular convenience in five different sizes that deliver the stacklight you need in a matter of seconds – without the use of tools or special keys.

70mm and 48mm devices employ our exclusive, vibration-resistant Safe-Lock™ locking ring mechanism... insert, push and twist – it's that simple. Assembly is also a snap with our smaller 36mm, 25mm and 18mm stacklights, thanks to their unique snap-in-place modules.

Each size of light and sounder module fits together in virtually endless combinations of lens color, light source, sound pattern and operating mode. This wide range of options allows you to configure precisely the right stacklight for each specific application.

But the benefits of 200 Class stacklights don't end there. These innovative signals also excel when it comes to performance, safety, and reliability. Lenses are crafted of extra-thick, optical-grade, UV-stabilized, self-extinguishing polycarbonate, providing a high degree of durability and impact resistance, while ultra-bright LightPoint™ LED light engines ensure optimum visibility in even the most challenging environments. Brilliant.

The difference is clear. Quality that you can see and feel.

Twist and Shout!

Safe-Lock™ locking ring system stands up to shocks, rattle, and noise.

Safe-Lock™ modules connect with a push and twist that produces a satisfying ratchet sound and tactile feedback confirming when each module is properly seated.

This innovative locking ring design provides a tight seal that you can depend on – even when it's subjected to constant vibration.

LightPoint™ LED light engine technology shines brighter, goes further...

Our exclusive multi-light™ light engine technology delivers the visibility you need, even in the most challenging environments.

Ever looked at a car's taillight in the bright mid-day sun and wonder whether it was on or not? Well, the same thing can happen with inferior stacklights when viewed against bright backgrounds.

Not with 200 Class stacklights. With Edwards Signaling's Multi-Light™ technology, multiple banks of super bright Luxon® LEDs ensure these points of light stand out from the background, so when they're on, you know it.

Easy Pickin's.

Safe and sound.

High output piezoelectric and magneto-dynamic sounders offer up to 32 selectable tones.

The Twilight Zone.

A closed non-illuminated band between each lens makes it easier to distinguish colors in high ambient light conditions.

Bright ideas.

Mix and match light sources depending on conditions – choose super bright incandescent, or eye-catching Xenon strobes, or long-lasting LEDs.

Tightwad.

Every gasketed joint is firmly sealed, creating a light barrier resistant to dust and liquids.

Color your world.

Lenses are available in six bright colors: red (danger), amber, yellow (warning), green (safety), as well as blue and white for user-defined applications.

Mode swings.

Add urgency to selected signals – light modules can be individually set to operate in steady or three configurable flashing modes.

Basecamp.

The standard wiring base can be mounted as-is, or accepts 1/2-inch NPT modules for a range of options including wall-mounting, wiring junctions, and extenders.

Options in a whole new light

Build it your way! Choose your features, choose your size, choose your colors, choose your sounder – 200 Class stacklights offer an endless array of options to get it just right.

Module diameter	18 mm	25 mm	36 mm	48 mm	70 mm
Stack Configuration	Up to five modules	Up to five modules	Up to five modules	Up to five modules	Up to five modules
Connection Method	Push and twist	Push and twist	Push and twist	Push and twist	Push and twist
Light source	LED	LED	LED	LED	LED, Incandescent, or Xenon
Number of selectable Sounder Tones	N/A	Single tone	Selectable 4 or 32 tones	Selectable 4 or 32 tones	Selectable 4 or 32 tones
Operating Voltage	24V AC/DC	24V AC/DC	12, 24, 36, 48, 72V AC/DC	12, 24, 36, 48, 72V AC/DC	12, 24, 36, 48, 72V AC/DC
Output mode	Steady on	Steady on	Selectable steady or flashing	Selectable steady or flashing	Selectable steady or flashing
NEMA Rating	IP54	IP54	IP54	IP54 or IP 65	IP54 or IP 65
Terminal connections	Wired leads	Wired leads	Terminal connector	Terminal connector	Terminal connector
Options and accessories	Color Sheet (E5001-0119)	Color Sheet (E5001-0120)	Color Sheet (E5001-0121)	Color Sheet (E5001-0122)	Color Sheet (E5001-0123)

Accessories for the long haul

Mount it your way!

A comprehensive assortment of mounting and wiring accessories allows 200 Class stacklights to be installed where they need to be, and look like they belong there.

Single and double wall mount brackets

Stainless steel extension rods

Threaded extender

Color matched bases, extenders, and junction boxes

How do 200 Series devices stack up against the competition? See for yourself. Contact your local Edwards Signaling representative or visit www.edwardssignaling.com today!