



EntraPass v8.61

Elevating Your EntraPass Solution

EntraPass v8.61



Direct BLE

ioSmart Mobile Credential with Bluetooth Low Energy



Elevator Control

View locked and unlock floors

EntraPass go Pass



Better Mobile Access

No card needed



Reader Compatibility

Works with all readers, for direct BLE use ioSmart reader



Simply Fast Authorization

For visitors and temporary personnel



Widget Support

Fast access to unlock with a touch

EntraPass v8.61

Specifications for Global Edition

System Capacities

Cards per Gateway (Online)	Unlimited
Card Families or Site Codes	Unlimited
Global Gateways	128
Multi-Site Gateways	40
Elevator Floors per Cab	64 (KT-300 and KT-400)
Card User Access Levels per site/Gateway	250
Access Level Combination	Unlimited
Operator Workstations	128 workstations
Concurrent EntraPass web Logins	200
System Operator Passwords	Unlimited
Operator Security Levels	Unlimited, pre-defined (3)
Concurrent System Languages	2
Action Scheduler	999 actions
VideoVault NVR Connections	512

Per Global Gateway

Connections per Global Gateway	32
Door Controllers	1,024
Card Readers/Keypads	
KT-1	2,048
KT-2	2,048
KT-300	2,048
KT-400	4,096
Monitored Points (Inputs)	
KT-1	Up to 5,120
KT-2	Up to 5,120
KT-300	Up to 16,384
KT-400	Up to 262,144
Auxiliary Outputs for Reader LEDs and Door Alarms	
KT-1	Up to 4,096
KT-2	Up to 4,096
KT-300	Up to 4,096
KT-400	Up to 8,192
Schedules	100/gateway
Time Intervals Per Schedule	20
Holidays	366/gateway
Access Level Per Card Holder	13

Per Multi-Site Gateway

Connections per Multi-Site Gateway	Up to 2048 (IP, USB, Dial up)
Card Readers/Keypad	
KT-1, KT-2, KT-300, KT-400	Up to 10,000
Monitored Points (Inputs)	
KT-1, KT-2, KT-300, KT-400	Up to 100,000

KT1414-DS-202302-R01-HS-EN

Auxiliary Outputs for Reader LEDs and Door Alarms KT-1, KT-2, KT-300, KT-400	Up to 100,000
Schedules	100/site
Time Intervals Per Schedule	KT-300 (4), KT-1/KT-2/KT-400 (20)
Holidays	366/site
Access Levels per Cardholder	KT-300 (1) KT-1/KT-2/KT-400 (5) per site

Integration Capabilities

Intrusion	DSC PowerSeries (PC1616, PC1832, PC1864, PC4020), PowerSeries Neo (HS2016, HS2032, HS2064, HS2128), PowerSeries Pro (HS3032, HS3128, HS3248) and MAXSYS (PC4020) Alarm Panels
Video	Exacq video management systems (v20.12.8.0) and American Dynamics DVRs/ NVRs (VideoEdge up to v5.3 and previous 4.xx versions), HDVR (v4.3.0.374), ADTVR (first gen v2.2; second gen v2.5), Intellex (up to v5.0) and the INTEVO platform. Intellex Ultra, DVMS and IP all require EntraPass software v3.1 or higher, Intellex LT requires software v2.6 or higher.

Ordering Information

Model Number	Description
Software	
Each EntraPass Global Edition software package includes: four additional Workstation licenses, one Server/Workstation license, one Global Gateway (Windows NCC) license and one web license.	
E-GLO-V8	EntraPass Global Edition software
E-GLO-V8-LIC	EntraPass Global Edition software license
Additional Workstation and Gateway Licenses	
E-GLO-WS1	License for 1 Workstation (v3.xx and higher)
E-GLO-WS8	License for 8 Workstations (v3.xx and higher)
E-GLO-COM-WIN	License for 16 Global Gateways - Windows NCC - (v3.xx and higher)
E-GLO-CORCOM	License for 40 Multi-Site Gateways (v3.xx and higher)
E-GLO-CORCOM-RDN	License for Redundancy Gateway (v7.0 and higher)
Options	
E-GLO-LDAP	License for optional Active Directory (LDAP) integration
E-GLO-RDN	License for 1 Redundancy Server (v3.xx and higher)
E-GLO-SQL	License for 1 Card Gateway - MS SQL Database Interface (v3.xx and higher)
E-GLO-VVM	License for 1 EntraPass VideoVault (v3.xx and higher)
E-GLO-WEB-X	License for concurrent web login (v4.xx and higher) (X = 1, 3, 10, 25 or 50)
E-GLO-INFVID	License for EntraPass InfiniView - 128 additional video servers (v5.01 and higher)
E-GLO-DVR-1	License for single third party DVR (v5.02 and higher)
E-GLO-DVR-UNL	License for unlimited third party DVR (v5.02)
E-GLO-PASS-X	EntraPass go Pass credentials (X=10, 50, 100, 500)
E-GLO-CONNECT	Third-party integration option with Kantech Connected Partner Program, license for one concurrent integration. (v7.0 and higher)

KT1414-DS-202302-R01-HS-EN



Kantech Advantage Program (KAP) Tokens

E-GLO-KTK-X	Kantech tokens (X = 1, 2, 3, 5, 10, or 20)
-------------	--

Wireless Locks

E-GLO-DOOR-X	Wireless lock integration license for additional doors for Global Edition v7.0 and higher (X = 1, 4, 8, 24, 48, 96)
--------------	---

About Johnson Controls

At Johnson Controls (NYSE:JCI) we transform the environments where people live, work, learn and play. As the global leader in smart, healthy and sustainable buildings, our mission is to reimagine the performance of buildings to serve people, places and the planet.

With a history of more than 135 years of innovation, Johnson Controls delivers the blueprint of the future for industries such as healthcare, schools, data centers, airports, stadiums, manufacturing and beyond through its comprehensive digital offering OpenBlue. With a global team of 100,000 experts in more than 150 countries, Johnson Controls offers the world's largest portfolio of building technology, software as well as service solutions with some of the most trusted names in the industry. For more information, visit www.johnsoncontrols.com or follow us @johnsoncontrols on Twitter.

© 2023 Johnson Controls. All rights reserved. Product offerings and specifications are subject to change without notice. Actual products may vary from photos. Not all products include all features. Availability varies by region; contact your sales representative.



KT1414-DS-202302-R01-HS-EN