# Advanced Networking Solutions for Today's Connected Home

## Structured Cabling for Wired and Wireless Networks

**Wireless Structured Media Centers**
P. 8

**Twist & Mount Patch Panels**
P. 20

**Combo Telephone, Video & Data Panels**
P. 21

**HOME Cat 6 & 5e Jacks**
P. 27

**eXtreme™ High-Flex Cat 6 Patch Cords**
P. 27

# Industry-Leading Products

## Welcome Home

## Structured Media™

## Distributed Network & Audio

## Index

# Welcome Home

## Structured cabling for a connected lifestyle

Internet-connected devices and smart technologies now permeate all areas of residential and light commercial buildings. As a result, developers, business owners, and homeowners require a stronger wireless and wired network infrastructure. A structured cabling infrastructure with a **Leviton Structured Media™ Center** provides the reliability, security, and flexibility that smart homes require. It houses all the equipment that controls distribution of signals coming from outside the home, including copper and fiber optic lines for cable, internet, and telephone.

**The Structured Media Center also integrates seamlessly with Leviton's comprehensive family of Wi-Fi enabled home solutions:**

- **Leviton Smart Load Center** uses intelligent circuit breakers to let you view energy consumption in real time and know when and why a circuit breaker trips

- **Leviton Decora Smart™** Wi-Fi dimmers, switches, plug-ins and more let you control lights, electronics, and appliances

You can control these smart devices from anywhere with the **My Leviton** app, and use your voice to control Decora Smart Wi-Fi lighting through Amazon Alexa or Google Assistant.

## Multi-Dwelling Unit Configuration

Install an infrastructure that delivers the high bandwidth tenants demand, while supporting high-end video and audio.

### Product Configuration

| | Description | Part # | Qty |
|---|---|---|---|
| **A** | 14" Wireless Enclosure with Vented Cover | 49605-140 | 1 |
| **B** | Combo Panel with 1x4 Phone, Data and 1x6 Video Panel | 47603-DP6 | 1 |
| **C** | Non-Surge J-Box Kit | 47605-ACN | 1 |
| **D** | Universal Shelf Bracket | 49605-AUB | 1 |
| **E** | GigaMax™ Cat 5e Patch Cord, 3ft, Blue (1 shown) | 5G460-03L | 3 |
| **F** | Saddle Tie Kit | 49605-AST | 1 |
| | **Additional Connectivity** | | |
| **G** | 3-Port QuickPort™ Wallplate | 41080-3WP | 3 |
| **H** | QuickPort F-Connector Coupler | 41084-FWF | 3 |
| **I** | HOME 5e™ QuickPort Jack | 5EHOM-RW5 | 3 |
| **J** | QuickPort 6P6C Phone Jack | 41106-RW6 | 3 |



**Download PDFs** of these popular configurations at **Leviton.com/ConnectedHome.**

## Single-FamilyConfiguration

Streamline builder installs, outfit the home with core connectivity, and add space to allow for power support, active equipment, and expansion products.

### Product Configuration

|   | Description | Part # | Qty |
|---|---|---|---|
| A | 28" Wireless Enclosure with Vented Cover | 49605-28W | 1 |
| B | Combo Panel with 1x9 Phone, Data and 1x6 Video Panel | 47606-BTV | 1 |
| C | Cat 5e Voice and Data Board | 47603-0C5 | 1 |
| D | Duplex Receptacle with Surge | 47605-ACS | 1 |
| E | Universal Shelf Bracket | 49605-AUB | 1 |
| F | GigaMax™ Cat 5e Patch Cord, 3ft, Blue (3 shown) | 5G460-03L | 4 |
| G | GigaMax Cat 5e Patch Cord, 1ft, Blue | 5G460-01L | 1 |
| H | Saddle Tie Kit | 49605-AST | 1 |
|   | **Additional Connectivity** |  |  |
| I | 3-Port QuickPort™ Wallplate | 41080-3WP | 4 |
| J | QuickPort F-Connector Coupler | 41084-FWF | 4 |
| K | HOME 5e™ QuickPort Jack | 5EHOM-RW5 | 4 |
| L | QuickPort 6P6C Phone Jack | 41106-RW6 | 4 |

## Student Housing Configuration

Load this campus environment with accessible and reliable internet connections for students who want high-speed access for research, entertainment, and social media.

### Product Configuration

| | Description | Part # | Qty |
|---|---|---|---|
| A | 14" Wireless Enclosure with Vented Cover | 49605-140 | 1 |
| B | Empty 12-Port QuickPort™ Mounting Bracket | 47600-QPB | 1 |
| C | Duplex Receptacle with Surge | 47605-ACS | 1 |
| D | 1x6 Passive Video Splitter | 47690-6C2 | 1 |
| E | Universal Shelf Bracket | 49605-AUB | 1 |
| F | GigaMax™ Cat 5e Patch Cord, 1ft, Blue (1 shown) | 5G460-03L | 4 |
| G | Saddle Tie Kit | 49605-AST | 1 |
| | **Additional Connectivity** | | |
| H | 3-Port QuickPort Wallplate | 41080-3WP | 2 |
| I | QuickPort F-Connector Coupler | 41084-FWF | 2 |
| J | HOME 5e™ QuickPort Jack | 5EHOM-RW5 | 8 |

## Custom Home Configuration

Enhance the high-end residential living space with full technology packages for home automation, control systems, multi-zone audio, and high-bandwidth networking.

### Product Configuration

|   | Description | Part # | Qty |
|---|---|---|---|
| A | 42" Wireless Enclosure with Vented Hinged Door | 49605-42P | 1 |
| B | 42" Trim Ring | 49605-42T | 1 |
| C | 24-Port Cat 6 Twist and Mount Panel | 476TM-624 | 1 |
| D | Telephone Input Distribution Panel | 476TL-T12 | 1 |
| E | 1x16 Premium Amplified Video Splitter | 47693-16P | 1 |
| F | Universal Shelf Bracket | 49605-AUB | 1 |
| G | Two Duplex Surge Receptacle Power Module | 47605-0DP | 1 |
| H | 3-Outlet Power Strip | 49605-APS | 1 |
| I | eXtreme™ High-Flex Cat 6 Patch Cord, 3ft, Blue (2 shown) | 6H460-03L | 8 |
| J | Saddle Tie Kit | 49605-AST | 1 |
| | **Additional Connectivity** | | |
| K | 4-Port QuickPort™ Wallplate | 41080-4WP | 8 |
| L | QuickPort F-Connector Coupler | 41084-FWF | 8 |
| M | HOME 6™ QuickPort Jack | 61HOM-RW6 | 16 |

Room for future additions

K

L

M

# Structured Media™



Homeowners and businesses need reliable internet for fast streaming, video conferencing, online gaming, and responsive smart devices. The Leviton line of Structured Media™ Centers creates the ideal solution to keep you connected.

**1** **Structured Media Center:** These versatile enclosures allow you to manage and distribute a full range of voice, data networking, audio, and video wiring from one central location. The enclosures support wood and steel frame construction types, and Wireless Structured Media Centers for expanding the reach of a wireless network.

**2** **Data Patching and Distribution:** Leviton offers durable Cat 6 and 5e panels and modules for data cable distribution. The high-end Twist & Mount Panel makes installation simple and provides easy access for moves, additions, or changes in the home network.

**3** **Telephone Patching and Distribution:** Choose from a wide selection of telephone distribution boards, modules, or panels for telephone and security systems. Our Telephone Input Distribution Panel (TIDP) supports inputs for use with triple-play modems and complements the look and simplicity of our Twist & Mount Patch Panels.

**4** **High-Flex Patch Cords:** eXtreme™ High-Flex Cat 6 Patch Cords allow for tighter radius connections and a cleaner finished appearance inside a dressed Structured Media Center.

**5** **User or Service Provider Active Gear:** Leviton offers a range of accessories for mounting and securing active gear, such as shelf brackets, saddle ties and VELCRO® Brand strips. And when used with a plastic Vented Hinged Door, the enclosures have added depth to support bulkier routers and other equipment.

**6** **Premium and Passive CATV Splitters:** Distribute the incoming RF signal to locations throughout a home via coaxial cable using Leviton passive CATV splitters, or use Premium splitters to optimize the performance of digital cable signals to handle HDTV.

**7** **Integrated Power Supply:** Structured cabling systems rely on active gear that requires low-voltage power and surge protection. Leviton offers power supplies with extra plugs that eliminate the need for bulky power adapters within enclosures.

VELCRO® is a registered trademark of Velcro BVBA. Used with permission.

## The Nerve Center of the Connected Home

For every residence — single-family home, high-rise, or hotel — Leviton offers an unparalleled selection of structured wiring solutions for networking, audio, video, and more. And we offer the ideal central distribution point to manage them all.

Structured Media

Populating the SMC

**Structured Media**

**Wireless SMC Advantages**

Plastic Wireless SMCs support the full reach of wireless signals, while providing **easy installation**, **mounting flexibility**, **more capacity**, and **better thermal management**.

## TRI-PLANE HEAT DISSIPATION

- Innovative venting pattern promotes intake of cool air and outward flow of warm air
- Extends the life of active equipment and maximizes performance
- Available when using Vented Hinged Door

**Thermal Image Testing**

Competitor A

Competitor B

Leviton plastic enclosures with Vented Door are up to 25% cooler than competitors

## RETROFIT CAPABILITIES

Easily retrofit your existing Leviton metal enclosure to support stronger wireless signals by adding a plastic Vented Cover or plastic Vented Hinged Door and Trim Ring.

- Adding a Vented Hinged Door creates Tri-Plane Heat Dissipation, which improves airflow and cooling for active equipment by as much as 40% over a vented metal door
- The Vented Hinged Door and Trim Ring add depth, increasing capacity inside the enclosure
- Plastic Vented Doors are compatible with Leviton 14", 28", and 42" metal enclosures

## CONNECTED MULTI-BAY SYSTEM

- Ideal for fiber-to-the-home (FTTH) applications, providing separate dedicated service provider space
- Heat separation and containment
- Fully independent and isolated enclosures for better security

## DOOR & MOUNTING VERSATILITY

- Offset mounting tabs for side-by-side installs
- Fast, tool-free door removal and installation
- Door hinges available on either side for universal left or right orientation
- Engineered so door remains open during install or during moves, adds and changes

Door opens 180° for better access

## RATCHETING HINGE & LATCH SYSTEM

- Fast, tool-free door installation
- Ratcheting feature accommodates wall imperfections and varying drywall thicknesses

Door easily snaps onto latch

## INDUSTRY LEADING CAPACITY

Adding a Vented Hinged Door to a Wireless SMC adds depth, creating up to 18% more cubic inches of capacity, and 14-20% more capacity than competitor plastic enclosures. Also, an enhanced hole pattern allows for more mounting options inside the enclosure.

Structured Media

Wireless SMC Advantages

## WIRELESS STRUCTURED MEDIA CENTERS FOR WIRELESS NETWORKS

Available in three sizes, the Wireless Structured Media Centers support a wide range of building types and floor plans. By consolidating network equipment in a Wireless Structured Media Center, users can boost network functionality, eliminate clutter, and have an easily accessible location to manage all connected devices. Each model offers industry-leading capacity and integrated cable management features for enhanced internal organization.

- Accommodates a variety of telephone/video distribution configurations
- Uses ABS polymer construction to permit the full reach of wireless signals by diminishing the effect of interference
- 180-degree hinged cover allows for quick and easy access to network equipment
- Makes servicing and expansion easy with seven 1-inch and three 2-inch knockouts and additional 1-inch nested knockouts
- Compatible with Leviton Connected Home patch panels, voice, data, video, and audio distribution modules
- Assures safety with UL compliant ABS flame-retardant polymer
- Vented door assists in airflow for cooling active gear
- Ratcheting Hinge and Latch System creates fast, tool-free door installations and helps accommodate for wall imperfections
- Existing metal Structured Media Center enclosure can be retrofitted for RF transparency by using Trim Ring Accessory (49605-28T) and door (49605-28S)
- Optional door locks available

## 14" PLASTIC ENCLOSURES, COVERS, & DOORS

The 14" enclosure creates a single distribution point for all low voltage cables in an apartment, condo, or small home, accommodating basic residential networking systems and accessories.

| 14" PLASTIC STRUCTURED MEDIA CENTERS (14" X 14.26" X 3.42") | | PART NO. |
|---|---|---|
| | DESCRIPTION | |
| | 14" Enclosure with Vented Cover | 49605-140 |
| | 14" Enclosure with Vented Hinged Door | 49605-14P |
| [A] | 14" Enclosure Only | 49605-14E |
| [B] | 14" Vented Hinged Door | 49605-14S |
| | 14" Enclosure, Bulk Pack of 12 | 49605-14G |
| | 14" Vented Hinged Door, Bulk Pack of 12 | 49605-14B |
| [C] | 14" Vented Cover, Bulk Pack of 12 | 49605-14F |
| [D] | 14" Trim Ring Accessory | 49605-14T |
| [E] | Structured Media Center Lock & Key for 14", 21", 28", and 42" hinged doors | 5L000-L0K |

## 28" PLASTIC ENCLOSURES, COVERS, & DOORS

The 28" enclosure serves as command central for virtually all technology including home networking, internet, satellite video, camera, VoIP, telephone, intercom, and audio. It is ideal for homes with more advanced multimedia needs and provides for future growth.

## 42" PLASTIC ENCLOSURES, COVERS, & DOORS

The 42" enclosure is extra long to accommodate extensive voice, data, audio, and video equipment in larger homes or small businesses, and to provide maximum room for expansion. It accommodates a wide variety of modules for home networking, DSL, internet, satellite video, camera, VoIP, multi-line telephones, intercom, audio distribution, and volume controls.

A

B

### 28" PLASTIC STRUCTURED MEDIA CENTERS (28" x 14.26" x 3.42")

| | DESCRIPTI ON | PART NO. |
|---|---|---|
| | 28" Enclosure with Vented Cover | 49605-28W |
| [A] | 28" Enclosure with Vented Hinged Door | 49605-28P |
| [B] | 28" Enclosure Only | 49605-28E |
| | 28" Vented Hinged Door | 49605-28S |
| | 28" Enclosure, Bulk Pack of 6 | 49605-28G |
| | 28" Vented Hinged Door, Bulk Pack of 6 | 49605-28B |
| | 28" Vented Cover, Bulk Pack of 6 | 49605-28F |
| | 28" Trim Ring Accessory | 49605-28T |
| | Structured Media™ Center Lock & Key for 14", 21", 28", and 42" hinged doors | 5L000-L0K |

### 42" PLASTIC STRUCTURED MEDIA CENTERS (42" x 14.26" x 3.42")

| | DESCRIPTION | PART NO. |
|---|---|---|
| | 42" Enclosure with Vented Hinged Door | 49605-42P |
| [C] | 42" Enclosure Only | 49605-42E |
| | 42" Vented Hinged Door | 49605-42S |
| | 42" Enclosure, Bulk Pack of 6 | 49605-42G |
| | 42" Vented Hinged Door, Bulk Pack of 6 | 49605-42B |
| | 42" Trim Ring Accessory | 49605-42T |
| | Structured Media™ Center Lock & Key for 14", 21", 28", and 42" hinged doors | 5L000-L0K |

C

Structured Media

Metal Enclosures

## METAL STRUCTURED MEDIA CENTERS FOR WIRED NETWORKS

Leviton offers four enclosure sizes — 14", 21", 28", and 42" — that address different capacities and provide expandable functionality for "wired" homes. These enclosures provide a convenient termination location for wiring home runs from wall outlets, and create a distribution point for voice, data, and video applications in a single-family residence or multi-dwelling unit.

- Accommodates two or more full-width Pre-Configured Structured Cabling Panels
- One-piece white-steel unit holds quarter-, half-, and full-width expansion modules with the ability to mount most modules vertically or horizontally
- Can be surface mounted or recessed
- Ideal for new installations and retrofits
- Powder-coated white cover features ¾" overlap to hide irregular drywall cuts
- Multiple knock-outs on top and bottom facilitate cable entry and routing
- Cut-out in base of enclosure for mounting single- and double-gang J-boxes and power modules
- Six 3" square self-healing foam grommets accommodate and protect cable bundles (in metal versions)
- Standards Compliance: ACA and CULus listed; UL Listed for fire and burglary

### 14" & 21" METAL STRUCTURED MEDIA ENCLOSURES, COVERS & DOORS

14" and 21" enclosures create a single distribution point for all low-voltage cables in an apartment or smaller home. The 14" enclosures can accommodate two Pre-Configured Structured Cabling Panels, while the 21" enclosures have a four module capacity. Both are built tough to make installation easier and help reduce labor costs.

| 14" METAL STRUCTURED MEDIA CENTERS (14" X 14.38" X 3.60") | |
|---|---|
| **DESCRIPTION** | **PART NO.** |
| 14" Enclosure and Flush-Mount Cover | 47605-140 |
| **[A]** 14" Enclosure only | 47605-14E |
| 14" Multi-Dwelling Unit Configuration A, Enclosure and Flush-Mount Cover | 47605-1MG |
| 14" Flush-Mount Cover | 47605-14C |
| 14" Economy Hinged Door | 47605-14D |
| **[B]** 14" Premium Vented Hinged Door | 47605-14S |
| 14" Enclosure only job packed, 6 per pack, | 47605-14G |
| 14" Flush-Mount Cover only job packed, 6 per pack | 47605-14B |

| 21" METAL STRUCTURED MEDIA CENTERS (21.10" X 14.38" X 3.60") | |
|---|---|
| **DESCRIPTION** | **PART NO.** |
| **[C]** 21" Enclosure only | 47605-21E |
| **[D]** 21" Flush-Mount Cover only | 47605-21C |
| 21" Premium Vented Hinged Door | 47605-21S |

A

B

C

D

**LEVITON**

## 28" & 42" METAL STRUCTURED MEDIA ENCLOSURES, COVERS & DOORS

The 28" enclosures can comfortably accommodate up to eight distribution modules, depending on selection and density. The 42" enclosures have generous capacity for up to 12 modules, and can also simultaneously accommodate many diverse functions. In larger homes, many contractors specify multiple Structured Media enclosures, sometimes separating coaxial cable-based CATV or satellite TV equipment from the Cat 5e or Cat 6 UTP-based communications and networking equipment.

A

| 28" METAL STRUCTURED MEDIA CENTERS (28" X 14.38" X 3.60") | |
|---|---|
| DESCRIPTION | PART NO. |
| 28" Enclosure and Flush-Mount Cover | 47605-28W |
| [A] 28" Enclosure only | 47605-28N |
| 28" Multi-Dwelling Unit Configuration A, Enclosure and Flush-Mount Cover (see knockouts below) | 47605-2MG |
| 28" Multi-Dwelling Unit Configuration B, Enclosure only (see knockouts below) | 47605-M28 |
| 28" Flush-Mount Cover | 47605-F28 |
| 28" Economy Hinged Door | 47605-28D |
| [B] 28" Premium Vented Hinged Door | 47605-28S |
| 28" Enclosure only, job packed, 3 per pack | 47605-28G |
| 28" Flush-Mount Cover only job packed, 3 per pack | 47605-28B |

B

| 42" METAL STRUCTURED MEDIA CENTERS (42" X 14.38" X 3.60") | |
|---|---|
| DESCRIPTION | PART NO. |
| 42" Enclosure and Flush-Mount Cover | 47605-42W |
| [C] 42" Enclosure only | 47605-42N |
| 42" Multi-Dwelling Unit Configuration A, Enclosure and Flush-Mount Cover | 47605-4MG |
| 42" Multi-Dwelling Unit Configuration B, Enclosure only | 47605-M42 |
| 42" Flush-Mount Cover | 47605-F42 |
| 42" Economy Hinged Door | 47605-42D |
| 42" Premium Vented Hinged Door | 47605-42S |

## STRUCTURED MEDIA ENCLOSURE END CAPS

C

MDU Configuration A
TOP
BOTTOM

MDU Configuration B
TOP
BOTTOM

Standard
TOP
BOTTOM

Knock-out sizes support 1" and 2" commercial conduit.

## 28" & 42" METAL EXTENDER BRACKETS

- Extender Brackets provide additional 2" depth
- Allows for better cable management and for large modules within the enclosure
- Made of sturdy, white powder-coated, 18-gauge sheet metal
- Louvers enhance ventilation for added protection against heat build up from installed modules

| 28" & 42" METAL STRUCTURED MEDIA ENCLOSURE EXTENDER BRACKETS | |
|---|---|
| **DESCRIPTION** | **PART NO.** |
| Extender Bracket, 2" depth extension package for 28" Structured Media Enclosure | 47612-28B |
| Extender Bracket, 2" depth extension package for 42" Structured Media Enclosure | 47612-42B |

**SPOTLIGHT**   Structured Media Extender Brackets

**Leviton Extender Brackets** provide an additional 2 inches of depth and enhanced ventilation for active gear within Leviton 28" and 42" Structured Media Centers. The brackets attach between the enclosure and the cover to form a 2-inch deep, vented frame. The increased depth also allows space for better cable management and for larger modules, such as audio amplifiers, to be mounted within the Structured Media Center.

Extender Bracket Frame
(Enclosure sold separately)

Structured Media

Metal Enclosures

## MULTI-BAY ENCLOSURES

- Multi-bay enclosure design allows separate lockable sections for FTTH integration
- In a separate bay, a full Leviton structured wiring system can be easily connected and optimized up to Gigabit speeds to maximize incoming fiber optic connection
- Ideal for new installations or retrofits
- Attachment tube supports a multi-bay solution utilizing two or more standard enclosures (what is a standard enclosure?)

| MULTI-BAY ENCLOSURES | |
| --- | --- |
| DESCRIPTION | PART NO. |
| 14" + 14" Dual Enclosure, 29.64" (752.8mm) H x 14.30" (363.2mm) W x 3.63" (92.2mm) D | 47FTH-440 |
| 28" + 14" Dual Enclosure, 46.64" (1,184.6mm) H x 14.30" (363.2mm) W x 3.63" (92.2mm) D | 47FTH-840 |
| 28" + 14" + 14" Triple Enclosure, 59.22" (1,504.1mm) H x 14.30" (363.2mm) W x 3.63" (92.2mm) D | 47FTH-844 |
| 42" + 14" Dual Enclosure, 57.64" (1,464.1mm) H x 14.30" (363.2mm) W x 3.63" (92.2mm) D | 47FTH-420 |
| 14" + 14" + 14" Triple Enclosure, 45.22" (1,148mm) H x 14.30" (363.2mm) W x 3.63" (92.2mm) D | 47FTH-240 |
| [A] 28" + 28" Dual Enclosure, 57.64" (1,464.1mm) H x 14.30" (363.2mm) W x 3.63" (92.2mm) D | 47FTH-880 |
| Multi-Bay Attachment Tube | 49605-TUB |

A

---

**SPOTLIGHT** Online Resources

**Watch our helpful step-by-step videos** for installing Structured Media™ Center enclosures, doors, and covers. You can also find video installation help for mounting Leviton Connected Home equipment, including power boxes, panels, splitters, and more.

**Learn more at Leviton.com/NS/Videos.**

**Get help creating your fully connected home with our online configurator.** Answer some short questions, and then receive a Bill of Materials from one of our technical experts within one business day, free of charge.

**Go to Leviton.com/HomeConfig.**

**LEVITON**

## ACCESSORIES

- Universal Shelf Bracket supports up to 20 pounds, mounts with push pins
- Snap-in Saddle Ties with VELCRO® Brand SoftCinch provides vertical and horizontal cable management anywhere in the enclosure
- Cable Routing Ring routes and stores cable slack
- 3-Outlet Power Strip includes three NEMA 5-15R receptacles and 1.5-foot cord attached
- Rubber grommets protect incoming/outgoing cables through knockouts
- EZ-RJ45® Plugs provide quick Cat 5e and Cat 6 terminations, with clear housings for easy wire-sequence verification
- VELCRO® Brand fasteners available in 5-, 8-, and 12-inch tie-wraps and 15-foot bulk roll

### ACCESSORIES

| DESCRIPTION | | | PART NO. |
|---|---|---|---|
| [A] | Universal Shelf Bracket (includes a 30-inch roll of VELCRO® Brand hook and loop and two saddle ties) | | 49605-AUB |
| [B] | Snap-in Saddle Tie Kit with VELCRO® (includes five saddle ties, 5' of VELCRO® Brand SoftCinch, black) | | 49605-AST |
| [C] | Cable Routing Ring with two Push Pins | | 49605-AFR |
| [D] | 3-Outlet AC Power Strip | | 49605-APS |
| [E] | Grommet Accessory Pack (includes three 1" and two 2" grommets) | | 49605-GRM |
| | | 10-pack | 50-pack |
| | EZ-RJ45 Cat 5e Plug | 47613-EZR | 47613-EZC |
| [F] | EZ-RJ45 Cat 6 Plug | | 47613-EZ6 |
| | Push-Lock Pins for Structured Media Enclosures, 20/pack | | 47615-NYL |

| | | 5" Length | 8" Length | 12" Length |
|---|---|---|---|---|
| [G-I] | Reclosable Tie-Wrap, 25/pack | 43105-005 | 43108-008 | 43112-012 |
| | 15' bulk roll, 1/2" VELCRO® SoftCinch, Black | | | 49605-AHL |
| | Structured Media Center Lock & Key for 14", 21", 28", and 42" hinged doors | | | 5L000-L0K |

### TOOLS

| DESCRIPTION | | PART NO. |
|---|---|---|
| | Wire Punchdown/Termination Tool, blades sold separately | 49553-814 |
| | 110 IDC Blade | 49553-110 |
| | 66-Clip Blade | 49553-066 |
| | UTP Stripping Tool | 49660-00P |
| | Coaxial Stripping Tool | C5914-000 |
| [J] | EZ-RJ45® Crimp Tool | 40989-ACT |

A

B

C

D

E

F

G-I

J

VELCRO® is a registered Trademark of Velcro BVBA. Used with permission.

## MULTI-BAY ATTACHMENT TUBE

Use the easy-to-install Multi-Bay Attachment Tube between two or more Wireless Structured Media Center Enclosures of any size to create a secure, fully isolated location for service provider equipment.

- Isolates service provider equipment from end-user connectivity and controls for better security
- Heat separation and containment keeps equipment in both enclosures cooler and more efficient
- Include Lock and Key for added security on one or more of the connected enclosures
- Allows for two Structured Media Centers to be stacked

| MULTI-BAY CONNECTOR TUBE | |
|---|---|
| DESCRIPTION | PART NO. |
| [A]   Multi-Bay Attachment Tube | 49605-TUB |

A

---

| SPOTLIGHT | Mounting Bracket |
|---|---|

**The 12-Port QuickPort™ Mounting Bracket** offers an economical custom network distribution board to support their exact system requirements. By selecting from Leviton's diverse line of QuickPort connectivity, users are able to mix and match media distribution for up to 12-Ports with any combination of data, video, audio or voice lines, including CAT 6, CAT 5e, HDMI, Coax F-Connector, S-Video, RCA, and traditional telephone connectors. The bracket can be positioned horizontally or vertically to accommodate for cable routing.

**See page 18.**

A

### FIBER-TO-THE-HOME (FTTH) POINT-OF-ENTRY BOX

- Provides convenient staging for terminating incoming fiber from service provider
- Can mount inside the Structured Media Enclosure or as a stand-alone unit on a wall
- Includes magnet for easy installation and place adjustments
- Includes an SC/APC adapter with two dust caps and two splice sleeves
- Made of ABS plastic

| FTTH SOLUTION | |
| --- | --- |
| **DESCRIPTION** | **PART NO.** |
| [A]  FTTH Point-of-Entry Box, 3.94" (100 mm) H x 3.15" (80 mm) W x .84" (21 mm) Dr | FTH00-00W |

B

### COMPACT STRUCTURED MEDIA ENCLOSURE

- Accommodates a variety of telephone/video distribution configurations
- Snap-on cover requires no tools or fasteners
- Molded-in brackets provide quick snap-in convenience for expansion boards
- Angled video-splitter shelf for easy installation
- Hosts up to three expansion boards and one passive TV splitter
- Constructed of sturdy, white ABS molded plastic
- cULus listed for communications equipment

C

| COMPACT STRUCTURED MEDIA ENCLOSURE | |
| --- | --- |
| **DESCRIPTION** | **PART NO.** |
| [B]  Compact Structured Media Enclosure and Cover, empty | 47605-MDU |
| Compact Structured Media Enclosure, Cover only | 47605-MDC |
| MDU Kit (Compact Structured Media Enclosure and Cover plus 1x6 Telephone Expansion Board) | 47604-0F6 |
| [C]  MDU Kit (Compact Structured Media Enclosure and Cover plus 1x6 Telephone Expansion Board and 6-Way 1GHz Splitter) | 47604-F6S |

D

### MOUNTING BRACKETS

- Made of sturdy white ABS plastic
- Comes with push-lock pins
- Snap-in installation in any Leviton 14", 21", 28", 30", or 42" Structured Media Enclosure
- Allows for cable management via routing under bracket

E

| MOUNTING BRACKETS FOR STRUCTURED MEDIA ENCLOSURES | |
| --- | --- |
| **DESCRIPTION** | **PART NO.** |
| [D]  Single Plastic Bracket, for single expansion board | 47612-SBK |
| [E]  Expansion Plastic Bracket, for up to five expansion boards | 47612-EBK |
| Shelf Plastic Bracket, for up to three expansion boards and CATV splitter | 47612-VSB |
| Half Plastic Bracket, for up to three expansion boards | 47612-HBK |
| [F]  Data Plastic Bracket, for mounting routers and switches | 47612-DBK |
| [G]  12-Port QuickPort™ Mounting Bracket | 47600-QPB |

F

G

## MULTIMEDIA ADAPTER BRACKET

- Create a custom audio/video or copper mini-panel in a Structured Media Enclosure
- Constructed of white powder-coated sheet metal
- Mounts vertically or horizontally

A

## MOUNTING PLATE

- Constructed of black powder-coated sheet metal
- Comes with push-lock pins

## QUICKPORT™ MOUNTING PLATE

- Accepts any combination of the following QuickPort adapters or connectors: F-Connector, Banana Jacks, Speaker Binding Posts, RCA, S-Video, Voice Grade, and Cat 5, HOME 5e™, or HOME 6™

B

## ALL SECURITY BRACKETS

- Made of white powder-coated sheet steel
- Comes with push-lock pins

## UNIVERSAL SECURITY BRACKETS

- Available in 6" and 12" lengths, both 1" wide
- Allows an unlimited number of upgrades (restricted only by the enclosure's size) to be added to an existing security system terminated within any Leviton Structured Media Enclosure
- Sold in pairs with self-tapping screws and spacers to easily connect the largest number of security alarm manufacturers' panels

C
D

## UNIVERSAL SHELF BRACKET

- Includes a 30-inch roll of VELCRO® Brand hook and loop with two saddle ties, providing flexible options to secure active gear

## UNIVERSAL SECURITY PLATES

- Half-Width (6") and Full-Width (12") Plates
- Comes with four adhesive clips for mounting within any Leviton Structured Media Enclosure

E

### BRACKETS & MOUNTING PLATES

| DESCRIPTION | PART NO. |
|---|---|
| **[A]** Multimedia Adapter Bracket | 47612-MMA |
| **[B]** F-Connector Mounting Plate, 6-pack, loaded | 5F100-6VF |
| QuickPort Mounting Plate, 6-pack, unloaded | 5F100-6QP |
| **[C]** 6" Universal Bracket | 47612-6SB |
| **[D]** 12" Universal Bracket | 47612-1SB |
| **[E]** Universal Shelf Bracket (includes a 30-inch roll of VELCRO® Brand hook and loop and two saddle ties) | 49605-AUB |
| **[F]** Half-Width Universal Security Plate | 47612-HSB |
| Full-Width Universal Security Plate | 47612-FSB |

F

VELCRO® is a registered Trademark of Velcro BVBA. Used with permission.

Structured Media

Brackets & Mounting Plates

A



B



C, D

## TWIST & MOUNT PATCH PANELS AND EXPANSION BOARDS

Twist & Mount Patch Panels allow installers to punchdown Cat 5e or Cat 6 cabling on component-rated commercial-style patch panels. With a low-profile, it provides extra room for patch cord bend radii in the Structured Media Center Enclosure.

- Used for terminating both voice (Cat 5e) and data (Cat 5e or Cat 6) drops
- Provided blank designation strips make connector labeling a snap
- Universal T568A and T568B wiring labels ensure compatibility in both residential and commercial installations
- Meets or exceeds all ANSI/TIA-568 C standards for Cat 5e and 6 cabling
- Four front-mounted hooks provide easy suspension during punchdown
- 12-port panels accept expansion boards for future growth
- Panel dimensions are 7" (177.8mm) H x 6" (152.4mm) W x 1.5" (38.1mm) D

| TWIST & MOUNT PATCH PANELS AND EXPANSION BOARDS | | |
|---|---|---|
| **DESCRIPTION** | | **PART NO.** |
| **[A]** | Cat 5e Twist & Mount Patch Panel w/ 24 ports of Cat 5e c | 476TM-524 |
| | Cat 5e Twist & Mount Patch Panel w/ 12 ports of Cat 5e | 476TM-512 |
| | Cat 6 Twist & Mount Patch Panel w/ 24 ports of Cat 6 | 476TM-624 |
| **[B]** | Cat 6 Twist & Mount Patch Panel w/ 12 ports of Cat 6 | 476TM-612 |
| | Cat 5e/Cat 6 Twist & Mount Patch Panel w/ 12 ports each of Cat 5e and Cat 6 (24 total) | 476TM-654 |
| | Cat 5e/Cat 6 Twist & Mount Patch Panel w/ 6 ports each of Cat 5e and Cat 6 (12 total) | 476TM-652 |
| **[C]** | Cat 5e Twist & Mount Expansion Board, 6 ports | 476TM-EX5 |
| **[D]** | Cat 6 Twist & Mount Expansion Board, 6 ports | 476TM-EX6 |

## TELEPHONE INPUT DISTRIBUTION PANEL (TIDP)

The companion TIDP matches the Twist & Mount Patch Panel in height and depth, and includes telephone input jacks for easy connection to one, two, three, or four telephone jacks on a cable modem.

- Supports four-line telephone distribution
- Offers choice of inputs and outputs: one 4-pair 110-style IDC input, four industry-standard RJ-11 connector inputs for use with triple-play modems, and twelve modular industry-standard RJ-45 connector outputs
- Includes a security jack to interface with security systems
- Test and Auxiliary Disconnect Outlet (ADO) port for isolation and testing of telephone line connections
- Includes twelve 8" telephone patch cords
- Dimensions: 7" (177.8mm) H x 3.52" (89.5mm) W x 1.5" (38.1mm) D



E

| TELEPHONE INPUT DISTRIBUTION PANEL (TIDP) | | |
|---|---|---|
| **DESCRIPTION** | | **PART NO.** |
| **[E]** | Telephone Input Distribution Panel | 476TL-T12 |

**Structured Media**

**Low-Profile / High-Density Interconnect Panels**

## PRE-CONFIGURED STRUCTURED CABLING PANELS

Leviton Pre-Configured Structured Cabling Panels combine some of our most popular voice, data, and radio frequency modules to create an economical, one-stop home media distribution point. Some modules are available in expansion styles to fill unused panel slots as shown below. Choose the pre-configured combination that best meets your needs and then enhance it with expansion boards or stand-alone modules

A

B

C

D

E

F

G

H

### PRE-CONFIGURED STRUCTURED CABLING PANELS - FULL SIZE

| DESCRIPTION | CONSISTS OF | PART NO. |
|---|---|---|
| **[A]** Basic Telephone & Video Panel | - One 1x9 Bridged Telephone Board<br>- One 6-way 2 GHz TV Splitter | 47606-BTV |
| **[B]** Basic Home Networking Plus Panel | - One Telephone Patching Board<br>- One Cat 5e Voice & Data Board<br>- Six 4-line telephone connections<br>- One 6-way 2 GHz TV Splitter | 47606-BNP |
| Advanced Home Telephone & Video Panel | - One Telephone Line Distribution Board<br>- 19 multi-line telephone connections (in various combinations of two or four lines)<br>- One Cat 5e Voice & Data Board<br>- One 6-way 2 GHz TV Splitter | 47606-AHT |
| **[C]** Advanced Home Office Panel | - One Telephone Line Distribution Board<br>- 19 multi-line telephone connections (in various combinations of two or four lines)<br>- Two Cat 5e Voice & Data Boards<br>- One 6-way 2 GHz TV Splitter | 47606-ASO |
| 12-Port Structured Media™ Panel | - One Telephone Line Distribution Board<br>- 19 multi-line telephone connections (in various combinations of two or four lines)<br>- Two Cat 5e Voice & Data Boards | 47603-12P |
| **[D]** 18-Port Structured Media Panel | - One Telephone Line Distribution Board<br>- 19 multi-line telephone connections (in various combinations of two or four lines)<br>- Three Cat 5e Voice & Data Boards | 47603-18P |
| **[E]** 24-Port Structured Media Panel | - One Telephone Line Distribution Board<br>- 19 multi-line telephone connections (in various combinations of two or four lines)<br>- Four Cat 5e Voice & Data Boards | 47603-24P |
| **[F]** 4x12 Telephone Distribution Module | - One 4x12 Telephone Distribution Module | 47603-12M |
| 4x12 Telephone Distribution Module w/ Splitter | - One 4x12 Telephone Distribution Module<br>- One 8-way 2 GHz TV Splitter | 47603-412 |
| **[G]** 4x18 Telephone Distribution Module | - One 4x18 Telephone Distribution Module | 47603-18M |
| **[H]** 4x18 Telephone Distribution Module w/ Cat 5e Board | - One 4x18 Telephone Distribution Module<br>- One Cat 5e Voice & Data Board | 47603-8C1 |

Full-size panel dimensions: 6.13" (155.7mm) H x 13.30" (337.8mm) W x 2.28" (57.9mm) D.

### PRE-CONFIGURED STRUCTURED CABLING PANELS – COMPACT SERIES

Compact Pre-Configured Structured Cabling Panels are the simple solution for basic telephone and TV distribution in multi-dwelling units and apartments, or any place where space and budgets are a priority. Panels feature a space-saving profile and provide simple bridged telephone connections to nine locations and 2GHz video to six or eight locations.

A

B

C

| PRE-CONFIGURED STRUCTURED CABLING PANELS — COMPACT SERIES | | |
|---|---|---|
| **DESCRIPTION** | **CONSISTS OF** | **PART NO.** |
| **[A]** Telephone & 6-way TV | - One 1x9 Bridged Telephone Board<br>- One 6-way 2 GHz TV Splitter | 47603-2G6 |
| Telephone & 8-way TV | - One 1x9 Bridged Telephone Board<br>- One 8-way 2 GHz TV Splitter | 47603-2G8 |
| **[B]** Telephone Security & 6-way TV | - One Telephone Security Board<br>- One 6-way 1 GHz TV Splitter | 47603-TSV |
| **[C]** Telephone Data & 6-way TV | - One 1x4 4-Line Bridged Telephone<br>  and 4-Port Cat 5e Combo Board<br>- One 6-way 1 GHz TV Splitter | 47603-DP6 |

| STAND-ALONE MODULES WITH BRACKETS | |
|---|---|
| **DESCRIPTION** | **PART NO.** |
| **[D]** 1x9 Bridged Telephone Module | 47689-00B |
| **[E]** Cat 5e Voice & Data Module | 47605-C5B |
| **[F]** Cat 6 Voice & Data Module | 47611-C6B |
| **[G]** DSL Filter Module | 47616-DSB |
| Telephone Security Module | 47609-TSV |

D-G

| EXPANSION BOARDS | | | |
|---|---|---|---|
| **DESCRIPTION** | **APPLICATION** | **FEATURES** | **PART NO.** |
| **[H]** Cat 5e Voice & Data Board | Data, Telephone, Fax, Modem | - Patch phone or data connections to six locations<br>- Combine with a TLDM, key system or network<br>  switches for added applications<br>- 4-pair 110-type IDC punchdowns<br>- Six Cat 5e RJ45 ports<br>- Printed circuit board | 47603-0C5 |
| **[I]** Cat 6 Voice & Data Board | Data, Telephone, Fax, Modem | - ANSI/TIA-568C channel-rated for Gigabit Ethernet<br>- Combine with Gigabit Internet Router or<br>  Ethernet Switch for additional applications<br>- 4-pair 110-type IDC punchdowns and six<br>  Cat 6 connectors | 47611-0C6 |

H, I

## EXPANSION BOARDS

| | DESCRIPTION | APPLICATION | FEATURES | PART NO. |
|---|---|---|---|---|
| **[A]** | VDSL Board w/ 1x5 Bridged Phone w/ Data Pass-through IDCs | Data, Telephone, Modem | - Bridge up to four telephone lines to five locations<br>- Connect up to five separate telephones per line<br>- IDC connectors for Cat 5 or Cat 5e wire<br>- Termination point and pass through for a data connection via IDCs up to 150MHz | 47609-D5P |
| **[B]** | Combo Phone & Data Board w/ 1x4 Bridged Phone and 4-Port Cat 5e | Data, Telephone | - Provides data and phone connections on a single board<br>- 1x4 phone portion provides four telephone lines up to four locations via IDC punchdowns<br>- Four ports of Cat 5e 150MHz data connections via modular RJ-45 connectors and 4-pair 110-type IDC punchdowns | 47609-4DP |
| **[C]** | 1x9 Bridged Telephone Board | Telephone, Fax, Modem | - Bridge up to four telephone lines to nine locations<br>- Connect up to nine separate telephones per line<br>- Printed circuit board<br>- 4-pair 110-type IDC punchdowns | 47603-110 |
| **[D]** | 1x6 Bridged Telephone Board | Telephone, Fax, Modem | - Bridge up to four telephone lines to six locations<br>- Connect up to six separate telephones per line<br>- Printed circuit board<br>- IDC connectors for Cat 5 or Cat 5e wire<br>- RJ-45 expansion port | 47609-0F6 |
| **[E]** | 1x10 Bridged Telephone Board | Telephone, Fax, Modem | - Bridge up to six telephone lines to ten locations<br>- Connect up to ten separate telephones per line<br>- Printed circuit board<br>- IDC connectors for Cat 5 or Cat 5e wire<br>- Security port<br>- Punchdown security interface to accommodate alarm systems | 47609-S10 |
| **[F]** | 1x4 Bridged Telephone Board | Telephone, Fax, Modem | - 1x4 phone board provides four lines up to four locations via IDC punchdowns | 47609-004 |
| **[G]** | Telephone Patching Board/Expanded 4-line Telephone Distribution | Telephone, Fax, Modem | - Bridge up to four telephone lines to seven locations<br>- Printed circuit board module<br>- One incoming 4-pair 110-type IDC punchdown<br>- Seven outgoing RJ-45 connector connections<br>- Combine with a Cat 5e board to route telephone to remote locations | 47609-EMP |
| | DSL Filter Board | Telephone, Modem | - Filters DSL signal from phone line before distribution throughout home or office<br>- Eliminates need for individual filters at wallplate<br>- Use with any phone distribution module<br>- Printed circuit board module w/ RJ-45 connector and 110-type punchdown | 47616-DSF |
| | Telephone Line Distribution Board | Telephone, Fax, Modem | - 19 multi-line telephone connections in combinations of two or four lines<br>- Bridge line 1 service to 12 locations and 4-line service to 8 locations<br>- Connect to Cat 5e Voice & Data Board(s) or additional panels for more connections and easier adds/moves/changes<br>- Independent RJ-45 connector and punchdown security interface to accommodate alarm systems | 47603-TDM |
| **[H]** | 4x12 Telephone Distribution Board | Telephone, Fax | - Bridge up to four telephone lines to twelve locations | 47603-12B |
| **[I]** | 4x18 Telephone Distribution Board | Telephone, Fax | - Bridge up to four telephone lines to eighteen locations | 47603-18B |

A, B

C, D

E, F

G

H, I

**Structured Media**

**Voice & Data Expansion Boards**

A

B

C

D

E

F

## SURGE PROTECTION & STANDARD AC POWER MODULES

- For use with 14", 21", 28", and 42" Structured Media Enclosures
- Surge protected units provide EMI/RFI filtering, meet UL 1449 standards
- Power Strip includes three NEMA 5-15R receptacles and 1.5-foot cord attached

| AC POWER MODULES FOR 14", 21", 28", & 42" STRUCTURED MEDIA ENCLOSURES | |
|---|---|
| **DESCRIPTION** | **PART NO.** |
| **[A]** Surge AC Power Module w/ two duplex receptacles | 47605-0DP |
| Non-Surge AC Power Module w/ two duplex receptacles | 47605-NDP |
| **[B]** AC Surge Module w/ six duplex receptacles | 48212-06S |
| **[C]** 3-Outlet AC Power Strip for Structured Media Centers | 49605-APS |

## J-BOX KITS

- J-Box Kit dimensions:  2.00" (50.8mm) H x 3.00" (76.2mm) W x 2.50" (63.5mm) D

| J-BOX KITS FOR 14", 21", 28", & 42" STRUCTURED MEDIA ENCLOSURES | |
|---|---|
| **DESCRIPTION** | **PART NO.** |
| **[D]** Surge J-Box Kit, one duplex receptacle, wallplate | 47605-ACS |
| Non-Surge J-Box Kit, one duplex receptacle, wallplate | 47605-ACN |

## UNIVERSAL DC POWER SUPPLIES

- Compact units fit into Leviton 14", 21", 28", and 42" Structured Media Enclosures
- Compatible with incoming AC voltage in the range of 100-240 VAC, 50-60 Hz

| DC POWER SUPPLIES | |
|---|---|
| **DESCRIPTION** | **PART NO.** |
| IEC to NEMA 15A Adapter Power Cord, 12" (accessory for above) | 48212-IEC |
| **[E]** Versatile Power Supply w/ six 12 VDC connectors and two NEMA 15A receptacles | 47605-PSC |

## DC BUS

- Provides fully regulated 12 VDC and 24 VDC power
- Contains six 12 VDC power outputs at up to 1500 mA total
- Contains three 24 VDC power outputs at up to 1000 mA total, including one F-connector for coax connection
- Includes 2.1 mm and 1.3 mm mini power jacks for 12 and 24 VDC

| DC BUS | |
|---|---|
| **DESCRIPTION** | **PART NO.** |
| **[F]** DC Bus, 12 VDC and 24 VDC | 48212-124 |

## PASSIVE TV SPLITTERS

- Splits TV signals; outputs for up to six or eight televisions
- Provides digital cable, cable TV, and other TV services, via coaxial cable, to any room in the house
- Die-cast housing and printed circuit board
- Use with the TV Amplifier for increased signal strength
- Dimensions of Splitters:
  1.14" (29.0mm) H x 3.36" (85.3mm) W x 2.65" (67.3mm) D
- Dimensions of Splitters with bracket:
  1.40" (35.6mm) H x 6.58" (167.1mm) W x 2.65" (76.2mm) D


A, C

### 1X6 & 1X8 PASSIVE TV SPLITTERS & BRACKETS

| DESCRIPTION | PART NO. |
|---|---|
| **[A]**  1x6 Passive TV Splitter | 47690-0G6 |
| **[B]**  1x6 Passive TV Splitter w/ bracket for 14", 21", 28", and 42" Enclosures | 47690-6C2 |
| **[C]**  1x8 Passive TV Splitter | 47690-0G8 |
| **[D]**  1x8 Passive TV Splitter w/ bracket for 14", 21", 28", and 42" Enclosures | 47690-8C2 |


B


D

## PREMIUM CATV MODULES

- Distribute incoming RF signals (HDTV, cable TV, antenna, or other modulated sources) to 8 or 16 locations throughout the home or office on coaxial cable.
- Meets DOCSIS and SCTE transmission requirements
- Automatically adjust output level on all active ports to match incoming signal level (unity gain)
- Robust machine-threaded, gold-plated brass F-ports meet SCTE requirements
- Termination caps included for unused ports
- Easily installs into Leviton Structured Media Enclosures, horizontally or vertically
- 12VDC power supply included

### PREMIUM CATV MODULES

| DESCRIPTION | PART NO. |
|---|---|
| **[E]**  1x8 Premium CATV Module | 47693-08P |
| **[F]**  1x16 Premium CATV Module | 47693-16P |


E


F

Structured Media

Passive TV Splitters & Premium CATV Modules

# Distributed Network & Audio

Leviton has everything you need to extend your network and audio system throughout the home. Our selection includes connectivity and cords, wallplates, recessed receptacles, and volume controls to complete the Connected Home experience.

## HOME 5E™ & HOME 6™ JACKS

- Jacks provide high-quality network connections designed specifically for residential applications
- Meet or exceed T568A and T568B wiring standards

| QUICKPORT HOME JACKS | |
| --- | --- |
| **DESCRIPTION** | **PART NO.** |
| **[A]** HOME 5e Jack, Standard with stuffer cap | 5EHOM-R*5 |
| HOME 5e Jack, Standard Bulk Pack with stuffer caps, White | 5EHOM-BW5 |
| HOME 6 Jack, Standard with stuffer cap | 61HOM-R*6 |

\* = Colors: Choose from any of the colors below.

White (W)  Light Almond (T)  Ivory (I)  Blue (L)  Grey (G)  Black (E)  Brown (B)

A

## GIGAMAX™ CAT 5E PATCH CORDS

- Color-matched boot provides plug protection

| GIGAMAX CAT 5E UTP PATCH CORDS | |
| --- | --- |
| **DESCRIPTION** | **PART NO.** |
| **[B]** Cat 5e UTP Patch Cord | 5G460-xx† |

xx = Length: 3' (03), 5' (05), 7' (07), or 10' (10).  † = Colors: Choose from any of the colors below.
Additional lengths available. Contact Customer Service at (800) 722 2082 / +1 (425) 486 2222 for more information.

White (W)  Yellow (Y)  Blue (L)  Green (V)  Gray (S)

B

## HIGH-FLEX PATCH CORDS

- Designed to be used in Cat 6 / 1-Gigabit applications and frequencies from 1 to 250 MHz
- Flexible, with a narrower bend radius than typical Cat 6 patch cords
- Snagless plug design with integrated strain-relief boot

| EXTREME™ CAT 6 HIGH-FLEX PATCH CORDS | |
| --- | --- |
| **DESCRIPTION** | **PART NO.** |
| **[C]** eXtreme High-Flex Cat 6 Patch Cord | 6H460-xx~ |

xx = Length: 6" (6I), 1' (01), 2' (02), 3' (03), or 4' (04).  ~ = Colors: Available in White (W) or Blue (L).

C

## HDMI CABLE & CABLE LOCK KIT

- High-speed HDMI cables with Ethernet and Audio Return Channel
- cULus listed, and CL2 rated for in-wall installation
- HDMI Cable Lock Kit includes two universal adapters, two tie wraps, M3X05, and 4-40 UNC screws

| HDMI CABLE & CABLE LOCK KIT | |
| --- | --- |
| **DESCRIPTION** | **PART NO.** |
| **[D]** HDMI Cable | 41900-xxE |
| **[E]** HDMI Cable Lock Kit | 41900-LKT |

xx = Lengths: 3 ft (03), 6 ft (06), 10 ft (10), 15 ft (15)

D

E

## QUICKPORT JACKS & COUPLERS

Deliver the high-quality signals expected from today's latest technology with Leviton QuickPort™ jacks and couplers. The modular system approach permits cost-effective custom applications while providing outstanding signal quality.

A

B

C, D

E

F

G

H

I, J

| CAT 5/USOC UTP QUICKPORT JACKS | |
|---|---|
| **DESCRIPTION** | **PART NO.** |
| **[A]** Cat 5 Jack | 41108-R*5 |
| USOC Jack, 8P8C | 41108-R†8 |
| USOC Jack, 6P6C | 41106-R*6 |

| QUICKPORT JACKS & COUPLERS | | | | | | |
|---|---|---|---|---|---|---|
| **DESCRIPTION** | **WHITE** | **LT. ALMOND** | **IVORY** | **GREY** | **BLACK** | **BROWN** |
| **[B]** BNC Coupler, nickel plated | 41084-BWF | — | — | — | 41084-BEF | — |
| **[C]** HDMI Coupler | 40834-00W | 40834-00T | 40834-00I | — | 40834-00E | — |
| **[D]** USB Coupler | 40835-00W | — | 40835-00I | 40835-00G | — | — |
| **[E]** 3.5MM Stereo Jack, screw terminal | 40839-SWS | — | 40839-SIS | — | — | — |
| **[F]** F-Connector Coupler, nickel plated, 1GHz | 41084-FWF | 41084-FTF | 41084-FIF | 41084-FGF | 41084-FEF | 41084-FBF |
| F-Connector Coupler, gold plated, 2.5GHz | 40831-FWG | 40831-FTG | — | — | — | — |
| **[G]** RCA Coupler, gold plated w/ black stripe | 40830-BWE | — | 40830-BIE | — | 40830-BEE | 40830-BBE |
| RCA Coupler, gold plated w/ red stripe | 40830-BWR | — | — | — | — | — |
| RCA Coupler, gold plated w/ yellow stripe | — | 40830-BTY | — | — | — | — |
| RCA Coupler, gold plated w/ green stripe | 40830-BWV | — | 40830-BIV | — | — | — |
| RCA Coupler, gold plated w/ blue stripe | 40830-BWL | — | 40830-BIL | — | — | — |
| Banana Jack Coupler gold plated w/ black stripe | 40837-BWE | — | — | — | — | — |
| Banana Jack Coupler, gold plated w/ red stripe | 40837-BWR | — | — | — | — | — |
| Binding Post Coupler, gold plated w/ black stripe | 40833-BWE | 40833-BTE | — | — | 40833-BEE | — |
| **[H]** Binding Post Coupler, gold plated w/ red stripe | 40833-BWR | 40833-BTR | 40833-BIR | — | 40833-BER | — |
| Blank Insert (pack of 10) | 41084-0BW | 41084-0BT | 41084-0BI | 41084-0BG | 41084-0BE | 41084-0BB |

| COMPRESSION CONNECTORS | |
|---|---|
| **DESCRIPTION** | **PART NO.** |
| **[I]** Compression F Connector | 40985-CPF |
| **[J]** Compression RCA Connector | 40985-CRU |

\* = Color: Choose from any of the colors below.
† = Yellow (Y), Orange (O), and Purple (P) excluded from available colors below.

White (W)   Light Almond (T)   Ivory (I)   Grey (G)   Black (E)   Brown (B)   Yellow (Y)   Orange (O)   Crimson (C)   Dark Red (R)   Purple (P)   Blue (L)   Green (V)

## QUICKPORT STANDARD PLASTIC WALLPLATES

- Compatible with all QuickPort Jacks and Couplers
- Manufactured from ABS plastic for superior resistance to impact, chemicals, and solvents, as compared to other plastics
- Fits NEMA openings and accommodates low-voltage box eliminators for a flush mount
- cULus Listed, fire-retardant material rated UL 94V-0

| QUICKPORT FLUSH-MOUNT WALLPLATES | | | |
|---|---|---|---|
| DESCRIPTION | WHITE | LT. ALMOND | IVORY |
| **[A]** 6-Port Wallplate | 41080-6WP | 41080-6TP | 41080-6IP |
| 4-Port Wallplate | 41080-4WP | 41080-4TP | 41080-4IP |
| **[B]** 3-Port Wallplate | 41080-3WP | 41080-3TP | 41080-3IP |
| 2-Port Wallplate | 41080-2WP | 41080-2TP | 41080-2IP |
| 1-Port Wallplate | 41080-1WP | 41080-1TP | 41080-1IP |

Midway-size plates in plastic and high-impact nylon also available.
Contact Customer Service at (800) 722 2082 / +1 (425) 486 2222 for more information.

## TELEPHONE & VIDEO WALLPLATES

- Provide quick at-the-wall connections for RJ-11 telephone and F-connection video applications
- High-quality ABS plastic or nylon, which provides superior resistance to impacts, chemicals, and solvents as compared to other plastics

| STANDARD TELEPHONE & VIDEO WALLPLATES | | | |
|---|---|---|---|
| DESCRIPTION | WHITE | LT. ALMOND | IVORY |
| **[C]** Wall Jack, 6P4C | 40249-00W | 40249-00T | 40249-00I |
| Wall Jack, 6P4C + 6P4C | 40244-00W | 40244-00T | 40244-00I |
| **[D]** Wall Jack, 6P4C + F-connector | 40259-00W | 40259-00T | 40259-00I |
| Wall Jack, F-connector | 80781-00W | 80781-00T | 80781-00I |
| Wall Jack, F-connector + F-connector | 80782-00W | 80782-00T | 80782-00I |
| Wall Jack, 6P6C | 40238-00W | — | — |
| Wall Jack, 6P6C + F-connector | 40258-00W | — | — |

White (W)  Light Almond (T)  Ivory (I)

A

B

C

D

**Distributed Network & Audio**

**Wallplates**

---

---

A



B, C



D



E, F



G, H

## QUICKPORT ANGLED WALLPLATES

- Angled ports relieve stress on equipment cords
- Mounting screws are included

| QUICKPORT ANGLED WALLPLATES | | | |
|---|---|---|---|
| DESCRIPTION | WHITE | LT. ALMOND | IVORY |
| 4-Port Wallplate | 41081-4WP | 41081-4TP | 41081-4IP |
| [A] 2-Port Wallplate | 41081-2WP | 41081-2TP | 41081-2IP |

ID Window wallplates also available. Contact Leviton Customer Service at (800) 722 2082 / +1 (425) 486 2222.

## DECORA™ WALLPLATE INSERTS

- Combine QuickPort voice, data, and AV couplers and jack in popular Decora wallplate formats
- HDMI Decora Insert works with HDMI Type A connectors
- Passthrough brush insert provides a clean, professional appearance when cables need to pass through a wall opening
- Telephone & Video 6P4C Inserts feature lead-frame design for improved reliability and simple installation
- Telephone & Video Insert Kits include a one- or two-port QuickPort Decora insert and snap-in USOC or F-connector QuickPort couplers

| DECORA WALLPLATE INSERTS | | | | |
|---|---|---|---|---|
| DESCRIPTION | WHITE | LT. ALMOND | IVORY | BLACK |
| [B] 1-Port QuickPort Insert | 41641-00W | 41641-00T | 41641-00I | — |
| 2-Port QuickPort Insert | 41642-00W | 41642-00T | 41642-00I | — |
| [C] 3-Port QuickPort Insert | 41643-00W | 41643-00T | 41643-00I | |
| 4-Port QuickPort Insert | 41644-00W | 41644-00T | 41644-00I | — |
| 6-Port QuickPort Insert | 41646-00W | 41646-00T | 41646-00I | — |
| [D] HDMI Decora Insert, feedthrough | 41647-00W | — | 41647-00I | — |
| Brush Insert, Passthrough | [E] 41075-DBW* | — | — | [F] 41075-DBE* |
| **DECORA STANDARD TELEPHONE & VIDEO WALLPLATE ASSEMBLIES (WALLPLATE INCLUDED)** | | | | |
| Wall Jack, 6P4C + 6P4C | 40144-00W | 40144-00T | 40144-00I | — |
| Wall Jack, 6P4C + F-connector | 40159-00W | 40159-00T | 40159-00I | — |
| **DECORA TELEPHONE & VIDEO INSERTS (WALLPLATE NOT INCLUDED)** | | | | |
| [G] Wall Jack, 6P4C | 40649-00W | 40649-00T | 40649-00I | 40649-00E |
| Wall Jack, 6P4C + 6P4C | 40644-00W | 40644-00T | 40644-00I | — |
| [H] Wall Jack, 6P4C + F-connector | 40659-00W | 40659-00T | 40659-00I | 40659-00E |
| Wall Jack, F-connector | 40681-00W | 40681-00T | 40681-00I | — |
| Wall Jack, F-connector + F-connector | 40682-00W | 40682-00T | 40682-00I | — |
| **DECORA TELEPHONE & VIDEO INSERT KITS (WALLPLATE NOT INCLUDED)** | | | | |
| Wall Jack, 6P6C (QuickPort insert with snap-in jack) | 41638-00W | 41638-00T | 41638-00I | 41638-00E |
| Wall Jack, 6P6C + F-connector (QuickPort insert with snap-in jack and snap-in F-connector ) | 41658-00W | — | 41658-00I | — |



White (W)  Light Almond (T)  Ivory (I)  Black (E)

\* Brush color is white for 41075-DBW and black for 41075-DBE. Only brush is visible when installed.

| DECORA SINGLE-GANG WALLPLATES | |
|---|---|
| **DESCRIPTION** | **PART NO.** |
| **[A]** Decora™, standard size, urea | 80401-00* |
| Decora, standard size, nylon | 80401-0N* |
| Decora, standard size, stainless | 84401-040 |
| Decora Plus, standard size, polycarbonate | 80301-0S* |
| Decora, midsize, urea | 80601-0S* |
| Decora, midsize, nylon | 0PJ26-00* |
| **DECORA DUAL-GANG WALLPLATES** | |
| **[B]** Decora, standard size, urea | 80409-00* |
| Decora, standard size, nylon | 80409-0N* |
| Decora, standard size, stainless | 84409-040 |
| Decora Plus, standard size, polycarbonate | 80309-0S* |
| Decora, midsize, urea | 80609-0S* |
| Decora, midsize, nylon | PJ262-00* |

\* = Colors: Choose from any of the colors below.

White (W)　Light Almond (T)　Ivory (I)　Grey (G)　Black (E)　Brown (B)

A

B

## MOBILE DEVICE STATION

- Turns a receptacle outlet into a convenient storage location for smartphones and MP3 players
- Installs without creating any new holes in the wall
- Available in both Decora™ and Renu™ styles
- Integrated cable management keeps charging cables organized and protected
- Requires a Leviton wallplate, sold separately
- Ideal with Leviton USB charger/tamper-resistant receptacle

## USB CHARGER / TAMPER-RESISTANT RECEPTACLE

- USB ports with a combined power of 3.6A, ideal for charging tablets and other high-draw devices
- Compact design fits in a standard wallbox, is compatible with standard wallplates, and can be multi-ganged with other standard Leviton devices
- Back and side wired for easy installation
- Smart chip designed for recognizing and optimizing the charging requirements of your device
- Tamper-Resistant NEC® Compliant shutter mechanism blocks access to contacts from most foreign objects

| MOBILE DEVICE STATION & USB CHARGER / RECEPTACLE | |
|---|---|
| **DESCRIPTION** | **PART NO.** |
| **[C]** Decora Mobile Device Station | 47112-00^ |
| Renu Mobile Device Station | 47112-Rxx |
| **[D]** USB Charger/Tamper-Resistent Receptacle | T5631-2W |

^ = Color: White (W), Lt. Almond (T), Black (E)　　　xx = Color: White (WW), Navajo Sand (NS), Onyx Black (OB)

C, D

## RECESSED ONE-GANG RECEPTACLES

- cULus approved, code-compliant solution offers two 15A/125VAC NEMA 5-15R power outlets
- Supplies AC power for two components (flat panel TVs and video receiver)
- Fits most common electrical boxes available at electrical distributors and home centers

## RECESSED TWO-GANG DUPLEX RECEPTACLE W/ SIX QUICKPORT™ OPENINGS

- UL approved, code-compliant solution offers two 15A/125VAC NEMA 5-15R power outlets and six QuickPort openings (four blank inserts included)
- Fully compatible with Leviton QuickPort Modules
- Includes plastic electrical box designed for use in new and retrofit construction
- Centralizes connection points for AC power, audio, video, data, and phone
- Wallplate built into device

A

B

| RECESSED DEVICES | |
|---|---|
| **DESCRIPTION** | **PART NO.** |
| 1-Gang Recessed Single Receptacle 15A-125VAC, 2-Pole, 3-Wire — NEMA 5-15R, includes clock hanger hook | 00688-00* |
| 1-Gang Recessed Single Receptacle, Non-Magnetic Stainless Steel 15A-125VAC, 2-Pole, 3-Wire — NEMA 5-15R, includes clock hanger hook | 05261-0CH |
| **[A]** 1-Gang Recessed Duplex Receptacle 15A-125VAC, 2-Pole, 3-Wire — NEMA 5-15R | 00689-00† |
| 1-Gang Recessed Single Receptacle, Non-Magnetic Stainless Steel 20A-125VAC, 2-Pole, 3-Wire — NEMA 5-15R, includes clock hanger hook | 05361-0CH |
| **[B]** 2-Gang Recessed Duplex Receptacle and Openings for six QuickPort™ Modules 15A-125VAC, 2-Pole, 3-Wire — NEMA 5-15R | 00690-00* |

\* = Color: White (W), Ivory (I)     †= Color: White (W), Lt. Almond (T), Ivory (I), Black (E)

White (W)    Light Almond (T)    Ivory (I)    Black (E)

## RECESSED ENTERTAINMENT BOX (REB)

- Affordable solution manages home theater electronics in a single location
- Ideal for new construction (stud-mounted) and retrofit (wall-mounted) applications
- Low-profile frame provides neat, recessed installation
- Optional high-profile cover includes sliding plastic front panel, and channels all wires through the bottom of the unit
- Any combination of line and low-voltage products can be configured in openings
- Paintable white ABS molded plastic for structural integrity

C

| RECESSED ENTERTAINMENT BOX (REB) | |
|---|---|
| **DESCRIPTION** | **PART NO.** |
| **[C]** REB Box w/ Low-Profile Frame | 47617-REB |
| REB Box w/ High-Profile Cover | 47617-RBH |
| REB Box w/ Low-Profile Frame, 3 per rack pack counter display | 47617-REC |
| High-Profile Cover | 47617-HPC |
| Low-Profile Frame | 47617-LPF |
| Replacement Snap-in Plates, 2 per bag | 47617-PLT |

LEVITON

## LEVITON ARCHITECTURAL EDITION™ AUDIO SPEAKER WALLPLATES

Integrated Home Theater and Multi-Room Wallplates combine the build-quality and signal-path purity of a custom "audiophile" plate with the connectivity speed and convenience of a ready-made spring-clip design. For use with low-voltage rings and standard low-voltage junction boxes.

### MULTI-ROOM INSTALL WALLPLATE

- Integrated wallplate for connecting Left and Right Audio Speakers (± connections)
- Two extra openings for additional QuickPort connectors (e.g. adding a subwoofer or A-BUS jack)
- Wallplates feature two QuickPort™ openings for adding other connectors (blanks installed)

### HOME THEATER INTERFACE WALLPLATE

- Accommodates from 5.1 to 7.1 channel surround-sound systems, which connect to the AV Receiver
- Features RCA connectors for connecting subwoofers
- Two extra openings for additional QuickPort connectors (e.g. adding an A-BUS jack or IR port)

A

B

| HOME THEATER & MULTI-ROOM WALLPLATES | | |
|---|---|---|
| **DESCRIPTION** | Multi-Room Install Wallplate | Home Theater Interface Wallplate |
| **PART NO.** | **[A]** AEMRK-000 | **[B]** AEHTK-000 |
| **SPECIFICATIONS** | | |
| **Connector Type (front of module)** | Four audiophile-grade, gold-plated black and red spring clips, two QuickPort openings | 14 audiophile-grade, gold-plated black and red spring clips, two RCA connectors, two QuickPort openings |
| **Connector Type (back of module)** | Two two-pin in-line pluggable screw terminals | Eight-pin and six-pin in-line pluggable screw terminals |
| **Wallplate Design** | Single-gang, impact-resistant plastic | Three-gang, impact-resistant plastic |
| **Mounting Depth** | 2.5" (64mm) | 2.5" (64mm) |
| **Wiring** | 14-16 gauge speaker wire | 14-16 gauge speaker wire |

### SPEAKER INPUT PLATES

- Allows for simple, solderless connections to any home entertainment speaker system
- Designed to be used with in-wall speaker wiring schemes

C

| SPEAKER INPUT PLATES | |
|---|---|
| DESCRIPTION | PART NO. |
| **[C]** 1-Gang Single-Spring-Clip Device Audio/Video Wallplate, standard size, polymer break resistant, box mount | 40951-1PW |
| **[D]** 1-Gang Double-Spring-Clip Device Audio/Video Wallplate, standard size, polymer break resistant, box mount | 40952-2PW |

D

**Distributed Network & Audio**

**Home Theater & Multi-Room Wallplates**

## DISTRIBUTED AUDIO

Leviton Architectural Edition™ audio distribution and control modules centralize audio distribution and make for quicker, more reliable connections.

### SYSTEM-MATCHING MODULE

- Combine with non-impedance-matching Decora™ Volume Controls (SGVST-00W) to control up to six speaker pairs (cannot be used with impedance-matching volume controls)
- Mounts in Structured Media Enclosures and connects six rooms/zones
- AutoSurge™ circuit technology protects speakers from potentially damaging transients
- Transformer-Free™ impedance-matching design ensures linear frequency response, signal integrity, and high-power handling capacity
- Aerospace-grade Cermetile resistors replace conventional autoformers to maintain audio signal purity
- Independent channel grounds assure safe connection for all conventional audio amplifiers
- Detachable cable connectors are compatible with all standard speaker wire sizes (14-18 gauge)

A

| SYSTEM-MATCHING MODULE | |
|---|---|
| **DESCRIPTION** | **PART NO.** |
| **[A]** System-Matching Module for impedance-matching passive two-channel multi-room audio systems | SGAMP-000 |
| **SPECIFICATIONS** | |
| **Power Handling** | 150 W RMS per channel /225 W peak |
| **Frequency Response (± .5 dB)** | 10 Hz-40 kHz |
| **Dimensions** | 2.57" (68.6mm) H x 6.38" (161.9mm) W x 5.38" (136.5mm) D |

### 1X6 AUDIO DISTRIBUTION MODULE

- Combines with impedance-matching Decora Volume Controls (SGVSM-00W) to control up to six speaker pairs from an amplifier or receiver
- Mounts in Structured Media Enclosures and connects six rooms/zones
- Parallel connection scheme ensures the best sound quality
- User-removable connectors facilitate installation
- Connects with standard speaker wire
- Meets or exceeds applicable standards: UL and cULus listed

B

| 1X6 AUDIO DISTRIBUTION MODULE | |
|---|---|
| **DESCRIPTION** | **PART NO.** |
| **[B]** 1x6 Passive Audio Module | 48211-06A |
| **SPECIFICATIONS** | |
| **Wire Gauge** | 14-18 AWG |
| **Requirements** | Product must be used with impedance-matched volume controls or controllers (SGVSM-00W) |
| **Dimensions** | 6.58" (167.1mm) H x 2.89" (73.4mm) W x 1.42" (36.1mm) D |

## STRAUSS VOLUME CONTROLS

Strauss volume controls use a contemporary Decora™ slider design to bring precision and elegance to any installed system. They are available in both standard and impedance-matched versions; color-change kits ensure the right finishing touch for every application.

- Decora slide control with precision 12-position switch (including full OFF position)
- Transformer-Free™ attenuation technology ensures linear frequency response, signal integrity, and high-power handling ability
- Cermetile resistors replace conventional autoformers to preserve audio signal purity
- Detachable cable connector is compatible with all standard speaker wire sizes (14-18 gauge)
- Decora designer styling adds an elegant touch to any décor
- Can be used outdoors when mounted with any compatible Decora all-weather cover

| DECORA STRAUSS TRANSFORMER-FREE VOLUME CONTROLS | |
|---|---|
| **DESCRIPTION** | **PART NO.** |
| **[A]** Decora Strauss Transformer-Free Volume Control | SGVST-00W |
| Decora Strauss Transformer-Free Impedance-Matching Volume Control | SGVSM-00W |

| SPECIFICATIONS | |
|---|---|
| **Frequency Response** | 20 Hz-20 kHZ ± 1 dB |
| **Power Handling** | 200W peak/100W RMS |
| **Speaker Impedance** | 4-16 Ohms (nominal 8 Ohms) |
| **Mounting** | Standard single-gang design (mounting depth 2.5" (64mm) |
| **Materials** | Frame and slider white polycarbonate high-impact, fire-retardant plastic rated UL94 V-O |

A

Wallplate
not included

| DECORA STRAUSS COLOR-CHANGE KITS | |
|---|---|
| **DESCRIPTION** | **PART NO.** |
| Color-change kit, converts to light almond | SGVCK-0LA |
| Color-change kit, converts to ivory | SGVCK-0IA |
| Color-change kit, converts to black | SGVCK-00E |

Light Almond    Ivory    Black

Index

**Index**

# Index | Part Number Index

Index

# Index | Part Number Index

**LEVITON**

Index

# LEVITON®

**The following are trademarks of Leviton Manufacturing Company, Inc.:**

| | | |
|---|---|---|
| AutoSurge™ | GigaMax™ | Leviton Architectural Edition™ |
| Decora™ | Home 5e™ | QuickPort™ |
| ez-Learn™ | Home 6™ | Structured Media™ |

**For Leviton warranty information, please visit leviton.com/warranties.**

**Other trademarks used in this catalog are registered as follows:**

EZ-RJ45® is a registered trademark of SullStar Technologies, Inc.

HDMI® is a registered trademark of HDMI Licensing, LLC.

VELCRO® is a registered trademark of Velcro Industries B.V.

Wi-Fi® is a registered trademark of Wi-Fi Alliance.

All other trademarks, service marks, and logos used in this catalog are the property of their respective owners.

Today's networks must be fast and reliable, with the flexibility to handle ever-increasing data demands. Leviton can help expand your network possibilities and prepare you for the future. Our end-to-end cabling systems feature robust construction that reduces downtime, and performance that exceeds standards. We offer quick-ship make-to-order solutions from our US and UK factories. We even invent new products for customers when the product they need is not available. All of this adds up to the **highest return** on **infrastructure investment**.

### NETWORK SOLUTIONS DIVISION HEADQUARTERS
2222 - 222nd Street S.E., Bothell, WA, 98021, USA | leviton.com/ns

| | | |
|---|---|---|
| Inside Sales | +1 (800) 722 2082 | insidesales@leviton.com |
| International Inside Sales | +1 (425) 486 2222 | intl@leviton.com |
| Technical Support | +1 (800) 824 3005 / +1 (425) 486 2222 | appeng@leviton.com |
| Berk-Tek Cable Support | +1 (800) 237 5835 | berktek.support@leviton.com |

### NETWORK SOLUTIONS EUROPEAN HEADQUARTERS
Viewfield Industrial Estate, Glenrothes, KY6 2RS, UK | leviton.com/ns/emea

| | | |
|---|---|---|
| Customer Service | +44 (0) 1592 772124 | customerserviceeu@leviton.com |
| Technical Support | +44 (0) 1592 778494 | appeng.eu@leviton.com |

### NETWORK SOLUTIONS MIDDLE EAST HEADQUARTERS
Bay Square, Building 3, Office 205, Business Bay, Dubai, UAE | leviton.com/ns/middleeast

| | | |
|---|---|---|
| Customer Service | +971 (4) 247 9800 | lmeinfo@leviton.com |

### CORPORATE HEADQUARTERS
201 N. Service Road, Melville, NY 11747 USA | leviton.com

| | | |
|---|---|---|
| Customer Service | +1 (800) 323 8920 / +1 (631) 812 6000 | customerservice@leviton.com |

### ADDITIONAL OFFICES

| | | |
|---|---|---|
| Africa | +971 (4) 247 9800 | lmeinfo@leviton.com |
| Asia / Pacific | +1 (631) 812 6228 | infoasean@leviton.com |
| Canada | +1 (514) 954 1840 | pcservice@leviton.com |
| Caribbean | +1 (954) 593 1896 | infocaribbean@leviton.com |
| China | +852 2774 9876 | infochina@leviton.com |
| Colombia | +57 (1) 743 6045 | infocolombia@leviton.com |
| France | +33 (0) 1709 87825 | infofrance@leviton.com |
| Germany | +49 (0) 173 272 0128 | infogermany@leviton.com |
| Italy | +39 02 3534 896 (Milan) / +39 06 8360 0665 (Rome) | infoitaly@leviton.com |
| Latin America & Mexico | +52 (55) 5082 1040 | lsamarketing@leviton.com |
| South Korea | +82 (2) 3273 9963 | infokorea@leviton.com |
| Spain | +34 91 490 59 19 | infospain@leviton.com |
| Sweden | +46 70 9675033 | infosweden@leviton.com |

### ALL OTHER INTERNATIONAL INQUIRIES
international@leviton.com