

GigaMax® Cat 5e UTP QuickPort® Jack

APPLICATION

The GigaMax Cat 5e UTP QuickPort Jack is designed to be used with any Category 5e UTP structured cabling system. The modular connector features a one-piece narrow design that supports high port density in a small area, and is ideal for use in residential, MDU, and high-megabit applications.



SPECIFICATION

The jack shall meet or exceed the requirements for channel-level electrical transmission performance as described in ANSI/TIA-568.2-D (Cat 5e), ISO/IEC 11801-1 (Class D), and EN 50173-1 (Class D). The jack shall be compliant with ANSI/TIA-1096-A, cULus listed, and be independently verified for electrical transmission performance. In addition to Category 5e compliance, the jack shall have the ability to support high megabit and shared-sheath applications. All plastics used in construction of the connector bodies shall be fire-retardant with a UL flammability rating of 94V-0. Termination of all jacks shall be 110-type IDC with solder-plated phosphor bronze contacts. The jack shall provide a ledge directly adjacent to the 110-style termination against which the wires can be directly terminated and cut in one action by the installer. Jack wiring label shall provide installation color codes for both T568A and T568B wiring schemes. The modular hardware shall fit all other installed telecommunications wallplates, outlets and field-configurable patch panels and patch blocks.

COUNTRY OF ORIGIN

USA

FEATURES

- Available in 13 colors
- Dual wiring code label allows connector to be wired to either T568A or T568B
- Individual port configurability allows specification flexibility
- Robust one-piece lead-frame design increases power-carrying capacity and efficiency, while providing improved durability
- Narrow connector allows high port density in a small area
- Will exceed IEEE 802.3bt standard up to 0.7 amps (140 watts) continuously
- Supports high-megabit and shared-sheath applications
- Available individually, in bulk packages of 25, and in bulk packages of 150 with a JackRapid™ Punchdown Tool

DESIGN CONSIDERATIONS

- Use in any QuickPort housing to support GigaMax Cat 5e UTP connectivity in surface-mount, flush-mount, or modular furniture outlets, or patch panels and patch blocks
- Can be used in conjunction with other QuickPort snap-in modules for voice/data and video applications over UTP, coax and fiber
- To ID ports, use different colored modules for each application

STANDARDS & REGULATIONS

- ANSI/TIA-568.2-D (Cat 5e)
- ISO/IEC 11801-1 (Cat 5e)
- EN 50173-1 (Cat 5e)
- ANSI/TIA-1096-A (Formerly FCC Part 68)
- Power over HDBaseT™ PoH (95 Watts)
- IEEE 802.3bt PoE Type 1 (15.4 Watts) formerly 802.3af, Type 2 (30 Watts) formerly 802.3at, Type 3 (60 Watts), Type 4 (90 Watts)
- Cisco UPoE (60 Watts), UPoE+ (90 Watts)
- cULus Listed (UL 1863)
- UL 2043 Plenum Certified
- RoHS 3

MECHANICAL SPECIFICATIONS

| | |
|--------------------------|--|
| Dimensions: | See page two |
| Materials: | Jack body is high-impact, fire retardant plastic rated UL 94V-0. |
| Temperature (Storage): | -40 °C to +70 °C |
| Temperature (Operating): | -10 °C to +60 °C |


WARRANTY INFORMATION

For Leviton product warranties, go to leviton.com/warranty

PRODUCT SPECIFICATIONS
5G108-xx5



5G108-xx5



PART NUMBERS

| Description | Jack | QuickPack™ 25/Bag | 150/Bag with JackRapid™ Tool |
|---|-----------|----------------------|---------------------------------|
| GigaMax® Cat 5e UTP QuickPort® Jack, white | 5G108-RW5 | 5G108-BW5 | 5G108-JW5 |
| GigaMax Cat 5e UTP QuickPort Jack, ivory | 5G108-RI5 | 5G108-BI5 | 5G108-JI5 |
| GigaMax Cat 5e UTP QuickPort Jack, orange | 5G108-RO5 | 5G108-BO5 | 5G108-JO5 |
| GigaMax Cat 5e UTP QuickPort Jack, blue | 5G108-RL5 | 5G108-BL5 | 5G108-JL5 |
| GigaMax Cat 5e UTP QuickPort Jack, black | 5G108-RE5 | 5G108-BE5 | 5G108-JE5 |
| GigaMax Cat 5e UTP QuickPort Jack, light almond | 5G108-RT5 | 5G108-BT5 | 5G108-JT5 |
| GigaMax Cat 5e UTP QuickPort Jack, gray | 5G108-RG5 | 5G108-BG5 | 5G108-JG5 |
| GigaMax Cat 5e UTP QuickPort Jack, crimson | 5G108-RC5 | 5G108-BC5 | 5G108-JC5 |
| GigaMax Cat 5e UTP QuickPort Jack, yellow | 5G108-RY5 | 5G108-BY5 | 5G108-JY5 |
| GigaMax Cat 5e UTP QuickPort Jack, green | 5G108-RV5 | 5G108-BV5 | 5G108-JV5 |
| GigaMax Cat 5e UTP QuickPort Jack, purple | 5G108-RP5 | 5G108-BP5 | 5G108-JP5 |
| GigaMax Cat 5e UTP QuickPort Jack, brown | 5G108-RB5 | 5G108-BB5 | 5G108-JB5 |
| GigaMax Cat 5e UTP QuickPort Jack, dark red | 5G108-RR5 | 5G108-BR5 | 5G108-JR5 |

For further support information, visit leviton.com/ns/support

NETWORK SOLUTIONS GLOBAL HEADQUARTERS

Bothell, WA, USA | leviton.com/ns
(800) 824 3005 / +1 (425) 486 2222 | appeng@leviton.com

NETWORK SOLUTIONS EUROPEAN HEADQUARTERS

Glenrothes, UK | leviton.com/ns/emea
+44 (0) 1592 772124 | customerserviceeu@leviton.com

Leviton is dedicated to designing, developing and manufacturing sustainable high-performance structured cabling and speciality cabling solutions. Network Solutions products are available worldwide in over 100 countries. Visit us online to learn more.