

## MB3A0C2

Cable Tie Mount - 4 Way Mount w/Rubber Adhesive .75"X.75" - PA66, BK, T18 & T30

Cable Ties, 100/pk

Article Number: 151-28710

Part Number: MB3A0C2

Type: MB3A

Material: PA66



### 1. Base Data

---

**Part No.** MB3A0C2

**Type** MB3A

**Color** Black (BK)

**Features** This HellermannTyton 4-way mounting base accommodates the T18 & T30 series cable ties. Insertion of the ties can be made from all four sides. Each mount may be secured with two screws, with adhesive backing, or both, for ease of application and stability.


## Application

HellermannTyton offers a wide variety of mounting bases suited for many applications. Mounting bases are used in conjunction with cable ties to stabilize and secure wiring bundles, both indoors and outdoors.

## Application Method

These mounting bases can be secured to a surface using rubber based adhesive.

## 2. Product Dimensions




<b>Length (L)</b>	.75 " / 19.0 mm
<b>Width (W)</b>	.75 " / 19.0 mm
<b>Max. Cable Tie Width</b>	0.161 " / 4.1 mm
<b>Height (H)</b>	.18 " / 4.6 mm
<b>Mounting Hole Ø</b>	.122 " / 3.1
<b>Mounting Hole Centers</b>	.52 "
<b>Thickness of Adhesive (TA) nom.</b>	.031 "
<b>Mounting Hole Centers</b>	13.2 mm

Thickness of Adhesive (TA) nom. 0.8 mm

#### 4. Material and Specifications

---

Material	Polyamide 6.6 (PA66)
Material Shortcut	PA66
Adhesive	Synthetic rubber with base of polyethylene foam / Synthetic rubber
Adhesive Operating Temperature	-4 °F to +122 °F (-20°C to +50°C)
Flammability	UL94 V2 (excluding adhesive)
Operating Temperature	-40 °F to +185 °F (-40 °C to +85 °C) continuous
ROHS Conformity	

#### Logistic and Packaging

---

Packaging Type	bag
Pkg. Qty.	100
Carton Qty.	10000
UPC	08930602333

#### Miscellaneous

---

UL Recognized (US and Canada) Yes

# Cable Tie Mounts

## Cable Tie Mounts

HellermannTyton offers a wide variety of mounting bases suited for many applications. Mounting bases are used in conjunction with cable ties to stabilize and secure wiring bundles, both indoors and outdoors. These mounting bases can be secured to a surface using rubber based adhesive, acrylic adhesive, or also can be screw mounted.




Adhesive mounts are supplied in pairs connected together on an adhesive liner.

## Cable Tie Mounting Bases


HellermannTyton's 4-way mounting bases are available in four sizes to accommodate T18 through T150 series cable ties. Insertion of ties can be made from all four sides. Each mount may be secured with two screws (four screws for the MB2.5 mount), with adhesive backing, or both, for ease of application and stability.

For applications where higher temperatures, certain chemicals, or UV radiation are a concern and an adhesive is the preferred method for securing, the acrylic adhesive 4-way mounting bases are recommended. The 2-way mounting bases may be secured with one screw, with adhesive backing, or both, and allow ties to be inserted from two sides.


Material Data	
Material	<b>Polyamide 6.6 (PA66)</b>
Operating Temperature	<b>-40 °F to +185 °F (-40 °C to +85 °C) continuous</b>
Flammability	<b>UL94 V2 (excluding adhesive)</b>



2-way mount



4-way, MB2.5 mount



4-way, MB3, MB4 and MB5 mounts


## Cable Tie Mounting Bases - Screw Mount

**CTUS**  
File# E64139

Product Selection					Length (L)	Width (W)	Height (H)	Color	Pkg. Qty.
Article No.	Part No.	Type	Cable Tie Series	Mounting					
<b>2- Way Screw Mount</b>									
151-29104	<b>MB4SH10C2</b>	MB4SH	T18 - T50	# 6 Screw	1.115" (28.32)	1.115" (28.32)	.202" (5.13)	White	100
151-00323	<b>MB4SH10H4</b>	MB4SH			1.115" (28.32)	1.115" (28.32)	.202" (5.13)	White	500
151-29100	<b>MB4SH0C2</b>	MB4SH			1.115" (28.32)	1.115" (28.32)	.202" (5.13)	Black	100
151-29101	<b>MB4SH0H4</b>	MB4SH			1.115" (28.32)	1.115" (28.32)	.202" (5.13)	Black	500
<b>4- Way Screw Mount</b>									
151-28901	<b>MB2.510C2</b>	MB2.5	T18	# 3 Screw	.625" (15.88)	.625" (15.88)	.130" (3.3)	White	100
151-28902	<b>MB2.510M4</b>	MB2.5			.625" (15.88)	.625" (15.88)	.130" (3.3)	White	1000
151-00285	<b>MB2.50C2</b>	MB2.5			.625" (15.88)	.625" (15.88)	.130" (3.3)	Black	100
151-00286	<b>MB2.50M4</b>	MB2.5			.625" (15.88)	.625" (15.88)	.130" (3.3)	Black	1000
151-28302	<b>MB310C2</b>	MB3	T18, T30	#4 Screw	.75" (19.0)	.75" (19.0)	.15" (3.8)	White	100
151-28305	<b>MB310M4</b>	MB3			.75" (19.0)	.75" (19.0)	.15" (3.8)	White	1000
151-00136	<b>MB30C2</b>	MB3			.75" (19.0)	.75" (19.0)	.15" (3.8)	Black	100
151-28301	<b>MB30M4</b>	MB3			.75" (19.0)	.75" (19.0)	.15" (3.8)	Black	1000
151-28802	<b>MB410C2</b>	MB4	T18 - T50	#8 Screw	1.12" (28.5)	1.12" (28.5)	.19" (4.8)	White	100
151-00319	<b>MB410H4</b>	MB4			1.12" (28.5)	1.12" (28.5)	.19" (4.8)	White	500
151-00320	<b>MB40C2</b>	MB4			1.12" (28.5)	1.12" (28.5)	.19" (4.8)	Black	100
151-28801	<b>MB40H4</b>	MB4			1.12" (28.5)	1.12" (28.5)	.19" (4.8)	Black	500
151-00324	<b>MB510C2</b>	MB5	T18 - T150	#8 Screw	1.485" (37.7)	1.485" (37.7)	.245" (6.2)	White	100
151-28504	<b>MB510F4</b>	MB5			1.485" (37.7)	1.485" (37.7)	.245" (6.2)	White	250
151-28500	<b>MB50C2</b>	MB5			1.485" (37.7)	1.485" (37.7)	.245" (6.2)	Black	100
151-28501	<b>MB50F4</b>	MB5			1.485" (37.7)	1.485" (37.7)	.245" (6.2)	Black	250

Dimensions are approximate and subject to technical changes. Use **Part No.** for ordering and **Type** for specification purposes.

### Cable Tie Mounting Bases *continued*



### Cable Tie Mounting Bases - Rubber-Based Adhesive

**CA** US  
File# E64139

Product Selection									
Article No.	Part No.	Type	Cable Tie Series	Mounting	Length (L)	Width (W)	Height (H)	Color	Pkg. Qty.
					in. (mm)	in. (mm)	in. (mm)		
<b>2- Way Mount with Rubber - Based Adhesive</b>									
151-29203	<b>MB4SHA10C2</b>	MB4SHA	T18 - T50	Adhesive	1.115" (28.32)	1.115" (28.32)	.232" (5.89)	White	100
151-29206	<b>MB4SHA10H4</b>	MB4SHA			1.115" (28.32)	1.115" (28.32)	.232" (5.89)	White	500
151-29200	<b>MB4SHA0C2</b>	MB4SHA			1.115" (28.32)	1.115" (28.32)	.232" (5.89)	Black	100
<b>4- Way Mount with Rubber - Based Adhesive</b>									
151-29002	<b>MB2.5A10C2</b>	MB2.5A	T18	Adhesive	.625" (15.88)	.625" (15.88)	.160" (4.1)	White	100
151-00298	<b>MB2.5A10M4</b>	MB2.5A			.625" (15.88)	.625" (15.88)	.160" (4.1)	White	1000
151-29000	<b>MB2.5A0C2</b>	MB2.5A			.625" (15.88)	.625" (15.88)	.160" (4.1)	Black	100
151-29001	<b>MB2.5A0M4</b>	MB2.5A			.625" (15.88)	.625" (15.88)	.160" (4.1)	Black	1000
151-28718	<b>MB3A10C2</b>	MB3A	T18, T30	Adhesive	.75" (19.0)	.75" (19.0)	.18" (4.6)	White	100
151-28721	<b>MB3A10M4</b>	MB3A			.75" (19.0)	.75" (19.0)	.18" (4.6)	White	1000
151-28710	<b>MB3A0C2</b>	MB3A			.75" (19.0)	.75" (19.0)	.18" (4.6)	Black	100
151-28713	<b>MB3A0M4</b>	MB3A			.75" (19.0)	.75" (19.0)	.18" (4.6)	Black	1000
151-28421	<b>MB4A10C2</b>	MB4A	T18 - T50	Adhesive	1.12" (28.0)	1.12" (28.0)	.22" (5.6)	White	100
151-00321	<b>MB4A10H4</b>	MB4A			1.12" (28.0)	1.12" (28.0)	.22" (5.6)	White	500
151-28403	<b>MB4A0C2</b>	MB4A			1.12" (28.0)	1.12" (28.0)	.22" (5.6)	Black	100
151-28406	<b>MB4A0H4</b>	MB4A			1.12" (28.0)	1.12" (28.0)	.22" (5.6)	Black	500
151-28529	<b>MB5A10C2</b>	MB5A	T18 - T150	Adhesive	1.485" (37.7)	1.485" (37.7)	.275" (6.9)	White	100
151-00427	<b>MB5A10F4</b>	MB5A			1.485" (37.7)	1.485" (37.7)	.275" (6.9)	White	250
151-28602	<b>MB5A0C2</b>	MB5A			1.485" (37.7)	1.485" (37.7)	.275" (6.9)	Black	100
151-28605	<b>MB5A0F4</b>	MB5A			1.485" (37.7)	1.485" (37.7)	.275" (6.9)	Black	250

Dimensions are approximate and subject to technical changes. Use **Part No.** for ordering and **Type** for specification purposes.

### Cable Tie Mounting Bases - Acrylic Adhesive

Product Selection									
Article No.	Part No.	Type	Cable Tie Series	Mounting	Length (L)	Width (W)	Height (H)	Color	Pkg. Qty.
					in. (mm)	in. (mm)	in. (mm)		
<b>4 - Way Screw Mount Acrylic Adhesive</b>									
151-00331	<b>MB3A10A2C2</b>	MB3A	T18, T30	Adhesive	.75" (19.0)	.75" (19.0)	.18" (4.6)	White	100
151-28717	<b>MB3A10A2H4</b>	MB3A			.75" (19.0)	.75" (19.0)	.18" (4.6)	White	500
151-28711	<b>MB3A0A2C2</b>	MB3A			.75" (19.0)	.75" (19.0)	.18" (4.6)	Black	100
151-28709	<b>MB3A0A2H4</b>	MB3A			.75" (19.0)	.75" (19.0)	.18" (4.6)	Black	500
151-28420	<b>MB4A10A2C2</b>	MB4A	T18 - T50	Adhesive	1.12" (28.5)	1.12" (28.5)	.23" (5.9)	White	100
151-00322	<b>MB4A10A2H4</b>	MB4A			1.12" (28.5)	1.12" (28.5)	.23" (5.9)	White	500
151-28402	<b>MB4A0A2C2</b>	MB4A			1.12" (28.5)	1.12" (28.5)	.23" (5.9)	Black	100
151-28405	<b>MB4A0A2H4</b>	MB4A			1.12" (28.5)	1.12" (28.5)	.23" (5.9)	Black	500
151-28607	<b>MB5A10A2C2</b>	MB5A	T18 - T150	Adhesive	1.485" (37.7)	1.485" (37.7)	.275" (6.9)	White	100
151-28610	<b>MB5A10A2F4</b>	MB5A			1.485" (37.7)	1.485" (37.7)	.275" (6.9)	White	250
151-28600	<b>MB5A0A2C2</b>	MB5A			1.485" (37.7)	1.485" (37.7)	.275" (6.9)	Black	100
151-28604	<b>MB5A10A2F4</b>	MB5A			1.485" (37.7)	1.485" (37.7)	.275" (6.9)	Black	250

Dimensions are approximate and subject to technical changes. Use **Part No.** for ordering and **Type** for specification purposes.