

# P SERIES

5" 2-WAY, 70 VOLTS & 8 OHMS

ARCHITECTS AND ENGINEERS  
SPECIFICATIONS / TECHNICAL DATA

## P5278PB / P5278PW

### GENERAL SPECIFICATIONS



MODEL NUMBER:	P5278PB / P5278PW
DESCRIPTION:	5" 2-Way, Ported
OUTDOOR:	Yes
IMPEDANCE:	70 Volts & 8 Ohms
SENSITIVITY (1W/1M):	87 dB +/- 3dB
MAX POWER:	40 Watts
NOMINAL POWER:	2.5, 5, 10, 20 Watts
FREQUENCY RESPONSE:	75 Hz - 20 kHz
CROSSOVER:	4 kHz
DISPERSION:	120°
HIGH FREQUENCY DRIVER	3/4", Dome
LOW FREQUENCY DRIVER	5", Polypropylene/Rubber
WOOFER:	5", Polypropylene/Rubber
TWEETER(S):	1 Each, 3/4, Poly Carbonate
ENCLOSURE:	Plastic
DIMENSIONS: (LxWxH/inches):	7 1/4" x 7 1/8" x 9 3/4"
GRILL MATERIAL:	Aluminum
WEIGHT:	5.25 lbs.
COLOR(S):	Black, White
PAINTABLE:	Yes
GIFT BOX DIMENSIONS (LxWxH):	16" x 10" x 11"
GIFT BOX WEIGHT	14 lbs.
MASTER CARTON DIMENSIONS (LxWxH):	21" x 18" x 12"
MASTER CARTON QUANTITY:	4



**OWI Incorporated**

17141 Kingsview Avenue, Carson, CA 90746 USA


Tel: 310.515.1900

Toll Free: 800.638.1694

Fax: 310.515.1606

Web: [www.owi-inc.com](http://www.owi-inc.com)

E-mail: [info@owi-inc.com](mailto:info@owi-inc.com)



# P SERIES

6.5" 2-WAY, 70 VOLTS & 8 OHMS

ARCHITECTS AND ENGINEERS  
SPECIFICATIONS / TECHNICAL DATA

## P6278PB / P6278PW



### GENERAL SPECIFICATIONS

MODEL NUMBER:		P6278PB / P6278PW
DESCRIPTION:	6.5" 2-Way, Ported	
OUTDOOR:	Yes	
IMPEDANCE:	70 Volts & 8 Ohms	
SENSITIVITY (1W/1M):	86 dB +/- 3dB	
MAX POWER:	45 Watts	
NOMINAL POWER:	3.5, 7.5, 15, 30 Watts	
FREQUENCY RESPONSE:	65 Hz - 20 kHz	
CROSSOVER:	3.5 kHz	
DISPERSION:	92°	
HIGH FREQUENCY DRIVER:	2", Dome	
LOW FREQUENCY DRIVE:	6 1/2", Polypropylene/Rubber	
WOOFER SIZE:	6.5"	
WOOFER MATERIAL:	Polypropylene/Rubber	
TWEETER(S):	1 Each	
TWEETER SIZE:	2"	
TWEETER MATERIAL:	PEI	
ENCLOSURE:	Plastic	
DIMENSIONS: (LxWxH/inches):	9 1/2" x 8 1/2" x 11 1/4"	
GRILL MATERIAL:	Aluminum	
WEIGHT:	9.3 lbs.	
COLOR(S):	Black, White	
PAINTABLE:	Yes	
GIFT BOX DIMENSIONS (LxWxH):	19" x 11" x 13"	
GIFT BOX WEIGHT	22 lbs.	
MASTER CARTON DIMENSIONS (LxWxH):	23" x 20" x 14"	
MASTER CARTON QUANTITY:	4	



#### OWI Incorporated

17141 Kingsview Avenue, Carson, CA 90746 USA


Tel: 310.515.1900

Toll Free: 800.638.1694

Fax: 310.515.1606

Web: [www.owi-inc.com](http://www.owi-inc.com)

E-mail: [info@owi-inc.com](mailto:info@owi-inc.com)



# P SERIES

8" 3-WAY, 70 VOLTS & 8 OHMS

ARCHITECTS AND ENGINEERS  
SPECIFICATIONS / TECHNICAL DATA

## GENERAL SPECIFICATIONS



MODEL NUMBER:	P8378P
DESCRIPTION:	8" 3-Way, Ported
OUTDOOR:	Yes
IMPEDANCE:	70/100 Volts & 8 Ohms
SENSITIVITY (1W/1M):	89 dB +/- 3dB
MAX POWER:	80 Watts
NOMINAL POWER:	5, 10, 20, 40 Watts
FREQUENCY RESPONSE:	50 Hz - 20 kHz
CROSSOVER:	4 kHz
DISPERSION:	85°
WOOFER SIZE:	8"
WOOFER MATERIAL:	Polypropylene/Rubber
MIDRANGE SIZE:	2"
MIDRANGE MATERIAL:	Titanium
TWEETER SIZE:	25 mm
TWEETER MATERIAL:	Silk
ENCLOSURE:	Plastic
GRILL MATERIAL:	Aluminum
DIMENSIONS (LxWxH):	12 1/8" x 10 1/2" x 14 1/8"
WEIGHT:	17.2 lbs.
COLOR(S):	Black, White
PAINTABLE:	Yes



**OWI Incorporated**

17141 Kingsview Avenue, Carson, CA 90746 USA

Tel: 310.515.1900

Toll Free: 800.638.1694

Fax: 310.515.1606

Web: [www.owi-inc.com](http://www.owi-inc.com)

E-mail: [info@owi-inc.com](mailto:info@owi-inc.com)

