# smoke**centurion**™

*SILICONE-FREE SMOKE DETECTOR TESTING!*



SMOKE DETECTOR TESTER
For functional testing of smoke detectors
smokecenturion smoke
UL LISTED
UL LISTED
SILICONE FREE TESTING
DANGER EXTREMELY FLAMMABLE
SEE SIDE PANEL FOR ADDITIONAL WARNINGS
Net Weight: 2.6oz

# FEATURES

» **MORE TESTS PER CAN**

» **SILICONE-FREE TESTING - REDUCES RISK OF DETECTOR CONTAMINATION**

» **LOWEST COST PER TEST**

» **FAST DETECTOR ACTIVATION**

» **USE HANDHELD OR WITH A DISPENSER (SOLO 330)**

» **OZNE FRIENDLY, NO CFCs, AND LOW GWP FREE PROPELLANT**

» **DETECTOR MANUFACTURER APPROVED**

» **3 OZ CAN**

UL LISTED — Fire Alarm Equipment 77TL Aerosol Smoke Detector Tester

c UL LISTED — Automatic Fire Detector Accessory 77TL

# smokecenturion™

## HOW IT WORKS

>> Smoke Centurion is an aerosol tester for checking the functionality of smoke detectors

>> Designed to test the widest possible range of smoke detectors, Smoke Centurion offers efficient testing in a simple to use format - either hand-held or with use of a dispenser (Solo 330).

>> To use Smoke Centurion, simply hold the aerosol tester at least one foot away from the smoke detector and apply a one second burst.

## CONFORMS TO THE FOLLOWING CODES:

NFPA 72 Chapter 14 (2021 Edition) Table 14.4.3.2 (7) Smoke Detectors – Functional Test:
*"Test smoke detectors in place to ensure smoke entry into the sensing chamber and an alarm response. Use smoke or UL listed and labeled product acceptable to the manufacturer or in accordance with their published instructions"… "ensure smoke entry from the protected area, through the vents, into the sensing chamber…"*

CAN/ULC-S536:2019-REV:
*"Each detector shall be tested for operation by introducing smoke or simulated smoke into the detecting chamber."*
*"Le fonctionnement de chaque detecteur de fumee doit etre verifie parl'introduction de fumee OU de fumee simulee dans la chambre de detection, conformement aux instructions du fabricant."*