



PRODUCT CATALOG

VANCO1.COM

MADE FOR AV
DISTRIBUTION

Table of Contents

Audio and Video Distribution.....	4
Audio and Video Cables	36
IR Distribution	60
Converters, Couplers and Adapters	68
Networking Solutions	96
Wall Plates and Mounting Brackets:	110
Wall Mounts and Installation Accessories	126
Part Number Index	138

AUDIO &

VIDEO DISTRIBUTION



AUDIO & VIDEO DISTRIBUTION

HDBASET™ 8X7 MATRIX SELECTOR SWITCH WITH HDMI® OUTPUT

- HDBaseT Matrix that features 7 HDBaseT outputs and 1 HDMI output
- Quick install kit includes 7 HDBaseT PoC receivers, 8 IR Emitter and Receiver sets and IR remote control
- Supports HDCP 2.2, and is backward compatible with the previous version of HDCP and HDMI
- Transmits 4Kx2K@ 60Hz 4:2:0 up to 26 ft (8m) via HDMI port and 131 ft (40m) via HDBaseT port
- 7 HDBaseT outputs with distances up to 230 ft (70m) at 1080p and 131 ft (40m) at 4Kx2K on a single Cat5e/6 cable
- HDBaseT Receivers are powered by the matrix using PoC technology
- LED indicators show real-time switching status
- Controllable via front panel, RS232, IR and TCP/IP
- Supports bi-directional IR & RS232 control
- Built-in GUI for TCP/IP control and setup
- Powerful EDID management
- Features Micro USB port for firmware upgrades
- Easy installation with rack-mounting design, mounting hardware included
- Power Supply: Matrix Unit, AC100-240V; Receivers, PoC
- Matrix Dimensions: 17.2" W x 1.7" H x 11.8" D
- Receiver Dimensions: 2.4" W x .9" H x 4.7" D



PART #	PKG.
HDBT8X7	PKG D




HDMI® 8X8 4K2K MATRIX SELECTOR SWITCH

- Allows up to 8 HDMI sources to be distributed simultaneously to up to 8 displays
- Supports resolutions up to 1080p@60 Hz, 48-bit deep color, 4K@ 30 Hz
- Advanced EDID management for rapid integration of sources and displays
- Dolby TrueHD and DTS-HD master audio pass through HDMI output
- Full 3D pass through
- Choose from 4 switching modes – Front Panel buttons, IR remote control, RS-232 control, and TCP/IP control
- HDCP Compliant
- Wideband bi-directional IR pass-through (20 to 60 kHz) (8 IR Transmitters and 9 IR Receivers included)
- Dimensions: 17.25" W x 1.63" H x 7.19" D



AUDIO & VIDEO DISTRIBUTION




PART #	PKG.
280688	PKG D

AUDIO & VIDEO DISTRIBUTION

AUDIO & VIDEO DISTRIBUTION

HDMI® 6X6 4K2K MATRIX SELECTOR SWITCH

- Allows up to 6 HDMI sources to be distributed simultaneously to up to 6 displays
- Supports resolutions up to 1080p@60 Hz, 48-bit deep color, 4K@ 30 Hz
- Advanced EDID management for rapid integration of sources and displays
- Dolby TrueHD and DTS-HD master audio pass through HDMI output
- Full 3D pass through
- Choose from 4 switching modes – Front Panel buttons, IR remote control, RS-232 control, and TCP/IP control
- HDCP Compliant
- Wideband bi-directional IR pass-through (20 to 60 kHz) (8 IR Transmitters and 9 IR Receivers included)
- Dimensions: 17.25" W x 1.63" H x 7.19" D




PART #	PKG.
280566	PKGD



HDBASET™ 4X3 MATRIX SELECTOR SWITCH WITH HDMI® OUTPUT

- HDBaseT Matrix that features 3 HDBaseT outputs and 1 HDMI output
- Quick install kit includes 3 HDBaseT PoC receivers- 4 IR Emitter and Receiver sets and IR remote control
- Supports HDCP 2.2- and is backwards compatible with previous version of HDCP and HDMI
- Transmits 4Kx2K @ 60Hz 4:2:0 up to 26 ft (8m) via HDMI port and 131 ft (40m) via HDBaseT port
- 3 HDBaseT outputs with distances up to 230 ft (70m) at 1080p and 131 ft (40m) at 4Kx2K on a single Cat5e/6 cable
- HDBaseT Receivers are powered by the matrix using PoC technology
- LED indicators show real-time switching status
- Controllable via front panel- RS232- IR and TCP/IP
- Supports bi-directional IR & RS232 control
- Built-in GUI for TCP/IP control and setup
- Powerful EDID management
- Features Micro USB port for firmware upgrades
- Easy installation with rack-mounting design- mounting hardware included
- Power Supply: Matrix Unit- DC 24V; Receivers- PoC
- Matrix Dimensions: 14.2" W x 1" H x 5.9" D
- Receiver Dimensions: 2.4" W x .9" H x 4.7" D




PART #	PKG.
HDBT4X3	PKGD

AUDIO & VIDEO DISTRIBUTION

AUDIO & VIDEO DISTRIBUTION

HDMI® 4X4 TRUE 4K HDCP 2.2 MATRIX SELECTOR SWITCH

- Allows up to 4 HDMI sources to be distributed simultaneously to up to 4 displays
- Features 4 digital and analog audio outputs
- Ultra HD – Supports resolutions up to 4K2K @ 30 Hz- 24 bit color- 4:4:4 chroma or up to 4K2K @ 60 Hz- 12 bit color and 4:2:0 chroma
- Compatible with displays and devices with Audio Return Channel (ARC) capabilities
- ARC allows audio content from a display to be sent back to the matrix where the audio can then be extracted to an audio video receiver or amplifier
- Supports 4 Channels of ARC
- Control via manual- IR- RS232 and TCP/IP
- Additional EDID management can be achieved using the RS232 connection and the interface to encourage device communication and compatibility for a seamless installation
- HDCP 2.2 Compliant
- Deep Color Supported up to 48 bit
- Power Supply: 12V/2.5A DC power adapter
- Dimensions: 17.3" W x 1.8" H x 4.3" D



PART #	PKG.
VAN4K44	PKGD



HDMI® 4X4 4K MATRIX SELECTOR SWITCH WITH HDR

- Allows up to 4 HDMI sources to be distributed simultaneously to up to 4 displays
- Supports 4K@60Hz, 4:4:4 Chroma Subsampling, with HDR
- Supports both HDR10 and Dolby Vision
- HDCP 2.2 Compliant
- Supports Deep Color and 3D
- Supports Dolby Atmos/Dolby, DTS, PCM audio formats
- EDID adjustment via RS-232 or manually adjustable
- Control via RS-232, IR remote control, or manual control for switching
- Power Supply: 12V DC, 2.5A
- Dimensions: 5.9" W x 1.26" H x 4.37" D



AUDIO & VIDEO DISTRIBUTION




PART #	PKG.
HDMX4K44	PKGD

AUDIO & VIDEO DISTRIBUTION

AUDIO & VIDEO DISTRIBUTION

HDMI® 4X4 COAXIAL MATRIX SELECTOR SWITCH

- Allows up to 4 HDMI sources to be distributed simultaneously to up to 4 displays
- Simple plug and play solution allows each output the ability to extend the HDMI signal up to 328ft/100m over a single BNC terminated coaxial cable (RG6)
- Features HDSI technology- full 1080P HD video and audio
- Additional EDID management can be achieved using the RS232 connection and the interface to encourage device communication and compatibility for a seamless installation
- Supports wideband IR- 30–60KHz (IR accessories included)
- Control via RS-232- TCP/IP- IR- and manual on-panel control
- Supports smart EDID management
- Quick Install Kit includes Matrix Unit and 4 Receivers
- 12V DC- UL Listed Power supply for 4x4 matrix
- 5V DC- UL Listed Power Supplies for Receivers (4 total)
- 4x4 Matrix Dimensions: 17.3" (440mm) W x 1.75" (44.45mm) H x 7.875 (200mm) D
- Receiver Dimensions: 2" W x 1" H x 3.125" D




PART #	PKG.
280568	PKGD



4K HDMI® 1X4 SPLITTER WITH HDR

- Transmits audio and video from a single source to 4 HDMI outputs up to 4K2K (2160p) Ultra High Definition resolution without any loss of quality or resolution
- Supports video formats up to 4K2K@60Hz with 12bit YCBCR 4:4:4 and HDR
- 3D frame sequential video format up to 1080p@60
- Supports high resolution VESA mode video format up to QSXGA 2560x2048@60Hz
- Compliant with HDCP 2.2 sources and backwards compatible with older versions of HDCP
- Dynamic and Manual EDID management modes to ensure compatibility during installation
- Supports LPCM 7.1CH, Dolby TrueHD, and DTS-HD Master Audio
- Supports Hot-plug
- High bandwidth: 18 Gbps
- Features status indicator for connection & input HDCP compliance
- Can be cascaded with other Evolution by Vanco products to create additional output options or to create an expanded distribution system
- Power Supply: DC 5V, 1A
- Dimensions: 4.7" W x .6" H x 3" D

AUDIO & VIDEO DISTRIBUTION




PART #	PKG.
HDSP4K14	PKGD

AUDIO & VIDEO DISTRIBUTION

AUDIO & VIDEO DISTRIBUTION

4K HDMI® 1X2 SPLITTER WITH HDR

- Transmits audio and video from a single source to 2 HDMI outputs up to 4K2K (2160p) Ultra High Definition resolution without any loss of quality or resolution
- Supports video formats up to 4K2K@60Hz with 12bit YCBCR 4:4:4 and HDR
- 3D frame sequential video format up to 1080p@60
- Supports high resolution VESA mode video format up to QSXGA 2560x2048@60Hz
- Compliant with HDCP 2.2 sources and backwards compatible with older versions of HDCP
- Dynamic and Manual EDID management modes to ensure compatibility during installation
- Supports LPCM 7.1CH, Dolby TrueHD, and DTS-HD Master Audio
- Supports Hot-plug
- High bandwidth: 18 Gbps
- Features status indicator for connection & input HDCP compliance
- Can be cascaded with other Evolution by Vanco products to create additional output options or to create an expanded distribution system
- Power Supply: DC 5V, 1A
- Dimensions: 4.7" W x .6" H x 3" D



PART #	PKG.
HDSP4K12	PKG D



HDMI® 5X1 4K2K SWITCH

- Allows 5 sources to be switched and distributed to a single display
- Features "Smart Switching Technology" that will automatically switch to any HDMI signal that is connected or turned on; automatically switches to the next HDMI source signal that is active if turning off current HDMI input
- Supports 4K2K (2160p @30) Ultra High Definition resolution
- Full high definition resolution support: 2160p, 1080p, 1080i, 720p and other standard video formats
- Fully cascadable so multiple units may be combined to create an expanded distribution system
- Supports HDMI 36bit Deep Color and 3D
- Supports standard audio, DSD audio and HD (HBR) audio, 7.1 and 5.1 surround audio, actually, Dolby digital, Dolby True HD, DTS, and DTS Master audio
- Features dual band Super IR system for controlling source from any display connected (HDMI IR adapters (Part # 280703) and IR transmitters and receivers are sold separately (Part #s 280720, 280721))
- HDCP Compliant
- Compact design for easy installation
- Power Supply: DC 5V
- Dimensions: 4.4" W x .9" H x 3" D



Up to 5 Input Sources



Forward and Backward Compatible IR Channel Control



HDTV

IR Adapter allows for IR Control over any existing HDMI Cable


PART #	PKG.
280710	PKGD

AUDIO & VIDEO DISTRIBUTION

AUDIO & VIDEO DISTRIBUTION

HDMI® 4X1 TRUE 4K SELECTOR SWITCH WITH ARC AND HDR

- Allows 4 HDMI sources to be switched to 1 display
- Supports 4K2K (2160p @60Hz w/ 4:4:4 color sampling) Ultra High Definition Resolutions
- Supports HDR (High Dynamic Range)
- Features Audio EDID management which allows selection of preferred audio channel
- Supports auto switching or manual switching mode
- Controllable via RS-232 and/or IR
- Supports ARC (Audio Return Channel) and CEC (Consumer Electronic Control) functionality
- Supports PCM- Dolby TrueHD- and DTS-HD Master Audio up to 7.1 CH audio formats
- Digital and analog audio outputs for audio extraction
- HDCP 2.2 compliant
- 5V DC Power Supply
- 7" W x .5" H x 3.3" D



PART #	PKG.
HDMISW41	PKGD





HDMI® 4X1 SELECTOR SWITCH

- Allows 4 HDMI sources to be switched to 1 display
- Smart Switching technology, which automatically switches to a new HDMI signal connected
- Supports High Definition Resolutions 1080p
- Supports HDMI Deep Color and 3D
- Features wideband IR system for source switching and input switching remotely and at display (IR Transmitters, IR Receiver and IR Remote Control Included)
- HDCP Compliant
- Features Audio EDID management which allows selection of preferred audio channel
- Supports 7.1, 5.1, and 2.0 channel digital audio and multiple formats such as DTS-HD/Dolby-True HD/LPCM7.1/AC3/DTS/DSD
- Audio Return Channel (ARC) compatible
- Audio breakout via toslink or stereo output
- Compact design for easy installation, rack mounting ear set included
- Power Supply: DC 5V
- Dimensions: 7.6" W x 1" H x 3.25" D



AUDIO & VIDEO DISTRIBUTION



PART #	PKG.
280562	PKGD

AUDIO & VIDEO DISTRIBUTION

HDMI® 3X1 4K2K SWITCH

- Allows 3 sources to be switched and distributed to a single display
- Features "Smart Switching Technology" that will automatically switch to any HDMI signal that is connected or turned on; automatically switches to the next HDMI source signal that is active if turning off current HDMI input
- Supports 4K2K (2160p @30) Ultra High Definition resolution
- Full high definition resolution support: 2160p, 1080p, 1080i, 720p and other standard video formats
- Fully cascadable so multiple units may be combined to create an expanded distribution system
- Supports HDMI 36bit Deep Color and 3D
- Supports standard audio, DSD audio and HD (HBR) audio, 7.1 and 5.1 surround audio, actually, Dolby digital, Dolby True HD, DTS, and DTS Master audio
- Features dual band Super IR system for controlling source from any display connected (HDMI IR adapters (Part # 280703) and IR transmitters and receivers are sold separately (Part #s 280720, 280721))
- HDCP Compliant
- Compact design for easy installation
- Power Supply: DC 5V
- Dimensions: 4.4" W x .9" H x 3" D



Up to 3 Input Sources



Front


IR Transmitter



Back



IR Receiver Forward and Backward Compatible IR Channel Control



HDTV

IR Adapter allows for IR Control over any existing HDMI Cable




PART #	PKG.
280711	PKGD



12X3 MULTI-FUNCTION SWITCH/SCALER

- Allows the conversion of up to 12 multi-format inputs to 2 mirroring HDMI outputs and 1 Composite output
- Upscales standard definition/high definition sources to resolutions up to 720p or 1080p, with both HDMI outputs working simultaneously along choice of composite output - some VESA formats can be bypassed by using VGA and DVI-I ports
- Buffers, amplifies and equalizes the signal to ensure optimum transmission and reception over the length of the cable run without any loss in video/audio quality
- Inputs supported include: 1 x VGA source , 2 x S-Video source, 2 x Composite AV sources with LR audio, 2 x Component sources with LR audio, 4 x HDMI sources , 1 x DVI-I source , Stereo input for audio. S/PDIF input for digital audio
- HDMI Outputs feature bypass from either stereo input or S/PDIF input
- Features noise reduction and video enhancements when upscaling to 720p/1080p
- DVI-I supports both analog and digital formats with L/R and/or S/ PDIF audio input
- Detached audio output by L/R and optical
- Delivers uncompressed digital video with zero signal loss
- Supports high definition resolutions up to 1080p
- Dual switching option: IR control with included remote and manual front panel control
- IR receiver included for IR extension
- Serial port for firmware update
- Power Supply: 5V 4A DC, UL Listed
- Dimensions: 17.25" W x 1.75" H x 4.75" D




PART #	PKG.
280595	PKGD

AUDIO & VIDEO DISTRIBUTION

AUDIO & VIDEO DISTRIBUTION

HDBASET™ 4K@60HZ, 4:4:4 CHROMA, HDR EXTENDER

- Features the latest HDBaseT Technology, optimized for whole-home or commercial distribution of highdefinition signals at much greater distances of standard HDMI cables
- Transmission Range: Extends 4K@60Hz, 4:4:4 with HDR up to 164ft/50m over a single Cat5e/6 cable and 1080p@60Hz up to 230ft/70m
- Features Power over Cable technology (PoC) which transmits power over Cat5e/6, allowing for either Transmitter or Receiver to be powered without the use of a power supply
- Virtually Lossless Compression retains high end audio and video quality
- Bi-directional IR control
- Features Auto EDID and EQ Management for plug and play installation
- HDR Compatible
- HDCP 2.2 compliant and backward compatible to previous versions
- CEC Support
- Slim and compact design
- Power Supply: DC 12V, 2A
- Dimensions: 5.75" W x .7" H x 3.7" D




PART #	PKG.
HDBT4K50	PKGD



HDBASET™ EXTENDER

- Allows for transmission of HDMI audio and video- control- and power over a single Cat5e/Cat6 Cable up to 230ft/70meters (4K up to 130ft/40m) to a compatible display
- Features Power over Ethernet (PoE) Technology which transmits power over Cat5e/Cat6- allowing the transmitter and receiver to be powered off of a single power supply
- Supports resolutions up to 4K x 2K@60Hz- 4:2:0 up to 130ft/40m
- Full HD support of 1080p@60Hz@48 bit/pixels- 1080p@120Hz@24 bit/pixels- 3D 1080P60Hz and 4K x 2K@30Hz@24bit up to 230ft/70m
- Wide band Bi-directional IR and RS-232 system allowing for control of source or display (IR accessories included)
- Supports Dolby- DTS- and PCM multi-channel and stereo audio formats
- Slim and compact design
- HDCP 2.2 Compliant
- Power Supply: DC 24V 1A
- Dimensions: 3.9" W x .9" H x 2.6"




PART #	PKG.
HDBTEX70	PKGD

AUDIO & VIDEO DISTRIBUTION

AUDIO & VIDEO DISTRIBUTION

HDMI® 4K EXTENDER

- Allows HDMI audio/video and control to be transmitted using a single Cat5e or Cat6 cable
- Supports 4K@60Hz, 4:2:0 Chroma up to 98ft/30m
- Supports 4K@30Hz and 1080p@60Hz up to 164ft/50m
- Passes High Dynamic Range (HDR)
- HDCP 2.2/1.4 Compatible
- Supports IR callback from display to source
- Audio Support: LPCM 7.1, Dolby® TrueHD, Dolby Digital® Plus, and DTS-HD Master Audio™
- Plug and play installation with auto EDID/EQ management
- Power supplies: (2) 5V DC



PART #	PKG.
HD4KEX30	PKG D




HDMI® EXTENDER OVER SINGLE CAT5E/CAT6 CABLE

- Allows HDMI audio/video and control to be transmitted up to 164 ft/ 50m using a single Cat5e or Cat6 cable
- Features HDMI Loop-out port on the transmitter to split of cascade audio and video signals for additional displays
- IR pass-through control from the receiver to the transmitter with the provided IR cables
- Full HD support of 1080p @60Hz
- Compatible with Dolby- DTS and PCM audio formats
- EQ settings on the receiver allows for easy adjustment based on cabling distance
- EDID settings on the transmitter allow for EDID to be managed through either the HDMI Loop-out of the HDMI output of the receiver for an easy and cost effective solution
- HDCP Compliant
- Power supplies: (2) 5V DC
- Dimensions: 3.3"W x .6" H x 2.6" D



AUDIO & VIDEO DISTRIBUTION




PART #	PKG.
HDMIEX50	PKGD

AUDIO & VIDEO DISTRIBUTION

AUDIO & VIDEO DISTRIBUTION

HDMI® EXTENDER OVER SINGLE CAT5E/CAT6 CABLE WITH IR

- Allows HDMI Audio/Video and IR signals to be transmitted over a single Cat5e/6 cable
- Transmission Range: Extends 1080p resolution up to 196ft/60m over a single Cat5e or Cat6 cable
- IR system allows for control of source at display location (IR accessories included)
- Auto EQ distance for perfect transmission and reception of HDMI signals by just a push of a button
- Works with HDMI and HDCP compliant devices
- Supports up to 1080p High Definition resolution
- Power Supply: (2) 5V DC
- Dimensions: 1.875" W x 1" H x 3.25" D




PART #	PKG.
280501	PKGD



HDMI® WALL PLATE EXTENDER OVER UTP


- Allows HDMI Audio/Video Signals to be transmitted over Dual Cat5e/Cat6 Cables
- Transmission Range: Extends 1080p resolutions up to 164 ft over Cat5e Cables; Extends 1080p resolutions up to 180 ft over Cat6 Cables
- High Speed Chip Set that Supports 3D, FullHD 1080p
- HDCP Compliant
- Super IR control system, IR transport channel can be forward or backward. IR transmitters and receivers are needed (Part #s 280720, 280721) - Supports Dual Band IR
- Supports Digital Audio Format, DTS-HD/Dolby-True HD/LPCM7.1/AC3/DTS/DSD
- Unique Circuit Design Allows for Protection against
- High Voltage and Peak Currents
- 5V DC, UL Listed Power Supply for Receiver
- Dimensions: 2.75"W x 4.5"H x 1.25"D
- Fits single-gang box, decor style



PART #	PKG.
280725	PKGD

HDMI® EXTENDER KIT OVER CATEGORY CABLES

- Allows HDMI audio/video signals to be transmitted using two Cat5e or Cat6 cables
- Extends your HDTV display up to 100 feet away from your HDTV source using two (2) Category 5e/6 cables
- Slim compact design includes an attached HDMI cable on transmitter and receiver which saves money and setup time
- Supports High Definition Resolution 1080p
- H.D.C.P. (High-Bandwidth Digital Content Protection) Compliant
- No power supply required - Requires Source that Provides 5V DC HDMI Signal
- Not recommended for cascading purposes or to work with any other component, to be used as a source to display extender only




PART #	PKG.
280552	PKGD

AUDIO & VIDEO DISTRIBUTION

HDMI® OVER SINGLE COAX CABLE EXTENDER

- Allows HDMI Audio/Video and IR signals to be transmitted over a single coax cable
- Wideband IR system that allows for controlling the source at the display location (1 IR RX and 1 IR TX included)
- Transmission Range: Extends 1080p resolution up to 100m/328ft over a single RG6 Coax cable; Extends 1080p resolution up to 60m/196ft over a single RG59 Coax cable
- Works with HDMI and HDCP compliant devices
- Supports up to 1080p High Definition resolution
- Compact design for an easy and flexible installation
- Power Supply: DC 5V
- Dimensions: 3.2" W x .98" H x 1.6" D



PART #	PKG.
280567	PKG D



5V USB POWER CABLE

- Allows 5V DC power from a USB source
- Can be used as a replacement for an in-wall power supply
- For use with HDMI Extenders, not recommended for HDBaseT Extenders

PART #	TYPE	PKG.
USBDC01X	1 FT	BULK
USBDC02X	2 FT	BULK



HDMI® 4K CLOCK RE-SYNTHESIZER/CONDITIONER

- Addresses issues with clock stretching/timing and multiple layer cascading
- Amplifies HDMI signals and extension over long cable distances
- Resynchronizes, conditions, and equalizes HDMI signals
- Built-in super jitter cleaning mechanism
- Supports Resolutions up to 4K@60Hz, 4:4:4 chroma with HDR10/Dolby Vision
- HDCP 2.2 compliant
- Perfectly integrated with other HDMI over UTP products
- Power Supply: 5V DC
- Dimensions: 2.2" W x 2.6" H x 1.8" D

PART #	PKG.
HD4KCLK	PKGD



HDMI® CLOCK RE-SYNTHESIZER/CONDITIONER

- Addresses issues with clock stretching/timing and multiple layer cascading
- Amplifies HDMI signals and extension over long cable distances
- Resynchronizes, conditions, and equalizes HDMI signals
- Built-in super jitter cleaning mechanism
- HDMI 1.4a compliant
- Supports Resolutions up to 1080p
- Perfectly integrated with other HDMI over UTP products
- Power Supply: 5V DC
- Dimensions: 2.2" W x 1" H x 1.8" D

PART #	PKG.
280571	PKGD



AUDIO & VIDEO DISTRIBUTION

S-VGA 1 X 8 SPLITTER WITH AUDIO

- Use to Duplicate and Amplify VGA and Audio Signals from a Single Source to Eight Monitors or other Display Devices
- Ideal for Commercial Demonstrations, Conferences, Conventions, School and Corporate Training and Presentations
- Enhances Video Signals for Long Distance Broadcast up to 164 ft (50m)
- Supports VGA, SVGA, XGA, SXGA, UXGA and Multi-Sync Compliant Monitors; Supports Video Resolutions up to 1920x1200 at 60 Hz; Supports 500 MHz Video Bandwidth for Each Port; Supports Stereo Audio op/2-CH Audio, Bandwidth: 30 KH
- (1) Input Connector: HD-DB15 (15 Pin) Female Jack and 3.5mm Female Jack, (8) Output Connectors: HD-DB15 (15 Pin) Female Jacks and 3.5mm Female Jacks
- Includes 6 ft VGA Male to Female Cable
- Power Supply: 5 V DC, UL Listed
- Dimensions: 10.5" W x 1.8" H x 4.5" D



PART #	PKG.
280448	PKGD

S-VGA 1 X 4 SPLITTER WITH AUDIO

- Use to Duplicate and Amplify VGA and Audio Signals from a Single Source to Four Monitors or other Display Devices
- Enhances Video Signals for Long Distance Broadcast up to 164 ft (50m)
- Supports VGA, SVGA, XGA, SXGA, UXGA and Multi-Sync Compliant Monitors; Supports Video Resolutions up to 1920x1200 at 60 Hz; Supports 500 MHz Video Bandwidth for Each Port; Supports Two Channel Stereo Audio, Bandwidth: 30 KHz
- (1) Input Connector: HD-DB15 (15 Pin) Female Jack and 3.5mm Female Jack, (4) Output Connectors: HD-DB15 (15 Pin) Female Jacks and 3.5mm Female Jacks
- Includes 6 ft VGA Male/Female Cable
- Power Supply: 5 V DC, UL Listed
- Dimensions: 6.5" W x 1.8" H x 3.6" D



PART #	PKG.
280444	PKGD

S-VGA 1 X 2 SPLITTER WITH AUDIO

- Use to Duplicate and Amplify VGA and Audio Signals from a Single Source to Two Monitors or other Display Devices
- Enhances Video Signals for Long Distance Broadcast up to 164 ft (50m)
- Supports VGA, SVGA, XGA, SXGA, UXGA and Multi-Sync Compliant Monitors; Supports Video Resolutions up to 1920x1200 at 60 Hz; Supports 500 MHz Video Bandwidth for Each Port; Supports Two Channel Stereo Audio, Bandwidth: 30 KHz
- (1) Input Connector: HD-DB15 (15 Pin) Female Jack and 3.5mm Female Jack, (2) Output Connectors: HD-DB15 (15 Pin) Female Jacks and 3.5mm Female Jacks
- Includes 6 ft VGA Male/Female Cable
- Power Supply: 5 V DC, UL Listed
- Dimensions: 4.7" W x .9" H x 2.8" D




PART #	PKG.
280442	PKGD



4 ZONE VGA+AUDIO OVER CAT5E/CAT6 DISTRIBUTION SYSTEM

- Allows VGA and Audio Signals to be Transmitted from the Distribution Hub to up to 4 receivers over single Cat5e or Cat6 cables
- Transmission Range up to 1000 ft.
- 350 MHz signal transmission bandwidth
- Includes distribution hub and one receiver
- Additional VGA + Audio over Cat5e Receivers can be purchased separately - Vanco Part Number 280548
- Output allows for one display with audio at origin location and up to 4 additional display device with audio in a remote location
- Receiver features Dual VGA outputs and a single Cat5e/Cat6 output for cascading to up to 3 additional units
- Receiver features adjustable EQ and GAIN controls
- Supports computer resolutions UXGA (1600x1200) SXGA (1280x1024), XGA (1024x768), SVGA (800x600) and VGA (640x480)
- Supports up to 100 meters (330 ft) with resolution 1200x1600; Supports up to 120 meters (396 ft) with resolution 1280x1024; Supports up to 180 meters (594 ft) with resolution 1024x768; Supports up to 200 meters (660 ft) with resolution 800x600; Supports up to 300 meters (1000 ft) with resolution 640x480
- Power Supply: (2) 12V DC, UL Listed
- Distribution Hub Dimensions: 5.31" W x 1.25"H x 3.13"D
- Receiver Dimensions: 5.31" W x 1.25"H x 3.13"D




PART #	TYPE	PKG.
280547	DISTRIBUTION HUB AND ONE RECEIVER	PKGD
280548	RECEIVER	PKGD

AUDIO & VIDEO DISTRIBUTION

AUDIO & VIDEO DISTRIBUTION

VGA OVER CAT5E/CAT6 EXTENDER WITH AUDIO (1000 FT)

- Allows VGA and Audio Signals to be Transmitted using one Cat5e or Cat6 cable
- Transmission Range up to 1000 ft.
- 350 MHz signal transmission bandwidth
- Receiver features adjustable EQ and GAIN controls
- Dual Output allows for one display with audio at origin location and an additional display device with audio in a remote location
- Supports computer resolutions UXGA (1600x1200) SXGA (1280x1024), XGA (1024x768), SVGA (800x600) and VGA (640x480)
- Supports up to 100 meters (330 ft) with resolution 1200x1600
- Supports up to 120 meters (396 ft) with resolution 1280x1024
- Supports up to 180 meters (594 ft) with resolution 1024x768
- Supports up to 200 meters (660 ft) with resolution 800x600
- Supports up to 300 meters (1000 ft) with resolution 640x480
- Power Supply: (2) 12V DC, UL Listed
- Dimensions: 3.69" W x 1.25"H x 3.75"D



PART #	PKG.
280546	PKG




VGA OVER CAT5E/CAT6 EXTENDER WITH AUDIO (500 FT)

- Allows VGA and Audio Signals to be Transmitted using one Cat5e or Cat6 cable
- Transmission Range up to 500 ft.
- Built-in equalizer for signal boosting
- Supports computer resolutions UXGA (1600x1200) SXGA (1280x1024), XGA (1024x768), SVGA (800x600) and VGA (640x480)
- Supports up to 60 meters (198 ft) with resolution 1600x1200
- Supports up to 80 meters (264 ft) with resolution 1280x1024
- Supports up to 100 meters (330 ft) with resolution 1024x768
- Supports up to 120 meters (396 ft) with resolution 800x600
- Supports up to 150 meters (500 ft) with resolution 640x480
- Power Supply: (2) 5V DC, UL Listed
- Dimensions: 2.88" W x 1"H x 2"D



AUDIO & VIDEO DISTRIBUTION




PART #	PKG.
280544	PKGD

AUDIO & VIDEO DISTRIBUTION

AUDIO & VIDEO DISTRIBUTION

USB OVER CATEGORY 5E/6 CABLE EXTENDER

- Allows USB Signals to be transmitted using one Cat5e or Cat6 cable
- Extends the Distance of a USB Device from a USB-Compatible Computer
- Ideal for Use with USB Printers, Digital Cameras, Web Cameras, Keyboard/Mouse Extensions and Any Other USB Devices
- Passive, No Power Supply Required
- Transmission Range: Extends up to 40 meters (132 ft)
- Data Speed Transfer: USB 1.0
- Transmitter Connection: USB A Male, RJ45
- Receiver Connection: USB A Female, RJ45
- Dimensions: 1.5" W x 1.125" H x 2.625" D



PART #	PKG.
280319	PKGD

1X4 TOSLINK AUDIO SPLITTER

- Allows 1 Optical/Toslink source to be distributed to up to 4 Optical/Toslink outputs
- Compact size, plug and play unit
- Eliminates the need of higher cost equipment
- Supports fiber optic S/PDIF and AES3 format of digital audio signal
- Amplifies digital audio signal to extend transmission distance
- Dimensions: 2.5" W x .875" H x 1.625" D



PART #	PKG.
280584	PKGD



DIGITAL AUDIO OVER CAT5E/CAT6 CABLE EXTENDER

- Application: Allows digital signals to be transmitted using a single Cat5e or Cat6 cable
- Transmission Range: Up to 330 ft (100 meters)
- Accepts Digital Coax or Optical Toslink
- Supports Digital 5.1 (DTS, Dolby Digital, etc.)
- High performance, zero signal loss
- Data Transmission Rate: 12.8 Mb/s
- S/PDIF (Digital Coax): 96 kHz performance
- Power Supply: 12V DC, transmitter side
- Dimensions: 2.75" W x 1.25" H x 2.5" D



PART #	PKG.
280531	PKGD

ANALOG AUDIO OVER CAT5E/CAT6 CABLE EXTENDER

- Application: Allows analog audio signals to be transmitted using a single Cat5e or Cat6 cable
- Transmission Range: Up to 600 meters (1968 ft)
- Switch allows for choice between stereo audio or mini stereo audio
- Audio Input: Dual gold-plated RCA female jacks or 3.5mm stereo jack
- Output: RJ45
- High performance eliminates audio ground loop issues
- Passive, no power required
- Dimensions: 4.25" W x 1" H x 2.8" D



PART #	PKG.
280535	PKGD

3.5MM AUDIO EXTENDER OVER CAT5E/CAT6 CABLE

- Allows Audio Signals via 3.5mm connection to be transmitted and extended using a single Cat5e/6 cable
- Extends the distance of an audio device or any device sending information via 3.5mm connection
- Ideal for extending audio over a long distance
- Passive, No Power Supply Required
- Transmission Range: Extends up to 240ft using a single Cat5e/6
- Adapter pigtail length: 4 inches
- Set of 2 audio baluns; 1 receiver and 1 transmitter



PART #	PKG.
280754	PKGD

AUDIO & VIDEO DISTRIBUTION

SIX PAIR STEREO SPEAKER SELECTOR BOX

- Low profile speaker selector unit that allows for distribution of high level (amplified) stereo signals into six zones.
- Features a manually activated impedance protection circuit that can be activated to prevent the impedance to a receiver, this protection keeps the receiver from dropping below 5 Ohms, regardless of the impedance rating of the speakers utilized
- Impedance protection can also be de-activated, allowing for part of a planned system of impedance with matching volume controls, resulting in great sound quality in every zone.
- Two Sets of Electrical Safety Devices for Safeguarding the Stereo Amplifier have been Installed to Protect the Stereo Amplifier Against Shorting of Lines and/or Open Speaker Connectors
- Rated 70 Watts Continuous per Channel
- 10 Ohm Impedance
- Accepts 14 to 18 AWG Speaker Wire
- Push-pin Terminal Connections
- Dimensions: 17" W x 2.2" H x 4.4" D



PART #	PKG.
SS6	PKGD

FOUR PAIR STEREO SPEAKER SELECTOR BOX

- Low profile speaker selector unit that allows for distribution of high level (amplified) stereo signals into four zones.
- Features a manually activated impedance protection circuit that can be activated to prevent the impedance to a receiver, this protection keeps the receiver from dropping below 5 Ohms, regardless of the impedance rating of the speakers utilized
- Impedance protection can also be de-activated, allowing for part of a planned system of impedance with matching volume controls, resulting in great sound quality in every zone.
- Two Sets of Electrical Safety Devices for Safeguarding the Stereo Amplifier have been Installed to Protect the Stereo Amplifier Against Shorting of Lines and/or Open Speaker Connectors
- Rated 70 Watts Continuous per Channel
- 10 Ohm Impedance
- Accepts 14 to 18 AWG Speaker Wire
- Push-pin Terminal Connections
- Dimensions: 8.5" W x 1.8" H x 4.5" D



PART #	PKG.
SS4	PKGD



FOUR PAIR STEREO SPEAKER SELECTOR BOX WITH VOLUME CONTROL

- Distributes high level (amplified) stereo signals into four zones with built in impedance matching volume control
- Features the ability to switch up to two audio sources with independent source switch per zone
- Each zone features an ON/OFF switch to control each zone independently
- Removable and solderless connection terminals for easy installation
- High quality metal chassis with brushed black aluminum faceplate
- Accepts up to 14 gauge speaker cable
- 200 watts max power per channel
- 100 watts RMS per channel
- Dimensions: 17" W x 2.5" H x 6.5" D



PART #	PKG.
SS4V	PKGD

TWO PAIR STEREO SPEAKER SELECTOR BOX WITH VOLUME CONTROL

- Distributes high level (amplified) stereo signals into two zones with built in impedance matching volume control
- Features the ability to switch up to two audio sources with independent source switch per zone
- Each zone features an ON/OFF switch to control each zone independently
- Removable and solderless connection terminals for easy installation
- High quality metal chassis with brushed black aluminum faceplate
- Accepts up to 14 gauge speaker cable
- 200 watts max power per channel
- 100 watts RMS per channel
- Dimensions: 10" W x 2.5" H x 6.5" D



PART #	PKG.
SS2V	PKGD

AUDIO &

VIDEO CABLES

AUDIO & VIDEO CABLES



AUDIO & VIDEO CABLES

ACTIVE HIGH SPEED HDMI® OPTICAL CABLE, PLENUM, CMP RATED

- Full 18Gbps bandwidth
- UltraHD, 4K@60Hz, 4:4:4 chroma sampling
- Enables transmission of High Dynamic Range (HDR) video
- HDCP 2.2 Compliant
- EMI tested to ensure cables minimize interference with wireless signals
- HD Audio Formats such as DTS-HD Master Audio, Dolby TrueHD, Dolby Atmos, and more
- Support for the wide angle theatrical 21:9 video aspect ratio
- Directional cable with built-in active chipset
- Reliable data transfer without electromagnetic or RF interference with 0% signal loss
- No external power supplies needed
- UL Listed, CMP Rated



PART #	LENGTH	PKG.
UHDFIB35P	35 FT	PKG
UHDFIB50P	50 FT	PKG
UHDFIB75P	75 FT	PKG
UHDFIB100P	100 FT	PKG
UHDFIB150P	150 FT	PKG
UHDFIB200P	200 FT	PKG
UHDFIB250P	250 FT	PKG
UHDFIB330P	330 FT	PKG



CERTIFIED PREMIUM HIGH SPEED HDMI® CABLE WITH ETHERNET

- Full 18Gbps bandwidth
- UltraHD- 4K@60Hz- 4:4:4 chroma sampling
- Enables transmission of High Dynamic Range (HDR) video
- EMI tested to ensure cables minimize interference with wireless signals
- Up to 32 audio channels with ARC for a multi-dimensional immersive audio experience
- HD Audio Formats such as DTS-HD Master Audio- Dolby TrueHD- Dolby Atmos and more
- Support for the wide angle theatrical 21:9 video aspect ratio
- Certified Premium HDMI ensures installations are ready for today's full 4K/ UltraHD environment and are future-proofed
- Features SecureFit connectors which are pull tested up to 7 lbs providing 45% stronger connections than regular HDMI connectors
- UL Listed- CL3 Rated



PART #	LENGTH	AWG	O.D.	PKG.
HDMICP01	1 FT	28	7.3 MM	PREMIUM POLYBAG
HDMICP03	3 FT	28	7.3 MM	PREMIUM POLYBAG
HDMICP06	6 FT	28	7.3 MM	PREMIUM POLYBAG
HDMICP10	10 FT	28	7.3 MM	PREMIUM POLYBAG
HDMICP12	12 FT	28	7.3 MM	PREMIUM POLYBAG
HDMICP15	15 FT	26	8.8 MM	PREMIUM POLYBAG
HDMICP20	20 FT	24	10.5 MM	PREMIUM POLYBAG
HDMICP25	25 FT	24	10.5 MM	PREMIUM POLYBAG



ULTRA SLIM CERTIFIED PREMIUM HIGH SPEED HDMI® CABLE WITH ETHERNET

- Enables transmission of High Dynamic Range (HDR) video
- Full 18Gbps bandwidth
- UltraHD, 4K@60Hz, 4:4:4 chroma sampling
- EMI tested to ensure cables minimize interference with wireless signals
- Up to 32 audio channels with ARC for a multi-dimensional immersive audio experience
- HD Audio Formats such as DTS-HD Master Audio, Dolby TrueHD, Dolby Atmos, and more
- Support for the wide angle theatrical 21:9 video aspect ratio
- Certified Premium HDMI ensures installations are ready for today's 4K/UltraHD environment and are future-proofed
- Features SecureFit connectors which are pull tested up to 7 lbs providing 45% stronger connections than regular HDMI connectors
- UL Listed, CL3 Rated

PART #	LENGTH	AWG	O.D.	PKG.
USCP1.5	1.5 FT	34	3.0 MM	PREMIUM POLYBAG
USCP03	3 FT	34	3.0 MM	PREMIUM POLYBAG
USCP06	6 FT	34	3.0 MM	PREMIUM POLYBAG
USCP10	10 FT	34	3.0 MM	PREMIUM POLYBAG



AUDIO & VIDEO CABLES

ACTIVE HIGH SPEED HDMI® CABLE WITH ETHERNET

- Full 18Gbps bandwidth
- UltraHD- 4K@60Hz- 4:4:4 chroma sampling
- Enables transmission of High Dynamic Range (HDR) video
- EMI tested to ensure cables minimize interference with wireless signals
- Up to 32 audio channels with ARC for a multi-dimensional immersive audio experience
- HD Audio Formats such as DTS-HD Master Audio- Dolby TrueHD- Dolby Atmos- and more
- Support for the wide angle theatrical 21:9 video aspect ratio
- Deep color up to 16 bits per channel
- Directional cable with built-in active chipset
- Auto Equalization
- Future-proofed and perfect for today's 4K/UltraHD environment
- Features SecureFit connectors which are pull tested up to 7 lbs providing 45% stronger connections than regular HDMI connectors
- UL Listed- CL3 Rated

PART #	LENGTH	AWG	O.D.	PKG.
HDAC12	12 FT	34	3.6 MM	PREMIUM POLYBAG
HDAC15	15 FT	34	4.5 MM	PREMIUM POLYBAG
HDAC20	20 FT	30	6.0 MM	PREMIUM POLYBAG
HDAC25	25 FT	28	7.5 MM	PREMIUM POLYBAG
HDAC35	35 FT	26	8.8 MM	PREMIUM POLYBAG
HDAC50	50 FT	24	10.5 MM	PKGD



AUDIO & VIDEO CABLES

PRO SERIES HIGH SPEED HDMI® CABLE WITH ETHERNET

- Full 18Gbps bandwidth
- UltraHD- 4K@60Hz- 4:4:4 chroma sampling
- Enables transmission of High Dynamic Range (HDR) video
- EMI tested to ensure cables minimize interference with wireless signals
- 100% Aluminum Shielded Connector- 360 degrees of coverage
- Up to 32 audio channels with ARC for a multi-dimensional immersive audio experience
- HD Audio Formats such as DTS-HD Master Audio- Dolby TrueHD- Dolby Atmos- and more
- Support for the wide angle theatrical 21:9 video aspect ratio
- Future-proofed and perfect for today's 4K/UltraHD environment
- UL Listed- CL3 Rated


PART #	LENGTH	AWG	O.D.	PKG.
PROHD01	1 FT	28	7.3 MM	POLYBAG
PROHD03	3 FT	28	7.3 MM	POLYBAG
PROHD06	6 FT	28	7.3 MM	POLYBAG
PROHD10	10 FT	28	7.3 MM	POLYBAG
PROHD12	12 FT	28	7.3 MM	POLYBAG
PROHD15	15 FT	26	8.8 MM	POLYBAG
PROHD20	20 FT	24	10.5 MM	POLYBAG
PROHD25	25 FT	24	10.5 MM	POLYBAG

Add "W" to start of Part Number for white connector



HIGH SPEED HDMI® CABLE WITH ETHERNET AND REDMERE™ CHIP

- HDMI Cables powered by RedMere's technology are only 25% of the size of a standard HDMI cable and because they are light and ultra-thin they are easier to bend, route and disguise
- This next-generation cable technology allows for significantly thinner gauges, which increases cable management capability and reduces weight without sacrificing signal quality
- Active amplification is provided by the RedMere chip. This technology allows data speed to exceed 10.2 Gbps up to 100 ft.
- HDMI cables with RedMere technology are thinner, lighter, more flexible, and easier to route in a home theater, plus they are more portable and easier to carry with laptops or portable video gear
- Enables IP-based applications over HDMI
- Supports 3D
- Supports 4K x 2K and 1080p
- Data Speed Transfer: Exceeds 10.2 Gbps
- ABS Connector 12 and 15 ft
- PVC Connector 20 ft and Up
- 12 and 15ft Connector size:
Source side: .78" L x .77" W x .31" H
TV side: 1" L x .77" W x .31" H;
- 20 ft and Up Connector size:
Source side: .98" L x .77" W x .39" H
TV Side: 1.13" L x .77" W x .39" H
- UL Listed
- CL3 Rated 20 ft and Up



PART #	LENGTH	AWG	O.D.	PKG.
RDM012	12 FT	36	3.6 MM	PREMIUM POLYBAG
RDM015	15 FT	36	3.6 MM	PREMIUM POLYBAG
RDM020	20 FT	30	6.0 MM	PREMIUM POLYBAG
RDM025	25 FT	30	6.0 MM	PREMIUM POLYBAG
RDM035	35 FT	30	6.0 MM	PREMIUM POLYBAG
RDM050	50 FT	28	7.5 MM	PREMIUM POLYBAG
RDM060	60 FT	28	7.5 MM	PREMIUM POLYBAG
RDM075	75 FT	28	7.5 MM	PREMIUM POLYBAG
RDM100	100 FT	24	10.5 MM	PREMIUM POLYBAG



SECUREFIT ULTRA SLIM HDMI® HIGH SPEED CABLE WITH ETHERNET

- SecureFit connectors are pull tested up to 7 lbs providing 45% stronger connections than regular HDMI connectors
- SecureFit design features raised points that snap into place providing a firm hold that requires more force to remove
- Thinner more Flexible Gauge and Small Connector
- Supports 4K @ 60 Hz and 1080p Video Resolutions and 3D compatible
- Data Speed Transfer: 10.2 Gbps
- Supports audio return channel
- Enables IP-based applications over HDMI
- UL Listed- CL2 Rated



PART #	LENGTH	AWG	O.D.	PKG.
SFHD1.5	1.5 FT	36	3.6 MM	POLYBAG
SFHD03	3 FT	36	3.6 MM	POLYBAG
SFHD06	6 FT	36	3.6 MM	POLYBAG
SFHD10	10 FT	34	4.5 MM	POLYBAG

AUDIO & VIDEO CABLES

ULTRA SLIM HDMI® HIGH SPEED CABLE WITH ETHERNET

- Thinner more Flexible Gauge and a Smaller Connector
- Enables IP-based applications over HDMI
- Allows 3D over HDMI when connected to 3D Devices
- Supports 4K x 2K and 1080p Video Resolutions
- Data Speed Transfer: Exceeds 10.2 Gbps
- Audio return channel
- Connector Dimensions: .78" L x .77" W x .31" H
- UL Listed, CL2 Rated



PART #	LENGTH	AWG	O.D.	PKG.
SSH1.5	1.5 FT	36	3.6 MM	POLYBAG
SSH03	3 FT	36	3.6 MM	POLYBAG
SSH06	6 FT	36	3.6 MM	POLYBAG
SSH10	10 FT	34	4.5 MM	POLYBAG

AUDIO & VIDEO CABLES

SECUREFIT ULTIMATE HDMI® ADAPTER

- Super Flexible Male to Female Cable provides the perfect adapter solution for any installation
- Relieves stress on your HDMI ports when used as a strain relief between the equipment and longer- heavier HDMI cables
- SecureFit connectors are pull tested up to 7 lbs providing 45% stronger connections than regular HDMI connectors
- SecureFit design features raised points that snap into place providing a firm hold that requires more force to remove
- Allows for the ability to accommodate any and all HDMI port locations on displays because of its superior flat and flexible design with low profile HDMI connectors
- Supports 4K @ 60 Hz and 1080p Video Resolutions- 3D compatible
- Data Speed Transfer: 18 Gbps
- Enables IP-based applications over HDMI
- Audio return channel
- Supports Passive and Active Cables
- UL Listed- CL2 Rated



PART #	LENGTH	PKG.
SFHDA6	6 INCH	POLYBAG
SFHDA1	1 FT	POLYBAG



THE ULTIMATE HDMI® ADAPTER - RIGHT ANGLE SUPER FLEX FLAT HDMI® HIGH SPEED MALE TO FEMALE CABLE

- Super Flexible Male to Female Cable provides the perfect adapter solution for any installation
- Relieves stress on your HDMI ports when used as a strain relief between the equipment and longer, heavier HDMI cables
- Enables IP-based applications over HDMI
- Allows for the ability to accommodate any and all HDMI port locations on displays because of its superior flat and flexible design with low profile HDMI connectors
- Allows 3D over HDMI when connected to 3D Devices
- Supports 4K x 2K and 1080p Video Resolutions
- Data Speed Transfer: 18 Gbps
- Supports Passive and Active Cables
- Audio return channel
- Male Connector Dimensions: .63" L x .68" W x .63" H
- Female Connector Dimensions: 1.13" L x .75" W x .38" H
- UL Listed



PART #	LENGTH	TYPE	PKG.
233106X	6 INCH	RIGHT ANGLE - FLAT BOTTOM	POLYBAG
233306X	6 INCH	RIGHT ANGLE - FLAT TOP	POLYBAG





THE ULTIMATE HDMI® ADAPTER - SUPER FLEX FLAT HDMI® HIGH SPEED MALE TO FEMALE CABLE

- Super Flexible Male to Female Cable provides the perfect adapter solution for any installation
- Relieves stress on your HDMI ports when used as a strain relief between the equipment and longer, heavier HDMI cables
- Enables IP-based applications over HDMI
- Allows for the ability to accommodate any and all HDMI port locations on displays because of its superior flat and flexible design with low profile HDMI connectors
- Enables IP-based applications over HDMI
- Allows 3D over HDMI when connected to 3D Devices
- Supports 4K x 2K and 1080p Video Resolutions
- Data Speed Transfer: Exceeds 10.2 Gbps
- Audio return channel
- Male Connector Dimensions: .78" L x .77" W x .31" H
- Female Connector Dimensions: 1" L x .77" W x .39" H
- UL Listed

PART #	LENGTH	PKG.
233216X	6 INCH	POLYBAG
233201X	1 FT	POLYBAG



PLENUM RATED HIGH SPEED HDMI® CABLE WITH ETHERNET

- HDMI Ethernet Channel, which allows for a 100 Mb/s Ethernet connection between the two HDMI connected devices
- Supports Audio Return Channel Functionality
- Allows 3D over HDMI when connected to 3D Devices
- Supports 4K x 2K and 1080p Video Resolutions
- Additional Color Spaces (sYCC601, RGB & YCC601)
- Gold Plated HDMI (Type A to Type A) Connectors
- Data Speed Transfer: Exceeds 10.2 Gbps
- UL Plenum Rated

PART #	LENGTH	AWG	O.D.	PKG.
277120X	20 FT	24	10.5 MM	PKG
277125X	25 FT	24	10.5 MM	PKG
277135X	35 FT	24	10.5 MM	PKG
277150X	50 FT	24	10.5 MM	PKG
277170X	70 FT	24	10.5 MM	PKG



AUDIO & VIDEO CABLES

INSTALLER SERIES HIGH SPEED HDMI® CABLE WITH ETHERNET

- HDMI Ethernet Channel, which allows for a 100 Mb/s Ethernet connection between the two HDMI connected devices
- Supports Audio Return Channel Functionality
- Allows 3D over HDMI when connected to 3D Devices
- Supports 4K x 2K and 1080p Video Resolutions
- Additional Color Spaces (sYCC601, RGB & YCC601)
- Gold Plated HDMI (Type A to Type A) Connectors
- Data Speed Transfer: Exceeds 10.2 Gbps
- UL Listed and CL3 Rated



PART #	LENGTH	AWG	O.D.	PKG.
277001	1 FT	28	7.3 MM	POLYBAG
277003	3 FT	28	7.3 MM	POLYBAG
277006	6 FT	28	7.3 MM	POLYBAG
277010	10 FT	28	7.3 MM	POLYBAG
277012	12 FT	28	7.3 MM	POLYBAG
277015	15 FT	28	7.3 MM	POLYBAG
277020	20 FT	28	7.3 MM	POLYBAG
277025	25 FT	24	10.5 MM	PKGD
277035	35 FT	24	10.5 MM	PKGD
277050	50 FT	24	10.5 MM	PKGD
277066	66 FT	24	10.5 MM	PKGD

Add "X" to Part Number for Bulk



PERFORMANCE SERIES HIGH SPEED HDMI® CABLE WITH ETHERNET

- HDMI Ethernet Channel, which allows for a 100 Mb/s Ethernet connection between the two HDMI connected devices
- Supports Audio Return Channel Functionality
- Allows 3D over HDMI when connected to 3D Devices
- Supports 4K x 2K and 1080p Video Resolutions
- Additional Color Spaces (sYCC601, RGB & YCC601)
- Gold Plated HDMI (Type A to Type A) Connectors
- Data Speed Transfer: 10.2 Gbps
- UL Listed and CL3 Rated



PART #	LENGTH	AWG	O.D.	PKG.
255001X	1 FT	28	7.3 MM	BULK
255003X	3 FT	28	7.3 MM	BULK
255006X	6 FT	28	7.3 MM	BULK
255010X	10 FT	28	7.3 MM	BULK
255012X	12 FT	28	7.3 MM	BULK
255015X	15 FT	28	7.3 MM	BULK
255020X	20 FT	28	7.3 MM	BULK
255025X	25 FT	26	8.8 MM	BULK
255035X	35 FT	26	8.8 MM	BULK
255050X	50 FT	26	8.8 MM	BULK
255066X	66 FT	26	8.8 MM	BULK



30 AWG PERFORMANCE SERIES HIGH SPEED HDMI® CABLE WITH ETHERNET

- HDMI Ethernet Channel, which allows for a 100 Mb/s Ethernet connection between the two HDMI connected devices
- Supports Audio Return Channel Functionality
- Allows 3D over HDMI when connected to 3D Devices
- Supports 4K x 2K and 1080p Video Resolutions
- Additional Color Spaces (sYCC601, RGB & YCC601)
- Gold Plated HDMI (Type A to Type A) Connectors
- Data Speed Transfer: 10.2 Gbps
- UL Listed and CL3 Rated



PART #	LENGTH	AWG	O.D.	PKG.
230001X	.5 METER	30	6.0 MM	POLYBAG
230003X	1 METER	30	6.0 MM	POLYBAG
230006X	2 METER	30	6.0 MM	POLYBAG
230010X	3 METER	30	6.0 MM	POLYBAG
230012X	4 METER	30	6.0 MM	POLYBAG

PRO DIGITAL HIGH SPEED HDMI® SWIVEL CABLE WITH ETHERNET

- HDMI Ethernet Channel, which allows for a 100 Mb/s Ethernet connection between the two HDMI connected devices
- Swivel 180 Degree Design is Ideal for Flat Panel HDTV's and Other Hook-Ups where Space is Limited
- Engineered to Complement Flat Screen LCDs and Plasma Displays
- Supports Audio Return Channel Functionality
- Allows 3D over HDMI when connected to 3D Devices
- Supports 4K x 2K and 1080p Video Resolutions
- Additional Color Spaces (sYCC601, RGB & YCC601)
- Data Speed Transfer: Exceeds 10.2 Gbps
- Gold Plated HDMI Connectors
- UL Listed and CL3 Rated



PART #	LENGTH	AWG	O.D.	PKG.
299003	3 FT	28	7.3 MM	POLYBAG
299006	6 FT	28	7.3 MM	POLYBAG
299012	12 FT	28	7.3 MM	POLYBAG

Add "X" to Part Number for Bulk

AUDIO & VIDEO CABLES

PRO DIGITAL HIGH SPEED HDMI® MALE TO FEMALE CABLE WITH ETHERNET

- HDMI Ethernet Channel, which allows for a 100 Mb/s Ethernet connection between the two HDMI connected devices
- Use to Extend a Pre-Existing Cable
- Supports Audio Return Channel Functionality
- Allows 3D over HDMI when connected to 3D Devices
- Supports 4K x 2K and 1080p Video Resolutions
- Additional Color Spaces (sYCC601, RGB & YCC601)
- Data Speed Transfer: Exceeds 10.2 Gbps
- Gold Plated HDMI Connectors
- UL Listed and CL3 Rated



PART #	LENGTH	AWG	O.D.	PKG.
120501	1 FT	28	7.3 MM	PKG
120503	3 FT	28	7.3 MM	PKG
120506	6 FT	28	7.3 MM	PKG
120512	12 FT	28	7.3 MM	PKG

Add "X" to Part Number for Bulk

ULTRA SLIM S-VGA CABLE

- For VGA/S-VGA Monitors and Video Applications with 800 x 600 Resolution
- Compatible with High Definition 720p and Standard Video Format
- HD-DB15 (15 pin) Male Connections
- Ultra Slim SVGA Super VGA 30/32AWG M/M Monitor Cable w/ ferrites
- O.D. 4.8 mm
- Gold Plated Connector
- UL Listed



PART #	LENGTH	PKG.
SSVGA01	1 FT	POLYBAG
SSVGA03	3 FT	POLYBAG
SSVGA06	6 FT	POLYBAG
SSVGA10	10 FT	POLYBAG
SSVGA12	12 FT	POLYBAG
SSVGA15	15 FT	POLYBAG
SSVGA20	20 FT	POLYBAG
SSVGA25	25 FT	POLYBAG
SSVGA35	35 FT	POLYBAG
SSVGA50	50 FT	POLYBAG

HIGH SPEED DVI DUAL LINK VIDEO CABLE

- Delivers Vivid and Bright Digital Video Signals
- Supports High Definition Resolution 1080p
- Supports Computer Resolutions up to UXGA (1600x1200)
- Data Speed Transfer: Exceeds 10.2 Gbps
- Superior Cable Construction Maximizing Noise Rejection and Minimizing EMI (Electromagnetic Interference)
- 24k Gold Plated DVI Connectors
- UL Listed
- CL3 Rated (25 ft - 50 ft)
- Lifetime Performance



PART #	LENGTH	AWG	O.D.	PKG.
DVI2406	6 FT	26	8 MM	PKG
DVI2410	10 FT	26	8 MM	PKG
DVI2412	12 FT	26	8 MM	PKG
DVI2425	25 FT	24	10 MM	PKG
DVI2450	50 FT	23	13 MM	PKG

Add "X" to Part Number for Bulk

PLENUM RATED HIGH RESOLUTION S-VGA MALE TO FEMALE CABLE

- Supports S-VGA (Super Video Graphic Array) 800 x 600 Resolution
- HD-DB15 (15 pin) Male and Female Connections
- Fully Foil-Shielded Cable
- VGA Cable = 3 Coax @ 28 AWG
9 Conductor @ 24 AWG
- UL Plenum Rated



PART #	LENGTH	O.D.	PKG.
VGA-VGA-6PLMFX	6 FT	6.8 MM	BULK
VGA-VGA-10PLMFX	10 FT	6.8 MM	BULK
VGA-VGA-12PLMFX	12 FT	6.8 MM	BULK
VGA-VGA-15PLMFX	15 FT	6.8 MM	BULK
VGA-VGA-20PLMFX	20 FT	6.8 MM	BULK
VGA-VGA-25PLMFX	25 FT	6.8 MM	BULK
VGA-VGA-35PLMFX	35 FT	6.8 MM	BULK
VGA-VGA-50PLMFX	50 FT	6.8 MM	BULK
VGA-VGA-75PLMFX	75 FT	6.8 MM	BULK
VGA-VGA-100PLMFX	100 FT	6.8 MM	BULK



HIGH RESOLUTION S-VGA CABLE

- For VGA/S-VGA Monitors and Video Applications with 800 x 600 Resolution
- Compatible with High Definition 720p and Standard Video Format
- HD-DB15 (15 pin) Male Connections
- VGA Cable =
3 Coax @ 28 AWG
9 Conductor @ 24 AWG
- UL Listed



PART #	LENGTH	O.D.	PKG.
VGA-VGA-1	1 FT	9 MM	PKGD
VGA-VGA-3	3 FT	9 MM	PKGD
VGA-VGA-6	6 FT	9 MM	PKGD
VGA-VGA-10	10 FT	9 MM	PKGD
VGA-VGA-12	12 FT	9 MM	PKGD
VGA-VGA-15	15 FT	9 MM	PKGD
VGA-VGA-25	25 FT	9 MM	PKGD
VGA-VGA-35	35 FT	9 MM	PKGD
VGA-VGA-50	50 FT	9 MM	PKGD
VGA-VGA-75	75 FT	9 MM	PKGD
VGA-VGA-100	100 FT	9 MM	PKGD
VGA-VGA-150	150 FT	9 MM	PKGD

Add "X" to Part Number for Bulk

S-VGA MALE TO FEMALE CABLE

- Supports S-VGA (Super Video Graphic Array) 800 x 600 Resolution
- HD-DB15 (15 pin) Male and Female Connections
- Fully Foil-Shielded Cable
- VGA Cable = 3 Coax @ 28 AWG
9 Conductor @ 24 AWG
- UL Listed, CL2 Rated



PART #	LENGTH	O.D.	PKG.
VGA-VGA-1MFX	1 FT	10.5 MM	BULK
VGA-VGA-3MFX	3 FT	10.5 MM	BULK
VGA-VGA-6MFX	6 FT	10.5 MM	BULK
VGA-VGA-10MFX	10 FT	10.5 MM	BULK
VGA-VGA-15MFX	15 FT	10.5 MM	BULK
VGA-VGA-25MFX	25 FT	10.5 MM	BULK
VGA-VGA-35MFX	35 FT	10.5 MM	BULK
VGA-VGA-50MFX	50 FT	10.5 MM	BULK
VGA-VGA-75MFX	75 FT	10.5 MM	BULK
VGA-VGA-100MFX	100 FT	10.5 MM	BULK

S-VGA WITH AUDIO CABLE

- Supports S-VGA (Super Video Graphic Array) 800 x 600 Resolution
- HD-DB15 (15 pin) Male Connections
- Fully Foil-Shielded Cable
- Audio Connection: 3.5 mm Stereo Plug
- VGA Cable =
3 Coax @ 28 AWG
9 Conductor @ 24 AWG
- Stereo Cable: 1 Coax @ 28 AWG
- UL Listed, CL2 Rated




PART #	LENGTH	O.D.	PKG.
VGAA-3X	3 FT	10.5 MM	BULK
VGAA-6X	6 FT	10.5 MM	BULK
VGAA-10X	10 FT	10.5 MM	BULK
VGAA-12X	12 FT	10.5 MM	BULK
VGAA-15X	15 FT	10.5 MM	BULK
VGAA-25X	25 FT	10.5 MM	BULK
VGAA-35X	35 FT	10.5 MM	BULK
VGAA-50X	50 FT	10.5 MM	BULK
VGAA-75X	75 FT	10.5 MM	BULK
VGAA-100X	100 FT	10.5 MM	BULK

TRIPLE RCA COMPOSITE AUDIO/VIDEO CABLE

- Stereo to Stereo Dubbing Cable
- Gold Plated Triple RCA Male Plugs to Triple RCA Male Plugs
- Durable Molded Color-Coded (Red- White- and Yellow)Ends
- Strain Relief Ends Reduce Cable Damage
- For TV- VCR- DVD- Video Switch- Antenna and Other Video Components
- Connects Audio and Video Output from DVD- Cable- VCR- Video Switch etc. to Audio/Video TV- VCR
- Provides Stereo Audio and Video to Stereo Audio and Video

PART #	LENGTH	PKG.
DKE3FT	3 FT	PKGD
DKE3	6 FT	PKGD
DKE12	12 FT	PKGD
DKE25	25 FT	PKGD
DKE50	50 FT	PKGD

Add "X" to Part Number for Bulk



AUDIO & VIDEO CABLES

AUDIO & VIDEO CABLES

RCA MALE PLUG TO RCA MALE PLUG

- High Quality TV/VCR cable
- Made of Low-Loss RG59 Cable
- Molded Black Construction
- Gold RCA Male Plug Connectors



PART #	LENGTH	PKG.
RR3	3 FT	PKG
RR6	6 FT	PKG
RR12	12 FT	PKG
RR25	25 FT	PKG

Add "X" to Part Number for Bulk

RGB COMPONENT VIDEO CABLE

- Color-Coded Triple RCA Male Plugs to Triple RCA Male Plugs
- 24K Gold Plated Precision Machined RCA Plugs
- 75 Ohm, Oxygen Free, Heavy Duty Shielded Cable
- Provides Low Loss Signal and Video Clarity within 100 MHz Frequency Range
- Offers Maximum Noise Reduction



PART #	LENGTH	O.D.	PKG.
DVB336	3 FT	6 MM	PKG
DVB372	6 FT	6 MM	PKG
DVB312	12 FT	6 MM	PKG
DVB325	25 FT	6 MM	PKG
DVB350	50 FT	6 MM	PKG

Add "X" to Part Number for Bulk

RGB COMPONENT VIDEO CABLE WITH LEFT/RIGHT DIGITAL AUDIO

- Color-Coded Triple RCA Male Plugs to Triple RCA Male Plugs with Left/Right Audio
- 24K Gold Plated Precision Machined RCA Plugs
- 75 Ohm, Oxygen Free, Heavy Duty Shielded Cable
- 20 AWG Center Conductor L/R Audio Cables
- Provides Low Loss Signal and Video Clarity within 100 MHz Frequency Range
- Offers Maximum Noise Reduction



PART #	LENGTH	O.D.	PKG.
DV336LR	3 FT	6 MM	PKG
DV372LR	6 FT	6 MM	PKG
DV312LR	12 FT	6 MM	PKG
DV325LR	25 FT	6 MM	PKG
DV350LR	50 FT	6 MM	PKG

Add "X" to Part Number for Bulk

RIGHT ANGLE DIGITAL OPTICAL AUDIO CABLE

- Right Angle Toslink Optical to Toslink Optical
- Polished Lens for Optimal Signal Transfer
- High Grade Digital Optical Cable for Low Loss
- High Quality Optical Fiber Core
- 4 mm O.D. Black PVC Jacket



PART #	LENGTH	O.D.	PKG.
TOSRA03X	3 FT	4 MM	PKG
TOSRA06X	6 FT	4 MM	PKG
TOSRA12X	12 FT	4 MM	PKG
TOSRA15X	15 FT	4 MM	PKG



DIGITAL OPTICAL AUDIO CABLE

- Digital Audio Interconnection to DVD Players, Digital Audio Receiver, Amplifiers, CD Players and Other Digital Audio Components
- Toslink to Toslink Optical Input and Output
- Polished Lens for Optimal Signal Transfer
- High Grade Digital Optical Cable for Low Loss
- Includes two (2) 3.5 mm Adapters for Audio/Video Components that Require a 3.5 mm Input/Output Adapter
- High Quality Optical Fiber Core



PART #	LENGTH	O.D.	PKG.
ADT36	3 FT	4 MM	PKG
ADT72	6 FT	4 MM	PKG
ADT12	12 FT	4 MM	PKG
ADT25	25 FT	4 MM	PKG

Add "X" to Part Number for Bulk

PREMIUM RCA PATCH CABLE

- Super Premium Cable with Oxygen Free Copper
- 24K Gold Plated Dual RCA Plugs
- Features premium Metal Hooded Connectors
- 98% Braided Copper Shield
- Low Loss Foam PE Dielectric
- 20 AWG Stranded Center Conductor for Less Signal Loss
- Dual RCA Male Plugs to Dual RCA Male Plugs
- Color Coded- Red/White



PART #	LENGTH	PKG.
PRCA203X	3 FT	BULK
PRCA206X	6 FT	BULK
PRCA212X	12 FT	BULK
PRCA220X	20 FT	BULK
PRCA225X	25 FT	BULK

RCA PATCH CABLE

- Super Premium Cable with Oxygen Free Copper
- 24K Gold Plated Dual RCA Plugs
- 98% Braided Copper Shield
- Low Loss Foam PE Dielectric
- 20 AWG Stranded Center Conductor for Less Signal Loss
- 2-Time Molded Blue Cable Construction
- Dual RCA Male Plugs to Dual RCA Male Plugs
- Color Coded- Red/White



PART #	LENGTH	PKG.
AGP236	3 FT	PKG
AGP272	6 FT	PKG
AGP212	12 FT	PKG
AGP220	20 FT	PKG
AGP225	25 FT	PKG

RCA PATCH CABLE - NICKEL PLATED

- For Use with Various Audio Inputs from VCR- TV- DVD- CD- Camcorder- Amplifier or Stereo Receiver
- Shielded Nickel Plated Dual RCA Patch Cables
- Molded Construction
- Standard Grade Shielded Patch Cables Suitable for Most Stereo Application
- Color Coded - Red/White
- Dual RCA Male Plugs to Dual RCA Male Plugs



PART #	LENGTH	PKG.
AC201	1 FT	PKG
AC218	1.5 FT	PKG
AC224	2 FT	PKG
AC236	3 FT	PKG
AC248	4 FT	PKG
AC272	6 FT	PKG
AC210	10 FT	PKG
AC212	12 FT	PKG
AC215	15 FT	PKG
AC220	20 FT	PKG
AC252	25 FT	PKG
AC250	50 FT	PKG

Add "X" to Part Number for Bulk

AUDIO & VIDEO CABLES

RCA METAL "Y" CABLE ADAPTER

- Oxygen Free Copper
- 24K Gold Plated RCA Plugs
- 98% Braided Copper Shield
- Low Loss Foam PE Dielectric
- 20 AWG Stranded Center Conductor for Less Signal Loss
- Color Coded - Red/White



PART #	LENGTH	TYPE	PKG.
AGP3F	6 FT	1 RCA MALE PLUG TO 2 RCA FEMALE JACKS	PKG
AGP3E	6 FT	1 RCA FEMALE JACK TO 2 RCA MALE PLUGS	PKG

Add "X" to Part Number for Bulk

2-RCA MALE PLUGS TO RCA FEMALE JACK "Y" ADAPTER

- Shielded Patch Cable
- Black PVC Jacket
- Molded Construction
- Color Coded - Red/White



PART #	LENGTH	TYPE	PKG.
AC3E	6 INCH	NICKEL	PKG

Add "X" to Part Number for Bulk

RCA MALE PLUG TO 2-RCA FEMALE JACKS "Y" ADAPTER

- Shielded Patch Cable
- Black PVC Jacket
- Molded Construction
- Color Coded - Red/White



PART #	LENGTH	TYPE	PKG.
AC3F	6 INCH	NICKEL	PKG

Add "X" to Part Number for Bulk

AUDIO PATCH CABLE - RCA MALE PLUG TO 2-RCA MALE PLUGS "Y" ADAPTER

- Shielded Patch Cable
- Black PVC Jacket
- Molded Construction
- Color Coded - Red/White



PART #	LENGTH	TYPE	PKG.
AC3R	6 INCH	NICKEL	PKG

Add "X" to Part Number for Bulk

AUDIO PATCH CABLE - RCA MALE PLUG TO STRIPPED TINNED END

- Shielded Patch Cable
- Black PVC Jacket
- Molded Construction
- Nickel Plated



PART #	LENGTH	TYPE	PKG.
AC112	6 FT	NICKEL	PKG

Add "X" to Part Number for Bulk

AUDIO PATCH CABLE - SINGLE RCA MALE PLUG TO SINGLE RCA FEMALE JACK EXTENSION

- Shielded Patch Cable
- Black PVC Jacket
- Molded Construction
- Nickel Plated



PART #	LENGTH	TYPE	PKG.
AC108	6 FT	NICKEL	PKG
AC122	12 FT	NICKEL	PKG

Add "X" to Part Number for Bulk



PREMIUM RCA METAL “Y” CABLE ADAPTER

- 3 Super Premium Blue Cable with Oxygen Free Copper
- 24K Gold Plated RCA Plugs
- 98% Braided Copper Shield
- Low Loss Foam PE Dielectric
- 20 AWG Stranded Center Conductor for Less Signal Loss
- High Quality Metal Construction



PART #	LENGTH	TYPE	PKG.
110141	6 INCH	1 RCA MALE PLUG TO 2 RCA FEMALE JACKS	PKGD
110140	6 INCH	1 RCA FEMALE JACK TO 2 RCA MALE PLUGS	PKGD

Add “X” to Part Number for Bulk

RCA PATCH CABLES - GOLD PLATED DUAL RCA PLUGS

- Shielded RCA Patch Cables
- Black PVC Jacket
- Molded Construction
- Standard Grade Shielded Patch Cables Suitable for Most Stereo Applications
- Color Coded – Red/White
- Dual RCA Male Plugs to Dual RCA Male Plugs



PART #	LENGTH	PKG.
AG201	1 FT	PKGD
AG224	2 FT	PKGD
AG248	4 FT	PKGD
AG272	6 FT	PKGD
AG212	12 FT	PKGD
AG215	15 FT	PKGD
AG220	20 FT	PKGD
AG252	25 FT	PKGD

Add “X” to Part Number for Bulk

RCA PATCH CABLE - PREMIUM GOLD PLATED “Y” CABLE ADAPTER

- Premium Cable with Oxygen Free Copper
- 20-AWG Center Conductor for Less Signal Loss and More Shielding for High Quality Applications
- Shielded RCA Patch Cable
- Black PVC Jacket
- Molded Construction
- Color Coded – Red/Black
- Gold Plated RCA Connectors



PART #	LENGTH	TYPE	PKG.
AGH3E	6 INCH	1 RCA FEMALE JACK TO 2-RCA MALE PLUGS	PKGD
AGH3F	6 INCH	1 RCA MALE PLUG TO 2-RCA FEMALE JACKS	PKGD

Add “X” to Part Number for Bulk

RCA PATCH CABLES - PREMIUM GOLD PLATED OFC STEREO DUAL RCA PLUGS

- For Use with Various Audio Inputs from VCR- TV- DVD- CD- Camcorder- Amplifier or Stereo Receiver
- Premium Cable with Oxygen Free Copper
- Heavy Duty 20-AWG Stranded Center Conductor for Less Signal Loss and More Shielding for High Quality Applications
- Shielded RCA Patch Cable
- Molded Construction
- Color Coded – Red/Black
- Gold Plated Dual RCA Male Plugs to Dual RCA Male Plugs
- Black Cable
- Vanco Pack Hanger Card



PART #	LENGTH	PKG.
AGH218	1.5 FT	PKGD
AGH236	3 FT	PKGD
AGH272	6 FT	PKGD
AGH212	12 FT	PKGD
AGH217	17 FT	PKGD
AGH220	20 FT	PKGD
AGH225	25 FT	PKGD

Add “X” to Part Number for Bulk

AUDIO & VIDEO CABLES

NICKEL PLATED RCA MALE PLUG TO RCA MALE PLUG CABLE

- For Connecting Two Audio Components Together Where a Single RCA Cable is Required for Proper Connection
- Shielded RCA Patch Cable
- Molded Construction
- Nickel Plated Single RCA Plug
- 20 AWG Cable



PART #	LENGTH	PKG.
AC18	1.5 FT	PKG
AC36	3 FT	PKG
AC72	6 FT	PKG
AC113	10 FT	PKG
AC113M12	12 FT	PKG
AC114	20 FT	PKG
AC113M25	25 FT	PKG

Add "X" to Part Number for Bulk

1/4" MONO PLUG TO 2 - 1/4" MONO JACKS "Y" ADAPTER

- Shielded Patch Cable
- Black PVC Jacket
- Molded Construction
- Nickel Plated



PART #	LENGTH	PKG.
AC3T	6 INCH	PKG

Add "X" to Part Number for Bulk

1/4" MONO PLUG TO 2 - RCA FEMALE JACKS "Y" ADAPTER

- Shielded Patch Cable
- Black PVC Jacket
- Molded Construction
- Color Coded - Red/White
- Nickel Plated



PART #	LENGTH	PKG.
AC3Q	6 INCH	PKG

Add "X" to Part Number for Bulk

1/4" MONO PLUG TO 2 - 1/4" STEREO JACKS "Y" ADAPTER

- Shielded Patch Cable
- Black PVC Jacket
- Molded Construction
- Nickel Plated



PART #	LENGTH	PKG.
AC6ST	6 INCH	PKG

Add "X" to Part Number for Bulk

1/4" STEREO PLUG TO 2 - 3.5MM MONO PLUGS "Y" ADAPTER

- Shielded Patch Cable
- Black PVC Jacket
- Molded Construction
- Nickel Plated



PART #	LENGTH	PKG.
110522	6 INCH	PKG

Add "X" to Part Number for Bulk

PREMIUM 3.5 MM STEREO CABLE

- Unique slim connector design fits most phone and tablet 3.5mm stereo jacks without having to remove the protective casing
- Features premium Metal Hooded Connectors and 4mm OD cable
- 3.5 mm Plug to 3.5 mm Plug
- Low Loss Shielded Patch Cable
- Black PVC Jacket
- Strain Relief for Extra Durability



PART #	LENGTH	PKG.
P35MM01	1 FT	PREMIUM POLYBAG
P35MM03	3 FT	PREMIUM POLYBAG
P35MM06	6 FT	PREMIUM POLYBAG
P35MM12	12 FT	PREMIUM POLYBAG
P35MM25	25 FT	PREMIUM POLYBAG



SLIM 3.5 MM STEREO CABLE

- Unique slim connector design fits most phone and tablet 3.5mm stereo jacks without having to remove the protective casing
- Features PVC Plastic Connectors
- 3.5 mm Plug to 3.5 mm Plug
- Low Loss Shielded Patch Cable
- Black PVC Jacket
- Strain Relief for Extra Durability



PART #	LENGTH	PKG.
S35MM01	1 FT	PREMIUM POLYBAG
S35MM03	3 FT	PREMIUM POLYBAG
S35MM06	6 FT	PREMIUM POLYBAG
S35MM12	12 FT	PREMIUM POLYBAG
S35MM25	25 FT	PREMIUM POLYBAG

3.5 MM STEREO CABLE

- Unique slim connector design fits most phone and tablet 3.5mm stereo jacks without having to remove the protective casing
- Features Aluminum Connectors
- 3.5 mm Plug to 3.5 mm Plug
- Low Loss Shielded Patch Cable
- Black PVC Jacket
- Strain Relief for Extra Durability



PART #	LENGTH	PKG.
A35MM01	1 FT	PKGD
A35MM03	3 FT	PKGD
A35MM06	6 FT	PKGD
A35MM12	12 FT	PKGD
A35MM25	25 FT	PKGD

3.5 MM STEREO PLUG TO 3.5 MM STEREO PLUG CABLE

- High Quality Shielded Cable
- Molded Construction
- Durable 3.5 mm Plugs with Strain



PAVRT #	LENGTH	TYPE	PKG.
AC2W	3 FT	NICKEL	PKGD
AC2W72	6 FT	NICKEL	PKGD
AC2W72G	6 FT	GOLD	PKGD
AC2W12	12 FT	NICKEL	PKGD
AC2W12G	12 FT	GOLD	PKGD
AC2W25	25 FT	NICKEL	PKGD
AC2W50	50 FT	NICKEL	PKGD

Add "X" to Part Number for Bulk

RIGHT ANGLE 3.5 MM STEREO PLUG TO 3.5 MM STEREO PLUG CABLE

- High Quality Shielded Cable
- Molded Construction
- Durable 3.5mm Plugs with Strain Relief
- Nickel



PART #	LENGTH	TYPE	PKG.
110063X	3 FT	NICKEL	PKGD
110065X	6 FT	NICKEL	PKGD
110064X	12 FT	NICKEL	PKGD

3.5 MM STEREO PLUG TO 2.5 MM STEREO PLUG CABLE

- Shield Patch Cable
- Black PVC Jacket
- Molded Construction
- Nickel Plated



PART #	LENGTH	PKG.
110450	6 FT	PKGD
110460	12 FT	PKGD

Add "X" to Part Number for Bulk

AUDIO & VIDEO CABLES

PREMIUM 3.5 MM TO DUAL RCA STEREO CABLES

- Unique slim connector design fits most phone and tablet 3.5mm stereo jacks without having to remove the protective casing
- Features premium Metal Hooded Connectors and 4mm OD cable
- 3.5 mm Plug to Dual RCA Plugs
- Low Loss Shielded Patch Cable
- Black PVC Jacket
- Strain Relief for Extra Durability
- Color Coded - Red/White



PART #	LENGTH	PKG.
PRCA35MM03	3 FT	PKG
PRCA35MM06	6 FT	PKG
PRCA35MM12	12 FT	PKG

SLIM 3.5 MM TO DUAL RCA STEREO CABLE

- Unique slim connector design fits most phone and tablet 3.5mm stereo jacks without having to remove the protective casing
- 3.5 mm Plug to Dual RCA Plugs
- Low Loss Shielded Patch Cable
- Black PVC Jacket
- Molded Construction
- Aluminum Construction for Extra Durability
- Color Coded - Red/Silver



PART #	LENGTH	PKG.
SRCA35MM03	3 FT	PKG
SRCA35MM06	6 FT	PKG
SRCA35MM12	12 FT	PKG

3.5 MM STEREO PLUG TO 3.5 MM STEREO JACK

- Shielded Patch Cable
- Black PVC Jacket
- Molded Construction
- Nickel Plated



PART #	LENGTH	PKG.
AC132	6 FT	PKG

Add "X" to Part Number for Bulk

3.5 MM STEREO PLUG TO 2-3.5 MM STEREO JACKS "Y" ADAPTER

- Shielded Patch Cable
- Black PVC Jacket
- Molded Construction



PART #	LENGTH	TYPE	PKG.
AC3ST	6 INCH	NICKEL	PKG
AC3STG	6 INCH	GOLD	PKG

Add "X" to Part Number for Bulk

3.5 MM STEREO JACK TO 2-3.5 MM STEREO PLUGS "Y" ADAPTER

- Shielded Patch Cable
- Black PVC Jacket
- Molded Construction
- Nickel Plated



PART #	LENGTH	PKG.
110423	6 INCH	PKG

Add "X" to Part Number for Bulk



3.5 MM STEREO PLUG TO 2-RCA FEMALE JACKS "Y" ADAPTER

- Shielded Patch Cable
- Black PVC Jacket
- Molded Construction
- Color Coded - Red/White
- Nickel Plated



PART #	LENGTH	PKG.
AC3K	6 INCH	PKG
AC3K72	6 FT	PKG

Add "X" to Part Number for Bulk

3.5 MM STEREO PLUG TO DUAL RCA PLUGS "Y" ADAPTER

- Connects Portable CD Players, MP3 Players or Satellite Radio to Stereo Receiver
- Low Loss Shielded Patch Cable
- Black PVC Jacket
- Molded Construction
- Strain Relief for Extra Durability
- Color Coded - Red/White




PART #	LENGTH	TYPE	PKG.
AC3W	6 FT	NICKEL	PKG
AC3WG	6 FT	GOLD	PKG
AC3W25G	6 FT	GOLD	PKG
AC3W12X	12 FT	NICKEL	BULK

Add "X" to Part Number for Bulk

3.5 MM STEREO JACK TO 2-RCA MALE PLUGS "Y" ADAPTER

- Shielded Patch Cable
- Black PVC Jacket
- Molded Construction
- Color Coded - Red/White
- Nickel Plated



PART #	LENGTH	PKG.
110422	6 INCH	PKG
110422-6	6 FT	PKG

Add "X" to Part Number for Bulk

3.5 MM STRAIGHT STEREO HEADPHONE EXTENSION CABLE (3.5 MM PLUG TO JACK)

- 3.5 mm Stereo Plug to 3.5 mm Stereo Jack
- Straight Extension Cable
- Shielded Cable
- Black PVC Jacket
- Molded Construction with
- Strain Relief



PART #	LENGTH	PKG.
XCM12STG	12 FT	PKG
XCM15STG	15 FT	PKG
XCM25STG	25 FT	PKG

Add "X" to Part Number for Bulk

3.5 MM MONO PLUG TO 2 - 3.5 MM MONO JACKS "Y" ADAPTER

- Shielded Patch Cable
- Black PVC Jacket
- Molded Construction
- Nickel Plated



PART #	LENGTH	PKG.
AC3B	6 INCH	PKG

Add "X" to Part Number for Bulk

AUDIO & VIDEO CABLES

3.5 MM MONO PLUG TO 3.5 MM MONO JACK "Y" ADAPTER

- Shielded Patch Cable
- Black PVC Jacket
- Molded Construction
- Nickel Plated



PART #	LENGTH	PKG.
AC115	10 FT	PKG

Add "X" to Part Number for Bulk

3.5 MM MONO PLUG TO 3.5 MM MONO JACK CABLE

- Shielded Patch Cable
- Black PVC Jacket
- Molded Construction with Strain Relief
- Nickel Plated



PART #	LENGTH	PKG.
EXC12	12 FT	PKG
EXC15	15 FT	PKG

Add "X" to Part Number for Bulk

3.5 MM MONO PLUG TO 3.5 MM MONO PLUG CABLE

- Shielded Patch Cable
- Black PVC Jacket
- Molded Construction
- Nickel Plated



PART #	LENGTH	PKG.
AC111	3 FT	PKG
AC123	6 FT	PKG
AC118	12 FT	PKG

Add "X" to Part Number for Bulk

3.5 MM MONO PLUG TO RCA MALE PLUG

- Shielded Patch Cable
- Black PVC Jacket
- Molded Construction
- Nickel Plated



PART #	LENGTH	PKG.
AC120	6 FT	PKG

Add "X" to Part Number for Bulk

3.5 MM MONO PLUG TO STRIPPED TINNED ENDS CABLE

- Shielded Patch Cable
- Black PVC Jacket
- Molded Construction
- Nickel Plated



PART #	LENGTH	PKG.
AC104	3 FT	PKG

Add "X" to Part Number for Bulk

WEATHERPROOF RG6 "F" TYPE PLUG TO "F" TYPE PLUG COAXIAL CABLE

- Weatherproof RG6 Coaxial Cable with "F" Connectors
- Anti-Corrosion Plating
- O-Ring Seal
- Silicone-Gel Compound Seal
- Digital and Satellite Compatible
- Heavy Duty Shielding
- UL Listed



PART #	LENGTH	COLOR	PKG.
FFRG6UL25PK	25 FT	BLACK	PKG
FFRG6UL50PK	50 FT	BLACK	PKG
FFRG6UL75PK	75 FT	BLACK	PKG
FFRG6UL100PK	100 FT	BLACK	PKG



RG6 QUAD DIGITAL COAXIAL CABLE WITH PREMIUM GEN II COMPRESSION CONNECTORS

- Maximum Shielding and Superior Picture and Sound
- Digital Ready, HDTV Compatible
- Premium Commercial Grade Compression Connectors for Precise and Secure Connections
- 3 GHz Bandwidth, 5-3000 MHz
- Weatherproof for Indoor and Outdoor Use
- Solid Copper Clad Steel Center Conductor
- Insulator: Foamed PE (Polyethylene)
- Braid: 60% Aluminum (.16 x 4 x 16 mm)
- UL Listed, CL2 Rated



PART #	LENGTH	COLOR	PKG.
200-007-06	6 FT	BLACK	PKG
200-007-06W	6 FT	WHITE	PKG
200-007-12	12 FT	BLACK	PKG
200-007-12W	12 FT	WHITE	PKG
200-007-25	25 FT	BLACK	PKG
200-007-25W	25 FT	WHITE	PKG
200-007-50	50 FT	BLACK	PKG
200-007-50W	50 FT	WHITE	PKG
200-007-100	100 FT	BLACK	PKG
200-007-100W	100 FT	WHITE	PKG

Add "X" to Part Number for Bulk

CCTV BNC TO BNC CONNECTOR COAXIAL CABLE

- Use with Closed Circuit Television (CCTV) Applications and Security Camera Components
- Premium Low Loss RG59 Coax Cable
- Molded Black Construction
- Heavy Duty BNC Connectors



PART #	LENGTH	COLOR	PKG.
BB3	3 FT	BLACK	PKG
BB6	6 FT	BLACK	PKG
BB12	12 FT	BLACK	PKG
BB25	25 FT	BLACK	PKG
BB50	50 FT	BLACK	PKG
BB75	75 FT	BLACK	PKG
BB100	100 FT	BLACK	PKG

Add "X" to Part Number for Bulk

RG6 "F" TYPE PLUG TO "F" TYPE PLUG COAXIAL CABLE

- Digital and Satellite Compatible
- Gold "F" Connectors
- Connects 75 ohm Devices
- Heavy Duty, Shielding and Superior Performance



PART #	LENGTH	COLOR	PKG.
FFRG6U3	3 FT	BLACK	PKG
FFRG6U3W	3 FT	WHITE	PKG
FFRG6U6	6 FT	BLACK	PKG
FFRG6U6W	6 FT	WHITE	PKG
FFRG6U12	12 FT	BLACK	PKG
FFRG6U12W	12 FT	WHITE	PKG
FFRG6U18	18 FT	BLACK	PKG
FFRG6U18W	18 FT	WHITE	PKG
FFRG6U25	25 FT	BLACK	PKG
FFRG6U25W	25 FT	WHITE	PKG
FFRG6U35	35 FT	BLACK	PKG
FFRG6U35W	35 FT	WHITE	PKG
FFRG6U50	50 FT	BLACK	PKG
FFRG6U50W	50 FT	WHITE	PKG
FFRG6U75	75 FT	BLACK	PKG
FFRG6U75W	75 FT	WHITE	PKG
FFRG6U100	100 FT	BLACK	PKG
FFRG6U100W	100 FT	WHITE	PKG
FFRG6U150	150 FT	BLACK	PKG

Add "X" to Part Number for Bulk

PRE-MADE RG-59 POWER/VIDEO CABLE

- Professional Power/Video Cable
- Premade RG-59 coaxial cable w/18AWG power lines
- Pre-tested and ready to use
- High quality BNC compression and 2.1mm barrel power connectors installed
- Solid bare copper center conductor
- 128 wires 95% coverage shield
- Foam polyethylene dielectric



PART #	LENGTH	PKG.
BBDC25X	25 FT	PKG
BBDC50X	50 FT	PKG
BBDC60X	60 FT	PKG
BBDC75X	75 FT	PKG
BBDC100X	100 FT	PKG
BBDC125X	125 FT	PKG
BBDC150X	150 FT	PKG

AUDIO & VIDEO CABLES

FLAT WINDOW COAXIAL CABLE

- Designed to Feed the Video Signal through a Window Where No Hole is Allowed or Wanted
- Flat- 75 Ohm Coaxial Cable
- Female "F" Connector on Each End of Cable



PART #	LENGTH	PKG.
120108	8 INCH	PKGD

Add "X" to Part Number for Bulk

RG59/U-UL

- 20 Gauge Copper Clad Steel Center Conductor
- Foil Bonded to Dielectric for Improved Shielding
- Shield: 100% Foil- Single Side Aluminum/Poly Tape
- and Braid: 60% Coverage 64/0.16 mm Aluminum Alloy
- Suitable for Broadband Applications
- Greater Pull Strength
- UL Listed



PART #	LENGTH	COLOR	PKG.
RG59UL60-500	500 FT	BLACK	PKGD
RG59ULW60-500	500 FT	WHITE	PKGD

RG6/U QUAD SHIELD, UL

- Digital and Satellite Compatible
- Suitable for Broadband Applications
- 18 Gauge Copper Clad Steel Center
- 100% Shielded (60%/40% AL)
- Foil Bonded to Dielectric for Improved Shielding
- Heavy Duty Maximum Shielding and
- Superior Performance
- Greater Pull Strength
- Black Color



PART #	LENGTH	PKG.
RG6UL60Q-500	500 FT	SPOOL
RG6UL60Q-1000	1000 FT	PKGD

RG6/U- UL

- 18 Gauge Copper Clad Steel Center Conductor
- Foil Bonded to Dielectric for Improved Shielding
- Shield: 100% Foil- Single Side Aluminum/Poly Tape and
- Braid: 60% Coverage 64/0.16 mm Aluminum Alloy
- Suitable for Broadband Applications
- Greater Pull Strength
- Digital and Satellite Compatible
- 2.2 GHz
- Swept Test to 3.0 GHz
- UL Listed



PART #	LENGTH	COLOR	PKG.
RG6UL60-500	500 FT	BLACK	SPOOL
RG6ULW60-500	500 FT	WHITE	SPOOL
ERG6UL60-500 (ECONOMY)	500 FT	BLACK	PKGD



3 PIN MALE TO 3 PIN FEMALE XLR CABLE

- Super Flexible Shielded Cable with Strain Relief
- 16 AWG Stranded Conductors
- Professional Heavy Duty XLR Connectors
- Deliver Precise Instrumental and Voice Sound
- Maximum Shielding, Superior Balance Performance



PART #	LENGTH	PKG.
281143	3 FT	PKG
281146	6 FT	PKG
281150	10 FT	PKG
281160	20 FT	PKG
281165	25 FT	PKG
281180	50 FT	PKG

Add "X" to Part Number for Bulk

XLR FEMALE JACK TO 2-MALE XLR PLUGS "Y" ADAPTER

- 16 AWG Stranded Conductor
- Professional Heavy Duty XLR Connectors
- Delivers Precise Instrumental and Voice Sound
- Super Flexible Cable With Strain Relief
- Maximum Shielding, Superior Balance Performance
- Exceptional EMI/RF Noise Rejection



PART #	LENGTH	PKG.
281322	1 FT	PKG

Add "X" to Part Number for Bulk

XLR MALE PLUG TO 2-FEMALE XLR JACKS "Y" ADAPTER

- 16 AWG Stranded Conductor
- Super Flexible Cable with Strain Relief
- Professional Heavy Duty XLR Connectors
- Delivers Precise Instrumental and Voice Sound
- Maximum Shielding, Superior Balance Performance
- Exceptional EMI/RF Noise Rejection




PART #	LENGTH	PKG.
281323	1 FT	PKG

Add "X" to Part Number for Bulk

STRUCTURED SPEAKER WIRE

- Premium speaker wire used for high end audio transmission, stereo, professional sound & studio requirements, high resolution monitoring, speaker level analog audio and permanent installation
- 16 AWG
- 65/34 AWG Stranded
- Premium Polyolefin insulation
- Conductor color code: 1. Black 2. Red
- Rip cord: applied longitudinally under jacket
- PVC, flame-retardant, extra-flexible and round jacket : White Color
- 99.999% Oxygen Free Copper
- Low loss
- Tested physically and electrically in accordance with NEC standards
- E-Z footage marking with ascending and descending order
- Sunlight resistant and RoHS Compliant
- UL Listed, CL3 Rated, CMR



PART #	LENGTH	PKG.
4002-PB-WH-500	500 FT	PKG

Add "X" to Part Number for Bulk

IR DISTRIBUTION

IR DISTRIBUTION



IR DISTRIBUTION

IR DISTRIBUTION

HDMI® IR CONTROL KIT

- Allows for IR Control over any HDMI Cable
- To Connect add an HDMI IR Adapter to both ends of the HDMI Cable
- IR TX Pigtail connects to HDMI IR adapter at the source
- IR RX Pigtail connects to HDMI IR adapter at the display
- Extends IR Signals more than 100m/328 ft
- Supports Dual Band IR
- HDMI IR Adapters are IR or CEC configurable



PART #	PKG.
280700	PKGD

SUPER IR ACCESSORIES

- IR Transmitters, Receivers, and Adapters are compatible with Vanco's HDMI Matrixes, Splitters, Switchers, and Extenders that are enabled with Super IR technology
- HDMI IR Adapter Allows for IR Control over any Vanco HDMI Cable
- Extends IR Signals more than 100m/328ft
- Supports Dual Band IR
- HDMI IR Adapter is IR or CEC Configurable



PART #	TYPE	PKG.
280703	HDMI IR ADAPTER	PKGD
280720	TRANSMITTER	PKGD
280721	RECEIVER	PKGD
280720EXT	TRANSMITTER WITH 6" EXTENSION	PKGD
280721EXT	RECEIVER WITH 6" EXTENSION	PKGD

ONE ZONE SIX SOURCE IR KIT

- Allows for the Transmission of IR Signals from up to 6 IR Emitters to one IR Receiver
- IR Receiver works in most lighting environments, including CFL
- Kit includes (1) Connecting Block, (1) Mini IR Receiver, (2) Single IR Emitters and (1) 12 VDC Power Supply
- A total of 6 IR Emitters can be supported
- IR Receive Frequency: 34 kHz to 60 kHz
- IR Transmit Frequencies: 38 kHz & 56 kHz
- Range: 40 ft at 38 kHz & 25 ft at 56 kHz
- Power Supply, 12 VDC, 3 milli-amps
- Connecting Block Dimensions: 2.36" W x 1" H x 3.22" D



PART #	PKG.
280731	PKGD



ONE ZONE SIX SOURCE IR KIT WITH IN-WALL RECEIVER

- Allows for the Transmission of IR signals from up to 6 IR Emitters to one IR Receiver
- IR Receiver works in most lighting environments, including CFL
- Kit includes (1) Connecting Block, (1) In-Wall IR Receiver, (2) Single IR Emitters and (1) 12 VDC Power Supply
- A total of 6 IR Emitters can be supported
- Requires 18 AWG 4 Conductor Low Voltage Wire (Not Included)
- IR Receive Frequency: 34 kHz to 60 kHz
- IR Transmit Frequencies: 38 kHz & 56 kHz
- Range: 40 ft at 38 kHz & 25 ft at 56 kHz
- Power Supply, 12 VDC, 3 milli-amps
- Connecting Block Dimensions: 2.36" W x 1" H x 3.22" D



PART #	PKG.
280733	PKGD

COMPACT 1 ZONE 4 SOURCE IR KIT

- Allows for the Transmission of IR Signals from up to 4 IR Emitters to one IR Receiver
- IR Receiver works in most lighting environments, including CFL
- Kit includes (1) Connecting Block, (1) IR Receiver, (2) Dual IR Emitters and (1) 5V DC Power Supply
- A total of 4 IR Emitters can be supported
- IR Receive Frequency: 30 kHz to 60 kHz
- IR Transmit Frequencies: 38 kHz & 56 kHz
- Range: 40 ft at 38 kHz & 25 ft at 56 kHz
- Power Supply, 5V DC (500mA)
- Connecting Block Dimensions: 4.07" W x .65" H x 1.25" D



PART #	PKG.
280751	PKGD

IR DISTRIBUTION

ONE ZONE THREE SOURCE IN-WALL DECOR STYLE IR KIT

- Allows for the Transmission of IR signals from up to 3 IR Emitters to one IR Receiver
- In-Wall IR Receiver works in most lighting environments, including CFL
- Kit includes (1) In-Wall IR Connecting Block, (1) In-Wall IR Receiver, (2) Single IR Emitters and (1) 12 VDC Power Supply
- A total of 6 IR Emitters can be supported
- Requires 18 AWG 4 Conductor Low Voltage Wire (Not Included)
- IR Receive Frequency: 34 kHz to 60 kHz
- IR Transmit Frequencies: 38 kHz & 56 kHz
- Range: 40 ft at 38 kHz & 25 ft at 56 kHz
- Power Supply, 12 VDC, 3 milli-amps
- In-Wall Connecting Block Dimensions: 2.75" W x 4.5" H x 1.6" D



PART #	PKG.
280734	PKGD

ONE ZONE TWO SOURCE IR KIT

- Allows for the Transmission of IR signals from up to 2 IR Emitters to one IR Receiver
- In-Wall IR Receiver works in most lighting environments, including CFL
- Kit includes (1) IR Connecting Block, (1) IR Receiver, (2) Single IR Emitters and (1) 12 VDC Power Supply
- A total of 2 IR Emitters can be supported
- IR Receive Frequency: 34 kHz to 60 kHz
- IR Transmit Frequencies: 38 kHz & 56 kHz
- Range: 40 ft at 38 kHz & 25 ft at 56 kHz
- Power Supply, 12 VDC, 3 milli-amps
- IR Connecting Block: 1" W x .75" H x 1.75" D



PART #	PKG.
280732	PKGD

IR OVER COAX DISTRIBUTION KIT

- Allows for the Transmission of IR signals over Coaxial Cable, creating an IR system with existing wiring
- In-Wall IR Receiver works in most lighting environments, including CFL
- IR Receive Frequency: 34 kHz to 60 kHz
- IR Transmit Frequencies: 38 kHz & 56 kHz
- Range: 40 ft @ 38 kHz & 25 ft @ 56 kHz
- Power Supply, 12VDC
- Blue IR confirmation LED light



PART #	PKG.
280745	PKGD

8 PORT IR RECEIVER HUB

- Allows for up to 8 IR Receiver home-run connections to be combined and attached to one connection in the connecting block. The supplied terminal blocks facilitate making the wire connections and can accommodate wire sizes ranging from 24 AWG to 12 AWG.
- In-Wall IR Receiver works in most lighting environments, including CFL
- Passive device that does not require a power supply
- Terminal block connections: +12 Volts; Ground; Status; IR
- Dimensions: 3.5" L x 7.75" W x 1.25" H
- Three IR Emitter receptacles in a face-plate for interfacing with free-standing IR Emitters



PART #	PKG.
280735	PKGD



WIRELESS IR KIT

- Transmits IR signals wirelessly over 915 MHz RF
- Allows for wireless IR transmission up to 200 meters (656 ft)- no cable required
- Allows up to 4 devices to be controlled remotely by a single receiver.
- 10 discrete channels allow for pairing of up to 10 sources and 10 displays within the same installation environment (Additional Transmitters and Receivers sold separately)
- IR Frequency: 20-60 Hz
- Optional IR TX and RX pigtails included for use when hiding transmitter and receiver units
- Compatible with most universal full band carrier frequency infrared remote
- Features frequency hopping technology to minimize RF interference
- Includes (2) 5V DC power supplies



PART #	PKG.
WIR-KIT	PKGD

3.5 MM STEREO PLUG TO (4) STEREO JACKS CABLE

- Compatible with Wireless IR Kit (WIR-KIT)
- 3.5 mm Stereo Plug to (4) Stereo Jack Cable
- 9" Black Cable



PART #	PKG.
WIR-1X4	PKGD

SURFACE MOUNT MINI IR TARGET

- IR Receiver compatible with Vanco Wireless IR Kit (WIR-KIT)
- Receive Frequency Range: 20 KHz to 60 KHz
- Connector Type: 1/8" (3.5 mm) TRS Mini Plug



PART #	PKG.
WIR-CBLRX	PKGD

IR DISTRIBUTION

USB A (M) TO DC PLUG CABLE

- Allows the WIR-KIT transmitter or receiver to be powered by an available compatible USB port at the source or display. The USB port must be able to support 5V and .5A of power.
- Compatible with Vanco Wireless IR Kit (WIR-KIT)
- USB A (M) to DC Plug (3.5 x 1.35 x 11 mm)
- 5.9 ft Black Cable



PART #	PKG.
WIR-USB	PKGD

3.5 MM STEREO PLUG TO (4) STEREO JACKS CABLE

- Compatible with Wireless IR Kit (WIR-KIT)
- 3.5 mm Stereo Plug to (4) Stereo Jack Cable
- 9" Black Cable



PART #	PKG.
WIR-RX	PKGD

SURFACE MOUNT MINI IR TARGET

- IR Receiver compatible with Vanco Wireless IR Kit (WIR-KIT)
- Receive Frequency Range: 20 KHz to 60 KHz
- Connector Type: 1/8" (3.5 mm) TRS Mini Plug



PART #	PKG.
WIR-TX	PKGD



IR 3.5MM KEYSTONE JACK

- Allows for IR Extension without Splicing
- Compatible with Leviton, ICC, Allen Tel and Many Others
- Tool-Less Design
- Spring Loaded Terminals (back side)
- Accepts up to 20 AWG Cable
- Note: This over-sized connector is compatible with Vanco's full size Datacom Wall Plates. Not Décor type



PART #	PKG.
280752	PKGD

IR 3.5MM IN-LINE JACK

- Allows for IR Extension without Splicing
- In-line 3.5 mm (1/8") Stereo Cable Connector
- Designed for quick - easy 3.5mm Stereo Jack connector assembly
- Tool-Less Design
- Spring Loaded Terminals (one side)
- Accepts up to 20 AWG Cable



PART #	PKG.
280753	PKGD

IR BRASS TUBE RECEIVER


- Ideal for installation in areas illuminated by compact fluorescent lighting (CFL)
- 10 ft pigtail with 3.5 mm plug
- IR Receive Frequency: 34 kHz to 60 kHz
- IR Transmit Frequencies: 38 kHz & 56 kHz
- Range: 40 ft at 38 kHz & 25 ft at 56 kHz
- Dimensions: 0.96" L x 0.65" OD
- Brass Finish



PART #	PKG.
280736	PKGD

IR KEYSTONE RECEIVER

- Compatible with Keystone Face Plates
- Can be connected with the use of 18 AWG 2 or 4 Conductor Low Voltage Wire or Cat5e/Cat6 Cable
- IR Receive Frequency: 34 kHz to 60 kHz
- IR Transmit Frequencies: 38 kHz & 56 kHz
- Range: 40 ft at 38 kHz & 25 ft at 56 kHz
- Dimensions: 1.55" L x .75" W x 1" H



PART #	PKG.
280737	PKGD

DUAL BAND IR RECEIVER

- IR Receive Frequency: 34 kHz to 60 kHz
- IR Transmit Frequencies: 38 kHz & 56 kHz
- Range: 40 ft at 38 kHz & 25 ft at 56 kHz
- 10 ft Cord



PART #	PKG.
280741	PKGD

IN-WALL IR RECEIVER

- IR Receive Frequency: 34 kHz to 60 kHz
- IR Transmit Frequencies: 38 kHz & 56 kHz
- Range: 40 ft at 38 kHz & 25 ft at 56 kHz
- Dimensions: 2.75" W x 4.5" H x 1.6" D



PART #	PKG.
280740	PKGD

IR EMITTERS

- IR Receive Frequency: 34 kHz to 60 kHz
- IR Transmit Frequencies: 38 kHz & 56 kHz
- Range: 40 ft at 38 kHz & 25 ft at 56 kHz



PART #	TYPE	PKG.
280738	SINGLE EMITTER	PKGD
280739	DUAL EMITTER	PKGD

CONVERTERS,


CONNECTORS & ADAPTERS



CONVERTERS, CONNECTORS & ADAPTERS

4K HDMI® AUDIO EXTRACTOR

- Extracts audio signals from an HDMI source
- Passes 4K @ 60Hz and 4:4:4 chroma subsampling
- Supports HDR (High Dynamic Range)
- Supports Full 18 Gpbs Bandwidth
- HDCP 2.2 compliant
- Allows simultaneous output of HDMI audio- multi-channel optical (SPDIF)- and L/R analog audio in 2CH mode
- Optical audio supports LPCM 2CH- Dolby Digital 2/5.1CH- DTS 2/5.1CH
- Supports uncompressed audio LPCM (Linear Pulse Code Modulation)
- Supports compressed audio DTS Digital- Dolby Digital (DTS-HD and Dolby True HD)
- Power Supply: 5V DC- UL Listed
- 2.75" W x .75" H x 2.378"



PART #	PKG.
HD4KAE	PKGD

HDMI® AUDIO EXTRACTOR

- Use to extract audio signals from an HDMI source
- Allows simultaneous output of toslink or coaxial digital and stereo 3.5mm analog audio signals
- Supports 2.0CH/5.1CH audio switch
- Supports High Definition Resolution 1080p and 3D
- Supports 225 MHz/2.25 Gbps Per Channel Bandwidth (6.75 Gbps All Channels)
- Supports 12 Bit per Channel Deep Color, 36 Bit Total
- Supports Uncompressed Audio LPCM (Linear Pulse Code Modulation)
- Supports Compressed Audio DTS Digital, Dolby Digital (DTS-HD and Dolby True HD)
- HDCP Compliant
- Power Supply: 5V DC, UL Listed
- Dimensions: 2.75" W x .75" H x 2.378"



PART #	PKG.
280573	PKGD



HDMI® AUDIO & VIDEO SCALER

- HDMI Resolution Scaler with Audio Embedding/De-embedding and Video Calibration
- Embeds an analog or digital audio signal onto the HDMI Output to combine Video and Audio sources onto a single display
- Allows for up to 50 different resolutions from an HDMI source to be scaled to 720P or 1080P
- De-embeds an analog or digital audio signal from the HDMI Input to connect to an external audio receiver or amplifier
- HDMI 1.3a compliant and DVI 1.0 compliant
- IR remote control- Remote control via mini-USB
- OSD control interface
- Maximum pixel rate : 165MHz
- Deinterlacer supported
- Supports noise reduction and video enhancement features
- Video enhancement support and calibration
- Over / Under scanning adjustable
- Video H/V mirror supported
- Active video area adjustment supported
- USB firmware upgradable for expanding compatibility
- Wall-mount housing design for easy installation



PART #	PKG.
280563	PKGD

4K HDMI® CONDITIONER

- Allows for High-definition HDMI transmission and HDCP conversion for legacy 4K TV's and projectors
- HDMI Input supports HDMI 2.0 with HDCP 2.2 and is backwards compatible with lower HDMI standards
- HDMI Output supports HDMI1.4 & HDCP 1.4 is compliant with lower HDMI standards
- Transmits 4Kx2K @ 60Hz (max) signal up to 49 feet/15m
- EDID bypass function ensures the best resolution
- Resynchronizes- conditions- and equalizes HDMI signals
- Auto input resolution detection maintains native resolution and aspect ratio
- Plug and play installation and operation
- Dimensions: 1.79" x .5" H x 2.9" D



PART #	PKG.
HDVC1	PKGD

DIGITAL AUDIO CONVERTER WITH DUAL OUTPUTS

- Converts Coaxial digital audio signals to Toslink digital audio signals; Converts Toslink digital audio signals to Coaxial digital audio signals
- Switch between either Coaxial or Toslink source to output both Coaxial and Toslink formats
- Accepts stereo or surround (up to 5.1ch) audio signals via Coaxial or Optical
- Built in signal enhancement that repeats digital audio signals to extend up to double the transmission distance
- Supports sampling rate at 32, 44.1, 48, 96, and 192KHz
- Power Supply: 5V DC
- Dimensions: 2.24" W x .96" H x 2.18" D



PART #	PKG.
280565	PKGD

CONVERTERS, CONNECTORS & ADAPTERS

PREMIUM DIGITAL TO ANALOG AUDIO CONVERTER

- Dolby Digital Approved
- Converts coaxial or Toslink digital audio signals to analog L/R audio
- Select toggle switch is used to choose Coaxial or Toslink as the input
- Supports DTS/Dolby Digital audio source
- Built-in Dolby/DB HD, the DTS HD, LPCM/LPCM with decoding
- 24-bit S/PDIF incoming bit stream on left and right channels
- Supports a full range of 32k, 44k, 1k, 48k, 64k, 88.2k, 96k, 192k
- Provides electromagnetic-noise-free transmission
- Easy to install and simple to operate
- Power Supply: 5V DC
- UL Listed
- 3.25" W x .93" H x 1.87" D

PART #	PKG.
280515	PKGD



ANALOG TO DIGITAL AUDIO CONVERTER

- Converts an analog stereo audio signal from L/R Input to Digital Coaxial or Toslink outputs
- Supports uncompressed 2-channel LPCM digital audio signal output
- Supports output sampling rate at 48 KHz
- Provides electromagnetic noise-free transmission
- Power Supply: 5V DC
- UL Listed
- Dimensions: 1.625" W x 1" H x 2.5" D

PART #	PKG.
280519	PKGD



DIGITAL TO ANALOG AUDIO CONVERTER

- Converts Coaxial or Toslink digital audio signals to analog L/R Audio
- Supports sampling rate at 32, 44.1, 48, and 96 KHz
- 24-bit S/PDIF incoming bit stream on left and right channels
- Provides electromagnetic noise free transmission
- Power Supply: 5V DC
- UL Listed
- Dimensions: 1.625" W x 1" H x 2.5" D

PART #	PKG.
280512	PKGD



S-VGA + AUDIO TO HDMI® CONVERTER

- Converts VGA and Audio Signals to Complete HDMI
- High Precision Digital Conversion Technique Ensures High Picture Quality
- Transmission Range: 50 ft
- Supports High Definition Resolution 1080p
- 5V DC, UL Listed Power Supply
- Dimensions: 3.35" W x 1.18" H x 3.82" D

PART #	PKG.
280553	PKGD






RS232 AND IP ROUTER

- LAN/Wi-Fi to Serial adapter that allows for remote access, configuration, and the ability to control any serial device over an IP network
- Enables seamless communication via serial port, Ethernet, or any wireless network interface
- Wired/Wireless Router, and wireless access point capability
- Converts commands received over UDP or TCP/IP to Serial
- Supports RS232 and RS485 interfaces
- Extremely low latency
- DC 5-18V ultra wide voltage input provides 2A current for increased reliability
- Suitable for use in battery powered systems
- Transparent Transmission Mode, RS232/RS485 to RJ45, RS232/RS485 to WIFI
- RJ45 to WIFI can be achieved simultaneously to ensure stable of data transmission
- Supports WEP/WAP-PSK/WAP2-PSK/WAPI
- Encipher Type: WEP64/WEP128/TKIP/AES
- Power Supply: 5V
- Dimensions: 1.1" W .3" H x 1.6" D



CONNECTED THROUGH NETWORK



PART #	PKG.
RS232-IP	PKG

USB 2.0 TO RS232 CONVERTER

- Easy connection of serial devices through a USB port
- Data transfer rates 1 Mbps and more
- Supports remote wake-up and power management
- Can be used for PDA, modems and more
- Compatible with USB2.0/1.1 specifications
- Supports RS232 serial interface DB9
- Supports over 1 Mbps data transfer rate
- Supports Windows 2000/Server 2008/XP/ Vista/WIN7/WIN8/WIN10 , Linux, Mac os v8 .6 or higher

PART #	PKG.
RS232-USB	PKG



4K ULTRAHD HDMI® IN-LINE REPEATER

- Allows for two HDMI® Cables to be Coupled Together for Longer Cable Runs
- Supports HDR- Ultra HD- 4K@ 60Hz- 4:4:4 Chroma Sampling
- Supports 18Gbps Bandwidth
- Transmission: 50ft at 4Kx2K@60Hz- 4:4:4 with HDR using Certified Premium HDMI Cables (Vanco HDMICPxx series)
- Supports all 3D formats
- CEC Pass through
- HDCP 2.2 and 1.4 Compliant
- Power consumption is less than 1W- no power supply required
- .5" W x 1.9" H x 1" D

Note: Compatible with the Vanco HDAC series active HDMI cables on one side, input or output only, will not pass signal with two active cables coupled together

PART #	PKG.
HD4KRPTR	PKG



HDMI® IN-LINE COUPLER

- Use to join Two HDMI Cables
- Delivers Clean, Uncompressed Digital Signals for Longer Length Connections
- Supports High Definition Resolution 1080p
- Dimensions: 1" W x .5" H x 1.25" D

PART #	PKG.
280328	PKG



Add "X" to Part Number for Bulk

CONVERTERS, CONNECTORS & ADAPTERS

HDMI® ADAPTERS

- Converts a HDMI Male Plug to a HDMI Female Jack or Vice Versa
- Repositions Cable Jack for Easy Access Where Space is Limited
- Supports High Definition Resolution 1080p
- Gold Plated HDMI Male Plug to HDMI Female Jack



PART #	TYPE	PKG.
120710	HORIZONTAL FLAT TOP	PKG
120720	HORIZONTAL FLAT BOTTOM	PKG
120730	VERTICAL FLAT LEFT	PKG
120740	VERTICAL FLAT RIGHT	PKG
120750	180 DEGREE SWIVEL	PKG

Add "X" to Part Number for Bulk

HDMI® FEMALE TO DVI-D FEMALE IN-LINE VIDEO ADAPTER

- Connects a HDMI Component to a HDTV or Other Equipment with DVI Connections
- Supports High Definition Resolution 1080p
- Provides Maximum Noise Rejection and Ensures Exceptional Video Quality
- HDMI Female Jack to DVI Female Jack (24 Pin)
- Gold Plated Connections for Optimal Signal Transfer
- Conductor: Oxygen Free Copper

PART #	PKG.
120239	PKG

Add "X" to Part Number for Bulk



DVI-D FEMALE TO HDMI® MALE IN-LINE VIDEO ADAPTER

- Connects a HDMI Component to a HTDV or Other Equipment with DVI Connections
- Supports High Definition Resolution 1080p
- Provides Maximum Noise Rejection and Ensures Exceptional Video Quality
- DVI Female Jack (24 Pin) to HDMI Male Plug
- Gold Plated Connections for Optimal Signal Transfer
- Conductor: Oxygen Free Copper

PART #	PKG.
120235	PKG

Add "X" to Part Number for Bulk



HDMI® FEMALE TO DVI-D MALE IN-LINE VIDEO ADAPTER

- Connects a HDMI Component to a HDTV or Other Equipment with DVI Connections
- Supports High Definition Resolution 1080p
- Provides Maximum Noise Rejection and Ensures Exceptional Video Quality
- HDMI Female Jack to DVI Male Plug (24 Pin)
- Gold Plated Connections for Optimal Signal Transfer
- Conductor: Oxygen Free Copper

PART #	PKG.
120238	PKG

Add "X" to Part Number for Bulk



HDMI® FEMALE TO MINI HDMI® MALE ADAPTER

- Converts an Type A HDMI Plug into a Mini Type D HDMI Plug
- Supports High Definition Resolution 1080p
- Gold Plated Connections for Optimal Signal Transfer

PART #	PKG.
280172	PKG

Add "X" to Part Number for Bulk





HDMI® FEMALE TO MICRO HDMI® MALE ADAPTER

- Converts a Type A HDMI Plug into a Type D Micro HDMI Plug
- Allows you to stream media, watch videos, and view documents from a smartphone onto a flat panel display
- Supports 4K x 2K and 1080p Video Resolutions
- Supports 3D and additional color spaces

PART #	PKG.
120760	PKGD

Add "X" to Part Number for Bulk



HDMI® FEMALE TO DISPLAY PORT MALE ADAPTER

- Converts an HDMI Type A Plug into a Display Port Plug
- Supports High Definition Resolution 1080p
- Gold Plated Connections for Optimal Signal Transfer

PART #	PKG.
280173	PKGD

Add "X" to Part Number for Bulk



HDMI® FEMALE TO MINI DISPLAY PORT MALE ADAPTER WITH PIGTAIL

- Converts an HDMI Type A Plug into a Mini Display Port Plug
- Supports High Definition Resolution 1080p
- Gold Plated Connections for Optimal Signal Transfer



PART #	PKG.
280171	PKGD

Add "X" to Part Number for Bulk

TOSLINK COUPLER

- Accepts Two (2) Toslink Cables
- Toslink Female to Toslink Female
- Expands the Length while Maintaining the Toslink Standards

PART #	PKG.
820492	PKGD

Add "X" to Part Number for Bulk



TRIPLE RCA COMPOSITE AUDIO/VIDEO COUPLER

- Triple RCA Female Jacks to Triple RCA Female Jacks
- Color Coded Inserts - Red/White/Yellow for Easy Identification
- Gold Plated

PART #	PKG.
110203	PKGD

Add "X" to Part Number for Bulk



TRIPLE RGB COMPONENT VIDEO COUPLER

- Triple RCA Female Jacks to Triple RCA Female Jacks
- For Use with RGB Component Video Cables
- Color Coded Inserts - Red/Green/Blue for Easy Identification
- Gold Plated

PART #	PKG.
121256	PKGD

Add "X" to Part Number for Bulk



CONVERTERS, CONNECTORS & ADAPTERS

1 GHZ CATV SIGNAL SPLITTERS


- Designed For Frequencies Up to 1 GHz (1000 MHz)
- Covers the Standard TV Broadcast Band and the Proposed HDTV (High Definition) Frequencies
- Zinc Die cast Construction with a Soldered Back
- Zinc Die cast Housing
- Advanced PCB Construction
- 130 dB + RFI Shielding
- Built-In Grounding Block



PART #	FREQUENCY RANGE (MHZ)	INSERTION LOSS (DB)	ISOLATION (DB)	RETURN LOSS (DB)	PKG.
2-WAY SPLITTER CPZ21G	5-40	3.5	24	22	PKG
	41-400	3.4	28	24	
	401-600	3.5	25	24	
	601-750	3.7	25	25	
3-WAY SPLITTER CPZ31G	5-40	5.6	27	19	PKG
	41-400	5.4	27	23	
	401-600	5.8	29	23	
	601-750	6.5	29	25	
4-WAY SPLITTER CPZ41G	5-40	6.9	22	13	PKG
	41-400	6.5	28	24	
	401-600	6.9	28	25	
	601-750	7.8	28	25	
6-WAY SPLITTER CPZ61G	5-40	10.0	30	23	PKG
	41-400	10.2	40	25	
	401-600	10.5	27	25	
	601-750	10.5	27	29	
8-WAY SPLITTER CPZ81G	5-40	3.5	25	21	PKG
	41-400	3.4	36	22	
	401-600	3.5	25	23	
	601-750	3.7	25	22	
	751-1000	3.7	25	22	

2-WAY 2.4 GHZ SATELLITE SPLITTER

- Ideal for Use with Digital Satellite Systems
- 2-Way- 2.4 GHz- 5-2150 MHz
- Terminals are Standard "F" 75 Ohm Connectors
- Mounting Tabs and Screws Included




PART #	PKG.
3A0001	PKG

Add "X" to Part Number for Bulk

3-WAY 2.4 GHZ SATELLITE SPLITTER

- Ideal for Use with Digital Satellite Systems
- 3-Way- 2.4 GHz- 5-2150 MHz
- Terminals are Standard "F" 75 Ohm Connectors
- Mounting Tabs and Screws Included




PART #	PKG.
3A0002	PKG

Add "X" to Part Number for Bulk



4-WAY 2.4 GHZ SATELLITE SPLITTER

- Ideal for Use with Digital Satellite Systems
- 4-Way- 2.4 GHz- 5-2150 MHz
- Terminals are Standard "F" 75 Ohm Connectors
- Mounting Tabs and Screws Included




PART #	PKG.
3A0003	PKGD

Add "X" to Part Number for Bulk

8-WAY 2.4 GHZ SATELLITE SPLITTER

- Ideal for Use with Digital Satellite Systems
- 8-Way- 2.4 GHz- 5-2150 MHz
- Terminals are Standard "F" 75 Ohm Connectors
- Mounting Tabs and Screws Included



PART #	PKG.
3A0018X	PKGD

6-WAY 2.4 GHZ SATELLITE SPLITTER

- Ideal for Use with Digital Satellite Systems
- 6-Way- 2.4 GHz- 5-2150 MHz
- Terminals are Standard "F" 75 Ohm Connectors
- Mounting Tabs and Screws Included



PART #	PKG.
3A0016X	PKGD

2-WAY 3 GHZ SATELLITE SPLITTER

- Ideal for Use with Digital Satellite Systems or Amplified Outdoor Antenna
- 2-Way- 3 GHz- -130 dB- 5-3000 MHz
- Terminals are Standard "F" 75 Ohm Connectors
- Frequency Range: 5 – 3000 MHz
- Insertion Loss: 4.0 – 7.8 dB Maximum
- Input Return Loss: 12.5 – 25.5dB Minimum
- Port-Port Isolation: 16 – 21 dB Minimum



PART #	PKG.
ES102DX	PKGD

CONVERTERS, CONNECTORS & ADAPTERS

3-WAY 3 GHZ SATELLITE SPLITTER


- Ideal for Use with Digital Satellite Systems or Amplified Outdoor Antenna
- 3-Way- 3 GHz- -130 dB- 5-3000 MHz
- Terminals are Standard "F" 75 Ohm Connectors
- Frequency Range: 5 – 3000 MHz
- Insertion Loss: 6.5 – 9.0 dB Maximum
- Input Return Loss: 12.5 – 20.5dB Minimum
- Port-Port Isolation: 20 – 25 dB Minimum



PART #	PKG.
ES103DX	PKGD

2-WAY MINIATURE SIGNAL SPLITTER

- Takes One 75 Ohm Input and Splits It Into Two 75 Ohm Outputs
- "F" Type Connectors
- High Quality Zinc Diecast Body
- For Indoor and Outdoor Use
- 5-900 MHz
- Mounting Screws Included




PART #	PKG.
CPZ2	PKGD

Add "X" to Part Number for Bulk

4-WAY 3 GHZ SATELLITE SPLITTER

- Ideal for Use with Digital Satellite Systems or Amplified Outdoor Antenna
- 4-Way- 3 GHz- -130 dB- 5-3000 MHz
- Terminals are Standard "F" 75 Ohm Connectors
- Frequency Range: 5 – 3000 MHz
- Insertion Loss: 8.0 – 12.5 dB Maximum
- Input Return Loss: 11.5 – 20.5dB Minimum
- Port-Port Isolation: 21 – 28 dB Minimum



PART #	PKG.
ES104DX	PKGD

2-WAY SIGNAL SPLITTER WITH BUILT-IN GROUNDING

- Takes One 75 Ohm Input and Splits It Into Two 75 Ohm Outputs
- "F" Type Connectors
- High Quality Zinc Diecast Body Features Grounding Block and Mounting Tabs
- For Indoor and Outdoor Use
- 5-900 MHz
- Mounting Screws Included




PART #	PKG.
CPZ2A	PKGD

Add "X" to Part Number for Bulk



3-WAY SIGNAL SPLITTER WITH BUILT-IN GROUNDING

- Takes One 75 Ohm Input and Splits It Into Two 75 Ohm Outputs
- "F" Type Connectors
- High Quality Zinc Diecast Body Features Grounding Block and Mounting Tabs
- For Indoor and Outdoor Use
- 5-900 MHz
- Mounting Screws Included




PART #	PKG.
CPZ3	PKGD

Add "X" to Part Number for Bulk

4-WAY SIGNAL SPLITTER WITH BUILT-IN GROUNDING

- Takes One 75 Ohm Input and Splits It Into Two 75 Ohm Outputs
- "F" Type Connectors
- High Quality Zinc Diecast Body Features Grounding Block and Mounting Tabs
- For Indoor and Outdoor Use
- 5-900 MHz
- Mounting Screws Included



PART #	PKG.
CPZ4	PKGD

Add "X" to Part Number for Bulk

6-WAY SIGNAL SPLITTER WITH BUILT-IN GROUNDING

- Takes One 75 Ohm Input and Splits It Into Two 75 Ohm Outputs
- "F" Type Connectors
- High Quality Zinc Diecast Body Features Grounding Block and Mounting Tabs
- For Indoor and Outdoor Use
- 5-900 MHz
- Mounting Screws Included



PART #	PKG.
CPZ6	PKGD

Add "X" to Part Number for Bulk

8-WAY SIGNAL SPLITTER WITH BUILT-IN GROUNDING

- Takes One 75 Ohm Input and Splits It Into Two 75 Ohm Outputs
- "F" Type Connectors
- High Quality Zinc Diecast Body Features Grounding Block and Mounting Tabs
- For Indoor and Outdoor Use
- 5-900 MHz
- Mounting Screws Included



PART #	PKG.
CPZ8	PKGD

Add "X" to Part Number for Bulk

CONVERTERS, CONNECTORS & ADAPTERS

1X1 HDTV DIGITAL BIDIRECTIONAL SIGNAL AMPLIFIER

- Amplifies Weak Video Signals caused by Splitting the Signal for Multiple Television Installations.
- Handles all Cable and Off-Air Signals
- Return Path for Cable Modem
- Bidirectional
- 14 dB Gain- 1 GHz
- Input: (1) 75 Ohm
- Output: (1) 75 Ohm
- Gain: Forward Path: 14 dB + 2; Return Path: 10 dB + 2
- Frequency Range: Forward Path: 54-1000 MHz; Return Path: 5-40 MHz
- Noise Figure: < 4 dB
- Input/Output Return Loss: > 12 dB
- Insertion Loss: – 2.5 dB
- Max Output Level @ – 60 dB IMD: > 102
- DC Pass: Input/Output
- LED Indicator Light
- Metal Housing: Good RFI Shielding
- Power Supply: 12V DC- 50 Hz

1X2 HDTV DIGITAL BIDIRECTIONAL SIGNAL AMPLIFIER

- Amplifies Weak Video Signals caused by Splitting the Signal for Multiple Television Installations.
- Handles all Cable and Off-Air Signals
- Return Path for Cable Modem
- Bidirectional
- 11 dB Gain- 1 GHz
- Input: (1) 75 Ohm
- Output: (2) 75 Ohm
- Gain: Forward Path: 11 dB +/- 2; Return Path: 7 dB +/- 2
- Frequency Range: Forward Path: 54-1000 MHz; Return Path: 5-40 MHz
- Noise Figure: < 4 dB
- Input/Output Return Loss: > 12 dB
- Insertion Loss: – 5 dB
- Max Output Level @ – 60 dB IMD: > 98
- DC Pass: Input/Output
- LED Indicator Light
- Metal Housing: Good RFI Shielding
- Power Supply: 12V DC- 50 Hz



PART #	PKG.
AMP200	PKGD



PART #	PKG.
AMP202	PKGD



75 OHM UHF/VHF/FM SIGNAL AMPLIFIER - 1 OUTPUT - 10 DB

- Improve picture quality by restoring signal loss that occurs in some 75 Ohm connections
- Flat Frequency Response
- Easy Installation
- Indoor Use only
- Low Noise Figure
- UL Listed



PART #	PKG.
120044	PKGD

UHF/VHF/FM HIGH GAIN DISTRIBUTION AMPLIFIER WITH FM TRAP- 25 DB

- Improves Video Signals Where Signal is Weakened Because of Multiple Hookups Being Used Such as Several Televisions and VCRs
- Switchable Built-In FM Trap
- Easy Installation
- Low Noise Figure
- On/Off Light
- Integrated Circuit
- For Indoor Use
- Specifications:
- Band Width: 47-400 MHz / 470-900 MHz
- Gain: 25 dB VHF – 23 dB UHF
- Noise Figure: Low 5.4 dB- High 6.2 dB
- FM Trap Attenuation: 20 dB- 95-108 MHz
- Input: 75 Ohm Input
- Output: 75 Ohm Output
- Power Source: 117 VAC- 60 Hz



PART #	PKG.
120041	PKGD

GENERATION II COMPRESSION "F" MALE COAX PLUG - RG59

- RG59 Commercial Grade Compression Connector
- 3 GHz Bandwidth
- Annealed-Brass Construction
- Superior RF Shielding
- QTY 25



PART #	PKG.
CFRG59	BULK

GENERATION II COMPRESSION "F" MALE COAX PLUG - RG6

- RG6 Commercial Grade Compression Connector
- 3 GHz Bandwidth
- Annealed-Brass Construction
- Superior RF Shielding
- QTY 25



PART #	PKG.
CFRG6U	BULK

GENERATION II COMPRESSION "F" MALE COAX PLUG - RG6 QUAD

- RG6 Quad Commercial Grade Compression Connector
- 3 GHz Bandwidth
- Annealed-Brass Construction
- Superior RF Shielding
- QTY 25



PART #	PKG.
CFRG6Q	BULK

CONVERTERS, CONNECTORS & ADAPTERS

GENERATION II COMPRESSION BNC PLUG - RG59

- RG59 Commercial Grade Compression Connector
- 3 GHz Bandwidth
- Brass and Nickel and Gold-Plated Construction
- QTY 10



PART #	PKG.
CBNC59	BULK

GENERATION II COMPRESSION RCA MALE PLUG - RG59

- RG59 Commercial Grade Compression Connector
- 3 GHz Bandwidth
- Brass and Nickel and Gold-Plated Construction
- QTY 10



PART #	PKG.
CRCA59	BULK

GENERATION II COMPRESSION BNC PLUG - RG6

- RG6 Commercial Grade Compression Connector
- 3 GHz Bandwidth
- Brass and Nickel and Gold-Plated Construction
- QTY 10



PART #	PKG.
CBNC6U	BULK

GENERATION II COMPRESSION RCA MALE PLUG - RG6

- RG6 Commercial Grade Compression Connector
- 3 GHz Bandwidth
- Brass and Nickel and Gold-Plated Construction
- QTY 10



PART #	PKG.
CRCA6U	BULK

GENERATION II COMPRESSION BNC PLUG - RG6 QUAD

- RG6 Quad Commercial Grade Compression Connector
- 3 GHz Bandwidth
- Brass and Nickel and Gold-Plated Construction
- QTY 10



PART #	PKG.
CBNC6Q	BULK

GENERATION II COMPRESSION RCA MALE PLUG - RG6 QUAD

- RG6 Quad Commercial Grade Compression Connector
- 3 GHz Bandwidth
- Brass and Nickel and Gold-Plated Construction
- QTY 10



PART #	PKG.
CRCA6Q	BULK



GOLD PLATED RCA JACK TO RCA JACK BULKHEAD CONNECTORS

- Compatible with Decor Style Wall Plate Inserts with 7/16" Hex Hole



PART #	COLOR	PKG.
280043BKX	BLACK	BULK
280045BUX	BLUE	BULK
280045GNX	GREEN	BULK
280044ORX	ORANGE	BULK
280046RDX	RED	BULK
280043VLX	VIOLET	BULK
280046WHX	WHITE	BULK
280049YLX	YELLOW	BULK

GOLD PLATED RCA JACK TO F FEMALE BULKHEAD CONNECTORS

- Compatible with Decor Style Wall Plate Inserts with 7/16" Hex Hole



PART #	COLOR	PKG.
280036BKX	BLACK	BULK
280036BUX	BLUE	BULK
280036GNX	GREEN	BULK
280036ORX	ORANGE	BULK
280036RDX	RED	BULK
280036VLX	VIOLET	BULK
280036WHX	WHITE	BULK
280036YLX	YELLOW	BULK

GOLD PLATED BANANA PLUGS

- High Quality Construction



PART #	COLOR	PKG.
280039	1 PAIR (RED, BLACK)	PKG
280039BKX	BLACK	BULK
280039RDX	RED	BULK
280040	1 PAIR (RED, BLACK)	PKG
280040BKX	BLACK	BULK
280040RDX	RED	BULK
FR503R	1 PAIR (RED, BLACK)	PKG
FR503RX	1 PAIR (RED, BLACK)	BULK

GOLD PLATED BULKHEAD BINDING POSTS

- Feed-Through Type
- High Quality Construction



PART #	COLOR	PKG.
280034	1 PAIR (RED, BLACK)	PKG
280034BKX	BLACK	BULK
280034RDX	RED	BULK

MALE TWIST-ON "F" COAXIAL CONNECTOR

- Long Barrel Type
- High Quality Construction



PART #	TYPE	FINISH	QTY.	PKG.
F59T	RG59/U	NICKEL	PAIR	PKG
F56T	RG6/U	NICKEL	PAIR	PKG

Add "X" to Part Number for Bulk

CONVERTERS, CONNECTORS & ADAPTERS

MALE TOOL LESS "F" COAXIAL CONNECTOR

- More Secure Connection than Twist-On
- Requires No Crimp or Compression Tool



PART #	TYPE	FINISH	QTY.	PKG.
3A0012	RG6/U	NICKEL	PAIR	PKG
3A0013	RG6/U QUAD	NICKEL	PAIR	PKG

Add "X" to Part Number for Bulk

BNC MALE, CRIMP TYPE CONNECTOR

- BNC Jack, Solid Crimp Ring, and Gold Center Pin
- High Quality Construction



PART #	TYPE	FINISH	QTY.	PKG.
BNC2	RG59A/U	NICKEL	PAIR	PKG
120324	RG6/U	NICKEL	PAIR	PKG

Add "X" to Part Number for Bulk

BNC MALE, CRIMP TYPE CONNECTOR

- High Quality Construction



PART #	TYPE	FINISH	QTY.	PKG.
120422	RG59/U	NICKEL	PAIR	PKG
120424	RG6/U	NICKEL	PAIR	PKG

Add "X" to Part Number for Bulk

BNC MALE, TWIST-ON TYPE CONNECTOR

- High Quality Construction



PART #	TYPE	FINISH	QTY.	PKG.
120222	RG59/U	NICKEL	PAIR	PKG
120224	RG6/U	NICKEL	PAIR	PKG

Add "X" to Part Number for Bulk

BNC FEMALE, TWIST-ON TYPE CONNECTOR

- High Quality Construction



PART #	TYPE	FINISH	QTY.	PKG.
120272	RG59/U	NICKEL	PAIR	PKG
120274	RG6/U	NICKEL	PAIR	PKG

Add "X" to Part Number for Bulk

PIN PLUG CONNECTORS

- Solderless (Screw Type)
- Gold Plated
- Use Up to 10 Gauge Speaker Wire
- 2 Per Pack
- High Quality Construction



PART #	PKG.
110004	PKG

Add "X" to Part Number for Bulk



DOUBLE FEMALE "F" ADAPTER

- "F" Female to "F" Female Connector with Nut and Washer
- Use for Joining Coax Cable



PART #	TYPE	FINISH	QTY.	PKG.
F81	5 - 900 MHZ	NICKEL	1	PKG
F811G	1 GHZ	NICKEL	1	PKG
F812G	2 GHZ	NICKEL	1	PKG
F81G	5 - 900 MHZ	GOLD	1	PKG
F813GX	3 GHZ	GOLD	1	BULK
120005	5 - 900 MHZ	GOLD	1	PKG

Add "X" to Part Number for Bulk

DOUBLE MALE "F" ADAPTER

- "F" Male to "F" Male Connector
- High Quality Construction

PART #	FINISH	QTY.	PKG.
F71B	NICKEL	1	PKG
120006	GOLD	1	PKG



Add "X" to Part Number for Bulk

FEMALE "F" TO RCA MALE PLUG ADAPTER

- High Quality Construction

PART #	FINISH	QTY.	PKG.
VAD10	NICKEL	1	PKG
120002	NICKEL	1	PKG



Add "X" to Part Number for Bulk

FEMALE "F" TO RCA FEMALE JACK ADAPTER

- High Quality Construction

PART #	FINISH	QTY.	PKG.
VAD20	NICKEL	1	PKG

Add "X" to Part Number for Bulk



RCA FEMALE JACK TO MALE "F" PLUG ADAPTER

- High Quality Construction

PART #	FINISH	QTY.	PKG.
VAD9	NICKEL	1	PKG

Add "X" to Part Number for Bulk



RIGHT ANGLE FEMALE "F" JACK TO RCA MALE PLUG ADAPTER

- High Quality Construction

PART #	FINISH	QTY.	PKG.
120060	GOLD	1	PKG

Add "X" to Part Number for Bulk



RIGHT ANGLE FEMALE "F" JACK TO MALE "F" PLUG ADAPTER

- High Quality Construction

PART #	FINISH	QTY.	PKG.
VAD21	NICKEL	1	PKG
120011	GOLD	1	PKG

Add "X" to Part Number for Bulk



CONVERTERS, CONNECTORS & ADAPTERS

DOUBLE BNC ADAPTER

- Use to Join Two Cables Having BNC Plugs
- High Quality Construction



PART #	TYPE	FINISH	QTY.	PKG.
VAD14	FEMALE TO FEMALE	NICKEL	1	PKG
120606	MALE TO MALE	NICKEL	1	PKG

Add "X" to Part Number for Bulk

BNC "T" ADAPTER

- 1 - BNC Male Plug to 2 - BNC Female Jacks
- High Quality Construction



PART #	FINISH	QTY.	PKG.
VAD15	NICKEL	1	PKG

Add "X" to Part Number for Bulk

BNC "T" ADAPTER

- 1 - BNC Female Jack to 2 - BNC Female Jacks
- High Quality Construction



PART #	FINISH	QTY.	PKG.
120777	NICKEL	1	PKG

Add "X" to Part Number for Bulk

3.5 MM STEREO JACK TO 3.5 MM STEREO JACK ADAPTER

- High Quality Construction



PART #	FINISH	QTY.	PKG.
AD3535	NICKEL	1	PKG

Add "X" to Part Number for Bulk

(2) 3.5 MM STEREO JACKS TO 3.5 MM STEREO PLUG ADAPTER

- High Quality Black Molded Plastic Construction



PART #	FINISH	QTY.	PKG.
AD531	NICKEL	1	PKG
AD531G	GOLD	1	PKG

Add "X" to Part Number for Bulk

3.5 MM STEREO PLUG TO RIGHT ANGLE 3.5 MM STEREO JACK ADAPTER

- High Quality Black Molded Plastic Construction



PART #	FINISH	QTY.	PKG.
110034	NICKEL	1	PKG

Add "X" to Part Number for Bulk

2.5 MM STEREO PLUG TO 3.5 MM STEREO JACK ADAPTER

- High Quality Black Molded Plastic Construction



PART #	FINISH	QTY.	PKG.
110084	NICKEL	1	PKG

Add "X" to Part Number for Bulk



3.5 MM STEREO PLUG TO (2) RCA FEMALE JACKS ADAPTER

- High Quality Black Molded Plastic Construction



PART #	FINISH	QTY.	PKG.
AD543	NICKEL	1	PKGD

Add "X" to Part Number for Bulk

RIGHT ANGLE RCA MALE PLUG TO RCA FEMALE JACK ADAPTER

- High Quality Construction
- Short Type
- Gold Plated



PART #	FINISH	QTY.	PKG.
110023	NICKEL	1	PKGD

Add "X" to Part Number for Bulk

"F" FEMALE TO PUSH-ON "F" MALE ADAPTER

- "F" Female to Push-On "F" Male
- Changes Screw-On Type "F" Plug to Easy to Use Push-On Type for Quick Connections
- High Quality Construction



PART #	FINISH	QTY.	PKG.
KDF1	NICKEL	1	PKGD
120004	GOLD	1	PKGD

Add "X" to Part Number for Bulk

"F" TERMINATOR

- Fits Unused Outputs on Signal Amplifiers, Distribution Amplifiers, or Splitters
- 75 Ohm, 5% 1/2 Watt
- High Quality Construction



PART #	FINISH	QTY.	PKG.
FTERM-2	NICKEL	PAIR	PKGD
FTERMX	NICKEL	1	BULK
120003	GOLD	1	PKGD
120003X	GOLD	1	BULK

1/4" MONO PLUG - 3.5MM MONO JACK ADAPTER

- High Quality Black Molded Plastic Construction



PART #	FINISH	QTY.	PKG.
AD511	NICKEL	1	PKGD

Add "X" to Part Number for Bulk

1/4" MONO PLUG - RCA FEMALE JACK ADAPTER

- High Quality Construction



PART #	FINISH	QTY.	PKG.
AD506	NICKEL	1	PKGD
AD506G	GOLD	1	PKGD

Add "X" to Part Number for Bulk

CONVERTERS, CONNECTORS & ADAPTERS

1/4" MONO PLUG - 3.5 MM STEREO JACK ADAPTER

- High Quality Black Molded Plastic Construction




PART #	FINISH	QTY.	PKG.
AD549	NICKEL	1	PKGD
AD549G	GOLD	1	PKGD

Add "X" to Part Number for Bulk

1/4" STEREO PLUG - 2-RCA FEMALE JACKS ADAPTER

- High Quality Black Molded Plastic Construction



PART #	FINISH	QTY.	PKG.
AD542	NICKEL	1	PKGD
AD542G	GOLD	1	PKGD

Add "X" to Part Number for Bulk

1/4" STEREO JACK - 3.5 MM STEREO PLUG ADAPTER

- High Quality Construction



PART #	FINISH	QTY.	PKG.
AD528	NICKEL	1	PKGD

Add "X" to Part Number for Bulk

2.5 MM MONO PLUG - 3.5 MM MINIATURE MONO JACK ADAPTER

- High Quality Black Molded Plastic Construction



PART #	FINISH	QTY.	PKG.
AD532	NICKEL	1	PKGD
AD532G	GOLD	1	PKGD

Add "X" to Part Number for Bulk

3.5 MM MONO PLUG - RCA FEMALE JACK ADAPTER

- High Quality Construction



PART #	FINISH	QTY.	PKG.
AD504	NICKEL	1	PKGD
AD504G	GOLD	1	PKGD

Add "X" to Part Number for Bulk



3.5 MM MONO PLUG - 3.5 MM STEREO JACK ADAPTER

- High Quality Black Molded Plastic Construction



PART #	FINISH	QTY.	PKG.
AD530	NICKEL	1	PKG
AD530G	GOLD	1	PKG

Add "X" to Part Number for Bulk

3.5 MM STEREO JACK - 1/4" STEREO PLUG ADAPTER

- High Quality Black Molded Plastic Construction



PART #	FINISH	QTY.	PKG.
AD529	NICKEL	1	PKG
AD529G	GOLD	1	PKG

Add "X" to Part Number for Bulk

BNC BULKHEAD MOUNT, FEMALE TO FEMALE

- High Quality Construction



PART #	FINISH	QTY.	PKG.
VAD24X	NICKEL	1	BULK

3.5 MM MONO PLUG - 1/4" MONO JACK ADAPTER

- High Quality Construction



PART #	FINISH	QTY.	PKG.
AD509	NICKEL	1	PKG
AD509G	GOLD	1	PKG

Add "X" to Part Number for Bulk

3.5 MM MONO PLUG - 1/4" STEREO JACK ADAPTER

- High Quality Construction



PART #	FINISH	QTY.	PKG.
AD518	NICKEL	1	PKG
AD518G	GOLD	1	PKG

Add "X" to Part Number for Bulk

CONVERTERS, CONNECTORS & ADAPTERS

3.5 MM MONO PLUG - 1/4" STEREO JACK ADAPTER

- High Quality Black Molded Plastic Construction



PART #	QTY.	PKG.
110030	1	PKG

Add "X" to Part Number for Bulk

BNC RIGHT ANGLE ADAPTER

- High Quality Construction



PART #	FINISH	QTY.	PKG.
VAD16	NICKEL	1	PKG

Add "X" to Part Number for Bulk

DUAL RCA FEMALE JACKS TO DUAL RCA FEMALE JACKS COUPLER

- High Quality Black Molded Plastic Construction



PART #	FINISH	QTY.	PKG.
AD545	NICKEL	1	PKG
AD545G	GOLD	1	PKG

Add "X" to Part Number for Bulk

RCA FEMALE JACK TO RCA FEMALE JACK COUPLER

- High Quality Black Molded Plastic Construction



PART #	FINISH	TYPE	QTY.	PKG.
AD502	NICKEL	BLACK MOLDED PLASTIC	1	PKG
AD502G	GOLD	BLACK MOLDED PLASTIC	1	PKG
AD502GM	GOLD	METAL	1	PKG

Add "X" to Part Number for Bulk

RCA MALE PLUG - 1/4" MONO JACK ADAPTER

- High Quality Construction



AD503

AD503G

PART #	FINISH	QTY.	PKG.
AD503	NICKEL	1	PKG
AD503G	GOLD	1	PKG



RCA MALE PLUG - RCA MALE PLUG ADAPTER

- High Quality Construction



AD550

AD550G

PART #	FINISH	QTY.	PKG.
AD550	METAL	1	PKG
AD550G	GOLD-PLATED	1	PKG
AD550GM	GOLD-PLATED METAL	1	PKG

Add "X" to Part Number for Bulk

RIGHT ANGLE 3.5 MM MONO PLUG - 3.5 MM STEREO JACK ADAPTER

- High Quality Black Molded Plastic Construction



AD534

AD534G

PART #	FINISH	QTY.	PKG.
AD534	NICKEL	1	PKG
AD534G	GOLD	1	PKG

Add "X" to Part Number for Bulk

S-VHS CABLE SPLICE

- 4 Pin Female Jack to 4 Pin Female Jack
- High Quality Black Molded Plastic Construction



PART #	FINISH	QTY.	PKG.
VAD22	GOLD	1	PKG

Add "X" to Part Number for Bulk

BNC FEMALE JACK TO RCA MALE PLUG

- High Quality Construction



PART #	FINISH	QTY.	PKG.
VAD3	NICKEL	1	PKG

Add "X" to Part Number for Bulk

FEMALE "F" JACK TO MALE BNC PLUG

- High Quality Construction



PART #	FINISH	QTY.	PKG.
VAD18	NICKEL	1	PKG

Add "X" to Part Number for Bulk

CONVERTERS, CONNECTORS & ADAPTERS

FEMALE "F" JACK TO UHF MALE PLUG

- High Quality Construction



PART #	FINISH	QTY.	PKG.
VAD13	NICKEL	1	PKGD

Add "X" to Part Number for Bulk

BNC FEMALE JACK TO "F" MALE PLUG

- High Quality Construction



PART #	FINISH	QTY.	PKG.
VAD12	NICKEL	1	PKGD

Add "X" to Part Number for Bulk

S-VIDEO MINI DIN 4 PIN FEMALE JACK TO RCA MALE PLUG

- Active Adapter and Bi-Directional
- High Quality Black Molded Plastic Construction



PART #	FINISH	QTY.	PKG.
120076	NICKEL	1	PKGD

Add "X" to Part Number for Bulk

1/4" MONO RIGHT ANGLE - 2 CONDUCTOR- METAL

- Solder Type with Cable Grip and Shield
- High Quality Construction



PART #	QTY.	PKG.
PP13	1	PKGD

Add "X" to Part Number for Bulk



1/4" STEREO PLUG - 3-CONDUCTOR-METAL-PROFESSIONAL MODEL WITH STRAIN RELIEF

- High Quality Construction



PART #	QTY.	PKG.
PP19	1	PKG

Add "X" to Part Number for Bulk

RCA MALE PLUG

- High Quality Construction



PP5



110002

PART #	TYPE	QTY.	PKG.
PP5	NICKEL	PAIR	PKG
110002	GOLD	PAIR	PKG

Add "X" to Part Number for Bulk

3.5 MM MALE STEREO PLUG WITH STRAIN RELIEF

- High Quality Black Molded Plastic Construction



PART #	FINISH	QTY.	PKG.
P35STG	NICKEL	1	PKG

Add "X" to Part Number for Bulk

RCA MALE PLUGS - PLASTIC SHELL COLOR PACK

- 10-Per Pkg- 2 Each Color
- High Quality Construction




PART #	QTY.	PKG.
PP6	1	PKG

Add "X" to Part Number for Bulk

CONVERTERS, CONNECTORS & ADAPTERS

RCA MALE PLUG

- Gold Plated with Strain Relief
- 6 mm I.D.
- High Quality Construction



PART #	TYPE	QTY.	PKG.
PP15B	BLACK BAND	1	PKG
PP15R	RED BAND	1	PKG

Add "X" to Part Number for Bulk

RCA FEMALE JACK TO FEMALE "F" JACK

- High Quality Construction



PART #	TYPE	QTY.	PKG.
120069	GOLD	1	PKG

Add "X" to Part Number for Bulk

1/4" IN-LINE MONO JACK - 2 CONDUCTOR- METAL

- High Quality Construction



PART #	QTY.	PKG.
J17	1	PKG

Add "X" to Part Number for Bulk

BNC MALE PLUG TO UHF FEMALE JACK

- High Quality Construction




PART #	TYPE	QTY.	PKG.
VAD1	NICKEL	1	PKG

Add "X" to Part Number for Bulk

S-VIDEO MINI DIN 4 PIN FEMALE JACK TO RCA FEMALE JACK

- High Quality Black Molded Plastic Construction



PART #	TYPE	QTY.	PKG.
120075	GOLD	1	PKG

Add "X" to Part Number for Bulk



S-VIDEO MINI DIN 4 PIN MALE PLUG TO RCA FEMALE JACK

- Active Adapter and Bi-Directional
- High Quality Black Molded Plastic Construction



PART #	TYPE	QTY.	PKG.
120074	GOLD	1	PKG

Add "X" to Part Number for Bulk

1/4" CHASSIS MOUNTED JACK

- High Quality Construction



PART #	TYPE	QTY.	PKG.
J13	2-CONDUCTOR, MONO, OPEN CIRCUIT	1	PKG
J5	3-CONDUCTOR, STEREO OPEN CIRCUIT, 4 SOLDER CONTACTS	1	PKG

Add "X" to Part Number for Bulk

3.5 MM CHASSIS MOUNT N.O. JACK

- High Quality Construction



PART #	QTY.	PKG.
JC353	1	PKG

Add "X" to Part Number for Bulk

BULKHEAD MOUNT RCA JACKS


- High Quality Construction



PART #	COLOR	QTY.	PKG.
280048	2 PACK (WHITE)	1	PKG
280048WHX	WHITE	1	PKG
280049	2 PACK (YELLOW)	1	PKG
280049YLX	YELLOW	1	PKG

MONO CHASSIS MOUNTED N.O. JACK

- High Quality Construction



PART #	QTY.	PKG.
J10	1	PKG

Add "X" to Part Number for Bulk

BNC MALE PLUG TO RCA FEMALE JACK

- High Quality Construction



PART #	FINISH	QTY.	PKG.
VAD2	NICKEL	1	PKG

Add "X" to Part Number for Bulk

NETWO

RKING SOLUTIONS

NETWORKING SOLUTIONS



NETWORKING SOLUTIONS

CATEGORY 6 90 DEGREE KEYSTONE INSERTS

- Innovative Pyramid Shaped Punch-Down Block for Easy Conductor Insertion
- Compatible with Leviton, ICC, Allen Tel and Many Others
- 90 Degree, 110 Style IDC Punch Down
- Accepts 23-24 AWG Solid Cable
- Accepts T568A or T568B Universal Wiring
- 50 Microns Gold Plating
- Meets EIA/TIA 568B.2
- Includes Dust Cover
- UL Listed



PART #	COLOR	TYPE	PKG.
820815	BLACK	8-CONDUCTOR	PKG
820425	BLUE	8-CONDUCTOR	PKG
820819	GREEN	8-CONDUCTOR	PKG
820427	IVORY	8-CONDUCTOR	PKG
820436	LT. ALMOND	8-CONDUCTOR	PKG
820817	ORANGE	8-CONDUCTOR	PKG
820818	RED	8-CONDUCTOR	PKG
820426	WHITE	8-CONDUCTOR	PKG
820816	YELLOW	8-CONDUCTOR	PKG

CATEGORY 5E 90 DEGREE KEYSTONE INSERTS

- Innovative Pyramid Shaped Punch-Down Block for Easy Conductor Insertion
- Compatible with Leviton, ICC, Allen Tel and Many Others
- 90 Degree, 110 Style IDC Punch Down
- Accepts 23-24 AWG Solid Cable
- Accepts T568A or T568B Standard Wiring
- 50 Microns Gold Plating
- Meets EIA/TIA 568B.1
- Includes Dust Cover
- UL Listed



PART #	COLOR	TYPE	PKG.
820455	BLACK	8-CONDUCTOR	PKG
820556	BLUE	8-CONDUCTOR	PKG
820555	GREEN	8-CONDUCTOR	PKG
820424	IVORY	8-CONDUCTOR	PKG
824012	LT. ALMOND	8-CONDUCTOR	PKG
820553	ORANGE	8-CONDUCTOR	PKG
820454	RED	8-CONDUCTOR	PKG
820423	WHITE	8-CONDUCTOR	PKG
820554	YELLOW	8-CONDUCTOR	PKG



CATEGORY 5E 180 DEGREE KEYSTONE INSERTS

- Innovative Pyramid Shaped Punch-Down Block for Easy Conductor Insertion
- Compatible with Leviton- ICC- Allen Tel and Many Others
- 180 Degree- 110 Style IDC Punch Down
- Accepts 23-24 AWG Solid Cable
- Accepts T568A or T568B Universal Wiring
- 50 Microns Gold Plating
- Meets EIA/TIA 568B.1
- Includes Dust Cover
- UL Listed



PART #	COLOR	TYPE	PKG.
820451	BLACK	8-CONDUCTOR	PKG
820476	BLUE	8-CONDUCTOR	PKG
820450	GREEN	8-CONDUCTOR	PKG
820471	IVORY	8-CONDUCTOR	PKG
820478	LT. ALMOND	8-CONDUCTOR	PKG
820475	ORANGE	8-CONDUCTOR	PKG
820452	RED	8-CONDUCTOR	PKG
820470	WHITE	8-CONDUCTOR	PKG
820453	YELLOW	8-CONDUCTOR	PKG

CATEGORY 5E TOOLLESS KEYSTONE INSERTS

- Tool Free Installation
- Accepts 23-24 AWG Solid Cable
- Accepts T568A or T568B Universal Wiring
- 50 Microns Gold Plating
- Meets EIA/TIA 568B.1



PART #	COLOR	TYPE	PKG.
820802	BLACK	8-CONDUCTOR	PKG
820804	BLUE	8-CONDUCTOR	PKG
820807	GREEN	8-CONDUCTOR	PKG
820803	IVORY	8-CONDUCTOR	PKG
820872	LT. ALMOND	8-CONDUCTOR	PKG
820806	RED	8-CONDUCTOR	PKG
820801	WHITE	8-CONDUCTOR	PKG
820873	YELLOW	8-CONDUCTOR	PKG



CATEGORY 3 VOICE GRADE 90 DEGREE KEYSTONE INSERTS

- Innovative Pyramid Shaped Punch-Down Block for Easy Conductor Insertion
- Compatible with Leviton, ICC, Allen Tel and Many Others
- 90 Degree, 110 Style IDC Punch Down
- Accepts 23-24 AWG Solid Cable
- Accepts T568A or T568B Universal Wiring
- Includes Dust Cover
- UL Listed



PART #	COLOR	TYPE	PKG.
820422	BLACK	6-CONDUCTOR	PKG
820421	IVORY	6-CONDUCTOR	PKG
824053	LT. ALMOND	6-CONDUCTOR	PKG
820420	WHITE	6-CONDUCTOR	PKG

Installation Instructions

- Strip 2" of the Category 5e or Category 6 cable jacket
- Untwist the pairs and punch down the individual conductors into the insulation displacement connectors (IDC) using a 110 punch-down tool (Vanco Part # 371364)
- Make sure that less than 1/2" of untwisted conductor is exposed from the end of the cable jacket
- Trim the excess wire from the outside of the IDC and attach dust cover

T568A & T568B WIRING STANDARDS IDC COLOR ASSIGNMENTS

JACK PIN #	T568A WIRE COLORS	T568B WIRE COLORS
1	WHITE/GREEN	WHITE/ORANGE
2	GREEN	ORANGE
3	WHITE/ORANGE	WHITE/GREEN
4	BLUE	BLUE
5	WHITE/BLUE	WHITE/BLUE
6	ORANGE	GREEN
7	WHITE/BROWN	WHITE/BROWN
8	BROWN	BROWN

HDMI® KEYSTONE INSERT WITH PIGTAIL

- HDMI Keystone / Quick Port Insert
- HDMI Pigtail Enables Easier Installation in Tighter Spaces
- Compatible with Leviton, ICC, Allen Tel and Many Others
- 3.5" Free Cable Length
- Either end can snap into Keystone/Quick Port Plates



PART #	COLOR	TYPE	PKG.
820490	WHITE	HDMI F TO HDMI F	PKG
820493	BLACK	HDMI F TO HDMI F	PKG

HDMI® KEYSTONE INSERT

- Compatible with Leviton, ICC, Allen Tel and Many Others



PART #	COLOR	TYPE	PKG.
820491	WHITE	HDMI F TO HDMI F	PKG

USB KEYSTONE INSERT

- USB Type A to Type A Keystone Insert
- Compatible with Leviton, ICC, Allen Tel and Many Others
- USB 2.0 Certified
- Data Transfer Rate of 480 Mbps



PART #	COLOR	TYPE	PKG.
820498	WHITE	USB A TO USB A	PKG

TOSLINK KEYSTONE INSERT


- Compatible with Leviton, ICC, Allen Tel and Many Others



PART #	COLOR	TYPE	PKG.
820499	WHITE	TOSLINK F TO TOSLINK F	PKG

3.5MM KEYSTONE INSERTS

- Compatible with Leviton, ICC, Allen Tel and Many Others
- Note: This over-sized connector is compatible with Vanco's full size Datacom Wall Plates. Not Décor type



PART #	COLOR	TYPE	PKG.
820486	IVORY	3.5MM JACK TO 3.5MM JACK	PKG
824105	LT. ALMOND	3.5MM JACK TO 3.5MM JACK	PKG
820489	WHITE	3.5MM JACK TO 3.5MM JACK	PKG

F81 KEYSTONE INSERTS


- Compatible with Leviton, ICC, Allen Tel and Many Others



PART #	COLOR	TYPE	PKG.
820472	IVORY	F81, GOLD	PKG
820482	IVORY	F81, 1 GHZ, NICKEL	PKG
820701	IVORY	F81, 3 GHZ, NICKEL	PKG
824079	LT. ALMOND	F81, GOLD	PKG
820428	WHITE	F81, GOLD	PKG
820483	WHITE	F81, 1 GHZ, NICKEL	PKG
820628	WHITE	F81, 3 GHZ, NICKEL	PKG

RCA KEYSTONE INSERTS

- Compatible with Leviton, ICC, Allen Tel and Many Others




PART #	INSERT COLOR	INSULATOR COLOR	TYPE	PKG.
824137	ALMOND	RED	RCA JACK TO RCA JACK, GOLD	PKG
824138	ALMOND	WHITE	RCA JACK TO RCA JACK, GOLD	PKG
820622	IVORY	BLACK	RCA JACK TO RCA JACK, GOLD	PKG
820626	IVORY	BLUE	RCA JACK TO RCA JACK, GOLD	PKG
820625	IVORY	GREEN	RCA JACK TO RCA JACK, GOLD	PKG
820623	IVORY	ORANGE	RCA JACK TO RCA JACK, GOLD	PKG
820624	IVORY	RED	RCA JACK TO RCA JACK, GOLD	PKG
820621	IVORY	VIOLET	RCA JACK TO RCA JACK, GOLD	PKG
820474	IVORY	WHITE	RCA JACK TO RCA JACK, GOLD	PKG
820627	IVORY	YELLOW	RCA JACK TO RCA JACK, GOLD	PKG
820612	WHITE	BLACK	RCA JACK TO RCA JACK, GOLD	PKG
820616	WHITE	BLUE	RCA JACK TO RCA JACK, GOLD	PKG
820615	WHITE	GREEN	RCA JACK TO RCA JACK, GOLD	PKG
820613	WHITE	ORANGE	RCA JACK TO RCA JACK, GOLD	PKG
820614	WHITE	RED	RCA JACK TO RCA JACK, GOLD	PKG
820611	WHITE	VIOLET	RCA JACK TO RCA JACK, GOLD	PKG
820429	WHITE	WHITE	RCA JACK TO RCA JACK, GOLD	PKG
820617	WHITE	YELLOW	RCA JACK TO RCA JACK, GOLD	PKG



RCA JACK TO F FEMALE KEYSTONE INSERTS

- Compatible with Leviton, ICC, Allen Tel and Many Others



PART #	INSERT COLOR	INSULATOR COLOR	TYPE	PKG.
820620	IVORY	BLACK	RCA JACK TO F FEMALE JACK, GOLD	PKG
820646	IVORY	BLUE	RCA JACK TO F FEMALE JACK, GOLD	PKG
820645	IVORY	GREEN	RCA JACK TO F FEMALE JACK, GOLD	PKG
820643	IVORY	ORANGE	RCA JACK TO F FEMALE JACK, GOLD	PKG
820629	IVORY	RED	RCA JACK TO F FEMALE JACK, GOLD	PKG
820641	IVORY	VIOLET	RCA JACK TO F FEMALE JACK, GOLD	PKG
820642	IVORY	WHITE	RCA JACK TO F FEMALE JACK, GOLD	PKG
820647	IVORY	YELLOW	RCA JACK TO F FEMALE JACK, GOLD	PKG
820632	WHITE	BLACK	RCA JACK TO F FEMALE JACK, GOLD	PKG
820636	WHITE	BLUE	RCA JACK TO F FEMALE JACK, GOLD	PKG
820635	WHITE	GREEN	RCA JACK TO F FEMALE JACK, GOLD	PKG
820633	WHITE	ORANGE	RCA JACK TO F FEMALE JACK, GOLD	PKG
820634	WHITE	RED	RCA JACK TO F FEMALE JACK, GOLD	PKG
820631	WHITE	VIOLET	RCA JACK TO F FEMALE JACK, GOLD	PKG
820630	WHITE	WHITE	RCA JACK TO F FEMALE JACK, GOLD	PKG
820637	WHITE	YELLOW	RCA JACK TO F FEMALE JACK, GOLD	PKG

BNC JACK KEYSTONE INSERTS


- Compatible with Leviton, ICC, Allen Tel and Many Others



PART #	INSERT COLOR	TYPE	PKG.
820473	IVORY	BNC JACK TO BNC JACK, NICKEL	PKG
820409	WHITE	BNC JACK TO BNC JACK, NICKEL	PKG

BINDING POST KEYSTONE INSERTS


- Compatible with Leviton, ICC, Allen Tel and Many Others



PART #	INSERT COLOR	COLOR	TYPE	PKG.
820487	IVORY	1 PAIR (RED, BLACK)	BINDING POST, GOLD	PKG
824111	LT. ALMOND	1 PAIR (RED, BLACK)	BINDING POST, GOLD	PKG
820407	WHITE	1 PAIR (RED, BLACK)	BINDING POST, GOLD	PKG

BLANK KEYSTONE INSERTS

- Compatible with Leviton, ICC, Allen Tel and Many Others



PART #	INSERT COLOR	TYPE	PKG.
820446	BLACK	BLANK HEX HOLE, 5 PACK	PKG
820435	IVORY	BLANK, 5 PACK	PKG
820445	IVORY	BLANK HEX HOLE, 5 PACK	PKG
824095	LT. ALMOND	BLANK, 5 PACK	PKG
820430	WHITE	BLANK, 5 PACK	PKG
820440	WHITE	BLANK HEX HOLE, 5 PACK	PKG

NETWORKING SOLUTIONS

HDBASET CAT 6 CABLES


- HDBaseT Certified
- F/UTP Construction
- 23AWG 4-PAIR Conductors
- Solid Bare Copper
- Tested to 550MHz
- Reference standard: UL444, TIA-568-C.2, UL 1666, IEC 61156-5 & ISO 11801
- CMR (UL 1666) Rated
- CE, RoHS



PART NUMBER	LENGTH	PKG
C6AHDBT-50	50 FT	PKGD
C6AHDBT-75	75 FT	PKGD
C6AHDBT-100	100 FT	PKGD
C6AHDBT-125	125 FT	PKGD
C6AHDBT-150	150 FT	PKGD
C6AHDBT-175	175 FT	PKGD
C6AHDBT-200	200 FT	PKGD
C6AHDBT-225	225 FT	PKGD
C6AHDBT-250	250 FT	PKGD
C6AHDBT-275	275 FT	PKGD
C6AHDBT-300	300 FT	PKGD
C6AHDBT-330	330 FT	PKGD
C6AHDBT-500X	500 FT	PKGD
C6AHDBT-1000X	1000 FT	PKGD

SUPER SLIM CATEGORY 6 (UTP) 550 MHZ NETWORK PATCH CABLE - NON BOOTED

- Super slim, flexible cable allows for easy access where space is limited
- Stranded UTP (Unshielded Twisted Pair) Cat 6 cable rated at 550 MHz
- Cable: 28 AWG PVC Jacket: 3.5 + 0.2 mm
- Snagless Strain Relief Ends, Category 6 RJ45 Style Plugs
- 100% Tested and Certified for EIA/TIA T568 A/B Standards
- ETL Tested and Verified, UL Listed




LENGTH	BLACK	BLUE	GRAY	WHITE
1 FT	SCAT6-1BK	SCAT6-1BU	SCAT6-1GY	SCAT6-1WH
3 FT	SCAT6-3BK	SCAT6-3BU	SCAT6-3GY	SCAT6-3WH
5 FT	SCAT6-5BK	SCAT6-5BU	SCAT6-5GY	SCAT6-5WH
7 FT	SCAT6-7BK	SCAT6-7BU	SCAT6-7GY	SCAT6-7WH
10 FT	SCAT6-10BK	SCAT6-10BU	SCAT6-10GY	SCAT6-10WH
14 FT	SCAT6-14BK	SCAT6-14BU	SCAT6-14GY	SCAT6-14WH
25 FT	SCAT6-25BK	SCAT6-25BU	SCAT6-25GY	SCAT6-25WH
50 FT	SCAT6-50BK	SCAT6-50BU	SCAT6-50GY	SCAT6-50WH



CATEGORY 6, 500 MHZ NETWORK CABLES


- Use for High Speed Internet, DSL/Cable Modem, Home Networking and Fast Ethernet Connections
- Connects a Computer to a DSL/Cable Modem, Networking Router, Hub, or Wall Plate
- Stranded UTP (Unshielded Twisted Pair) Cat 6 Cable rated at 500 MHz
- Cat 6 Approved RJ45 Style Plugs
- Zero Clearance Protective Molded Boot with Snagless Strain Relief Ends
- 100% Tested and Certified to Meet the EIA/TIA T568 A/B Standards
- ETL Tested and Verified
- UL Listed



LENGTH	BLACK	BLUE	GRAY	RED	WHITE
1 FT	CAT6-1BK	CAT6-1BU	CAT6-1GY	CAT6-1RD	CAT6-1WH
3 FT	CAT6-3BK	CAT6-3BU	CAT6-3GY	CAT6-3RD	CAT6-3WH
5 FT	CAT6-5BK	CAT6-5BU	CAT6-5GY	CAT6-5RD	CAT6-5WH
7 FT	CAT6-7BK	CAT6-7BU	CAT6-7GY	CAT6-7RD	CAT6-7WH
10 FT	CAT6-10BK	CAT6-10BU	CAT6-10GY	CAT6-10RD	CAT6-10WH
14 FT	CAT6-14BK	CAT6-14BU	CAT6-14GY	CAT6-14RD	CAT6-14WH
25 FT	CAT6-25BK	CAT6-25BU	CAT6-25GY	CAT6-25RD	CAT6-25WH
50 FT	CAT6-50BK	CAT6-50BU	CAT6-50GY	-----	CAT6-50WH
75 FT	CAT6-75BK	CAT6-75BU	CAT6-75GY	-----	CAT6-75WH
100 FT	CAT6-100BK	CAT6-100BU	CAT6-100GY	-----	CAT6-100WH

CATEGORY 6, 500 MHZ NETWORK CABLES - NON BOOTED

- Use for High Speed Internet, DSL/Cable Modem, Home Networking and Fast Ethernet Connections
- Connects a Computer to a DSL/Cable Modem, Networking Router, Hub, or Wall Plate
- Stranded UTP (Unshielded Twisted Pair) Cat 6 Cable rated at 500 MHz
- Cat 6 Approved RJ45 Style Plugs
- Snagless Strain Relief Ends
- 100% Tested and Certified to Meet the EIA/TIA T568 A/B Standards
- ETL Tested and Verified
- UL Listed




LENGTH	BLUE	GRAY	WHITE
3 FT	C6-3BU	C6-3GY	C6-3WH
7 FT	C6-7BU	C6-7GY	C6-7WH
10 FT	C6-10BU	C6-10GY	C6-10WH
14 FT	C6-14BU	C6-14GY	C6-14WH

NETWORKING SOLUTIONS

CATEGORY 5E, 350 MHZ NETWORK CABLES


- Use for High Speed Internet, DSL/Cable Modem, Home Networking and Fast Ethernet Connections
- Connects a Computer to a DSL/Cable Modem, Networking Router, Hub, or Wall Plate
- Stranded UTP Cat 5e Cable Rated at 350 MHz Band Width
- Cat 5e Approved RJ45 Plugs
- Zero Clearance Protective Molded Boot with Snagless Strain Relief Ends
- 100% Tested and Verified to Meet EIA/TIA T568A/B Standards
- ETL Tested and Verified
- UL Listed



LENGTH	BLACK	BLUE	GREEN	GRAY	RED	WHITE	YELLOW
1 FT	CAT5E-1BK	CAT5E-1BU	CAT5E-1GN	CAT5E-1GY	CAT5E-1RD	CAT5E-1WH	CAT5E-1YL
3 FT	CAT5E-3BK	CAT5E-3BU	CAT5E-3GN	CAT5E-3GY	CAT5E-3RD	CAT5E-3WH	CAT5E-3YL
5 FT	-----	CAT5E-5BU	-----	CAT5E-5GY	CAT5E-5RDX	-----	-----
7 FT	CAT5E-7BK	CAT5E-7BU	CAT5E-7GN	CAT5E-7GY	CAT5E-7RD	CAT5E-7WH	CAT5E-7YL
10 FT	CAT5E-10BK	CAT5E-10BU	CAT5E-10GN	CAT5E-10GY	CAT5E-10RD	CAT5E-10WH	CAT5E-10YL
14 FT	CAT5E-14BK	CAT5E-14BU	CAT5E-14GN	CAT5E-14GY	CAT5E-14RD	CAT5E-14WH	CAT5E-14YL
25 FT	CAT5E-25BK	CAT5E-25BU	CAT5E-25GN	CAT5E-25GY	CAT5E-25RD	CAT5E-25WH	CAT5E-25YL
50 FT	CAT5E-50BK	CAT5E-50BU	CAT5E-50GN	CAT5E-50GY	CAT5E-50RD	CAT5E-50WH	CAT5E-50YL
75 FT	CAT5E-75BK	CAT5E-75BU	CAT5E-75GN	CAT5E-75GY	CAT5E-75RD	CAT5E-75WH	CAT5E-75YL
100 FT	CAT5E-100BK	CAT5E-100BU	CAT5E-100GN	CAT5E-100GY	CAT5E-100RD	CAT5E-100WH	CAT5E-100YL

CATEGORY 5E, 350 MHZ NETWORK CABLES - NON BOOTED

- Use for High Speed Internet, DSL/Cable Modem, Home Networking and Fast Ethernet Connections
- Connects a Computer to a DSL/Cable Modem, Networking Router, Hub, or Wall Plate
- Stranded UTP Cat 5e Cable Rated at 350 MHz Band Width
- Cat 5e Approved RJ45 Plugs
- Snagless Strain Relief Ends
- 100% Tested and Verified to Meet EIA/TIA T568A/B Standards
- ETL Tested and Verified
- UL Listed



LENGTH	BLACK	BLUE	GREEN	GRAY	RED	WHITE	YELLOW
1 FT	C5E-1BK	C5E-1BU	C5E-1GN	C5E-1GY	C5E-1RD	C5E-1WH	C5E-1YL
3 FT	C5E-3BK	C5E-3BU	C5E-3GN	C5E-3GY	C5E-3RD	C5E-3WH	C5E-3YL
7 FT	C5E-7BK	C5E-7BU	C5E-7GN	C5E-7GY	C5E-7RD	C5E-7WH	C5E-7YL
10 FT	C5E-10BK	C5E-10BU	C5E-10GN	C5E-10GY	C5E-10RD	C5E-10WH	C5E-10YL
14 FT	C5E-14BK	C5E-14BU	C5E-14GN	C5E-14GY	C5E-14RD	C5E-14WH	C5E-14YL
25 FT	C5E-25BK	C5E-25BU	C5E-25GN	C5E-25GY	C5E-25RD	C5E-25WH	C5E-25YL
50 FT	C5E-50BK	C5E-50BU	C5E-50GN	C5E-50GY	C5E-50RD	C5E-50WH	C5E-50YL
75 FT	C5E-75BK	C5E-75BU	C5E-75GN	C5E-75GY	C5E-75RD	C5E-75WH	C5E-75YL
100 FT	C5E-100BK	C5E-100BU	C5E-100GN	C5E-100GY	C5E-100RD	C5E-100WH	C5E-100YL



CATEGORY 6 PATCH PANELS


- Meets Category 6 Standards
- Meets EIA/TIA 568B.2
- IDC Compatible for 110 and Krone tools
- Color-coded labels for T568A and T568B Universal Wiring
- 50 Microns Gold Plating
- ETL Listed



820662 Front and Back



820664 Front and Back



820668 Front and Back

PART #	TYPE	RACK SPACE	PKG.
820662	12 PORT	1 UNIT	PKGD
820664	24 PORT	1 UNIT	PKGD
820668	48 PORT	2 UNIT	PKGD



CATEGORY 5E PATCH PANELS


- Meets Category 5e Standards
- Meets EIA/TIA 568B.1
- IDC Compatible for 110 and Krone tools
- Color-coded labels for T568A and T568B Universal Wiring
- 50 Microns Gold Plating
- ETL Listed



820582 Front and Back



820524 Front and Back



820548 Front and Back

PART #	TYPE	RACK SPACE	PKG.
820582	12 PORT	1 UNIT	PKGD
820524	24 PORT	1 UNIT	PKGD
820548	48 PORT	2 UNIT	PKGD



CATEGORY 6 MINI PATCH PANEL

- Meets Category 6 Standards
- Meets EIA/TIA 568B.2
- IDC Compatible for 110 and Krone tools
- Color-coded labels for T568A and T568B Universal Wiring
- 50 Microns Gold Plating



PART #	TYPE	PKG.
820672	12 PORT	PKG

Front and Back

CATEGORY 5E MINI PATCH PANEL

- Meets Category 5e Standards
- Meets EIA/TIA 568B.1
- IDC Compatible for 110 and Krone tools
- Color-coded labels for T568A and T568B Universal Wiring
- 50 Microns Gold Plating



PART #	TYPE	PKG.
820572	12 PORT	PKG

Front and Back

CABLE MANAGEMENT PANELS

- 16 AWG Cold Rolled Steel
- Powder Coat Black Finish



820581

PART #	RACK SPACE	PKG.
820581	1 UNIT	PKG
820592	2 UNIT	PKG

HINGED BRACKETS

- 16 AWG Cold Rolled Steel
- Powder Coat Black Finish
- Includes Mounting Hardware




820589

PART #	RACK SPACE	DEPTH	PKG.
820587	1 UNIT	6 INCHES	PKG
820588	2 UNIT	6 INCHES	PKG
820589	4 UNIT	6 INCHES	PKG

BLANK PANELS

- 16 AWG Cold Rolled Steel
- Powder Coat Black Finish



820585

PART #	RACK SPACE	PKG.
820585	1 UNIT	PKG
820586	2 UNIT	PKG
820583	3 UNIT	PKG
820584	4 UNIT	PKG



8X8 RJ45 SHIELDED CAT6 PLUG

- Shielded connectors in Cat6 ratings provide protection from electromagnetic interference and offer increased data security
- Terminates 23-24 AWG solid/stranded cable
- 8P8C RJ45 (8 position, 8 contacts)
- Operating Temperature: -40 C to +80 C
- Cable to tensile strength - 7.70kgs
- UL recognized



PART #	TYPE	GOLD	QTY.	PKG.
MTP8C6S-100	RJ-45	15 MICRONS	100	PKG
MTP8C6S-10	RJ-45	15 MICRONS	10	PKG

8X8 RJ45 SHIELDED CAT5E PLUG


- Shielded connectors in Cat6 ratings provide protection from electromagnetic interference and offer increased data security
- Terminates 24-26 AWG solid cable
- 8P8C RJ45 (8 position, 8 contacts)
- Operating Temperature: -40 C to +80 C
- Cable to tensile strength - 7.70kgs
- UL recognized



PART #	TYPE	GOLD	QTY.	PKG.
MTP8C5S-100	RJ-45	15 MICRONS	100	PKG
MTP8C5S-10	RJ-45	15 MICRONS	10	PKG

8X8 RJ45 CAT6 PLUG


- Terminates 23-24 AWG solid/stranded cable
- 8P8C RJ45 (8 position, 8 contacts)
- Operating Temperature: -40 C to +80 C
- Cable to tensile strength - 7.70kgs
- UL recognized



PART #	TYPE	GOLD	QTY.	PKG.
MTP8C6-100	RJ-45	15 MICRONS	100	PKG
MTP8C6-10	RJ-45	15 MICRONS	10	PKG

8X8 RJ45 ROUND/SOLID CAT5E PLUG


- Terminates 24-26 AWG solid cable
- 8P8C RJ45 (8 position, 8 contacts)
- Operating Temperature: -40 C to +80 C
- Cable to tensile strength - 7.70kgs
- UL recognized



PART #	TYPE	GOLD	QTY.	PKG.
MTP8RSUL-100	RJ-45	15 MICRONS	100	PKG
MTP8RSUL-10	RJ-45	15 MICRONS	10	BULK

8X8 RJ45 ROUND/STRANDED CAT5E PLUG

- Terminates 24-26 AWG solid cable
- 8P8C RJ45 (8 position, 8 contacts)
- Operating Temperature: -40 C to +80 C
- Cable to tensile strength - 7.70kgs
- UL recognized



PART #	TYPE	GOLD	QTY.	PKG.
MTP8RSKUL-100	RJ-45	15 MICRONS	100	PKGD
MTP8RSKUL-10	RJ-45	15 MICRONS	10	BULK

8X8 RJ45 FLAT/STRANDED PLUG

- Terminates 24-26 AWG solid cable
- 8P8C RJ45 (8 position, 8 contacts)
- Operating Temperature: -40 C to +80 C
- Cable to tensile strength - 7.70kgs
- UL recognized



PART #	TYPE	GOLD	QTY.	PKG.
MTP8FSK-100	RJ-45	15 MICRONS	100	PKGD
MTP8FSK-10	RJ-45	15 MICRONS	10	BULK

PANEL MOUNT CAT5E AND CAT6 IN-LINE COUPLERS

- Compatible with Leviton, ICC, Allen Tel and Many Others
- Cat 5e or Cat 6 Feed-Thru Jacks
- Accepts Two (2) Cat 5e or Cat 6 Cables
- Expands the Length while Maintaining the Cat 5e or Cat 6 Standards
- Meet the EIA/TIA 568 A & B and TSB40A Standards
- Can be Snapped into a Standard Keystone Opening (.58" x .76")
- Contains an 8-Conductor RJ45 Jack on Each Side
- UL Listed



PART #	INSERT COLOR	TYPE	PKG.
820354	BLACK	CAT5E RJ45 FEED-THRU PANEL MOUNT	PKGD
820658	BLACK	CAT6 RJ45 FEED-THRU PANEL MOUNT	PKGD

IN-LINE COUPLERS

- Use to Extend the Length of (2) Category 5e or Category 6 Networking Cables
- Meets and Maintains EIA/TIA T568 A/B Standards
- 8-Position, 8-Conductor
- RJ45 Female Jacks on Each End
- White Color
- UL Listed



PART #	TYPE	PKG.
820355	CAT5E	PKGD
820356	CAT6	PKGD



SURFACE MOUNT HOUSINGS FOR CATEGORY 5E (350MHZ) JACKS


- Meets EIA/TIA 568 A & B and TSB40A Standards
- Contains Built-In ID Strips
- UL Listed



PART #	COLOR	TYPE	PKG.
820350	IVORY	SINGLE HOUSING	PKGD
820352	IVORY	DUAL HOUSING	PKGD
820351	WHITE	SINGLE HOUSING	PKGD
820353	WHITE	DUAL HOUSING	PKGD

SURFACE MOUNT HOUSINGS FOR DATACOM JACKS

- Includes Adhesive Pad and Mounting Screws
- Use with Multi-Media Inserts
- UL Listed



PART #	COLOR	TYPE	PKG.
820341	IVORY	SINGLE HOUSING	PKGD
820344	IVORY	DUAL HOUSING	PKGD
820340	WHITE	SINGLE HOUSING	PKGD
820343	WHITE	DUAL HOUSING	PKGD

COLOR MATE® SURFACE MOUNT JACK

- Use for Installation of Modular Telephone, Fax Machines and Answering Machines
- Mounts to Wall or Baseboard
- Mounting Screws Included
- Patented UL Listed



PART #	TYPE	TYPE	COLOR	PKG.
CMTJ4	SINGLE JACK	4-CONDUCTOR	IVORY	PKGD
CMTJ4W	SINGLE JACK	4-CONDUCTOR	WHITE	PKGD
CMTJ6	SINGLE JACK	6-CONDUCTOR	IVORY	PKGD
CMTJ6W	SINGLE JACK	6-CONDUCTOR	WHITE	PKGD
CMTJ42	DUAL JACK	4-CONDUCTOR	IVORY	PKGD
CMTJ42W	DUAL JACK	4-CONDUCTOR	WHITE	PKGD

Add "X" to Part Number for Bulk

WALL

PLATES AND MOUNTING BRACKETS



WALL PLATES & MOUNTING BRACKETS

SINGLE HDMI® PIGTAIL DECOR WALL PLATE

- Allows a Quick and Easy HDMI Wall Plate Connection
- Supports High Definition Resolution 1080p
- Fits on a Single Gang J-Box or Low Voltage Mounting Bracket
- Includes a Trim Plate and Color Matching Mounting Screws
- Gold Plated HDMI Female Jack (19 Pin) to HDMI Pigtail
- 4.75" Free Cable Length



PART #	PKG.
120931	PKGD

Add "X" to Part Number for Bulk

SINGLE HDMI® PIGTAIL AND 3.5 MM STEREO JACK DECOR WALL PLATE

- Allows a Quick and Easy HDMI and 3.5 mm Stereo Jack Wall Plate Connection
- Supports High Definition Resolution 1080p
- Fits on a Single Gang J-Box or Low Voltage Mounting Bracket
- Includes a Trim Plate and Color Matching Mounting Screws
- Gold Plated HDMI Female Jack (19 Pin) to HDMI Pigtail
- Gold Plated 3.5 mm Stereo Jack
- 4.75" Free Cable Length



PART #	PKG.
120935	PKGD

Add "X" to Part Number for Bulk

DUAL HDMI® PIGTAIL DECOR WALL PLATE

- Allows a Quick and Easy HDMI Wall Plate Connection
- Supports High Definition Resolution 1080p
- Fits on a Single Gang J-Box or Low Voltage Mounting Bracket
- Includes a Trim Plate and Color Matching Mounting Screws
- Dual Gold Plated HDMI Female Jacks (19 Pin) to Dual HDMI Pigtails
- 4.75" Free Cable Length



PART #	PKG.
120932	PKGD

Add "X" to Part Number for Bulk

SLIM LINE HDMI® DECOR WALL PLATES

- Allows a Quick and Easy HDMI Wall Plate Connection
- Supports High Definition Resolution 1080p
- Fits on a Single Gang J-Box or Low Voltage Mounting Bracket
- Includes a Trim Plate and Color Matching Mounting Screws
- Gold Plated HDMI Female Jack (19 Pin) to HDMI Female Jack (19 Pin)



120900

120902

PART #	TYPE	COLOR	PKG.
120900	SINGLE	WHITE	PKGD
120902	DUAL	WHITE	PKGD

Add "X" to Part Number for Bulk



STAINLESS STEEL HDMI® + S-VGA WALL PLATE

- Allows for a Quick and Easy HDMI and S-VGA Wall Plate Connection
- Supports High Definition Resolution 1080p
- Supports Computer Resolutions up to 1920x1200
- Fits on a Single Gang J-Box or Low Voltage Mounting Bracket
- Includes Color Matching Mounting Screws
- HDMI Female Jack (19 Pin) to HDMI Female Jack (19 Pin)
- VGA HD-DB15 Female Jack to VGA HD-DB15 Female Jack
- Stainless Steel Finish



PART #	COLOR	PKG.
120943X	STAINLESS STEEL	BULK

STAINLESS STEEL HDMI®, S-VGA, 3.5MM WALL PLATE

- Allows for a Quick and Easy HDMI, S-VGA, and 3.5mm Wall Plate Connection
- Supports High Definition Resolution 1080p
- Supports Computer Resolutions up to 1920x1200
- Fits on a Single Gang J-Box or Low Voltage Mounting Bracket
- Includes Color Matching Mounting Screws
- HDMI Female Jack (19 Pin) to HDMI Female Jack (19 Pin)
- VGA HD-DB15 Female Jack to VGA HD-DB15 Female Jack
- 3.5 mm Stereo Jack
- Stainless Steel Finish



PART #	COLOR	PKG.
120953X	STAINLESS STEEL	BULK

STAINLESS STEEL HDMI® + 3.5MM WALL PLATE

- Allows a Quick and Easy HDMI and 3.5mm Wall Plate Connection
- Supports High Definition Resolution 1080p
- Fits on a Single Gang J-Box or Low Voltage Mounting Bracket
- Includes Color Matching Mounting Screws
- HDMI Female Jack (19 Pin) to HDMI Female Jack (19 Pin)
- 3.5 mm Stereo Jack
- Stainless Steel Finish



PART #	COLOR	PKG.
120951X	STAINLESS STEEL	BULK

STAINLESS STEEL S-VGA + 3.5MM WALL PLATE

- Allows a Quick and Easy S-VGA and 3.5mm Wall Plate Connection
- Supports Computer Resolutions up to 1920x1200
- Fits on a Single Gang J-Box or Low Voltage Mounting Bracket
- Includes Color Matching Mounting Screws
- VGA HD-DB15 Female Jack to VGA HD-DB15 Female Jack
- 3.5 mm Stereo Jack
- Stainless Steel Finish



PART #	COLOR	PKG.
120952X	STAINLESS STEEL	BULK

WALL PLATES & MOUNTING BRACKETS

S-VGA AND 3.5 MM STEREO JACK DECOR WALL PLATE

- Allows a Quick and Easy VGA and 3.5 mm Stereo Jack Wall Plate Connection
- Supports Computer Resolutions S-VGA (800x600) and VGA (640x480)
- For VGA/S-VGA Monitors and Video Application with 800 x 600 Resolution
- Ideal for Wall Mounted Flat Panel TVs and LCD/Plasma HDTVs
- Fits on a Single Gang J-Box or Low Voltage Mounting Bracket
- Includes a Trim Plate and Color Matching Mounting Screws
- Gold Plated VGA HD-DB15 Female Jack
- Gold Plated 3.5 mm Stereo Jack



PART #	COLOR	PKG.
281212	WHITE	PKG

Add "X" to Part Number for Bulk

SLIM LINE S-VGA WALL PLATES

- Allows a Quick and Easy VGA Wall Plate Connection
- Supports Computer Resolutions S-VGA (800x600) and VGA (640x480)
- For VGA/S-VGA Monitors and Video Application with 800 x 600 Resolution
- Ideal for Wall Mounted Flat Panel TVs and LCD/Plasma HDTVs
- Fits on a Single Gang J-Box or Low Voltage Mounting Bracket
- Includes a Trim Plate and Color Matching Mounting Screws
- Gold Plated VGA HD-DB15 Female Jack to VGA HD-DB15 Female Jack



281201



281202

PART #	TYPE	COLOR	PKG.
281201	SINGLE	WHITE	PKG
281202	DUAL	WHITE	PKG

Add "X" to Part Number for Bulk

S-VGA WALL PLATE INSERT WITH DUAL KEYSTONE OPENINGS

- Allows a Quick and Easy VGA Wall Plate Connection plus (2) Keystone Insert Openings for Audio or Additional Video Connections
- Supports Computer Resolutions S-VGA (800 x 600) and VGA (640 x 480)
- Slim, Compact Housing offers an Easy Professional Installation
- Ideal for Wall Mounted Flat Panel TVs and LCD/Plasma HDTVs
- For VGA/S-VGA monitors and video applications with 800x600 resolutions
- Two (2) Keystone Insert Openings compatible with Leviton, ICC, Allen Tel and Many Others
- Fits on a Single Gang J-Box or Low Voltage Mounting Bracket
- Includes Trim Plate and Color Matching Mounting Screws



PART #	COLOR	PKG.
281203	WHITE	PKG

Add "X" to Part Number for Bulk

WHOLE HOUSE AUDIO AND 7.2 HOME THEATER WALL PLATE

- Allows the Connections of Whole House Audio and Home Theater Cables into One Convenient Wall Location
- For Multiple Audio and Video Cable Professional Installations
- Whole House Audio - Provides an Open Port (3/4" x 1-9/16") for Bulk Wire and Direct Connections to the System's A/V Components
- 7.2 Home Theater - Designed for Home Theater Systems that consist of (7) Audio Speakers and (2) Subwoofers
- Fits on a Four Gang J-box or Low Voltage Mounting Bracket
- 7/16" Hex Nuts accepts Banana Plugs or Stripped Wire Creating Precise and Secure Installation
- Accepts up to 12 AWG Wire
- Gold Plated Binding Post and RCA Jacks for Excellent Sound Performance
- Compatible with Dolby® Digital Sound Systems



PART #	COLOR	PKG.
HTWP72BW	WHITE	PKG





7.2 HOME THEATER CONNECTION WALL PLATE

- Use with Speaker Wire to Connect Audio Speakers and Subwoofers to a Receiver/Amplifier for Home Theater Surround Sound
- Designed for Home Theater Systems that Consists of (7) Audio Speakers and (2) Subwoofers
- Accepts Up to 12 AWG Speaker Wire
- Fits on a Triple Gang J-Box or Low Voltage Mounting Bracket
- Gold Plated (14) Gold Binding Posts and (2) RCA to F Jacks
- Solderless Type



PART #	COLOR	PKG.
HTWP72	WHITE	PKGD

WHOLE HOUSE AUDIO WIDE PORT AND 6.2 HOME THEATER WALL PLATE

- Allows the Connections of Whole House Audio and Home Theater Cables into One Convenient Wall Location
- For Multiple Audio and Video Cable Professional Installations
- Whole House Audio – Provides an Open Port (3/4" x 2-1/2") for Bulk Wire and Direct Connections to the System's A/V Components
- 6.2 Home Theater – Designed for Home Theater Systems that Consist of (6) Audio Speakers and (2) Subwoofers
- Fits on a Four Gang J-box or Low Voltage Mounting Bracket
- 7/16" Hex Nuts accepts Banana Plugs or Stripped Wire Creating Precise and Secure Installation
- Accepts up to 12 AWG Wire
- Gold Plated Binding Post and RCA Jacks for Excellent Sound
- Performance Compatible with Dolby® Digital Sound Systems



PART #	COLOR	PKG.
HTWP64BW	WHITE	PKGD

WHOLE HOUSE AUDIO AND 6.2 HOME THEATER WALL PLATE

- Allows the Connections of Whole House Audio and Home Theater
- Cables into One Convenient Wall Location For Multiple Audio and Video Cable Professional Installations
- Whole House Audio – Provides an Open Port (3/4" x 1-9/16") for Bulk Wire and Direct Connections to the System's A/V Components
- 6.2 Home Theater – Designed for Home Theater Systems that Consist of (6) Audio Speakers and (2) Subwoofers
- Fits on a Triple Gang J-box or Low Voltage Mounting Bracket
- 7/16" Hex Nuts accepts Banana Plugs or Stripped Wire Creating Precise and Secure Installation
- Accepts up to 12 AWG Wire
- Gold Plated Binding Post and RCA Jacks for Excellent Sound Performance
- Compatible with Dolby® Digital Sound Systems
- Patent No. D578,081 S



PART #	COLOR	PKG.
HTWP62BW	WHITE	PKGD



WALL PLATES & MOUNTING BRACKETS

5.2 HOME THEATER CONNECTION WALL PLATE

- Use with Speaker Wire to Connect Audio Speakers and Subwoofer to a Receiver/Amplifier for Home Theater Surround Sound
- Allows for 5 Surround Sound Speakers and 2 Subwoofers to be Connected on a Dual "J" Box
- Accepts Up to 14 AWG Speaker Wire
- Designed to Fit on a Dual Gang J-Box or Low Voltage Mounting Bracket
- Gold Plated (10) Binding Posts and (2) RCA to F Jacks
- Solderless Type



PART #	COLOR	PKG.
45-0060	WHITE	PKGD

BINDING POST DECOR WALL PLATES

- Allows for One, Two, or Four Speakers to be Connected on a Single "J" Box
- Designed for Home Theater Surround Sound
- Solderless Type
- Fits on a Single Gang J-Box or Low Voltage Mounting Bracket
- Accepts up to 12 AWG Speaker Wire
- Easy Installation
- Color Matching Mounting Screws Included



28146W

28147W

28148W

PART #	TYPE	COLOR	PKG.
28146W	2 GOLD BINDING POSTS	WHITE	PKGD
28147W	4 GOLD BINDING POSTS	WHITE	PKGD
28148W	8 GOLD BINDING POSTS	WHITE	PKGD

HD - 1 GHZ VIDEO WALL PLATE

- High Quality Flush Mounted Wall Plate
- Nickel Finish
- Has F81 "F" Coaxial Cable Jack for Input and F81 "F" Coaxial Cable Jack for Output
- Captive Center Pin Rated at 1 GHz
- Approved by Major USA Cable Companies
- Color Matching Mounting Screws Included



PART #	COLOR	PKG.
WP591BX	BROWN	PKGD
WP591IX	IVORY	PKGD
WP591LAX	LIGHT ALMOND	PKGD
WP591WX	WHITE	PKGD

HD - DUAL 1 GHZ VIDEO WALL PLATE

- High Quality Flush Mounted Wall Plate
- Nickel Finish
- Has F81 "F" Coaxial Cable Jack for Input and F81 "F" Coaxial Cable Jack for Output
- Captive Center Pin Rated at 1 GHz
- Approved by major USA Cable Companies
- Color Matching Mounting Screws Included



PART #	COLOR	PKG.
WP591DIX	IVORY	PKGD
WP591DWX	WHITE	PKGD

Add "X" to Part Number for Bulk



DIGITAL 3 GHZ VIDEO COAX WALL PLATE

- High Quality Flush Mounted Wall Plate
- Nickel Finish
- F81 "F" Coax Cable Jack for Input and F81 "F" Coax Cable Jack for Output
- Captive Center Pin Rated at 3 GHz
- Mounts to Standard Electrical Box
- Easy Installation
- Color Matching Mounting Screws Included



PART #	COLOR	PKG.
WP593WX	WHITE	PKG

COAX CABLE FEED-THRU WALL PLATE

- Bulk
- Package of 10/Poly Bag
- Priced Per Piece on Price List



PART #	COLOR	PKG.
120039	IVORY	PKG
120065	LIGHT ALMOND	PKG
120040	WHITE	PKG

DIGITAL 3 GHZ VIDEO DUAL COAX WALL PLATE

- High Quality Flush Mounted Wall Plate
- Nickel Finish
- Dual F81 "F" Coax Cable Jacks for Input and Dual F81 "F" Coax Cable Jack for Output
- Captive Center Pin Rated at 3 GHz
- Mounts to Standard Electrical Box
- Easy Installation
- Color Matching Mounting Screws Included



PART #	COLOR	PKG.
WP593DLAX	LIGHT ALMOND	PKG
WP593DWX	WHITE	PKG

RGB COMPONENT VIDEO WITH AUDIO WALL PLATE

- Use with RGB Component Video Cables and Red/White Audio Cables
- Gold Plated (5) RCA Jacks: Video (Red- Green- Blue); Audio (White- Red)
- Mounts to Standard Electrical Box
- Color Matching Mounting Screws Included



PART #	COLOR	PKG.
120905	WHITE	PKG

Add "X" to Part Number for Bulk

WALL PLATES & MOUNTING BRACKETS

S-VGA AND DUAL RCA JACKS DECOR WALL PLATE

- Allows a Quick and Easy VGA and Dual RCA Audio Wall Plate Connection
- Supports Computer Resolutions S-VGA up to 1920x1200
- Ideal for Wall Mounted Flat Panel TVs and LCD/Plasma HDTVs
- Fits on a Single Gang J-Box or Low Voltage Mounting Bracket
- Includes a Trim Plate and Color Matching Mounting Screws
- Gold Plated VGA HD-DB15 Female Jack
- Gold Plated Color-Coded (Red/White)- Dual RCA Jacks (Left and Right Stereo)



PART #	COLOR	PKG.
281206	WHITE	PKGD

Add "X" to Part Number for Bulk

SINGLE HDMI PIGTAIL AND RGB COMPONENT VIDEO TRIPLE RCA JACK DECOR WALL PLATE

- Allows a Quick and Easy HDMI and Wall Plate Connection
- Also Use with RGB Component Video Cables
- Supports High Definition Resolution 1080p
- Fits on a Single Gang J-Box or Low Voltage Mounting Bracket
- Includes a Trim Plate and Color Matching Mounting Screws
- Gold Plated HDMI Female Jack (19 Pin) to HDMI Pigtail
- Gold Plated (3) Color-Coded RCA Jacks (Red/Green/Blue)
- 4.75" Free Cable Length



PART #	COLOR	PKG.
120933	WHITE	PKGD

DUAL USB IN-WALL CHARGER WITH AC

- Features 1 Tamper Resistant AC power outlet and 2 USB ports for charging cell phones- tablets- or other USB devices
- USB ports allows for 2.4 A of charging power
- Electrical Rating: 15A- 125VAC- 1875W
- Compatible with iOS and Android devices
- Fits standard single gang trim plate (Vanco part # 820511)
- Depth 1.33
- 3PCS Wire Nut included
- UL- CUL Listed



PART #	COLOR	PKG.
USBWP5V	WHITE	PKGD

Add "X" to Part Number for Bulk



DECOR STYLE BRUSH BULK CABLE WALL PLATES

- Allows for Multiple Bulk Cables to be Organized for Professional Installations
- Fits on a Single or Dual Gang Electrical J-Box or Low Voltage Mounting Box
- Easy Installation
- Opening Approximately: 3/4" x 2-1/8" each
- Trim Plate and Color-Matching Mounting Screws Included



PART #	TYPE	COLOR	PKG.
120815X	SINGLE	ALMOND	BULK
120817X	SINGLE	WHITE	BULK
120818X	SINGLE	BLACK	BULK
120825X	DUAL	ALMOND	BULK
120827X	DUAL	WHITE	BULK
120828X	DUAL	BLACK	BULK

HINGED BULK CABLE WALL PLATES

- Allows for Installation after all Cables and Electronic Hardware are terminated, without disconnecting
- Allows for Multiple Bulk Cables, HDMI, DVI and VGA to be Organized for Professional Installations
- Designed to Fit Single or Dual Gang J-Box or Low Voltage Mounting Brackets
- Hole Diameter Approximately:
Single: 3/4" x 1-1/2"
Dual: 3/4" x 3"




PART #	TYPE	COLOR	PKG.
120615	SINGLE	ALMOND	PKG
120618	SINGLE	BLACK	PKG
120616	SINGLE	IVORY	PKG
120617	SINGLE	WHITE	PKG
120625	DUAL	ALMOND	PKG
120628	DUAL	BLACK	PKG
120626	DUAL	IVORY	PKG
120627	DUAL	WHITE	PKG



Add "X" to Part Number for Bulk

CUSTOM TWO-PIECE BULK CABLE WALL PLATES

- Removable Design to Accommodate Areas where Space is Limited
- Allows for Multiple Bulk Cables, HDMI, DVI and VGA to be Organized for Professional Installations
- Designed to Fit Single or Dual Gang J-Box or Low Voltage Mounting Brackets
- Hole Diameter Approximately:
Single: 1-1/2" x 1-1/4"; Dual:
1-1/2" x 3"



PART #	TYPE	COLOR	PKG.
120611	SINGLE	ALMOND	PKG
120612	SINGLE	BLACK	PKG
120613	SINGLE	IVORY	PKG
120614	SINGLE	WHITE	PKG
120621	DUAL	ALMOND	PKG
120622	DUAL	BLACK	PKG
120623	DUAL	IVORY	PKG
120624	DUAL	WHITE	PKG

Add "X" to Part Number for Bulk

WALL PLATES & MOUNTING BRACKETS

FLAT PANEL TV BULK CABLE WALL PLATES

- Slim, Compact Housing Allows for Multiple Bulk Cables to be Organized Between Wall and Flat Panel TV for Professional Installations
- Designed to Fit Single or Dual Gang J-Box or Low Voltage Mounting Brackets
- Hole Diameter Approximately: Single: 3/4" x 1-5/8"; Dual: 3/4" x 2-3/4"



PART #	TYPE	COLOR	PKG.
VANWPBWA	SINGLE	ALMOND	PKG
VANWPBWB	SINGLE	BLACK	PKG
VANWPBWI	SINGLE	IVORY	PKG
VANWPBWW	SINGLE	WHITE	PKG
VANWPBW2A	DUAL	ALMOND	PKG
VANWPBW2B	DUAL	BLACK	PKG
VANWPBW2I	DUAL	IVORY	PKG
VANWPBW2W	DUAL	WHITE	PKG

Add "X" to Part Number for Bulk



FLAT PANEL BULK CABLE WALL PLATE WITH MOUNTING BRACKET KIT

- Slim, Compact Housing Allows for Multiple Bulk Cables to be Organized Between Wall and Flat Panel TV for Professional Installations
- Includes Low Voltage Mounting Bracket for Rapid Installation
- Hole Diameter Approximately: Single: 3/4" x 1-5/8"; Dual: 3/4" x 2-3/4"
- Mounting Bracket UL Listed



PART #	TYPE	COLOR	PKG.
LV1VAN1AL	SINGLE	ALMOND	PKG
LV1VAN1BK	SINGLE	BLACK	PKG
LV1VAN1IV	SINGLE	IVORY	PKG
LV1VAN1WH	SINGLE	WHITE	PKG



BULK CABLE WALL PLATES

- Allows for Multiple Bulk Cables, HDMI, DVI and VGA to be Organized for Professional Installations
- Designed to Fit Single or Dual Gang J-Box or Low Voltage Mounting Brackets
- Hole Diameter Approximately: Single: 1-1/4" x 1"; Dual: 1-1/4" x 2-1/2"




PART #	TYPE	COLOR	PKG.
WPBWA	SINGLE	ALMOND	PKG
WPBWB	SINGLE	BLACK	PKG
WPBWI	SINGLE	IVORY	PKG
WPBWW	SINGLE	WHITE	PKG
WPBWDI	SINGLE DECOR	IVORY	PKG
WPBWDW	SINGLE DECOR	WHITE	PKG
WPBW2A	DUAL	ALMOND	PKG
WPBW2B	DUAL	BLACK	PKG
WPBW2I	DUAL	IVORY	PKG
WPBW2W	DUAL	WHITE	PKG

Add "X" to Part Number for Bulk

BLANK WALL PLATES

- Use to Cover Up and Protect Holes in a Wall
- Color Matching Screws Included
- UL Listed




PART #	TYPE	COLOR	PKG.
820540X	SINGLE	WHITE	BULK
820542X	DUAL	WHITE	BULK
820543X	SINGLE	STAINLESS STEEL	BULK





DECOR STYLE FACE PLATES

- For Professional Installation
- Color Matching Mounting Screws Included



PART #	COLOR	TYPE	PKG.
820501	IVORY	SINGLE	PKG
820502	IVORY	DUAL	PKG
820503	IVORY	TRIPLE	PKG
820551	LIGHT ALMOND	SINGLE	PKG
820532	LIGHT ALMOND	DUAL	PKG
820511	WHITE	SINGLE	PKG
820512	WHITE	DUAL	PKG
820513	WHITE	TRIPLE	PKG

MULTI-MEDIA KEYSTONE WALL PLATES

- Use to Connect Computer, Audio, Video, and Telephone Connections on One Wall Plate
- Holds Various Multi-media Inserts (Not Included) for Custom Installations
- Mounts to Standard Electrical J-box or Low Voltage Mounting Bracket
- Cutouts Comply with the Universal Measurements of .58" x .76"
- Compatible with Leviton, ICC, Allen Tel and Many Others
- Color Matching Mounting Screws Included
- UL Listed




PART #	COLOR	PORTS	PKG.
820601	BLACK	1	PKG
820602	BLACK	2	PKG
820603	BLACK	3	PKG
820604	BLACK	4	PKG
820606	BLACK	6	PKG
820001	IVORY	1	PKG
820002	IVORY	2	PKG
820003	IVORY	3	PKG
820004	IVORY	4	PKG
820006	IVORY	6	PKG
823766	LIGHT ALMOND	1	PKG
823840	LIGHT ALMOND	2	PKG
823841	LIGHT ALMOND	3	PKG
823907	LIGHT ALMOND	4	PKG
823956	LIGHT ALMOND	6	PKG
820101	WHITE	1	PKG
820102	WHITE	2	PKG
820103	WHITE	3	PKG
820104	WHITE	4	PKG
820106	WHITE	6	PKG



WALL PLATES & MOUNTING BRACKETS

DECOR STYLE MULTI-MEDIA WALL PLATE INSERTS

- For Use with Keystone Jack "F" Inserts, Telephone Jacks, Audio Connectors, and Fiber Optic Connectors
- Printed Polybag Packaging
- UL Listed



PART #	COLOR	PORT	PKG.
820311	IVORY	1	PKG
820312	IVORY	2	PKG
820313	IVORY	3	PKG
820314	IVORY	4	PKG
820316	IVORY	6	PKG
820331	LIGHT ALMOND	1	PKG
820332	LIGHT ALMOND	2	PKG
820333	LIGHT ALMOND	3	PKG
820334	LIGHT ALMOND	4	PKG
820321	WHITE	1	PKG
820322	WHITE	2	PKG
820323	WHITE	3	PKG
820324	WHITE	4	PKG
820326	WHITE	6	PKG

DECOR STYLES MULTI-MEDIA WALL PLATES WITH HEX HOLES

- For Use with Keystone Jack "F" Inserts- Telephone Jacks- Audio Connectors- and Fiber Optic Connectors
- Two Hex Holes and One Keystone Insert Opening compatible with Leviton- ICC- Allen Tel and Many Others
- UL Listed



PART #	TYPE	PKG.
820315	IVORY	PKG
820325	WHITE	PKG

RECESSED DUAL GANG INDOOR INBOX™ FOR PLASMA AND LCD TVS

- Use to install power and phone/cable outlets together in one location
- Recessed non-metallic box allows items, such as furniture, to be placed closer to the wall
- Ideal for new or retrofit construction to, flush mount a flat panel TV
- Plugs don't extend past the wall like a regular box
- Trim plate is textured/paintable
- Non-conductive plastic to protect cable from damage
- For power or low voltage applications
- UL and CSA Listed



PART #	TYPE	PKG.
TVB2GW	DUAL GANG	PKG



RECESSED SINGLE GANG INDOOR INBOX™ FOR PLASMA AND LCD TVS

- Recessed non-metallic box allows items, such as furniture, to be placed closer to the wall
- Ideal for new or retrofit construction to, flush mount a flat panel TV
- Plugs don't extend past the wall like a regular box
- Trim plate is textured/paintable
- Non-conductive plastic to protect cable from damage
- For power or low voltage applications
- UL and CSA Listed



PART #	TYPE	PKG.
LVU1W	SINGLE GANG	PKGD

RECESSED TV BOX™ W/ ANGLED OPENINGS


- Plastic recessed combination power and low voltage TV BOX™ offers the secure, easy way to mount flatscreen TVs flush against a wall
- Angled outlet boxes that take convenience to a new level
- Features two angled outlet boxes that keep plugs behind the wall surface – and allow for the use of the new close-clearance TV mounting
- Power and low voltage openings for video, audio and other datacom connections.
- For new or old work: Positioning tabs for 1/2" wall thickness assure accurate placement on stud in new construction; For retrofit, use enclosure (without the trim plate) as a template for the wall opening
- Non-metallic, paintable trim plate
- UL and CSA Listed



PART #	TYPE	PKG.
TVB713	3 GANG	PKGD

LCD/PLASMA TV BOX™ BOX

- Recessed Box that Allows LCD/Plasma TVs or Furniture to go Flush Against the Wall
- Plugs Stay Inside the Box – Does not Extend Past the Wall
- Allows Two (2) Duplex Receptacles (or Use the Voltage Separator for One Duplex Power and One Low Voltage Outlet)
- Two (2) Built-In Mounts for Low Voltage Use Such as Speakers, Satellite, TV, Surround Sound, or Datacom Connections.
- Can be Used for Retrofit or New Construction
- Ideal for Installing Cable, Category Networking Cable, Home Theater, Audio, Security, and Telephone
- Smooth PVC Construction Protects Cables from Damage
- 13" Wide Box Mounts Between 16" O.C. Studs for a Secure Horizontal or Vertical Installation
- Includes a Textured, Paintable Face Plate that Covers the Edges of the Cut Drywall
- UL and CSA Listed



PART #	TYPE	PKG.
TVB613	4 GANG	PKGD



WALL PLATES & MOUNTING BRACKETS

POWER AND LOW VOLTAGE COMBO BOX

- Use on wood or metal stud
- Ideal for new construction
- Adjusts to fit 1/4" to 1-1/2" wall thicknesses
- Non-conductive plastic to protect cable from damage
- Includes combo 1/2" and 3/4" KOs for raceway on low voltage side
- 2-Hour Fire Rating
- UL and CSA Listed




PART #	TYPE	PKG.
LVDR2	DUAL GANG	PKGD



LOW VOLTAGE MOUNTING BRACKETS

- Built-in Tracing Guide for Easy Installation
- Adjust to fit 1/4" to 1" Drywall
- UL and CSA Listed



LOW VOLTAGE MOUNTING BRACKETS FOR NEW CONSTRUCTION

- Designed to install LOW VOLTAGE Class 2 ONLY. Mounts vertical or horizontal on wood or metal studs
- Ideal for new construction
- Non-metallic
- Sturdy tabs provide extra-secure vertical or horizontal mounting of class 2, low voltage wiring
- Convenient wire tie-off through slot at top
- UL and CSA Listed



PART #	TYPE	PKG.
LVH1	SINGLE GANG	PKGD



PART #	TYPE	PKG.
MB1	SINGLE GANG	PKGD
MB2	DUAL GANG	PKGD





PVC LOW VOLTAGE MOUNTING BRACKETS

- Use to Retrofit Telephone, Coax, or Network Installation Where an Electrical Box is Not Present
- Seats Wall Plates Flush with Mounting Surface
- Adjusts to Fit 1/4" to 1" Thick Wallboard, Paneling, or Drywall.
- UL and CSA Listed



PART #	TYPE	PKG.
LV1PK	SINGLE	PKGD
LV1	SINGLE	PKGD
LV2PK	DUAL	PKGD
LV2	DUAL	PKGD
LV3	TRIPLE	PKGD
LV4	FOUR	PKGD



NAIL-ON/SCREW-ON LOW VOLTAGE MOUNTING BRACKETS

- Designed to Install Low Voltage Class 2 Only
- Built-In Loop to Tie Off Cable
- UL and CSA Listed




PART #	TYPE	PKG.
LVN1	NAIL-ON	PKGD
LVN2	NAIL-ON	PKGD
LVS1	SCREW-ON	PKGD
LVS2	SCREW-ON	PKGD



LOW VOLTAGE MOUNTING BRACKETS FOR NEW CONSTRUCTION


- Install Wire Without Needing an Electrical Box
- Allows the Use of 3/4" EMT
- Works with 1/2" or 5/8" Drywall
- Designed to Install Low Voltage Class 2 Only
- UL and CSA Listed



PART #	TYPE	PKG.
LVMB1	SINGLE	PKGD
LVMB2	DUAL	PKGD

BOX BUDDY LOW VOLTAGE MOUNTING BRACKETS

- Use for Mounting a Wide Variety of Low Voltage Mounting Devices Associated with Home Theater, Computer Wiring, Telephone, Cable and Satellite TV hookups
- Use to Install Low Voltage Devices
- Conduit Flanges Off-Set by 5/8" which Enable Unobtrusive Use of Conduit Connectors
- Used for New Construction
- For Use in Home Theater, Computer Wiring, Telephone, Cable and Satellite TV hookups
- Ideal for Installing Coax Cable, Category Networking Cable, Home Theater Audio Cable, Security Cable, and Telephone Wire
- Smooth PVC Construction Protects Cables from Damage
- Ideal to Use with the Vanco Whole House Audio Wall Plates, Home Theater Wall Plates, and Decor Style Wall Plates
- UL and CSA Listed



PART #	TYPE	CONDUIT OPENING	PKG.
LV32	TRIPLE	2 IN	PKGD
LV421	FOUR	1 AND 2 IN	PKGD
LV8	EIGHT	1 AND 2 IN	PKGD



WALL


MOUNTS AND INSTALLATION ACCESSORIES



WALL MOUNTS & INSTALLATION ACCESSORIES

ULTRA THIN 23" - 42" FLAT PANEL DISPLAY MOUNT

- Super Low Profile Design
- Integrated Cable Management
- Includes Bubble Level
- Fits 23" - 42" Displays
- Safety Lock with Pull Cord
- Load Capacity: 88 lbs
- VESA Compliant (400 x 400 and less)
- Minimum Mounting Profile: .4"
- Includes Mounting Hardware



PART #	PKG .
WMLP2342	PKGD

LOW PROFILE ARTICULATING 47" - 84" FLAT PANEL DISPLAY MOUNT

- Low Profile Design
- Fits 47" - 84" Displays
- Tilt Degree: -2 to 10°
- Swivel: 90°
- Built in automatic spring locking system offers an easy way to lock and release the TV
- Cable management system that gathers and routes your cable neatly
- Load Capacity: 132 lbs
- VESA Compliant (800 x 600)
- Minimum Mounting Profile: 2.17" Extends to 17.72"
- Includes Mounting Hardware
- UL Listed



PART #	PKG .
WMART4784	PKGD



FULL MOTION 42" - 70" FLAT PANEL DISPLAY MOUNT

- Simple to install out of the box and offers reliable, cost effective mounting solutions
- Includes Mounting Hardware
- Integrated Cable Management
- Fits 42" - 70" Displays
- Load Capacity: 165 lbs
- VESA Compliant (800 x 600 and Less)
- Tilt Degree -5° to 15°
- Vertical Tilt, Swivel, ffl45° Pan, Stowing Screen
- Minimum Mounting Profile: 5.1" Extends to 22.8"
- Mounting Plate: 34.2" W x 11.4" H
- Wall Mount Plate: 25.6" W x 7.9" H
- UL Listed



PART #	PKG .
ART4270	PKGD



ARTICULATING 37" - 60" FLAT PANEL DISPLAY MOUNT

- Includes Bubble Level
- Fits 37" - 60" Displays
- Tilt Degree +/- 15°
- Swivel: 90°
- Load Capacity: 132 lbs
- VESA Compliant (800 x 400 and Less)
- Mounting Profile: 4.9" Extends to 21"
- Includes Mounting Hardware




PART #	PKG .
WMART3760	PKGD



ARTICULATING 23" - 37" FLAT PANEL DISPLAY MOUNT

- Includes Bubble Level
- Fits 23" - 37" Displays
- Tilt Degree +/- 20°
- Swivel: 180°
- Load Capacity: 55 lbs
- VESA Compliant: 75, 100, 200
- Mounting Profile: 3.2" Extends to 18.7"
- Includes Mounting Hardware



PART #	PKG .
WMART2337	PKGD

10" - 24" EXTENDING FLAT PANEL DISPLAY MOUNT

- Simple to install out of the box and offers reliable, cost effective mounting solutions
- Includes Mounting Hardware
- Integrated Cable Management
- Fits 10" - 24" Displays
- Load Capacity: 33 lbs
- VESA Compliant (75, 100)
- Tilt Degree -5° to 15°
- Minimum Mounting Profile: 2.7" Extends to 7.48"
- UL Listed



PART #	PKG .
WM1024E	PKGD



FULL MOTION 14" - 40" FLAT PANEL DISPLAY MOUNT

- Simple to install out of the box and offers reliable, cost effective mounting solutions
- Includes Mounting Hardware
- Fits 14" - 40" Displays
- Load Capacity: 80 lbs
- VESA Compliant (75, 100, 200 x 100, 200 x 200)
- Tilt Degree -5° to 15°
- Minimum Mounting Profile: 2.87" Extends to 18.39"
- UL Listed



PART #	PKG .
LCD1440	PKGD



LOW PROFILE 47" - 84" TILT FLAT PANEL DISPLAY MOUNT

- Low Profile Design
- Fits 47" - 84" Displays
- Tilt Degree: 0 to 12°
- Built in automatic spring locking system offers an easy way to lock and release the TV
- Angle free tilting function provides effortless adjustment of viewing angle without tightening a knob
- Load Capacity: 132 lbs
- VESA Compliant (800 x 600)
- Minimum Mounting Profile: 1.02"
- Includes Mounting Hardware
- UL Listed



PART #	PKG .
WMT4784	PKGD



WALL MOUNTS & INSTALLATION ACCESSORIES

TILT 36" - 65" FLAT PANEL DISPLAY MOUNT

- Simple to install out of the box and offers reliable, cost effective mounting solutions
- Lift and Lock feature allows you to easily attach and secure the Flat Panel Display to the mount
- Includes Mounting Hardware
- Fits 36" - 65" Displays
- Load Capacity: 132 lbs
- VESA Compliant (800 x 600 and Less)
- Tilt Degree -5° to 15°
- Minimum Mounting Profile: 3.2"
- Mounting Plate: 33.2" W x 8" H
- UL Listed




PART #	PKG .
WM3665T	PKGD



LOW PROFILE 42"- 60" TILT FLAT PANEL DISPLAY MOUNT


- Low Profile Design
- Integrated Cable Management
- Includes Bubble Level
- Fits 42" - 60" Displays
- Tilt Degree +/- 10°
- Safety Lock
- Load Capacity: 132 lbs
- VESA Compliant (800 x 400 and less)
- Minimum Mounting Profile: 1.5"
- Includes Mounting Hardware



PART #	PKG .
WMT4260	PKGD

LOW PROFILE 36" - 60" TILT FLAT PANEL DISPLAY MOUNT

- Low Profile Design
- Includes Magnetic Bubble Level
- Built in safety lock
- Fits 36" - 60" Displays
- Dimensions: 37.2" W x 9.92" H x 1.1" D
- Load Capacity: 88 lbs
- VESA Compliant (100 x 100 and 800 x 500)
- Tilt Degree: 0 to 14°
- Includes Mounting Hardware
- UL Listed



PART #	PKG .
SPR03660	PKGD



LOW PROFILE 32"- 55" TILT FLAT PANEL DISPLAY MOUNT

- Low Profile Design
- Integrated Cable Management
- Includes Bubble Level
- Fits 32" - 55" Displays
- Tilt Degree +/- 10°
- Safety Lock
- Load Capacity: 99 lbs
- VESA Compliant (600 x 400 and less)
- Minimum Mounting Profile: 1.5"
- Includes Mounting Hardware



PART #	PKG .
WMT3255	PKGD



LOW PROFILE 32" - 55" TILT FLAT PANEL DISPLAY MOUNT

- Low Profile Design
- Includes Magnetic Bubble Level
- Built in safety lock
- Fits 32" - 55" Displays
- Dimensions: 29.3" W x 20.9" H x 1.1" D
- Load Capacity: 66 lbs
- VESA Compliant (100 x 100 and 600 x 500)
- Tilt Degree 0 to 14°
- Includes Mounting Hardware
- UL Listed




PART #	PKG .
SPRO3255	PKGD



LOW PROFILE 23" - 42" TILT FLAT PANEL DISPLAY MOUNT

- Super Low Profile Design
- Includes Magnetic Bubble Level
- Built in safety lock
- Fits 23" - 42" Displays
- Dimensions: 21.5" W x 9.92" H x 1.1" D
- Load Capacity: 44 lbs
- VESA Compliant (100 x 100 and 400 x 400)
- Tilt Degree 0 to 14°
- Includes Mounting Hardware
- UL Listed




PART #	PKG .
SPRO2342	PKGD



LOW PROFILE 23"- 42" TILT FLAT PANEL DISPLAY MOUNT


- Low Profile Design
- Integrated Cable Management
- Includes Bubble Level
- Fits 23" - 42" Displays
- Tilt Degree +/- 10°
- Safety Lock
- Load Capacity: 77 lbs
- VESA Compliant (400 x 400 and less)
- Minimum Mounting Profile: 1.5"
- Includes Mounting Hardware



PART #	PKG .
WMT2342	PKGD

TILT 23" - 42" FLAT PANEL DISPLAY MOUNT

- Simple to install out of the box and offers reliable, cost effective mounting solutions
- Lift and Lock feature allows you to easily attach and secure the Flat Panel Display to the mount
- Includes Mounting Hardware
- Integrated Cable Management
- Fits 23" - 42" Displays
- Load Capacity: 132 lbs
- VESA Compliant (500 x 400 and Less)
- Tilt Degree -5° to 15°
- Minimum Mounting Profile: 3.2"
- Mounting Plate: 21.5" W x 8" H
- UL Listed



PART #	PKG .
WM2342T	PKGD



WALL MOUNTS & INSTALLATION ACCESSORIES

WALL MOUNTS & INSTALLATION ACCESSORIES

TILT 23" - 37" FLAT PANEL DISPLAY MOUNT

- Fits 23" - 37" Displays
- Tilt Degree +/- 20°
- Swivel: 45°
- Load Capacity: 55 lbs
- VESA Compliant: 75, 100, 200
- Minimum Mounting Profile: 3.7"
- Includes Mounting Hardware



PART #	PKG .
WMT2337	PKGD

TILT 10" - 24" FLAT PANEL DISPLAY MOUNT

- Simple to install out of the box and offers reliable, cost effective mounting solutions
- Includes Mounting Hardware
- Integrated Cable Management
- Fits 10" - 24" Displays
- Load Capacity: 33 lbs
- VESA Compliant (75, 100)
- Tilt Degree -5° to 15°
- Minimum Mounting Profile: 3"
- UL Listed



PART #	PKG .
WM1024	PKGD

LOW PROFILE 47" - 84" FIXED FLAT PANEL DISPLAY MOUNT

- Low Profile Design
- Fits 47" - 84" Displays
- Built in automatic spring locking system offers an easy way to lock and release the TV
- Load Capacity: 132 lbs
- VESA Compliant (800 x 600)
- Minimum Mounting Profile: .87"
- Includes Mounting Hardware
- UL Listed



PART #	PKG .
WMF4784	PKGD



LOW PROFILE FIXED 42" - 65" FLAT PANEL DISPLAY MOUNT

- Low Profile Design
- Integrated Cable Management
- Includes Bubble Level
- Fits 42" - 65" Displays
- Safety Lock
- Load Capacity: 132 lbs
- VESA Compliant (800 x 400 and less)
- Minimum Mounting Profile: .6"
- Includes Mounting Hardware




PART #	PKG .
WMF4265	PKGD



FIXED 36" - 65" PANEL DISPLAY MOUNT

- Simple to install out of the box and offers reliable, cost effective mounting solutions
- Lift and Lock feature allows you to easily attach and secure the Flat Panel Display to the mount
- Includes Mounting Hardware
- Integrated Cable Management
- Fits 36" - 65" Displays
- Load Capacity: 132 lbs
- VESA Compliant (800 x 600 and Less)
- Minimum Mounting Profile: 1"
- Mounting Plate: 33.2" W x 8" H
- UL Listed



PART #	PKG .
WM3665F	PKGD



LOW PROFILE FIXED 23"- 42" FLAT PANEL DISPLAY MOUNT


- Low Profile Design
- Integrated Cable Management
- Includes Bubble Level
- Fits 23" - 42" Displays
- Safety Lock
- Load Capacity: 88 lbs
- VESA Compliant (400 x 400 and less)
- Minimum Mounting Profile: .6"
- Includes Mounting Hardware



PART #	PKG .
WMF2342	PKGD

LOW PROFILE FIXED 32"- 55" FLAT PANEL DISPLAY MOUNT

- Low Profile Design
- Integrated Cable Management
- Includes Bubble Level
- Fits 32" - 55" Displays
- Safety Lock
- Load Capacity: 99 lbs
- VESA Compliant (600 x 400 and less)
- Minimum Mounting Profile: .6"
- Includes Mounting Hardware



PART #	PKG .
WMF3255	PKGD

FIXED 23" - 42" FLAT PANEL DISPLAY MOUNT

- Simple to install out of the box and offers reliable, cost effective mounting solutions
- Lift and Lock feature allows you to easily attach and secure the Flat Panel Display to the mount
- Includes Mounting Hardware
- Integrated Cable Management
- Fits 23" - 42" Displays
- Load Capacity: 132 lbs
- VESA Compliant (500 x 400 and Less)
- Minimum Mounting Profile: 1"
- Mounting Plate: 21.5" W x 8" H
- UL Listed



PART #	PKG .
WM2342F	PKGD



WALL MOUNTS & INSTALLATION ACCESSORIES

WALL MOUNTS & INSTALLATION ACCESSORIES

UNIVERSAL WALL SPEAKER BRACKET

- Universal Speakers Mount for Home Theater Style Speakers
- Can be Ceiling or Wall Mounted
- Holds Up to 8 lbs
- Installation Hardware Included (Extension and Key Hole Adapters)
- Rotates, Tilts and 4-Axis Adjustments



PART #	QTY.	PKG .
200010	BLACK	PKGD

RIGHT ANGLE FLAT PANEL TV POWER CORD

- Replacement Power Cord for HDTV Flat Screen Plasma and LCD TVs
- Right Angle Adapter for Easy Access where Space is Limited
- Short Lengths Available for Wall Mounted Flat Panel TVs where Space is Limited and Hanging Cords are Unsightly
- Non-Shielded
- 18 Gauge, SVT/CSA Cord
- UL Listed

PART #	QTY.	PKG .
339015	1.5 FT	PKGD
339003	3 FT	PKGD
339006	6 FT	PKGD



Add "X" to Part Number for Bulk

DELUXE UNIVERSAL AC/DC POWER SUPPLY

- Maximum Current: 500 mA Universal
- Input: 120 Volt AC LED Indicator Light
- DC Outputs: 1.5- 3- 4.5- 6- 7.5- 9- 12 Volts
- Saves Batteries in Electronic Equipment
- Includes 6 Detachable Adapter Plugs
- UL Listed
- Black Color
- New Redesigned Compact Design
- Six Output Plugs:
 - 1.35 x 3.5 mm DC Plug – for Walkman®- Gameboy®
 - 2.35 x 0.75 mm DC Plug for New Walkman®
 - 4.0 x 1.7 mm DC Plug – for Discman®
 - 3.5 mm Mini Plug
 - 5.5 x 2.1 mm DC Plug – Sega®- Nintendo®-
 - Deck- NEC® Game System- etc.
 - 5.5 x 2.5 mm DC Plug – for Keyboard



PART #	PKG .
110018	PKGD

FLAT PANEL TV POWER CORD

- Replacement Power Cord for HDTV Flat Screen Plasma and LCD TVs
- Shorter Lengths Ideal for Wall Mounted Flat Panel TVs where Space is Limited and Hanging Cords are Unsightly
- Non-Shielded
- 18 Gauge SVT/CSA Cord
- UL Listed



PART #	QTY.	PKG .
330015	1.5 FT	PKGD
330003	3 FT	PKGD
330007	6 FT	PKGD
330010	10 FT	PKGD
330016	15 FT	PKGD
330025	25 FT	PKGD

Add "X" to Part Number for Bulk



AC-DC POWER SUPPLY

- Input: 110 Volt AC
- DC Output: 12 Volt
- 2.1 mm Right Angle Plug
- Maximum Current: 500 mA
- Center Negative
- 6 ft Cord
- UL and CSA Approved



PART #	PKG .
371225	PKGD

COMPUTER POWER CORD

- Replacement Power Cord for Computers and Printers
- 3 Prong Plug AC (M)/Molded (F)
- Non-Shielded
- 6 ft 18 Gauge SVT/CSA Cord
- UL Listed
- Black Color



PART #	PKG .
330007	PKGD

DC POWER PIGTAILS

- 5.5 x 2.1mm Power Jack with Open End
- 5.5 x 2.1mm Power Plug with Open End
- Polarized 3' Cable



PART #	TYPE	PKG .
DC36FX	FEMALE	PKGD
DC36MX	MALE	PKGD

LIGHTNING® CHARGE AND SYNC CABLE


- USB A to 8-pin Lightning® Charge and Sync Cable
- Use to charge and sync a device
- Slim compact design for use with iPhone® 6/6Plus- 5s.5c.5- all iPad® Mini- all iPad® Air and other devices with Lightning® connectors
- Apple- Lightning- iPad- iPhone and iPod are trademarks of Apple Inc.- registered in the U.S. and other countries



PART #	LENGTH	PKG .
ALUSB03	3 FT	PKGD
ALUSB06	6 FT	PKGD

USB 2.0 CABLES

- 3 ft 14/3 Power Cord
- 15 Amps, 125 Volts
- Intergrated Switch and Circuit Breaker
- Flame Retardant ABS Plastic
- UL 1363 and CSA Listed
- Not a Surge Protector



PART #	LENGTH	TYPE	PKG .
USB3AB	3 FT	A/B	PKGD
USB3A	3 FT	A/A	PKGD
USB6AB	6 FT	A/B	PKGD
USB6A	6 FT	A/A	PKGD
USB15AB	15 FT	A/B	PKGD
USB15A	15 FT	A/A	PKGD

WALL MOUNTS & INSTALLATION ACCESSORIES

WALL MOUNTS & INSTALLATION ACCESSORIES

1-OUTLET SURGE PROTECTOR

- Great for Microwaves, Freezers, Radios, Clocks and Other Stand Alone Appliances
- One (1) Outlet
- 450 Joules
- Full 3 Line Surge Protection
- 15 Amps, 125 Volts
- Spike Current: 13,500A
- Clamping Voltage: 330V
- EMI/RFI Noise Filtering
- LED Indicator
- UL497A, UL1363, UL1449, and CSA Listed



PART #	PKG .
821803	PKGD



6-OUTLET POWER STRIP

- 3 ft 14/3 Power Cord
- 15 Amps, 125 Volts
- Intergrated Switch and Circuit Breaker
- Flame Retardant ABS Plastic
- UL 1363 and CSA Listed
- Not a Surge Protector



PART #	PKG .
821801	PKGD



6-OUTLET SURGE PROTECTOR STRIP

- 3 ft 14/3 Power Cord
- 250 Joules Protection
- 15 Amps, 125 Volts
- Spike Current: 4500A
- Clamping Voltage: 330V
- EMI/RFI Noise Filtering
- Lighted Switch/Circuit Breaker
- LED Surge Protection Indicator
- UL 1363, UL 1449, and CSA Listed
- 1 Year Warranty Against Workmanship



PART #	PKG .
821802	PKGD

6-OUTLET SURGE PROTECTOR STRIP WITH PHONE/FAX/MODEM PROTECTION

- 3 ft 14/3 Power Cord
- 750 Joules Protection
- 70 Joules Telephone Protection
- 15 Amps, 125 Volts
- Spike Current: 19,500A
- Clamping Voltage: 330V
- EMI/RFI Noise Filtering
- Lighted Switch/Circuit Breaker
- LED Surge Protection Indicator
- UL 1363, UL 1449, and CSA Listed
- 1 Year Warranty Against Workmanship



PART #	PKG .
821805	PKGD



7-OUTLET SURGE PROTECTOR STRIP WITH SLIDE SAFETY COVERS

- Sliding Child Protective Covers on Each Outlet
- 6 ft 14/3 Power Cord with right angle plug
- 1500 Joules
- 15 Amps, 125 Volts
- Spike Current: 39,000A
- Clamping Voltage: 330V
- EMI/RFI Noise Filtering
- LED Surge Protection Indicator
- Lighted Switch/Circuit Breaker
- UL 1363, UL 1449, and CSA Listed
- 1 Year Warranty Against Workmanship



PART #	PKG .
821807	PKGD





RAPID LINK POWER™ BY VANCO WITH SURGE PROTECTION



- Provides an Affordable In-Wall Power Solution for Wall Mounted HDTV Flat Screen Plasma and LCD TVs and features built in surge protection
- Package that Includes:
 - Dual AC Power Outlet with Surge Protection
 - Safety-Designed Recessed Plug-in AC Power Inlet
 - 36" Power Cord (14/3 SPT3)
 - In-Wall PVC Electrical Boxes
- Easy and Safe to Install at the Same Time as Running the A/V Cables
- Offers a Cost-Effective Way to Protect Expensive Home Theater HDTV Equipment from Surge Damage and AC Electrical Circuit.
- Engineered to Complement Flat Screen LCD and Plasma Displays
- Power Inlet: 15 Amp, 125 Volt, 20A feed through, NEMA 5-15R, 2P, 3W, Decora Plus Duplex Receptacle, Tamper-Resistant, Straight Blade, Commercial Specification Grade, Self Grounding, Surge w/ Indicator Light, Back & Side Wired, Steel Strap, includes matching color wallplate
- Rated Single Pulse Transient Energy (10x1000 impulse) 320 Joules
- New Dual Outlet Provides More Space and Convenience
- Perfect for Retrofit Construction Projects
- Unique Recessed Power Inlet Wall Plate Eliminates the Risk of Electrical Shock
- Complies with National Electric Code Requirements
- Components UL Listed



RAPID LINK POWER™ BY VANCO - PLUS LV PORT



- Provides an Affordable and Complete Solution for Installing In-Wall Power and In-Wall Rated AV Cables within the Wall for Wall Mounted HDTV Flat Screen Plasma and LCD TVs.
- Package that Includes:
 - Recessed Plug-in AC Power Outlet with AV Port
 - Safety-Designed Recessed Plug-in AC Power Inlet with AV Port
 - 36" Power Cord
 - In-Wall PVC Electrical Boxes
- Easy and Safe to Install at the Same Time as Running the A/V Cables
- Offers a Cost-Effective Way to Protect Expensive Home Theater HDTV Equipment from Surge Damage and AC Electrical Circuit when Connected to a Power Surge Conditioner
- Engineered to Compliment Flat Screen LCD and Plasma Displays
- Perfect for Retrofit Construction Projects
- Unique Recessed Power Inlet Wall Plate Eliminates the Risk of Electrical Shock
- Complies with National Electric Code Requirements
- Components ETL or UL Listed



PART #	COLOR	PKG .
RL125281-AL	LIGHT ALMOND	PKG D
RL125283-IV	IVORY	PKG D
RL125280-WH	WHITE	PKG D



Note: This product is not to be hard-wired directly to an electrical circuit. It is designed as an electrical plug-in device to an existing A/C grounded outlet only. This product is rated for use with an existing outlet 15-Amp 125V grounded circuit only.

Do not put the TV power cord inside the wall or ceiling. Check with your Local Authority having Jurisdiction, as to permit or code requirements for installing electrical wire and outlets within a wall.

PART #	COLOR	PKG .
RL121204-WH	WHITE	PKG D



Note: This product is not to be hard-wired directly to an electrical circuit. It is designed as an electrical plug-in device to an existing A/C grounded outlet only. This product is rated for use with an existing outlet 15-Amp 125V grounded circuit only.

Do not put the TV power cord inside the wall or ceiling. Check with your Local Authority having Jurisdiction, as to permit or code requirements for installing electrical wire and outlets within a wall.

WALL MOUNTS & INSTALLATION ACCESSORIES

WALL MOUNTS & INSTALLATION ACCESSORIES

RAPID LINK POWER™ BY VANCO - THE COMPLETE KIT WITH ROMEX® AND BULK CABLE WALL PLATES



- Provides an Affordable In-Wall Power Solution for Wall Mounted HDTV Flat Screen Plasma and LCD TVs.
- Package that Includes:
 - Dual Recessed Plug-in AC Power Outlet
 - Safety-Designed Recessed Plug-in AC Power Inlet
 - 36" Power Cord
 - 12.5' Romex® NM-B 14/2 Cable
 - (2) In-Wall PVC Electrical Boxes
 - (1) Flat Panel TV Bulk Cable Wall Plate
 - (1) Custom 2-Piece Bulk Cable Wall Plate
 - (2) Low Voltage Mounting Brackets
- Offers a Cost-Effective Way to Protect Expensive Home Theater HDTV Equipment from Surge Damage and AC Electrical Circuit when Connected to a Power Surge/Conditioner
- Engineered to Complement Flat Screen LCD and Plasma Displays
- New Dual Outlet Provides More Space and Convenience
- Perfect for Retrofit Construction Projects
- Unique Recessed Power Inlet Wall Plate Eliminates the Risk of Electrical Shock
- Complies with National Electric Code Requirements
- Components UL Listed
- Romex® NM-B 14/2 Cable Meets or Exceeds UL Standard 83, UL Standard 719



PART #	COLOR	PKG .
RL128021-AL	LIGHT ALMOND	PKG D
RL128022-BK	BLACK	PKG D
RL128023-IV	IVORY	PKG D
RL128024-WH	WHITE	PKG D



Note: This product is not to be hard-wired directly to an electrical circuit. It is designed as an electrical plug-in device to an existing A/C grounded outlet only. This product is rated for use with an existing outlet 15-Amp 125V grounded circuit only.

Do not put the TV power cord inside the wall or ceiling. Check with your Local Authority having Jurisdiction, as to permit or code requirements for installing electrical wire and outlets within a wall.

RAPID LINK POWER™ BY VANCO - THE COMPLETE INSTALL KIT WITH ROMEX



- Provides an Affordable In-Wall Power Solution for Wall Mounted HDTV Flat Screen Plasma and LCD TVs
- Package that Includes:
 - Dual Recessed Plug-in AC Power Outlet
 - Safety-Designed Recessed Plug-in AC Power Inlet
 - 36" Power Cord
 - 12.5' Romex® NM-B 14/2 Cable
 - In-Wall PVC Electrical Boxes
- Easy and Safe to Install at the Same Time as Running the A/V Cables
- Offers a Cost-Effective Way to Protect Expensive Home Theater HDTV Equipment from Surge Damage and AC Electrical Circuit when Connected to a Power Surge/Conditioner
- Engineered to Compliment Flat Screen LCD and Plasma Displays
- New Dual Outlet Provides More Space and Convenience
- Perfect for Retrofit Construction Projects
- Unique Recessed Power Inlet Wall Plate Eliminates the Risk of Electrical Shock
- Complies with National Electric Code Requirements
- Components UL Listed
- Romex® NM-B 14/2 Cable Meets or Exceeds UL Standard 83, UL Standard 719



PART #	COLOR	PKG .
RL121221-AL	LIGHT ALMOND	PKG D
RL121222-BK	BLACK	PKG D
RL121223-IV	IVORY	PKG D
RL121224-WH	WHITE	PKG D



Note: This product is not to be hard-wired directly to an electrical circuit. It is designed as an electrical plug-in device to an existing A/C grounded outlet only. This product is rated for use with an existing outlet 15-Amp 125V grounded circuit only.

Do not put the TV power cord inside the wall or ceiling. Check with your Local Authority having Jurisdiction, as to permit or code requirements for installing electrical wire and outlets within a wall.



RAPID LINK POWER™ BY VANCO



- Provides an Affordable In-Wall Power Solution for Wall Mounted HDTV Flat Screen Plasma and LCD TVs
- Package that Includes:
 - Dual Recessed Plug-in AC Power Outlet
 - Safety-Designed Recessed Plug-in AC Power Inlet
 - 36" Power Cord
 - In-Wall PVC Electrical Boxes
- Easy and Safe to Install at the Same Time as Running the A/V Cables
- Offers a Cost-Effective Way to Protect Expensive Home Theater HDTV Equipment from Surge Damage and AC Electrical Circuit when Connected to a Power Surge/Conditioner
- Engineered to Complement Flat Screen LCD and Plasma Displays
- New Dual Outlet Provides More Space and Convenience
- Perfect for Retrofit Construction Projects
- Unique Recessed Power Inlet Wall Plate Eliminates the Risk of Electrical Shock
- Complies with National Electric Code Requirements
- Components UL Listed



PART #	COLOR	PKG .
RL121221-AL	LIGHT ALMOND	PKGD
RL125022-BK	BLACK	PKGD
RL125023-IV	IVORY	PKGD
RL125024-WH	WHITE	PKGD



Note: This product is not to be hard-wired directly to an electrical circuit. It is designed as an electrical plug-in device to an existing A/C grounded outlet only. This product is rated for use with an existing outlet 15-Amp 125V grounded circuit only.

Do not put the TV power cord inside the wall or ceiling. Check with your Local Authority having Jurisdiction, as to permit or code requirements for installing electrical wire and outlets within a wall.

RAPID LINK POWER™ BY VANCO - RECESSED AC DUPLEX OUTLET PLATE



- Provides a Complete Professional Installation Solution
- Perfect for Retrofit Construction Projects
- Unique Recessed Power Inlet Wall Plate Eliminates the Risk of Electrical Shock
- Complies with National Electric Code Requirements
- Components UL Listed



PART #	COLOR	PKG .
168921-AL	LIGHT ALMOND	PKGD
168922-BK	BLACK	PKGD
168923-IV	IVORY	PKGD
168924-WH	WHITE	PKGD



PART NUMBER INDEX

PART NUMBER INDEX

110002.....	91	120625.....	117	280567.....	24	820004.....	119
110004.....	82	120626.....	117	280568.....	10	820006.....	119
110018.....	132	120627.....	117	280571.....	25	820101.....	119
110023.....	85	120628.....	117	280573.....	68	820102.....	119
110030.....	88	120710.....	72	280584.....	30	820103.....	119
110034.....	84	120720.....	72	280595.....	17	820104.....	119
110084.....	84	120730.....	72	280688.....	5	820106.....	119
110140.....	49	120740.....	72	280703.....	60	820172.....	72
110141.....	49	120750.....	72	280710.....	13	820311.....	120
110203.....	73	120760.....	73	280711.....	16	820312.....	120
110422.....	53	120777.....	84	280720.....	60	820313.....	120
110423.....	52	120900.....	110	280721.....	60	820314.....	120
110450.....	51	120902.....	110	280725.....	23	820315.....	120
110460.....	51	120905.....	115	280731.....	60	820316.....	120
110522.....	50	120931.....	110	280732.....	62	820321.....	120
120002.....	83	120932.....	110	280733.....	61	820322.....	120
120003.....	85	120933.....	116	280734.....	62	820323.....	120
120004.....	85	120935.....	110	280735.....	62	820324.....	120
120005.....	83	121256.....	73	280736.....	65	820325.....	120
120006.....	83	200010.....	132	280737.....	65	820326.....	120
120011.....	83	277001.....	42	280738.....	65	820331.....	120
120039.....	115	277003.....	42	280739.....	65	820332.....	120
120040.....	115	277006.....	42	280740.....	65	820333.....	120
120041.....	79	277010.....	42	280741.....	65	820334.....	120
120044.....	79	277012.....	42	280745.....	62	820340.....	107
120060.....	83	277015.....	42	280751.....	61	820341.....	107
120065.....	115	277020.....	42	280752.....	65	820343.....	107
120069.....	92	277025.....	42	280753.....	65	820344.....	107
120074.....	93	277035.....	42	280754.....	31	820350.....	107
120075.....	92	277050.....	42	281143.....	57	820351.....	107
120076.....	90	277066.....	42	281146.....	57	820352.....	107
120108.....	56	280034.....	81	281150.....	57	820353.....	107
120222.....	82	280039.....	81	281160.....	57	820354.....	106
120224.....	82	280040.....	81	281165.....	57	820355.....	106
120235.....	72	280048.....	93	281180.....	57	820356.....	106
120238.....	72	280049.....	93	281201.....	112	820407.....	99
120239.....	72	280171.....	73	281202.....	112	820409.....	99
120272.....	82	280173.....	73	281203.....	112	820420.....	97
120274.....	82	280319.....	30	281206.....	116	820421.....	97
120324.....	82	280328.....	71	281212.....	112	820422.....	97
120422.....	82	280442.....	26	281322.....	57	820423.....	96
120424.....	82	280444.....	26	281323.....	57	820424.....	96
120501.....	44	280448.....	26	299003.....	43	820425.....	96
120503.....	44	280501.....	22	299006.....	43	820426.....	96
120506.....	44	280512.....	70	299012.....	43	820427.....	96
120512.....	44	280515.....	70	330003.....	132	820428.....	98
120606.....	84	280519.....	70	330007.....	132	820429.....	98
120611.....	117	280531.....	31	330007.....	133	820430.....	99
120612.....	117	280535.....	31	330010.....	132	820435.....	99
120613.....	117	280544.....	29	330015.....	132	820436.....	96
120614.....	117	280546.....	28	330016.....	132	820440.....	99
120615.....	117	280547.....	27	330025.....	132	820445.....	99
120616.....	117	280548.....	27	339003.....	132	820446.....	99
120617.....	117	280552.....	23	339006.....	132	820450.....	96
120618.....	117	280553.....	70	339015.....	132	820451.....	96
120621.....	117	280562.....	15	371225.....	133	820452.....	96
120622.....	117	280563.....	69	820001.....	119	820453.....	96
120623.....	117	280565.....	69	820002.....	119	820454.....	96
120624.....	117	280566.....	6	820003.....	119	820455.....	96



PART NUMBER INDEX

820470.....	96	820624.....	98	110065X.....	51	280036VLX.....	81
820471.....	96	820625.....	98	110422-6.....	53	280036WHX.....	81
820472.....	98	820626.....	98	120003X.....	85	280036YLX.....	81
820473.....	99	820627.....	98	120815X.....	117	280039BKX.....	81
820474.....	98	820628.....	98	120817X.....	117	280039RDX.....	81
820475.....	96	820629.....	99	120818X.....	117	280040BKX.....	81
820476.....	96	820630.....	99	120825X.....	117	280040RDX.....	81
820478.....	96	820631.....	99	120827X.....	117	280043BKX.....	81
820482.....	98	820632.....	99	120828X.....	117	280043VLX.....	81
820483.....	98	820633.....	99	120943X.....	111	280044ORX.....	81
820486.....	98	820634.....	99	120951X.....	111	280045BUX.....	81
820487.....	99	820635.....	99	120952X.....	111	280045GNX.....	81
820489.....	98	820636.....	99	120953X.....	111	280046RDX.....	81
820490.....	97	820637.....	99	168921-AL.....	137	280046WHX.....	81
820492.....	73	820641.....	99	168922-BK.....	137	280048WHX.....	93
820493.....	97	820642.....	99	168923-IV.....	137	280049YLX.....	81
820498.....	97	820643.....	99	168924-WH.....	137	280049YLX.....	93
820499.....	98	820645.....	99	200-007-06.....	55	280720EXT.....	60
820501.....	119	820646.....	99	200-007-06W.....	55	280721EXT.....	60
820502.....	119	820647.....	99	200-007-100.....	55	28146W.....	114
820503.....	119	820658.....	106	200-007-100W.....	55	28147W.....	114
820511.....	119	820662.....	103	200-007-12.....	55	28148W.....	114
820512.....	119	820664.....	103	200-007-12W.....	55	3A0001.....	74
820513.....	119	820668.....	103	200-007-25.....	55	3A0002.....	74
820524.....	103	820672.....	104	200-007-25W.....	55	3A0003.....	75
820532.....	119	820701.....	98	200-007-50.....	55	3A0012.....	82
820548.....	103	820801.....	96	200-007-50W.....	55	3A0013.....	82
820551.....	119	820802.....	96	230001X.....	43	3A0016X.....	75
820553.....	96	820803.....	96	230003X.....	43	3A0018X.....	75
820554.....	96	820804.....	96	230006X.....	43	4002-PB-WH-500.....	57
820555.....	96	820806.....	96	230010X.....	43	45-0060.....	114
820556.....	96	820807.....	96	230012X.....	43	820540X.....	118
820572.....	104	820815.....	96	233106X.....	40	820542X.....	118
820581.....	104	820816.....	96	233201X.....	41	820543X.....	118
820582.....	103	820817.....	96	233216X.....	41	AC104.....	54
820583.....	104	820818.....	96	233306X.....	40	AC108.....	48
820584.....	104	820819.....	96	255001X.....	42	AC111.....	54
820585.....	104	820872.....	96	255003X.....	42	AC112.....	48
820586.....	104	820873.....	96	255006X.....	42	AC113.....	50
820587.....	104	821801.....	134	255010X.....	42	AC113M12.....	50
820588.....	104	821802.....	134	255012X.....	42	AC113M25.....	50
820589.....	104	821803.....	134	255015X.....	42	AC114.....	50
820592.....	104	821805.....	134	255020X.....	42	AC115.....	54
820601.....	119	821807.....	134	255025X.....	42	AC118.....	54
820602.....	119	823766.....	119	255035X.....	42	AC120.....	54
820603.....	119	823840.....	119	255050X.....	42	AC122.....	48
820604.....	119	823841.....	119	255066X.....	42	AC123.....	54
820606.....	119	823907.....	119	277120X.....	41	AC132.....	52
820611.....	98	823956.....	119	277125X.....	41	AC18.....	50
820612.....	98	824012.....	96	277135X.....	41	AC201.....	47
820613.....	98	824053.....	97	277150X.....	41	AC210.....	47
820614.....	98	824079.....	98	277170X.....	41	AC212.....	47
820615.....	98	824095.....	99	280034BKX.....	81	AC215.....	47
820616.....	98	824105.....	98	280034RDX.....	81	AC218.....	47
820617.....	98	824111.....	99	280036BKX.....	81	AC220.....	47
820620.....	99	824137.....	98	280036BUX.....	81	AC224.....	47
820621.....	98	824138.....	98	280036GNX.....	81	AC236.....	47
820622.....	98	110063X.....	51	280036ORX.....	81	AC248.....	47
820623.....	98	110064X.....	51	280036RDX.....	81	AC250.....	47

PART NUMBER INDEX

PART NUMBER INDEX

AC252.....	47	AD550.....	89	C5E-10BU.....	102	C6-14GY.....	101
AC272.....	47	AD550G.....	89	C5E-10GN.....	102	C6-14WH.....	101
AC2Q.....	51	AD550GM.....	89	C5E-10GY.....	102	C6-3BU.....	101
AC2W12.....	51	ADT12.....	47	C5E-10RD.....	102	C6-3GY.....	101
AC2W12G.....	51	ADT25.....	47	C5E-10WH.....	102	C6-3WH.....	101
AC2W25.....	51	ADT36.....	47	C5E-10YL.....	102	C6-7BU.....	101
AC2W50.....	51	ADT72.....	47	C5E-14BK.....	102	C6-7GY.....	101
AC2W72.....	51	AG201.....	49	C5E-14BU.....	102	C6-7WH.....	101
AC2W72G.....	51	AG212.....	49	C5E-14GN.....	102	C6AHDBT-100.....	100
AC36.....	50	AG215.....	49	C5E-14GY.....	102	C6AHDBT-1000X.....	100
AC3B.....	53	AG220.....	49	C5E-14RD.....	102	C6AHDBT-125.....	100
AC3E.....	48	AG224.....	49	C5E-14WH.....	102	C6AHDBT-150.....	100
AC3K.....	53	AG248.....	49	C5E-14YL.....	102	C6AHDBT-175.....	100
AC3K72.....	53	AG252.....	49	C5E-1BK.....	102	C6AHDBT-200.....	100
AC3Q.....	50	AG272.....	49	C5E-1BU.....	102	C6AHDBT-225.....	100
AC3R.....	48	AGH212.....	49	C5E-1GN.....	102	C6AHDBT-250.....	100
AC3ST.....	52	AGH217.....	49	C5E-1GY.....	102	C6AHDBT-275.....	100
AC3STG.....	52	AGH218.....	49	C5E-1RD.....	102	C6AHDBT-300.....	100
AC3T.....	50	AGH220.....	49	C5E-1WH.....	102	C6AHDBT-330.....	100
AC3W.....	53	AGH225.....	49	C5E-1YL.....	102	C6AHDBT-50.....	100
AC3W12X.....	53	AGH236.....	49	C5E-25BK.....	102	C6AHDBT-500X.....	100
AC3W25G.....	53	AGH272.....	49	C5E-25BU.....	102	C6AHDBT-75.....	100
AC3WG.....	53	AGH3E.....	49	C5E-25GN.....	102	CAT5E-100BK.....	102
AC6ST.....	50	AGH3F.....	49	C5E-25GY.....	102	CAT5E-100BU.....	102
AC72.....	50	AGP212.....	47	C5E-25RD.....	102	CAT5E-100GN.....	102
ACFE.....	48	AGP220.....	47	C5E-25WH.....	102	CAT5E-100GY.....	102
AD3535.....	84	AGP225.....	47	C5E-25YL.....	102	CAT5E-100RD.....	102
AD502.....	88	AGP236.....	47	C5E-3BK.....	102	CAT5E-100WH.....	102
AD502G.....	88	AGP272.....	47	C5E-3BU.....	102	CAT5E-100YL.....	102
AD502GM.....	88	AGP3E.....	48	C5E-3GN.....	102	CAT5E-10BK.....	102
AD503.....	88	AGP3F.....	48	C5E-3GY.....	102	CAT5E-10BU.....	102
AD503G.....	88	ALUSB03.....	133	C5E-3RD.....	102	CAT5E-10GN.....	102
AD504.....	86	ALUSB06.....	133	C5E-3WH.....	102	CAT5E-10GY.....	102
AD504G.....	86	AMP200.....	78	C5E-3YL.....	102	CAT5E-10RD.....	102
AD506.....	85	AMP202.....	78	C5E-50BK.....	102	CAT5E-10WH.....	102
AD506G.....	85	ART4270.....	126	C5E-50BU.....	102	CAT5E-10YL.....	102
AD509.....	87	BB100.....	55	C5E-50GN.....	102	CAT5E-10BK.....	102
AD509G.....	87	BB12.....	55	C5E-50GY.....	102	CAT5E-14BK.....	102
AD511.....	85	BB25.....	55	C5E-50RD.....	102	CAT5E-14BU.....	102
AD518.....	87	BB3.....	55	C5E-50WH.....	102	CAT5E-14GN.....	102
AD518G.....	87	BB50.....	55	C5E-50YL.....	102	CAT5E-14GY.....	102
AD528.....	86	BB6.....	55	C5E-75BK.....	102	CAT5E-14RD.....	102
AD529.....	87	BB75.....	55	C5E-75BU.....	102	CAT5E-14WH.....	102
AD529G.....	87	BBDC100X.....	55	C5E-75GN.....	102	CAT5E-14YL.....	102
AD530.....	87	BBDC125X.....	55	C5E-75GN.....	102	CAT5E-1BK.....	102
AD530G.....	87	BBDC150X.....	55	C5E-75GY.....	102	CAT5E-1BU.....	102
AD531.....	84	BBDC25X.....	55	C5E-75RD.....	102	CAT5E-1GN.....	102
AD531G.....	84	BBDC50X.....	55	C5E-75WH.....	102	CAT5E-1GY.....	102
AD532.....	86	BBDC60X.....	55	C5E-75YL.....	102	CAT5E-1RD.....	102
AD532G.....	86	BBDC75X.....	55	C5E-7BK.....	102	CAT5E-1WH.....	102
AD534.....	89	BNC2.....	82	C5E-7BU.....	102	CAT5E-1YL.....	102
AD534G.....	89	C5E-100BK.....	102	C5E-7GN.....	102	CAT5E-25BK.....	102
AD542.....	86	C5E-100BU.....	102	C5E-7GY.....	102	CAT5E-25BU.....	102
AD542G.....	86	C5E-100GN.....	102	C5E-7RD.....	102	CAT5E-25GN.....	102
AD543.....	85	C5E-100GY.....	102	C5E-7WH.....	102	CAT5E-25GY.....	102
AD545.....	88	C5E-100RD.....	102	C5E-7YL.....	102	CAT5E-25RD.....	102
AD545G.....	88	C5E-100WH.....	102	C6-10BU.....	101	CAT5E-25WH.....	102
AD549.....	86	C5E-100YL.....	102	C6-10GY.....	101	CAT5E-25YL.....	102
AD549G.....	86	C5E-10BK.....	102	C6-10WH.....	101	CAT5E-3BK.....	102
				C6-14BU.....	101	CAT5E-3BU.....	102



PART NUMBER INDEX

CAT5E-3GN.....	102	CAT6-50BU.....	101	DVB372.....	46	HDBT8X7.....	4
CAT5E-3GY.....	102	CAT6-50GY.....	101	DVI2406.....	44	HDBTEX70.....	19
CAT5E-3RD.....	102	CAT6-50WH.....	101	DVI2410.....	44	HDMICP01.....	36
CAT5E-3WH.....	102	CAT6-5BK.....	101	DVI2412.....	44	HDMICP03.....	36
CAT5E-3YL.....	102	CAT6-5BU.....	101	DVI2425.....	44	HDMICP06.....	36
CAT5E-50BK.....	102	CAT6-5GY.....	101	DVI2450.....	44	HDMICP10.....	36
CAT5E-50BU.....	102	CAT6-5RD.....	101	ERG6UL60-500.....	56	HDMICP12.....	36
CAT5E-50GN.....	102	CAT6-5WH.....	101	ES102DX.....	75	HDMICP15.....	36
CAT5E-50GY.....	102	CAT6-75BK.....	101	ES103DX.....	76	HDMICP20.....	36
CAT5E-50RD.....	102	CAT6-75BU.....	101	ES104DX.....	76	HDMICP25.....	36
CAT5E-50WH.....	102	CAT6-75GY.....	101	EXC12.....	54	HDMIEX50.....	21
CAT5E-50YL.....	102	CAT6-75WH.....	101	EXC15.....	54	HDMISW41.....	14
CAT5E-5BU.....	102	CAT6-7BK.....	101	F56T.....	81	HDMX4K44.....	9
CAT5E-5GY.....	102	CAT6-7BU.....	101	F59T.....	81	HDSP4K12.....	12
CAT5E-5RD.....	102	CAT6-7GY.....	101	F71B.....	83	HDSP4K14.....	11
CAT5E-75BK.....	102	CAT6-7RD.....	101	F81.....	83	HDVC1.....	69
CAT5E-75BU.....	102	CAT6-7WH.....	101	F811G.....	83	HTWP62BW.....	113
CAT5E-75GN.....	102	CBNC59.....	80	F812G.....	83	HTWP64BW.....	113
CAT5E-75GY.....	102	CBNC6Q.....	80	F813G.....	83	HTWP72.....	113
CAT5E-75RD.....	102	CBNC6U.....	80	F81G.....	83	HTWP72BW.....	112
CAT5E-75WH.....	102	CFRG59.....	79	FFRG6U100.....	55	J10.....	93
CAT5E-75YL.....	102	CFRG6Q.....	79	FFRG6U100W.....	55	J13.....	93
CAT5E-7BK.....	102	CFRG6U.....	79	FFRG6U12.....	55	J17.....	92
CAT5E-7BU.....	102	CMTJ4.....	107	FFRG6U12W.....	55	J5.....	93
CAT5E-7GN.....	102	CMTJ42.....	107	FFRG6U150.....	55	JC353.....	93
CAT5E-7GY.....	102	CMTJ42W.....	107	FFRG6U18.....	55	KDF1.....	85
CAT5E-7RD.....	102	CMTJ4W.....	107	FFRG6U18W.....	55	LCD1440.....	127
CAT5E-7WH.....	102	CMTJ6.....	107	FFRG6U25.....	55	LV1.....	123
CAT5E-7YL.....	102	CMTJ6W.....	107	FFRG6U25W.....	55	LV1PK.....	123
CAT6-100BK.....	101	CPZ2.....	76	FFRG6U3.....	55	LV1VAN1AL.....	118
CAT6-100BU.....	101	CPZ21G.....	74	FFRG6U35.....	55	LV1VAN1BK.....	118
CAT6-100GY.....	101	CPZ2A.....	76	FFRG6U35W.....	55	LV1VAN1IV.....	118
CAT6-100WH.....	101	CPZ3.....	77	FFRG6U3W.....	55	LV1VAN1WH.....	118
CAT6-10BK.....	101	CPZ31G.....	74	FFRG6U50.....	55	LV2.....	123
CAT6-10BU.....	101	CPZ4.....	77	FFRG6U50W.....	55	LV2PK.....	123
CAT6-10GY.....	101	CPZ41G.....	74	FFRG6U6.....	55	LV3.....	123
CAT6-10RD.....	101	CPZ6.....	77	FFRG6U6W.....	55	LV32.....	123
CAT6-10WH.....	101	CPZ61G.....	74	FFRG6U75.....	55	LV4.....	123
CAT6-14BK.....	101	CPZ8.....	77	FFRG6U75W.....	55	LV421.....	123
CAT6-14BU.....	101	CPZ81G.....	74	FFRG6UL100PK.....	54	LV8.....	123
CAT6-14GY.....	101	CRCA59.....	80	FFRG6UL25PK.....	54	LVDR2.....	122
CAT6-14RD.....	101	CRCA6Q.....	80	FFRG6UL50PK.....	54	LVH1.....	122
CAT6-14WH.....	101	CRCA6U.....	80	FFRG6UL75PK.....	54	LVMB1.....	123
CAT6-1BK.....	101	DC36FX.....	133	FRO503R.....	81	LVMB2.....	123
CAT6-1BU.....	101	DC36MX.....	133	FRO503RX.....	81	LVN1.....	123
CAT6-1GY.....	101	DKE12.....	45	FTERM-2.....	85	LVN2.....	123
CAT6-1RD.....	101	DKE25.....	45	FTERM.....	85	LVS1.....	123
CAT6-1WH.....	101	DKE3.....	45	HD4KAE.....	68	LVS2.....	123
CAT6-25BK.....	101	DKE3FT.....	45	HD4KCLK.....	25	LVU1W.....	121
CAT6-25BU.....	101	DKE50.....	45	HD4KEX30.....	20	MB1.....	122
CAT6-25GY.....	101	DV312LR.....	46	HD4KRPTR.....	71	MB2.....	122
CAT6-25RD.....	101	DV325LR.....	46	HDAC12.....	37	MT3255.....	128
CAT6-25WH.....	101	DV336LR.....	46	HDAC15.....	37	MTP8C5S-10.....	105
CAT6-3BK.....	101	DV350LR.....	46	HDAC20.....	37	MTP8C5S-100.....	105
CAT6-3BU.....	101	DV372LR.....	46	HDAC25.....	37	MTP8C6-10.....	105
CAT6-3GY.....	101	DVB312.....	46	HDAC35.....	37	MTP8C6-100.....	105
CAT6-3RD.....	101	DVB325.....	46	HDAC50.....	37	MTP8C6S-10.....	105
CAT6-3WH.....	101	DVB336.....	46	HDBT4K50.....	18	MTP8C6S-100.....	105
CAT6-50BK.....	101	DVB350.....	46	HDBT4X3.....	7	MTP8FSK-10.....	106

PART NUMBER INDEX

PART NUMBER INDEX


MTP8FSK-100.....	106	RL128021-AL.....	136	SS4.....	32	VAN4K44.....	8
MTP8RSKUL-10.....	106	RL128022-BK.....	136	SS4V.....	33	VANWPBW2A.....	118
MTP8RSKUL-100.....	106	RL128023-IV.....	136	SS6.....	32	VANWPBW2B.....	118
MTP8RSUL-10.....	105	RL128024-WH.....	136	SSHD03.....	39	VANWPBW2I.....	118
MTP8RSUL-100.....	105	RR12.....	46	SSHD06.....	39	VANWPBW2W.....	118
P25STG.....	91	RR25.....	46	SSHD10.....	39	VANWPBWA.....	118
P35MM01.....	50	RR3.....	46	SSHDH1.....	39	VANWPBWB.....	118
P35MM03.....	50	RR6.....	46	SSVGA01.....	44	VANWPBWI.....	118
P35MM06.....	50	RS232-IP.....	71	SSVGA03.....	44	VANWPBWW.....	118
P35MM12.....	50	RS232-USB.....	71	SSVGA06.....	44	VGAA-100X.....	45
P35MM25.....	50	S35MM01.....	51	SSVGA10.....	44	VGAA-10X.....	45
PP13.....	90	S35MM03.....	51	SSVGA12.....	44	VGAA-12X.....	45
PP15B.....	92	S35MM06.....	51	SSVGA15.....	44	VGAA-15X.....	45
PP15R.....	92	S35MM12.....	51	SSVGA20.....	44	VGAA-25X.....	45
PP19.....	91	S35MM25.....	51	SSVGA25.....	44	VGAA-35X.....	45
PP5.....	91	SCAT6-10BK.....	100	SSVGA35.....	44	VGAA-3X.....	45
PP6.....	91	SCAT6-10BU.....	100	SSVGA50.....	44	VGAA-50X.....	45
PRCA203X.....	47	SCAT6-10GY.....	100	TOSRA03x.....	46	VGAA-6X.....	45
PRCA206X.....	47	SCAT6-10WH.....	100	TOSRA06x.....	46	VGAA-75X.....	45
PRCA212X.....	47	SCAT6-14BK.....	100	TOSRA12x.....	46	VGA-VGA-1.....	45
PRCA220X.....	47	SCAT6-14BU.....	100	TOSRA15x.....	46	VGA-VGA-10.....	45
PRCA225X.....	47	SCAT6-14GY.....	100	TVB2GW.....	120	VGA-VGA-100.....	45
PRCA35MM03.....	52	SCAT6-14WH.....	100	TVB613.....	121	VGA-VGA-100MFX.....	45
PRCA35MM06.....	52	SCAT6-1BK.....	100	TVB713.....	121	VGA-VGA-100PLMFX.....	44
PRCA35MM12.....	52	SCAT6-1BU.....	100	UHDFIB100P.....	36	VGA-VGA-10MFX.....	45
PROHD01.....	38	SCAT6-1GY.....	100	UHDFIB150P.....	36	VGA-VGA-10PLMFX.....	44
PROHD03.....	38	SCAT6-1WH.....	100	UHDFIB200P.....	36	VGA-VGA-12.....	45
PROHD06.....	38	SCAT6-25BK.....	100	UHDFIB250P.....	36	VGA-VGA-12PLMFX.....	44
PROHD10.....	38	SCAT6-25BU.....	100	UHDFIB330P.....	36	VGA-VGA-15.....	45
PROHD12.....	38	SCAT6-25GY.....	100	UHDFIB35P.....	36	VGA-VGA-150.....	45
PROHD15.....	38	SCAT6-25WH.....	100	UHDFIB50P.....	36	VGA-VGA-15MFX.....	45
PROHD20.....	38	SCAT6-3BK.....	100	UHDFIB75P.....	36	VGA-VGA-15PLMFX.....	44
PROHD25.....	38	SCAT6-3BU.....	100	USB15A.....	133	VGA-VGA-1MFX.....	45
RDM012.....	38	SCAT6-3GY.....	100	USB15AB.....	133	VGA-VGA-20PLMFX.....	44
RDM015.....	38	SCAT6-3WH.....	100	USB3A.....	133	VGA-VGA-25.....	45
RDM020.....	38	SCAT6-50BK.....	100	USB3AB.....	133	VGA-VGA-25MFX.....	45
RDM025.....	38	SCAT6-50BU.....	100	USB6A.....	133	VGA-VGA-25PLMFX.....	44
RDM035.....	38	SCAT6-50GY.....	100	USB6AB.....	133	VGA-VGA-3.....	45
RDM050.....	38	SCAT6-50WH.....	100	USBDC01X.....	25	VGA-VGA-35.....	45
RDM060.....	38	SCAT6-5BK.....	100	USBDC02X.....	25	VGA-VGA-35MFX.....	45
RDM075.....	38	SCAT6-5BU.....	100	USBWP5V.....	116	VGA-VGA-35PLMFX.....	44
RDM100.....	38	SCAT6-5GY.....	100	USCP03.....	37	VGA-VGA-3MFX.....	45
RG59UL60-500.....	56	SCAT6-5WH.....	100	USCP06.....	37	VGA-VGA-50.....	45
RG59ULW60-500.....	56	SCAT6-7BK.....	100	USCP08.....	37	VGA-VGA-50MFX.....	45
RG6UL60-500.....	56	SCAT6-7BU.....	100	USCP1.5.....	37	VGA-VGA-50PLMFX.....	44
RG6UL60Q-1000.....	56	SCAT6-7GY.....	100	VAD1.....	92	VGA-VGA-6.....	45
RG6UL60Q-500.....	56	SCAT6-7WH.....	100	VAD10.....	83	VGA-VGA-6MFX.....	45
RG6ULW60-500.....	56	SFHD03.....	39	VAD12.....	90	VGA-VGA-6PLMFX.....	44
RL121204-WH.....	135	SFHD06.....	39	VAD13.....	90	VGA-VGA-75.....	45
RL121221-AL.....	136	SFHD1.5.....	39	VAD14.....	84	VGA-VGA-75MFX.....	45
RL121221-AL.....	137	SFHD10.....	39	VAD15.....	84	VGA-VGA-75PLMFX.....	44
RL121222-BK.....	136	SFHDA1.....	40	VAD16.....	88	WIR-1X4.....	63
RL121223-IV.....	136	SFHDA6.....	40	VAD18.....	89	WIR-CBLRX.....	63
RL121224-WH.....	136	SPRO2342.....	129	VAD2.....	93	WIR-KIT.....	63
RL125022-BK.....	137	SPRO3255.....	129	VAD20.....	83	WIR-RX.....	64
RL125023-IV.....	137	SPRO3660.....	128	VAD21.....	83	WIR-TX.....	64
RL125024-WH.....	137	SRCA35MM03.....	52	VAD22.....	89	WIR-USB.....	64
RL125280-WH.....	135	SRCA35MM06.....	52	VAD24X.....	87	WM1024.....	130
RL125281-AL.....	135	SRCA35MM12.....	52	VAD3.....	89	WM1024E.....	127
RL125283-IV.....	135	SS2V.....	33	VAD9.....	83	WM2342F.....	131



PART NUMBER INDEX

WM2342T	129
WM3665F	131
WM3665T	128
WMART2337	127
WMART3760	126
WMART4784	126
WMF2342	131
WMF3255	131
WMF4265	130
WMF4784	130
WMLP2342	126
WMT2337	130
WMT2342	129
WMT4260	128
WMT4784	127
WP591BX	114
WP591DIX	114
WP591DWX	114
WP591IX	114
WP591LAX	114
WP591WX	114
WP593DLAX	115
WP593DWX	115
WP593WX	115
WPBW2A	118
WPBW2B	118
WPBW2I	118
WPBW2W	118
WPBWA	118
WPBWB	118
WPBWDI	118
WPBWDW	118
WPBWI	118
WPBWW	118
XCM12STG	53
XCM15STG	53
XCM25STG	53

CONNECT



VANCO1.COM

WITH US

FOR THE LATEST IN PRODUCT INFORMATION, COMPANY NEWS AND EVENT LISTINGS VISIT US AT VANCO1.COM.
CONNECT WITH US ON SOCIAL MEDIA FOR DAILY VANCO ANNOUNCEMENTS AND MORE.



VANCO1.COM



To order or locate your nearest distributor
visit **vanco1.com** or call **800.626.6445**

Vanco International

506 Kingsland Drive
Batavia, IL 60510

Email: **info@vanco1.com**