

## **ZyPerPad**

**IP Enabled Keypad Controller** 

#### **FEATURES:**

- 10 PROGRAMMABLE BUTTONS
- ✓ POE (ONLY 1.3W OF POWER)
- ✓ EASILY PROGRAMMED
- ✓ STANDARD US 1-GANG BOX SIZE
- ✓ PRE-PRINTED BUTTON LABELS



#### **UNCOMPRESSED 4K**

The ZyPerPad includes a browser based graphical user interface to easily configure the unit. Supports DHCP and Static IP Addresses.

#### **ANY ZMP API COMMAND**

The 10 buttons can be programmed to execute any ZMP API command or series of API commands. This includes the ability to run "Presets" consisiting of an unlimited number of commands.

#### **USER CUSTOMIZATION**

Allows administrators to provide customized access to the AV system. Perfect for when it is disired for an individual user to only control a limited number of displays or sources.





## ZyPerPad FEATURES







| IP Enabled Keypad Controller |                                                                                                                             |  |
|------------------------------|-----------------------------------------------------------------------------------------------------------------------------|--|
| Model                        | ZYPERPAD                                                                                                                    |  |
| Description/Interface        | IP Enabled Keypad Controller                                                                                                |  |
| In the box                   | Ten-Button Keypad, 1-Gang US Plastic Decora Plate (White), Phoenix connectors, Pre-printed button labels and needed screws. |  |
| Ports and Buttons            | Front Panel: 10 buttons<br>Rear Panel: 1x LAN (RJ45, PoE), 1 x RS232, 1x DC 12 Power In                                     |  |
| Operating Temperature        | 0°C to 45°C (32°F to 113°F)                                                                                                 |  |
| Storage Temperature          | -20°C to 70°C (-4°F to 158°F)                                                                                               |  |
| Humidity                     | 10% to 90%, non-condensing                                                                                                  |  |
| ESD Protection               | Human-body model: +/- 8kV (Air-gap discharge) +/- 4kV (Contact discharge)                                                   |  |
| Power Supply                 | DC 12V 0.5A (Power adapter is not included in the package)                                                                  |  |
| Power Consumption (Max)      | 1.3W                                                                                                                        |  |
| Dimensions                   | 45mm x 105.6mm x 36mm<br>1.77in x 4.16in x 1.42in                                                                           |  |
| Weight                       | 0.18kg / 0.40lb                                                                                                             |  |

# Certifications and Warranty CE (62368) RoHS FCC Warranty 3 years

## ZyPerPad FEATURES







| Number | Name      | Description                                                                                                            |
|--------|-----------|------------------------------------------------------------------------------------------------------------------------|
| 1      | Buttons   | Ten buttons on front panel. Buttons are not defined by default. Configure buttons through the web user interface.      |
| 2      | RS232     | Connect to RS232 enabled device for RS232. (Not used with ZMP)                                                         |
| 3      | LAN (PoE) | Connect to an Ethernet switch. PoE supported.                                                                          |
| 4      | DC 12V    | Not required if using PoE for power. Connect to DC 12V power adapter if needed. Power adapter not included in package. |

### About ZeeVee

ZeeVee, Inc.,headquartered in Littleton, Mass., and founded in 2007, is a leading global developer of digital technology and products for distributing audio-video content from any source or multiple sources to any number of displays. Manufactured in the U.S. and used primarily in commercial and corporate applications, ZeeVee products are employed worldwide by major organizations in education, government, hospitality, retail, sports, entertainment, broadcasting, healthcare, housing, energy and other industries. For more information visit <a href="https://www.zeevee.com">www.zeevee.com</a>

