STI WIRELESS CHIMES





STI-3360

STI-3350

PRODUCT OVERVIEW

STI Wireless Chimes greet your visitors with a pleasant chime and lets you know when the door opens or a person enters the detection zone. All chimes are compatible with each other. Distinguish between front and back doors by adding transmitters and selecting a different chime on each. Transmitters have up to 500' operating range.

HOW IT WORKS

Wireless Doorbell Chime (STI-3350)

Mount the wireless button next to your door, plug the receiver into any 120 VAC indoor electrical outlet and the chime is ready to operate. Doorbell button is water-resistant.

Wireless Entry Alert® Chime (STI-3360)

Mount the small transmitter and magnet to any door and plug the receiver into any 120VAC indoor electrical outlet. That's it. No wiring required. When a monitored door opens, the Entry Alert Chime sends a signal to the receiver announcing the entrance with one of ten selectable chimes.

Wireless Motion-Activated Chime (STI-3610)

Mount the motion transmitter and plug chime receiver into any 120VAC indoor electrical outlet within operating range. Alerts when someone enters the transmitter's detection zone. The weather sealed transmitter has 140° x 40 ft. detection zone. Includes adjustable mounting bracket.

Wireless Doorbell Extender (STI-3300)

This doorbell chime connects to your existing traditional hard wired doorbell system and extends a new chime to hard-to-hear areas. Once the unit is wired into existing system, the included receiver can be plugged into any standard 120VAC indoor electrical outlet. This allows you to hear when someone is at your door when in remote areas. Normally open switch, 16 VAC.

KEY FEATURES General Information

- · All chimes are compatible with each other.
- Add up to 10 transmitters per receiver.
- \cdot Up to 500' operating range.
- \cdot Ideal for the home, store or office.
- \cdot One year limited warranty.

Construction

· UL/cUL Listed, FCC and IC Certified.

Installation

- · Quick and easy to install no wiring needed.
- Receiver plugs into 120 VAC outlet. Electronics

Receiver has a low and high volume adjustment.

· Supervised low battery alert.

Options

- 10 sound options with the push of a button on the transmitter (excludes STI-3331).
- STI-3300 can distinguish between a front and back door by adding another sensor. The first doorbell will play "ding-dong" and the second will play "dong."



STI Wireless Chimes

Dimensions and Technical Information

MODELS AVAILABLE

STI-3350	Wireless Doorbell Chime with Receiver	
STI-3360	Wireless Entry Alert [®] Chime with Receiver	
STI-3610	Wireless Motion-Activated Chime with Receiver	
STI-3300	Wireless Doorbell Extender with Receiver	

Accessories

STI-3301	Wireless Doorbell Chime Transmitter	
STI-3551	Wireless Entry Alert® Transmitter	
STI-3601	Wireless Motion-Activated Transmitter	
STI-3331	Wireless Doorbell Extender Transmitter	
STI-3353	Wireless Chime Receiver	

Selectable Sounds (excludes 3300/3331)

Ding Dong Ding-Dong Westminster – 4 note Westminster – 8 note Knock Knock Jingle Bells Barking Dogs Bicycle Bell Buzzer

"Jingle Bells" Door Entry

APPROVALS & WARRANTY

TESTING

It has been tested and approved or listed by: · UL/cUL Listed No. S7255 · FCC and IC Compliant

WARRANTY

One year limited warranty within normal use.


SPECIFICATIONS

Frequency:433 MHzPower Source:Receiver plugs into 120 VAC outlet

(minimum 110 VAC) Sensors include:

Sensors include:			
STI-3301	Wireless Doorbell Chime Transmitter	One C	
STI-3551	Wireless Entry Alert [®] Transmitter	One A	
STI-3601	Wireless Motion-Activated Transmitter	One L	
STI-3331	Wireless Doorbell Extender Transmitter	n/a	

One CR2032 battery One AAA battery One Lithium CR123 battery n/a



All accessories work together! Make each a different sound and know the exact transmitting source.

