

Professional Desktop Monitors

More Than Just a Pretty Interface



Ultra Thin Bezel

Minimized bezel gap in multi-monitor usage for easier set up and elegant viewing experience



Built-in KVM Switch

Control 2 monitors with single keyboard & mouse / Supports Auto KVM (ADLCD34MCWQ only)



Ergonomic Options

Tilt, swivel, height and slant adjustment capabilities (varies by model)



Wide Viewing Angle

Allows viewing from sitting or standing position



Flexible Mounting Solutions





Removable stand and VESA™ (Video Electronics Standards Association) 100 mm mounting holes



3 Year Warranty

Next business day replacement service provides peace of mind if an exchange is necessary

Technical Specifications

	ADLCD17B	ADLCD22BHD	ADLCD24BHD	ADLCD34MCWQ
				
Display				
Panel Type	TN	VA		IPS
Aspect Ratio	5:4	16:9	16:9	21:9
Diagonal Size	17 in / 431.80 mm	21.45 in / 544.83 mm	23.8 in / 604.52 mm	34.14 in / 867.16 mm
Pixel Pitch (mm)	0.264 x 0.264	0.249 x 0.241	0.2745 x 0.2745	0.2325 x 0.2325
Viewing Angle	160°(V)/170°(H)	178°(V)/178°(H)		
Luminance output	250cd/m ²			300cd/m ²
Contrast Ratio	1000:1	3000:1		1000:1
Faceplate Coating	Anti-Glare with 3H Hardness			
Backlight	LED Light Bar	LED Edgelight		WLED Edgelight
Response Time	5ms			
Curvature	Flat			3800R
Color Depth	16.7 million colors			1.07 billion colors
Recommended Resolution (pixels H/V) @60Hz	1280 x 1024	FHD 1920 x 1080		WQHD 3440 x 1440
Color	Black			Black & Silver
Weight	5.34lbs / 2.42 kg	6.70lbs / 3.04 kg	12.13lbs / 5.50 kg	23.81lbs / 10.80 kg
Dimensions				
Without Stand (H x W x D)	12.1 in x 14.7 in x 1.8 in / 307.34 mm x 373.38 mm x 45.72 mm	11.6 in x 19.8 in x 1.9 in / 294.64 mm x 502.92 mm x 48.26 mm	13.1 in x 21.8 in x 2.0 in / 332.74 mm x 553.72 mm x 50.80 mm	14.4 in x 32.1 in x 2.3 in / 365.76 mm x 815.34 mm x 58.42 mm
With Stand (H x W x D)	15.3 in x 14.7 in x 6.5 in / 388.62 mm x 373.38 mm x 165.10 mm	15.1 in x 19.8 in x 6.7 in / 383.54 mm x 502.92 mm x 170.18 mm	16.6 in x 21.8 in x 6.8 in / 421.64 mm x 553.72 mm x 172.72 mm	15.4 in ~ 21.3 in x 32.1 in x 9.3 in / 391.16 mm ~ 541.02 mm x 815.34 mm x 236.22 mm
Stand Adjustment	Tilt (-5° to 21°)	Tilt (-5° to 21°)	Tilt (-5° to 21°)	Tilt (-5° to 21°) Swivel (-30° to 30°) Height, Slant
Interface				
DisplayPort	1			
HDMI	-			1
VGA	1			
USB	-			Upstream: Type B (1), Type C (1) Downstream: Type A (4) Built-in KVM
Controls				
	Power & Function Buttons, OSD Menu			

Temperature				
Operating Temperature	32°F - 104°F (0°C - 40°C)			32°F - 104°F (0°C - 40°C)
Storage Temperature	-4°F - 140°F (-20°C 60°C)			-4°F - 140°F (-20°C 60°C)
Operating Humidity	10% - 80% (non-condensing)			20% - 80% (non-condensing)
Storage Humidity	5% - 90% (non-condensing)			10% - 90% (non-condensing)
Thermal Dissipation	75.09 BTU/hour (maximum) 61.43 BTU/hour (typical)	64.79 BTU/hour (maximum) 41.36 BTU/hour (typical)	85.30 BTU/hour (maximum) 54.59 BTU/hour (typical)	429.91 BTU/hour (maximum) 111.74 BTU/hour (typical)
Power				
Input Rating	100-240 VAC 50/60Hz/1.5A	100-240 VAC 50/60Hz/0.7A	100-240 VAC 50/60Hz/1.5A	
Typical power	9W	12.13W	16W	31.5W
Off mode Efficiency	Energy Star			
Accessories				
VESA Mounting Pattern	100mm x 100mm			
Additional Accessories	Power Cord, DP Cable, Desk Stand	Power Cord, DP Cable, Desk Stand	Power Cord, DP Cable, Desk Stand	Power Cord, DP Cable, HDMI Cable, USB Type A Cable, USB Type C Cable, Desk Stand
Regulatory Standards				
Safety	US: TUV Certified; Canada: CE Marked			
EMC	FCC Class B; ICES-003 Iss.,7 Class B; EN 55032, Class B; EN 55035			
Environmental	RoHS; REACH			

Ordering Information

Model Number	Description
ADLCD17B	17" LCD 1280x1024, DP, VGA
ADLCD22BHD	22" LCD FHD 1080p, DP, VGA
ADLCD24BHD	24" LCD FHD 1080p, DP, VGA
ADLCD34MCWQ	34" LCD Curved WQHD 1440p, HDMI, DP, USB Hub
Monitor Mounts	
ADCT75100B	Ceiling Mount for 15" - 26" Displays, Black
ADCT75100W	Ceiling Mount for 15" - 26" Displays, White
ADWTR75100B	Tilt/Rotate Wall Mount for Displays up to 24", Black
ADWA1TR75100B	Articulating Wall Mount for Displays up to 24", Black
ADWF2642B	Flat Wall Mount for 26" - 42" Displays, Black
ADWT2642B	Tilt Wall Mount for 26" - 42" Displays, Black