

7 PIECE NUT DRIVER SET

ADI
PRO

ADI PRO nut drivers have a full length hollow shaft, making them a great tool to use on stacked circuit boards and long bolts/studs.



FEATURES

Internal shaft flanges to prevent the handle from slipping

Ergonomically designed handle with thermoplastic rubberized grip for greater comfort and torque

This product complies with ASME B107.110 and ANSI standards

Full length hollow shaft for use on stacked circuit boards and long bolts/studs

Limited Lifetime Warranty

0E-7PNUTDRST


Product Specifications

UPC: 810132435188

PART #: 0E-7PNUTDRST

Set Includes:

11/32" Hollow Nut Driver, 3" Shaft
1/2" Hollow Nut Driver, 3" Shaft
1/4" Hollow Nut Driver, 3" Shaft
3/16" Hollow Nut Driver, 3" Shaft
3/8" Hollow Nut Driver, 3" Shaft
5/16" Hollow Nut Driver, 3" Shaft
7/16" Hollow Nut Driver, 3" Shaft



For more information contact your ADI Sales person or visit adiglobal.com/adiexclusivebrands

7 PIECE NUT DRIVER SET

ADDITIONAL SPECIFICATIONS

Driver Size	3/16" (4.763mm), 1/4" (6.35mm), 5/16" (7.94mm), 11/32" (8.73mm), 3/8" (9.53mm), 7/16" (11.11mm), 1/2" (12.7mm)
Shaft Material	Chrome Vanadium Steel
Handle Type	Ergonomic Cushion Grip
Handle Grip Material	TPR Thermoplastic Rubber
Standards	ASME B107.110/ANSI
Shaft Length	3" (7.62cm)
Hollow Depth	6.75" (17.15cm)
Overall Length	7" (17.78cm)
Driver Weight	0.318 - 0.355 lbs. (144.24 - 161.03g)
Total Set Weight	2.213 lbs. (1kg)

0E-7PNUTDRST

For more information contact
your ADI Sales person or visit
adiglobal.com/adiexclusivebrands

**ADI
PRO**

ENSEMBLE DE 7 TOURNE-ÉCROU

ADI
PRO

Les tourne-écrou ADI PRO présentent un axe creux pleine longueur et sont l'idéal pour les circuits imprimés empilés et les boulons/goujons.



CARACTÉRISTIQUES

Embases au niveau de la tige interne empêchant la poignée de glisser

Poignée ergonomique en caoutchouc thermoplastique favorisant le confort et un bon serrage

Conforme aux normes ASME B107.110 et ANSI

Axe creux pleine longueur pour les circuits imprimés empilés et les boulons/goujons

Garantie à vie limitée

0E-7PNUTDRST

Spécifications du produit

CUP: 810132435188

NO DE PIÈCE : 0E-7PNUTDRST

L'ensemble comprend :

Tourne-écrou creux 11/32 po, axe de 3 po

Tourne-écrou creux 1/2 po, axe de 3 po


Tourne-écrou creux 1/4 po, axe de 3 po

Tourne-écrou creux 3/16 po, axe de 3 po

Tourne-écrou creux 3/8 po, axe de 3 po

Tourne-écrou creux 5/16 po, axe de 3 po

Tourne-écrou creux 7/16 po, axe de 3 po



Pour de plus amples renseignements, communiquez avec un représentant ADI ou visitez la page fr.adiglobaldistribution.ca

ENSEMBLE DE 7 TOURNE-ÉCROU

SPÉCIFICATIONS SUPPLÉMENTAIRES

Taille	3/16 po (4,763 mm), 1/4 po (6,35 mm), 5/16 po (7,94 mm), 11/32 po (8,73 mm), 3/8 po (9,53 mm), 7/16 po (11,11 mm), 1/2 po (12,7 mm)
Matériau de l'axe	Acier chrome-vanadium
Type de poignée	Prise coussinée ergonomique
Matériau de la prise	Caoutchouc thermoplastique
Normes	ASME B107.110/ANSI
Longueur de l'axe	3 po (7,62 cm)
Profondeur de creux	6,75 po (17,15 cm)
Longueur totale	7 po (17,78 cm)
Poids	De 0,318 à 0,355 lb (144,24 y 161,03 g)
Poids total de l'ensemble	2,213 lb (1 kg)

0E-7PNUTDRST

Pour de plus amples renseignements,
communiquez avec un représentant ADI ou
visitez la page fr.adiglobaldistribution.ca

**ADI
PRO**