



2738W

2-BUTTON MINI DOOR-ENTRY PHONE, S2



MINI series door-entry phone for Simplebus 2 system with electronic call, key button and additional button for extra services (switchboard call, actuator and generic uses). Call volume and privacy adjustment by means of 3-position selector. Privacy activation is indicated by a red light. Allows floor door call management. Complete with 8-position dip-switch for selection of the desired user code. Door-entry phone for use in mixed audio/video Simplebus 2 systems. Fitted with terminal art. 1214/2C. Dimensions: 105x191x28 mm

AWARDS

DESIGN
MILANO



2738W

2-BUTTON MINI DOOR-ENTRY PHONE, S2

GENERAL DATA

Height (inch) (in)	7.48
Width (inch) (in)	4.06
Depth (inch) (in)	1.18
Product color	White
Product weight (oz) (oz)	9.17
Wall-mounted	Yes
Desk base-mounted	Yes

AUDIO FEATURES

Microphone	4mm (Ø), Omnidirectional
Loudspeaker	0.50mm, 0.5W

ELECTRICAL CHARACTERISTICS

Supply voltage	22÷35VDC
----------------	----------

HARDWARE FEATURES

Clamps	L L CFP CFP
Total buttons (n°)	2

ENVIRONMENTAL AND COMPLIANCE FEATURES

Operating temperature (°F)	23 ÷ 104
----------------------------	----------

GENERAL FEATURES

Absorption during call (mA)	30
Absorption during communication (mA)	30
Switchboard call function	Yes
Floor door call function	Yes
Actuator control function	Yes
Privacy function	Yes
Key button function	Yes



2738W

2-BUTTON MINI DOOR-ENTRY PHONE, S2

GENERAL FEATURES

Ringtone volume control	Yes
Audio system	Yes
Simplebus 2 audio system	Yes
Simplebus 2 audio/video system	Yes
Kit audio/video system	Yes
Electronic bell	Yes



2738W

2-BUTTON MINI DOOR-ENTRY PHONE, S2

ACCESSORIES



2742W **DESK BASE FOR MINI DOOR-ENTRY PHONE WITH HANDSET**

Desk base for desktop conversion of MINI series door-entry phones.
Complete with 1.5 m cable and connection coupling.