



4893M

QUADRA ENTRANCE PANEL W/ BUTTONS. 2 WIRES



Quadra series wall-mounted external video entry unit with mechanical buttons. Die-cast aluminium faceplate, wide-angle colour camera and a single LED for nighttime lighting. Indicator LED for call sent, lock-release activated, audio activated and system busy. Adjustment of speaker volume and audio balance. Power supply from bus line. External unit dimensions: 95x195x28 mm.

AWARDS





4893M

QUADRA ENTRANCE PANEL W/ BUTTONS. 2 WIRES

GENERAL DATA

Type	Monolithic
Height (inch) (in)	7.68
Width (inch) (in)	3.74
Depth (inch) (in)	1.1
Product weight (oz) (oz)	10.58
Product color	Grey RAL 9006, Black RAL9005
Wall-mounted	Yes

COMPATIBLE SYSTEMS

Simplebus 2 audio/video kit with power supply art. 1209	Yes
---	-----

AUDIO FEATURES

Microphone	6mm (Ø), Omnidirectional
Loudspeaker	36mm (Ø), 8 Ohm, 1W

CAMERA FEATURES

Camera	Colors
Sensor type	1/4" CMOS
Lens optical dimensions (in)	0.08
Angle of view (H x V - °)	85 x 72
Sensitivity	0.1 (color)

ELECTRICAL CHARACTERISTICS

Type of power supply	Power supply from video door entry bus
Supply voltage	33VDC
Maximum absorption (W)	8.25

HARDWARE FEATURES

Call type	Push-buttons
-----------	--------------



4893M

QUADRA ENTRANCE PANEL W/ BUTTONS. 2 WIRES

HARDWARE FEATURES

Type of buttons	Mechanical
Number of push-buttons (n°)	4
Backlight color	White
Clamps	LL RTE COM DO SE- SE+C NC NO
Number of inputs (n°)	2
Number of outputs (n°)	2
Type of outputs	Relay (C-NO-NC, 10A@12÷24 VAC/VDC), SE: unlock pulse of 4A, holding current of 200mA for 12VAC / DC locks (maximum impedance 18 Ohm)

SETTINGS

Loudspeaker volume	Yes
Microphone volume	Yes

ENVIRONMENTAL AND COMPLIANCE FEATURES

IP protection rating	IP54
Vandal Resistant rating (IK code)	IK08
Operating temperature (°F)	-13 ÷ 131
Operating humidity (RH max) (%)	25 ÷ 95
Environmental class	IV
CE certifications	RoHS II - 2011/65/UE (EN IEC 63000:2018), EMC 2014/30/UE (EN 61000-6-1:2007 , EN 61000-6-3:2007+A1:2011)

MAIN FUNCTIONS

Door opener	Yes
Number of auxiliary relays (n°)	1
Input for local door release button	Yes
Door open signaling input	Yes



4893M

QUADRA ENTRANCE PANEL W/ BUTTONS. 2 WIRES

ACCESSORIES



QA9213 1 LARGE BUTTON FOR QUADRA ENTRANCE PANEL

Large button for use with the Quadra series entrance panel. Pack of 1 unit.



QA9211 4 SINGLE BUTTONS FOR QUADRA ENTRANCE PANEL

Single button for use with the Quadra series entrance panel. Pack of 4 units.



QA9210 2 DOUBLE-HEIGHT BUTTONS FOR QUADRA ENTRANCE PANEL

Double-height buttons for use with the Quadra series entrance panel. Pack of 2 units.



4793MC CORTEN FACEPLATE FOR QUADRA W/BUTTONS

Corten color faceplate for Quadra entrance panel with mechanical buttons.



4793MB BLACK FACEPLATE FOR QUADRA W/BUTTONS

Black faceplate for Quadra entrance panel with mechanical buttons



4793MA ALUMINIUM FACEPLATE FOR QUADRA W/BUTTONS

Aluminium colour faceplate for Quadra entrance panel with mechanical buttons



4893M

QUADRA ENTRANCE PANEL W/ BUTTONS. 2 WIRES

ACCESSORIES



4791

Adapter plate for Quadra

Plate allowing installation of the Quadra external unit in 1- and 2-module flush-mounted boxes by Comelit, Bticino and Urmet. Dimensions 137x236 mm



4792

RAIN SHIELD FOR QUADRA ENTRANCE PANEL

Rain shield in painted aluminum for Quadra entrance panel, grey colour. Dimensions (W x H x D): 99 x 210 x 41 mm.



1217

NAME TAG SHEETS FOR QUADRA ENTRANCE PANEL

The kit contains 10 sheets of adhesive labels for nameplates



1235A

NAMEPLATE LABEL PRINTING SOFTWARE

Dedicated software for the creation and printing of nameplate and information labels for Icall, Vandalcom, Quadra and 316 Analog entrance panels. Requires use of adhesive labels art.1217, 1218, 1219 or art.1220. This software is available to download free of charge from the Comelit website