



3063U

SB1/SB2/VIP 8-BUTTON INTERFACE FOR SINGLE PLATE



SIMPLEBUS1



SIMPLEBUS2



VIP

Interface for the management of 8 buttons, for use with single-plate outdoor entrance panels. Compatible with all systems. Works in conjunction with audio or audio/video modules for the Ultra series entrance panel. Complete with cable with connectors for connection to the audio or audio/video module, or other button interfaces; length 475mm. Dimensions (L x H x D): 74 x 42 x 18 mm.



3063U

SB1/SB2/VIP 8-BUTTON INTERFACE FOR SINGLE PLATE

GENERAL DATA

Height (inch) (in)	1.65
Width (inch) (in)	2.91
Depth (inch) (in)	0.71
Type of finishing materials	Plastic
Product color	Black RAL9005
Wall-mounted	Yes

COMPATIBLE SYSTEMS

Audio/video Simplebus 2 with power supply art. 4888CU	Yes
Audio/video Simplebus 2 with power supply art. 1210/1210A	Yes
Audio Simplebus 2 with power supply art. 1210/1210A	Yes
Audio Simplebus 1	Yes
ViP	Yes

ELECTRICAL CHARACTERISTICS

Type of power supply	Power supply from video door entry bus
----------------------	--

HARDWARE FEATURES

Call type	Push-buttons
Type of buttons	Mechanical
Number of push-buttons (n°)	8
Clamps	C P1 P2 P3 P4 P5 P6 P7 P8 C

PROGRAMMING MODE

ViP Manager software	Yes
----------------------	-----

ENVIRONMENTAL AND COMPLIANCE FEATURES

Operating temperature (°F)	-13 ÷ 131
----------------------------	-----------



3063U

SB1/SB2/VIP 8-BUTTON INTERFACE FOR SINGLE PLATE

ENVIRONMENTAL AND COMPLIANCE FEATURES

Operating humidity (RH max) (%)	25 ÷ 95
Environmental class	IV
CE certifications	RoHS II - 2011/65/UE (EN IEC 63000:2018), EMC 2014/30/UE (EN 61000-6-1:2007 , EN 61000-6-3:2007+A1:2011)