


Experience a safer and more open world





2023
Product Catalog

# **Table of Contents**

| Med | eco |
|-----|-----|
|-----|-----|

| Key Control                                      | 8<br>10<br>13<br>15 |
|--|---------------------|
| Intelligent Key Systems                          |                     |
| Medeco XT  | 23                  |
| Programming and Management                       |                     |
| Intelligent Keys                                 | 26                  |
| Intelligent Key Cabinet (IKC)                    | 21                  |
| Access Interface Module (AIM)                    |                     |
| Traffic Cabinet Lock                             |                     |
| XT Safe LockXT Guard Tour Reader                 | 34                  |
|  |                     |
| Rim and Mortise Cylinders<br>Dual-Tech Cylinder  | 36                  |
| Dual-Tech Cams                                   | 36                  |
| Interchangeable Core Cylinders                   | 37                  |
| Key-In-Knob/Lever Cylinders                      | 37                  |
| Padlocks   |                     |
| Cam and Utility Cylinders                        | 40                  |
| International Cylinders                          | 41                  |
| Specialty Cylinder Formats                       | 41                  |
| Keys and Accessories                             | 42                  |
| Programmers and Accessories                      |                     |
| M³ and X4 CLIQ®                                  | 45                  |
| Rim and Mortise Cylinders                        | 46                  |
| Key-In-Knob/Lever Cylinders                      | 46                  |
| Interchangeable Core Cylinders                   | 48                  |
| Deadbolts  | 49                  |
| Padlocks   |                     |
| International Cylinders                          | 52                  |
| CLIQ™ CONNECT KeysHow to Order Medeco CLIQ™ Keys | 53                  |
| How to Order Medeco CLIQ KeysKeys                | 54                  |
| Keys and Accessories                             | 55                  |
| Programming and Management                       | 56                  |
| New CLIQ Systems Check List                      | 58                  |
| Classic CLIQ®                                    | 59                  |
| Rim and Mortise Cylinders                        | 60                  |
| Key-In-Knob/Lever                                | 60                  |
| Interchangeable Core Cylinders                   | 63                  |
| Padlocks   | 63                  |
| Deadbolts  | 64                  |
| Cam and Utility Cylinders                        | 65                  |
| Retail/Showcase Locks                            | 65                  |
| International Cylinders                          | 66                  |
| Vending Cylinder Formats                         | 66                  |

Keys and Accessories ......67
Programming and Management .......68

### **Mechanical Technologies**

| Medeco 4 High Security Locking System                               | 69         |
|---|------------|
| BiLevel Technology  | 70         |
| Medeco X4 Technology  | 71         |
| Medeco B Technology   | 115        |
| Mechanical Products   |            |
| Rim and Mortise Cylinders   | 73         |
| Key-In-Knob/Lever Cylinders   | 84         |
| Interchangeable Cores   | 106        |
| LFIC  |            |
| SFIC  |            |
| Key Management  |            |
| Intelligent Key Cabinet (IKC)                                       | 121        |
| T21 Key Management SystemSimpleK Key & Facility Management Software | 123<br>124 |
|   |            |
| International Cylinders   |            |
| Deadbolts   |            |
| Residential Maxum   |            |
| Padlocks  |            |
| All Weather Padlocks  | 165        |
| System Series   | 169        |
| 50 and 52 Series Brass Body Padlocks<br>Hockey Puck                 | 1/41       |
| G8R   |            |
| Cam/Cabinet and Switch Locks  |            |
| Cam Locks   | 185        |
| Removable Core Cam Locks  |            |
| Cabinet LocksPlunger Locks  |            |
| Micro Switch Lock   |            |
| Rotary Switch Lock  |            |
| Accessories   |            |
| Keying Charges  | 201        |
| Keys  | 203        |
| Pin Kits  |            |
| Components<br>Tools and Fixtures                                    |            |
| Key Machines  |            |
| Software and Support  |            |
| Product Index   | 213        |



### **Key Control**

### Medeco's Approach

The security of any locking system is dependent upon two very important factors. The first is protection against attacks such as picking, drilling, bumping, and forcing. The second is the ability to control duplication of existing keys. Historically, unauthorized key duplication has played a major role in compromising even the most sophisticated security systems. Anyone with even temporary access to original keys has no problem getting duplicates made for their own use if the keys and key blanks are not patent protected. Even stamping "Do Not Duplicate" on a key merely warns someone not to copy the key – it is not a promise of legal protection or enforcement. The only way to ensure that keys cannot be copied without the consent of the owner is a key system with patent-protected keys.

### Medeco has counteracted the key control problem by doing three things:

- Medeco manufactures cylinders which use keys that must be made on special key cutting machines. These machines are capable of reproducing the angled cuts and critical tolerances necessary to produce a workable Medeco key, and are not found at general hardware stores.
- Medeco only sells its high-quality, precision machined cylinders and locks to security industry professionals. Every restricted Medeco key blank is custom coined and tracked by Medeco to identify it as an authorized key blank, which protects against unauthorized copies.
- Medeco invests heavily in research and development to establish strong patents and legal agreements to protect its locks and key blanks from unauthorized distribution or manufacture. As a result, Medeco can litigate to protect its rights and the security of its customers.

### A Key Control Program That's Right for You

Not every user has the same key control needs. That's why Medeco has designed different key control programs and different keyways to meet a wide range of security specifications and key access requirements.

### Dealer/Service Center

This program offers instant local access to additional keys with protection from unauthorized copying. Consumers simply return to the security provider from which they purchased the locks. This security professional will have a signature card on file completed by the owner of the key system at the time the system was installed.

### **Card Programs**

Authorized individuals are issued a card with embossed control data and a space for their signature. To obtain key duplicates, card holders present the card to any participating Medeco security professional. The data and signature will be verified and a key can then be issued. A card program is ideal for

### **End User Program**

The End User program is for large facilities that have their own locksmith on staff and that want to produce Medeco keys themselves. This program offers individualized control over key duplication procedures.

residences or businesses that need keys available nationwide.

### **Commercial Program**

The Commercial Program is designed for users who use Medeco locks primarily for protection against picking, drilling and other forms of physical attack. Keys may be obtained from any Medeco locksmith without specific authorization.

### Factory Program

Additional keys are only available from the Medeco factory and only with the proper signature.

### Intelligent Key Systems

Intelligent Key Systems allow the end user the ability to control their own system to electronically change access to any cylinder or key onsite and to obtain audit information.

Visit our website at www.medeco.com for more information on all key programs.



Key Control

### MEDECO® KEY CONTROL PROGRAM REFERENCE CHART

M4 = Medeco 4 patent expiration date: 2040.

Medeco<sup>3</sup> patent expiration date: 2021. Upgrading to Medeco 4 recommended.

Biaxial patent expiration date: 2005. **BIA** Upgrading to Medeco 4 recommended.


Original patent expiration date: 1985. ORG Upgrading to Medeco 4 recommended.

= Medeco X4 patent expiration date: 2030.

KM = KeyMark patent expiration date: 2011.



Permission for copying keys is obtained by presenting a signed authorization card, which is matched to proper identification.



Permission for copying keys is provided by identification and signature verification, which must be presented to either the original locksmith provider or the facility manager.



Keys can be cut on-site by dealers or end-users that are contracted to participate in the respective key program.




Keys are ordered locally and cut at a regional service center and then shipped back to the dealer.





Keys are cut at the Medeco factory and shipped to dealer. Authorization is provided by signature verification.




Medeco recommended high security— UL 437 Listed, ultimate Grade 1 strength, and A156.5-2001 and A156.30 Level A Certified.









### **COMMERCIAL KEYS**







### **Commercial**

(Original & Biaxial Version)









### OEM / Other

Medeco keys not found on this chart are most likely from an original equipment manufacturer using Medeco products. Return to the original manufacturer of the product for duplicate keys.

### **MEDECO X4 KEYS**







### **Medeco X4 Dealer**















### Medeco® KM/X4 End-User









### **REFERENCE CHART**



= Permission for copying keys is obtained by presenting a signed authorization card, which is matched to proper identification.



= Permission for copying keys is provided by identification and signature verification, which must be presented to either the original locksmith provider or the facility manager.



= Keys can be cut on-site by dealers or end-users that are contracted to participate in the respective key program.



= Keys are ordered locally and cut at a regional service center and then shipped back to the dealer.



= Keys are cut at the Medeco factory and shipped to dealer. Authorization is provided by signature verification.





### **Medeco KM Silver**















### **Medeco B**

Dealers do not need a contract to purchase Medeco B SFIC. Keys and cores are available through Medeco and authorized distributors.

### **Submitting Orders to Medeco:**

For greater efficiency and to create the best ordering experience, orders may be submitted through three order channels: eBusiness, Email or Fax.



### **eBusiness Order Channel**

Benefit: Immediately transmit clean orders to reduce entry time to speed up delivery.

#### **EDI**

EDI stands for Electronic Data Interchange. It's the easiest method to use for the transmission of orders. Orders are generated directly from your ERP system and sent directly into Medeco's order entry system. EDI allows for instant and accurate transmission.

### Medeco WebShop

Online Order Entry is a convenient web-based form which allows customers to easily use drop-down menus and filtering options to assist with product search and selection. A perfect part number is selected every time!

Visit <a href="http://extranet.assaabloydss.com">http://extranet.assaabloydss.com</a> to access.

### **Email Order Channel**

Benefit: Immediately submit your orders directly into our Digital Filing System to speed up processing time.

### In USA and International (except Canada):

orders.medeco@assaabloy.com; In Canada: orders.medeco.ca@assaabloy.com

Emailing orders in USA and International (except Canada):

orders.medeco@assaabloy.com; in Canada: orders.medeco.ca@assaabloy.com

This allows customers to submit purchase orders directly into Medeco's Digital Filing System. Once the order is submitted by email, an automatic email notification is sent stating the order has been received by Medeco, thus ensuring the order was not lost in transmission.

### **Fax Order Channel**

<u>Benefit</u>: Immediately submit orders directly into our Digital Filing System to speed up processing time. Typed submissions receive EDI benefits of faster processing and accuracy.

USA Fax: 800.421.6615

Canada Fax: 888.263.3326

International Fax (except Canada): 540-380-1634

Faxing orders in USA: 800.421.6615; Canada: 888-263-3326 allows customers to submit purchase orders directly into Medeco's Digital Filing System. If a faxed order is typed versus handwritten, Medeco will be able to use an internal tool to send typed, faxed orders through the EDI portal to create faster order processing and reduce entry errors.

### **Special Pricing (SP) and Quotations**

The SP or quote number must be referenced on the order, when submitted for processing. Any invoiced order that has the incorrect discount applied to it and did not have the SP or quote number written on the order will have a service fee of \$100.00 net DEDUCTED from any sales credit issued for the difference in the discount.

Online Tools 9

Medeco is continually developing online resources to make ordering, system management and training quicker and easier than ever. Ask your Medeco representative for more information or contact:

In USA: Customer Care Department at 877-633-3261, or customerservice.medeco@assaabloy.com.

In Canada: Customer Care Department at 888-633-3264, or customerservice.medeco.ca@assaabloy.com.

### Medeco WebShop

The new online order entry site for Medeco products, Medeco WebShop is the quickest method to submit orders directly to the Medeco factory. It makes ordering your favorite Medeco products easier than ever before! Products are searchable by technology and type, with complete descriptions and photos. Save time by creating custom lists of commonly ordered products.









### **Medeco Key System Design Studio**

The Medeco Key System Design Studio is an online portal that has taken the complexity out of master key design. Users simply answer a few questions about the project's system parameters and system management capabilities. Each click walks the user through the entire process: plan design, products ordering, and processing through Medeco.







- Saves time by eliminating questions and missing information.
- Speeds up master key order and system processing
- Provides real-time master key assistance via integrated chat with a Master Key Specialist
- Allows users to manage their submitted master key systems

Both the Medeco Key System Design Studio and Medeco WebShop are located on the ASSA ABLOY DSS Extranet, in the same location as crcDash. If you do not have a DSS Extranet login, please contact the Medeco Customer Care department for a registration form today!

In USA: Phone: 877-633-3261 • Email: customerservice.medeco@assaabloy.com

In Canada: Phone: 888-633-3264 • Email: customerservice.medeco.ca@assaabloy.com

### **ROA Portal Record of Authorization Digitization**

The Record of Authorization (ROA) portal allows an end-user to authorize another purchaser on their behalf, instantly. The ROA portal allows an authorized end-user to sign, manage, and authorize ordering restricted Medeco products such as key blanks and pinned cylinders with a few clicks of a button. The ROA portal is the quickest way to reduce processing time with Medeco's authorization requirements. See complete guide to ROA Portal, pages 10-11.

### **Training**


Factory certification is offered on a regular basis at Medeco's Salem, Virginia facility and at other facilities around the United States and Canada.

Medeco® offers factory certification classes with a comprehensive study of our patented Medeco 4 technology used in Medeco® cylinders. Additionally, we offer certification classes for our Medeco X4®, CLIQ, and Medeco XT product lines.

Overviews of other Medeco® technologies and product lines are available online at the ASSA ABLOY Academy. Here you will find installation videos, product overview videos, sales technique videos and many other tools to assist you. To visit the online University, please visit **www.assaabloyacademy.com**. If you do not already have an account, you will need to register for one. Registration and online classes are complimentary.

# Medeco® ROA Portal

### **Record of Authorization User Guide**



### Register

- Go to ROA.medeco.com and click the "Register Now Button"
- Fill in the required field in the registry form

**Note:** Information required includes the key system registry number or restricted key code. If the registry number or key code is unknown, click the "Where to Find" button to see where the information can be found. If the registry number or key code still cannot be determined, contact customer service via the Live Chat button or call **877-633-3261** for assistance. Once registration is submitted and approved, an email is sent to the authorized user confirming registration.

Medeco Security Locks 3625 Alleghany Drive Salem, VA 24153 877.633.3261

www.medeco.com customerservice.medeco@assaabloy.com Medeco is working to improve customer experience by streamlining the order authorization process.

Medeco's Record of Authorization (ROA) Portal reduces order processing time by allowing an authorized end-user to sign, manage, and authorize ordering restricted Medeco products such as key blanks and pinned cylinders with a few clicks of a button. The ROA portal also allows an end-user to authorize another purchaser on their behalf, instantly.


Using the ROA portal, you can set up what type of product you're authorizing the Medeco dealer or distributor to order on your behalf: cut keys, pinned product, and/or key records. You can select more than one, or all the options.

You can also add another authorized user under your available registry numbers and/or restricted key codes by selecting the +Add Authorized user button, and providing the email address for the additional authorized signer you would like to add. A live chat function is simply a click away if you have any questions.

The Record of Authorization process via the ROA portal is legally binding and carries the same contractual agreement as a physical letter of authorization. For more information, visit our website or contact the Medeco Customer Care Department.

### **Features:**

- Protects against unauthorized duplication of your keys.
- Simplifies the restricted product and key order authorization process without compromising your security.
- Fast, Reliable & Accurate allows immediate changes to authorization.
- Easily add and remove additional authorized signers within your facility.
- Easily add and remove authorization for a Medeco Dealer/Distributor to purchase on your behalf.
- Speeds up the authorization process.
- Establish a time-constrained record of authorization.
- Set up order-specific authorization for one-time purchase.
- Integrated Chat functionality.



### Log In

Use established credentials to log in to the site and begin setting up authorizations. Once logged in, all restricted key codes and registry numbers associated with the account will be displayed. If not all systems and/or codes are visible, contact customer service for assistance.

### **Set Up Authorizations**

Click on "View Authorization" next to the appropriate key code or registry number to set up the record of authorization for that system. Several options for establishing records of authorization will be displayed. They include:

#### Add ROA

Use to establish a time-constrained ROA, including a blanket authorization.

- Select the dealer to be authorized to purchase on your behalf via the search bar.
- Select the expiration of the authorization: Never (blanket), 1 month, 6 months, 1 year or custom date.
- Select what type of product will be purchased on your behalf: cut keys, pinned product, and/or key records.

Click "Add ROA" to complete the authorization



### Order Specific ROA

Use to establish a one-time use record of authorization to allow a dealer or distributor for a specific order.

- Select the dealer to be authorized to place the one-time order on your behalf via the search bar.
- If known, provide the Purchase Order (P.O.) number the dealer or distributor will associate with the order.
- Indicate the quantities of the cut keys and/or cyinders that will be ordered.
- Click "Add ROA" to complete the authorization (**Note** the Order Specific ROA will expire after one use and cannot be used as a "blanket" (non-expiring) authorization.



### <u>Authorize Keyblanks</u>

Use to establish authorization for a contracted Medeco Dealer or Distributor to purchase keyblanks on your behalf.

- Select the dealer to be authorized to place the order for keyblanks on your behalf via the search bar.
- Specify the quantity of keyblanks that will be authorized for purchase.
- If known, provide the Purchase Order (P.O.) number the dealer or distributor will associate with the order.
- Click "Add ROA" to complete the authorization.

### **Removing/Adding Authorizations**

Once "Add ROA" has been selected, authorization has been established for the Medeco dealer or distributor to order on your behalf. The authorization will remain in effect until expired or will continue indefinitely in the case of a blanket authorization. Authorization to order can be removed at any time.

### Remove an Authorization

Use to remove a dealer or distributors authorization to order on your behalf.

 Click the "X" beside the ROA for the dealer or distributor you want to



remove. This ROA is now cancelled and will need to be completed again to re-establish.

## Add an additional authorized user

Additional authorized users within your facility can be added



to restricted key codes or registry systems at any time. There is no limit to the number or authorized users, but Medeco recommends keeping only the minimum number of individuals required as active users for security purposes.

#### To add a new user:

- Click " + Add Authorized User" button.
- Provide the email address for the additional authorized user.

The Record of Authorization process via the ROA portal is legally binding and carries the same contractual agreement as a physical letter of authorization.

For more information, visit our website or contact the Medeco Customer Care Department at: customerservice.medeco@assaabloy.com.

# Provide All of the Needed Information to Avoid Delays! Use the Medeco Checklist to Submit Clean Orders for Faster Processing

| Medeco Order Cl   | necklist for All Orders   |  |  |  |
|---|---|--|--|--|
| Account Number Purchase Order Number Billing Address Keyway Shipping Address Cam/Tailpiece Shipping Instructions Special Pricing/Quote ID* Special Instructions  *The SP or quote number must be referenced on the order. Any invoiced order that has the incorrect discount applied to it and did not have the SP or quote number written on the order will have a service fee of \$100.00 net DEDUCTED from any sales credit issued for the difference in the discount. |   |  |  |  |
| Master k  | Key Checklist   |  |  |  |
| <ul> <li>New Master Key System:</li> <li>Master Key Request Form</li> <li>Name of End User</li> <li>Electronic Key Schedule</li> <li>Serialization Instructions</li> <li>Stamping Instructions</li> <li>Letters of Authorization</li> </ul>   | ☐ Existing Master Key System ☐ Registry Number ☐ Name of End User ☐ Electronic Key Schedule ☐ Serialization Instructions ☐ Stamping Instructions ☐ Letters of Authorization |  |  |  |
| M³ CLIC   | Q™ Checklist  |  |  |  |
| <ul><li>☐ New System:</li><li>☐ End User Name</li><li>☐ End User Email Address</li><li>☐ Time Zone</li></ul>  | <ul><li>□ Existing System</li><li>□ System Number</li><li>□ End User Name</li><li>□ End User Email Address</li><li>□ Time Zone</li></ul>                                    |  |  |  |
| Medeco  | XT Checklist  |  |  |  |
| <ul><li>☐ New System:</li><li>☐ End User Name</li><li>☐ End User Email Address</li></ul>  | <ul><li>Existing System</li><li>System Number</li><li>End User Name</li><li>End User Email Address</li></ul>  |  |  |  |
| Hybrid  | d Checklist   |  |  |  |
| <ul><li>☐ Site Code</li><li>☐ Serial Number</li></ul>   |   |  |  |  |

### **U.S. Customers – Door Security**

Phone: 877-633-3261 Mailing address:

Medeco Security Locks, Inc.

P.O. Box 3075 Salem, VA 24153

Attn: Door Security Customer Service

Fax: 800-421-6615

To submit orders: orders.medeco@assaabloy.com

To email Customer Service: customerservice.medeco@assaabloy.com

To email Technical Support: techsupport.medeco@assaabloy.com

Hours of operation:

Monday – Thursday, 8:00 a.m. –6:00 p.m. ET Friday, 8:00 a.m. – 5:00 p.m. ET

#### **Canada Customers**

Phone: 905-532-4970

Toll-free (in Canada only) 1-888-633-3264

Mailing address: Medeco Canada 160 Four Valley Drive

Vaughan, ON L4K 4T9 CANADA

Fax: 905-532-4971 or

1-888-263-3326 (in Canada only) E-mail: orders.medeco.ca@assaabloy.com

Hours of operation:

Monday – Friday, 8:00 a.m. – 4:30 p.m. ET

## Customers Outside the U.S. (Not including Canada)

Phone: +1 540-380-1741

or +1 877-633-3261

Fax: +1 540-380-1634

Mailing address:

Medeco Security Locks, Inc.

P.O. Box 3075 Salem, VA 24153

Attn: International Customer Service

E-mail: export@medeco.com

Submit Orders:

orders.medeco@assaabloy.com

Hours of operation:

Monday - Friday, 8:00 a.m. - 5:00 p.m. ET

### **Medeco Shipping & Returns Policies**

### **Pricing:**

All published prices are subject to change without notice and are not guaranteed. All shipments will be made at prices prevailing at time of shipment. We reserve the right to correct typographical, clerical, editorial, pricing, quantity, or any other errors in this or any publications produced by Medeco Security Locks, Inc. without prior written notice or disclaimer.

# Changes/Cancellations of Orders Policy:

### - Order Changes:

Changes made to orders after order acknowledgement or scheduling will result in a 10% change fee.

 Rescheduling orders and delayed shipments (blanket purchase orders):

Orders will be scheduled by agreement. However, orders may be rescheduled or delayed by Customer within 7-days (1 week) of initial acknowledgement without a change fee. Orders rescheduled or delayed after the 7-day period will be subject to a 10% change fee. Notification of rescheduling or delay must be in writing via email and can be sent to orders.medeco@ assaabloy.com. Please reference the order number.

### - Order cancellations:

Cancellation of orders after order acknowledgement/scheduling shall result in a 10% cancellation fee. If an order or a portion of an order is cancelled and products have already been manufactured and prepped for shipping, a 50% restocking fee will apply.

### **Shipping Charges:**

For most U.S. customers, published freight rates will apply. Contact Medeco Customer Service for more information about Medeco's shipping and handling charges.

#### Freight:

All U.S. orders are shipped FOB origin: When delivered to the Transportation Company, Purchaser assumes risk of loss or damage in transit.

### **Customers Outside the U.S.:**

Due to specific taxes, import/export fees, and exchange rates, pricing and shipping will vary from U.S. list prices for customers in Canada and elsewhere outside the United States.

Note: Some products may not be available in Canada as well as some of the programs offered in this price book may differ between the USA and Canada. Please contact your sales representative for more information.

### **Product Returns:**

Medeco accepts product returns if the product is defective from a manufacturing flaw. If you need to make a return, fill out the enclosed RGA Form and fax it to:

In USA: 800-421-6615 In Canada: 888-263-3326

or email to:

In USA:

orders.medeco@assaabloy.com

#### In Canada:

Outside the USA (except Canada): orders.medeco.ca@assaabloy.com

The RGA Number must be visible on the outside of any package returned to Medeco.

### **Damaged Goods:**

All orders are carefully filled, checked, and packaged. However, on rare occasions, a package may be damaged in transit. If this occurs, please make note of it on the delivery receipt before signing. To return merchandise that was damaged during the shipping or delivery process, call Medeco Customer Service.

### **Partial Shipments:**

If all items on your order are not available at the time your order is processed, you must specify whether you want Medeco to hold the shipment until it is complete or send partial shipments as items are available. Orders received without specific shipping instructions will be filled at the discretion of Medeco.



### ASSA ARI OY

### **Returned Goods Authorization Request**

| Medeco USA:<br>3625 Alleghany Drive<br>Salem, VA 24153<br>Phone: 800-839-3157 | Fax: 800-421-                 | 160<br>Va          | deco Cana<br>) Four Valle<br>ughan, ON<br>one: 888-2 | y Drive                    |                   | RGA#                | _ |
|---|-------------------------------|--------------------|--|----------------------------|-------------------|---------------------|---|
| Account #   |                               |                    |  |                            |                   |                     |   |
| Customer Name   |                               |                    |  |                            | Contact Phone     |                     |   |
| Ship Address  |                               |                    |  |                            | Contact Fax       |                     |   |
| City, State, Zip  |                               |                    |  |                            | Sales Rep         |                     |   |
| Contact Name:   |                               |                    |  |                            |                   |                     |   |
| Original Order #  | Line no.                      | Quantity           |  | Product                    | Detailed          | Reason for Return   |   |
| or Cust. PO#  |                               |                    | ( <u>Compl</u>                                       | ete Part Number)           |                   |                     |   |
|   |                               |                    |  |                            |                   |                     |   |
|   |                               |                    |  |                            |                   |                     |   |
|   |                               |                    |  |                            |                   |                     |   |
|   |                               |                    |  |                            |                   |                     |   |
|   |                               |                    |  |                            |                   |                     |   |
|   |                               |                    |  |                            |                   |                     |   |
|   |                               |                    |  |                            |                   |                     |   |
|   |                               |                    |  |                            |                   |                     |   |
|   |                               |                    |  |                            |                   | Τ.                  |   |
| If Master Key pro   | duct provide                  | required info      | rmation:   |                            |                   | \$                  |   |
| *Regis  | stry Number #:                |                    |  |                            |                   |                     |   |
| If CLIQ product, p  | rovide requi<br>*CL #:        | red information    | n:   |                            |                   |                     |   |
| **End   | User's Name:                  |                    |  | Key Markings:              |                   |                     |   |
|   | I User's Email: ***Time Zone: |                    |  | Cylinder Markings:         |                   |                     |   |
| If Medeco XT prod   |                               | required info      | rmation:   |                            |                   |                     |   |
| **End   | *CO #:<br>User's Name:        |                    |  |                            |                   |                     |   |
|   | User's Email:                 |                    |  |                            |                   |                     |   |
| Action Requested  | l:                            |                    |  |                            |                   |                     |   |
| -   | Return produc                 | t for FULL credi   |  |                            |                   |                     |   |
| Replace product retu<br>(RGA Number is nev                                    |                               |                    | duct listed  | below:                     |                   |                     |   |
| Quantity  |                               | olete Part Numbe   | ar.  | Quantity                   | Comp              | lete Part Number    |   |
| Quantity  | Comp                          | Jiete i art ivambe | ,1   | Quantity                   | Comp              | ete i dit italiibei |   |
|   |                               |                    |  |                            |                   |                     |   |
| Customer's Error o  | or out of Warra               | anty:              |  |                            |                   |                     |   |
|   |                               |                    | ss re-stoc   | k fee <i>(50%)</i> ; custo | mer pays freight. |                     |   |
| Explain reason for  | request:                      |                    |  |                            |                   |                     |   |
|   |                               |                    |  |                            |                   |                     |   |
|   |                               |                    |  |                            |                   |                     |   |

In USA: Fax your RGA Request form to 800-421-6615 or Email to orders.medeco@assaabloy.com In Canada: Fax your RGA Request Form to 888-263-3326 or email to orders.medeco.ca@assaabloy.com

## Medeco<sup>®</sup> Standard and Extended Warranty Mechanical & Intelligent Key Products

Medeco Security Locks Inc. ("Medeco") warrants to the original purchaser of a Medeco branded lock, lock cylinder, or Intelligent Key hardware product (referred to collectively as "Product") to be free of defects in material and/or workmanship for a period of two (2) years from the date of original purchase for use. This Warranty may also apply to other specific products. For additional Warranty information or Warranty claim service, contact Medeco Customer Service at (877) 633-3261 or in Canada (888) 633-3264.

An Extended Warranty for Intelligent Key products is available for purchase. Please contact your local Medeco Representative for additional details.

In the event of a defect in material or workmanship during the Warranty period, Medeco will repair or replace (at its option) the Product under the conditions of this Warranty, this action being the sole remedy available to the purchaser under this express limited Warranty.

Limitations, Exclusions and other Rights:

- a. Medeco disclaims liability for implied warranties, including but not limited to those of merchantability or fitness for any particular purpose.
- b. Medeco disclaims liability for indirect, incidental or consequential damage at any time.
- c. Intelligent Key batteries are not covered under this warranty or any extended warranty.
- d. This Warranty gives specific legal rights, and a buyer may also have other rights that may vary from state to state. Some states do not allow limitations on indirect, incidental, and consequential damages or implied warranties so that the above limitations may not fully apply.
- e. Medeco mechanical keyblanks are made from a special nickel silver alloy. <u>Medeco warrants its mechanical keys</u> against defects in workmanship or breakage for the life of the Product. Bitted Medeco keys must be precisely cut to exact angles and depths, and require special duplication. <u>This Warranty shall be void and Medeco disclaims</u> liability of any kind in the event any key other than a genuine Medeco key has been used with the Product or that the key has been cut on any machine other than a Medeco or Medeco-approved key cutting machine.
- Medeco CLIQ Intelligent keys are covered for one (1) year against breakage (mechanical blade only).
- g. Medeco Intelligent Keys Cabinets (IKC) are covered under this two (2) year warranty. Within that time frame, Medeco will repair or replace any component that is found to have a defect.
- h. Medeco shall not be held responsible for product complaints or product damage arising from, in its sole judgment, and absence of user training, improper installation, failure to provide normal maintenance, extreme environmental conditions, use rates in excess of the industry standards defined for the type of product, use of incompatible parts or products not made or authorized by Medeco, or application of force not resulting from normal use.
- i. Unless otherwise specified by separate warranty, finishes are warranted for a period of two years following purchase for use. This finish Warranty shall be considered void after installation if, in the sole judgment of Medeco, the damage to the finish is the direct result of extreme climatic conditions, chemical or abrasive actions.

## Medeco 4 (M4) Suggested Architectural Specifications

All lock cylinders are to be of a high security, pick resistant design with angled key cuts, rotating tumblers, a key mounted movable element, and a side bitting with sidepin locking mechanism, all interacting with sidebar locking. Cylinders shall be Underwriters Laboratories Listed Standard "UL 437" for key locks. Cylinders shall be certified under American National Standards Institute (ANSI)/Builder's Hardware Manufacturer's Association (BHMA) certification A156.30 2020 (High Security Cylinders Products), "Levels M1AAAM," and ANSI/BHMA A156.5 2020 (Certified Auxiliary Locks & Associated Products) "Grade 1."

All cylinders shall incorporate three locking elements, consisting of a sidepin mechanism with sidebar locking, tumbler rotation with sidebar locking, and split pin tumbler elevation. The critical parts of the locking mechanism such as pins, shear line, sidebar, and sidepin mechanism shall be afforded extra protection from drilling and other forceful attack by the strategic placement of hardened steel inserts in at least 8 possible locations within the cylinder. The lock tumblers shall combine a dual-axis action, with one axis utilized for pin tumbler rotation and the other axis utilized for positioning key cuts. Randomly selected tumbler pins shall incorporate a hardened steel insert or material hardening for additional drill protection.

The locking system is to be furnished in a restricted key section for which keys are not made available from the manufacturer's factory or any other source by normal distribution methods and without proper authorizations. The key and cylinder must have utility patent protection to protect against unlawful key duplication. The keys must have a movable element to further resist key duplication or replication. The key system, keys, and cylinders must be capable of being furnished to allow an upgrade to either of a dual mechanical and electronic cylinder and credential or a dual technology key by the single exchange of a field removable key bow. The key thickness should be no less than .125" (one hundred, twenty-five thousandths).

The manufacturer shall have the capability of establishing a key system with a minimum of six angle cuts in six possible pin positions with the capability of two distinct positions of cut per pin chamber, if required by the parameters of the key system. The system shall be capable of incorporating a key that is capable of more than one bitting per position to expand master keying and key changes. The key shall also incorporate the capacity to include up to four possible side bittings along the key blade. The system shall also have the capability to provide a single master key with over 1,000,000 (1 million) usable, non-interchanging, change keys on a single keyway profile.

The cylinders shall be immediately rekeyable to new combinations or a new key system as necessary and shall be serviceable in the field. Installation of cylinders shall be available for a majority of U.S. and international commercial grade lock brands and types, and require no modification to operate properly. Cylinder brand shall be supported by a nationwide US professional dealer network and worldwide distribution network. The locking system established for this project shall be proprietary and the owner shall furnish the manufacturer a list of those persons and their signatures that will be authorized and required to order additional pinned materials or duplicate keys. Orders not bearing authorized signatures shall not be filled.

All master keys and bitting lists for this project shall be sent using appropriate shipping carriers from the factory directly to the owner. Prior to shipment of keys, the owner shall verify in writing preference for shipping carrier.

Cylinders for new construction projects shall be available with construction keying or temporary interchangeable cores as appropriate and necessary.

## Medeco<sup>3</sup> Suggested Architectural Specifications

Furnished cylinders must provide the capability of a high security, patented, pick- and attack-resistant design with angled key cuts, rotating tumblers, a keyway side bitting, and a slider mechanism. Cylinders shall provide the option of certified listing to Underwriters Laboratories Listed Standard "UL 437" for key locks. Cylinders shall provide the option of certification under American National Standards Institute (ANSI)/Builder's Hardware Manufacturer's Association (BHMA) certification A156.30 2007 (High Security Cylinders) "Levels M1AAAM," and ANSI/BHMA A156.5 2010 "Grade 1."

The furnished key system must allow the capability to combine within the same key system, and using the same patent-protected keys, high security rated cylinders as described above, with non-high security rated cylinders providing greater economy within a single master key system. Furthermore, the furnished key system shall allow the incorporation of software-controlled, electro-mechanical cylinders ("eCylinders") with the capability of utilizing the same credential and a single key system controlling both mechanical cylinders and eCylinders.

All cylinders with the high security option shall incorporate three locking elements, consisting of a slider mechanism, a sidebar mechanism with tumbler rotation, and pin tumbler elevation. The critical parts of the locking mechanism such as pins, shear line, sidebar, and slider mechanism shall be afforded extra protection from drilling and other forceful attack by the strategic placement of hardened steel inserts in a minimum of 7 possible locations within the cylinder. The lock tumblers shall combine a dual-axis action, with one axis utilized for pin tumbler rotation and the other axis utilized for positioning key cuts. Randomly selected tumbler pins shall incorporate a hardened steel insert for additional drill resistance.

All cylinders with the non-high security option shall incorporate two locking elements, consisting of a slider and sidebar combination, and conical tip, pin tumbler elevation.

The locking system is to be furnished in a restricted key section for which key blanks are not made available from the manufacturer's factory or any other source by uncontrolled distribution methods. The key and cylinder must have utility patent protection so as to hinder unlawful or unauthorized key duplication. Such patent protection shall be afforded in the United States of America, Canada, Mexico, and a plurality of other countries. The keys and key blanks must be capable of being furnished to allow an upgrade to a dual mechanical and electronic credential by the single exchange of a field removable key bow. The key blank thickness should be no less than .125" (one hundred twenty-five thousandths).

The manufacturer shall have the capability of establishing a key system with a minimum of six angled cuts in six possible pin positions with the capability of two distinct positions of cut per pin chamber, if required by the parameters of the system. The manufacturer shall have the capability of producing a patent-protected keying system in either of two distinct and different keying specifications and pinning specifications. The system shall be capable of incorporating a key which is capable of more than one bitting per position to expand master keying and key changes. The key shall also incorporate the capacity to include twelve possible side bittings along the key blade located on two different planes or surfaces of the key. The system shall also have the capability to provide a single master key with over 1,000,000 (1 million) usable, non-interchangeable change keys in a single profile.

The cylinders shall be immediately rekeyable to new combinations or a new system at any time desired and shall be serviceable on location in the field. Installation of cylinders shall require no modification to U.S. manufactured commercial-grade locksets.

The locking system established for this project shall be proprietary, and the owner will furnish the manufacturer a list of those persons and their signatures that will be authorized and required to order additional pinned materials or duplicate keys. Orders not bearing authorized signatures shall not be filled.

All master keys and bitting lists for this project shall be sent using appropriate shipping carriers from the factory directly to the owner. Prior to shipment of keys, the owner shall verify, in writing, preference for shipping carrier and destination.

## Medeco X4 Architectural Product Specifications

Cylinders shall be of the knob, rim, mortise, or interchangeable core type. All cylinder components (excluding tumbler pins) shall be constructed of machined extruded brass. All cylinders, cores and housings shall be available in all standard architectural finishes and shall match the cylinder housing and lock and door hardware. Further, cylinders and housings shall be plated, not scalped with the appropriate finish.

Cylinders to be of the 6- or 7-pin tumbler type, providing the maximum unique, non-interchangeable key combinations respectively. All cylinders shall incorporate two locking elements consisting of pin tumbler elevation and a slider mechanism. Further expansion of a master key system shall be available by use of additional multiplex keyways. Cylinders shall not lose any combinations due to MACs (maximum adjacent cut) loss.

All cylinders shall use a .150" space dimension between tumbler pin chambers and shall be capable of using industry-standard tumbler pins. Cylinder shall contain standard pins, a portion of which (both bottom and top pins) shall be spooled to resist pick attacks.

All non-I/C rim and mortise cylinders shall be so constructed to use threaded set screws, not staked covers or caps, to cover each individual tumbler pin chamber.

All cut keys, key blanks and cylinders (knob, rim, mortise, and interchangeable core-type) shall be so constructed to be capable of being keyed in the same system, allowing the convenience of one master key to operate all types of listed cylinders. Further, the key or key blank's tip shall be so constructed to correctly locate the bits of the key beneath the proper chamber of an interchangeable core cylinder by locating against a key stop on the rear core. Additionally, the key or key blank's shoulder shall serve as a stop to correctly locate the bits of the key beneath the proper plug chamber of rim, mortise and knob-type cylinders by locating against the front face of the cylinder. The key blank thickness should be no less than .093" (ninety-three thousandths).

All cut keys and key blanks shall be utility patented and controlled by a contract between the end user and the manufacturer. Key blanks for this project shall be delivered directly from the factory to the end user unless otherwise requested in writing by the end user.

All keys must be capable of being configured to allow an upgrade to a dual mechanical/electronic credential by the simple exchange of a field-removable key bow.

The key shall incorporate the capacity to include eight possible side bittings along the key blade, located on two different planes or surfaces of the key.

All key blanks shall be custom coined with the end user's name or other unique identification mark. All cut keys and key blanks are to be constructed from nickel silver.

All keys shall be capable of being cut by a punch machine that originates the exact cut in the key from the code sheet, instead of using patterns.

Cylinders shall be immediately rekeyable to new combinations or a new system at any time desired and shall be serviceable on location in the field. Installation of the cylinders shall require no modifications to U.S. manufactured commercial-grade locksets.

The locking system established for this project shall be proprietary, and the owner will furnish the manufacturer a list of those persons and their signatures that will be authorized and required to order additional pinned materials or duplicate keys. Orders not bearing authorized signatures will not be filled.

All cylinders, cores, housings, keys and key blanks shall be made in the USA.

# **Medeco**<sup>®</sup>

### Professional Services for Intelligent Key Systems

To achieve optimum performance of your new intelligent Key System, Medeco recommends professional design and implementation services. Services include system planning, system deployment, team training and on-going support.

Medeco Professional Services: Making the most out of your investment



Over our 55 year history, Medeco has established a reputation for developing high-quality products that provide unparalleled security. Yet, high-quality products alone do not guarantee a successful deployment. To achieve optimum performance of your new intelligent Key System, Medeco recommends professional design and implementation services.

Medeco Professional Services includes a variety of offerings that will help you gain additional value from your technology investment. Professional Services include:

SYSTEM PLANNING SYSTEM DEPLOYMENT TRAINING & SUPPORT

| System<br>Planning   | System Design                     | Pre-<br>Deployment<br>Review      | Pre-<br>Deployment<br>Testing/Setup |       |
|----------------------|-----------------------------------|-----------------------------------|-------------------------------------|-------|
| System<br>Deployment | Hardware<br>Install<br>Assistance | Software<br>Install<br>Assistance | System<br>'Go-Live'                 | ABLOV |
| Training & Support   | Software<br>System<br>Support     | Remote<br>Training                | Onsite<br>Training                  |       |



# Professional Services – Intelligent Key Systems

### **System Planning Services**



Medeco Professional Services offers consulting services that leverage industry best-practice to plan, scope and help design Medeco solutions that meet your organization compliance, security and risk management needs. Our consulting services packages have been designed to be delivered under the leadership of a dedicated project manager.

All prices shown are U.S. LIST and subject to dealer software buying program discount.

| Remote Planning Support   | SW-501Remote  | \$801.00/hr 1 hour minimum |  |
|---|---|----------------------------|--|
| System Design Assistance  | - Ensure that your system is designed with your current and future interests in mind. |                            |  |
| • Hardware Requirements   | – Determine the required hardware to meet your implementation go                      |                            |  |
| Onsite Planning Support   | SW-501Site  | \$6,079.00/day plus T&E    |  |
| Pre-Deployment Meetings   | – Live in person coordination of events and timeline planning.                        |                            |  |
| • Bench-Top Deployment and Validation – Full functionality testing of hardware in a test environment complete satisfaction before deployment. |   |                            |  |

### **System Deployment Services**




The Medeco Professional Services team includes dedicated technical consultants and software engineers who will work closely with your in-house team to assist in the deployment and integration of Medeco solutions and third-party systems.

This highly skilled group of systems engineers, integrators and project management experts will oversee the implementation of your new Intelligent Key System from start to finish. All technical complexities and any risks will be identified up front so that your system is designed to grow according to your needs – now and into the future.

| D  | CW/ F02D 4 .  | t001 00 lb - 1 lb                       |  |  |
|--|---|---|--|--|
| Remote Deployment Services                           | SW-502Remote  | \$801.00/hr 1 hour minimum              |  |  |
| Remote Software Installation                         | <ul> <li>Live online assistance with software installation to ensure complete<br/>functionality.</li> </ul>                                       |   |  |  |
| Remote Software Upgrades                             | <ul> <li>Using our remote access software we will ensure that your software<br/>upgrades go without issue, including data conversions.</li> </ul> |   |  |  |
|  |   |   |  |  |
| Onsite Deployment Services                           | SW-502Site  | \$6,079.00/day plus T&E                 |  |  |
| Onsite Deployment Services • Equipment Configuration |   | to get all of your equipment programmed |  |  |

### **Training & Support Services**



**Enterprise System Support** 

Prior to deployment of your new system, we highly recommend Medeco technical training for your business security team. We offer a variety of customized hands-on training courses to teach your team how to properly operate, customize and support your new Intelligent Key System.

Our experts will work side-by-side with your team to give them a running start, enabling your new system to operate at peak performance on Day One. If there's ever an issue, we'll provide fast, professional and cost-effective assistance by phone, email, or online.

**Call for Quote** 

The Medeco Professional Services team can also help ensure your system's optimum performance by providing on-site support for long-term engagements on a day-to-day basis.

By providing ongoing expert consultancy, Medeco consultants can expedite troubleshooting and help you define risk mitigation strategies during upgrades of Medeco solutions, allowing you to reduce training costs for your staff.

SW-504Platinum

| Enterprise System Support – Platinum                                    | <ul> <li>Software System Remote Support for Emergency/Severity 1 issue resolution;</li> </ul>   |                            |  |
|---|---|----------------------------|--|
|   | <ul> <li>Extended phone support: available 24 hours a day,</li> <li>7 days a week (in English); Up to 75 tickets annually.</li> </ul> |                            |  |
| Remote Training   | SW-503Remote  | \$801.00/hr 1 hour minimum |  |
| Web Based Training  | <ul> <li>Online training setup to meet your planning schedule.</li> </ul>   |                            |  |
| <ul> <li>Additional Training Based<br/>on New Staff/Turnover</li> </ul> | – Online training to help you keep up with new staff requirements.  |                            |  |
| Onsite Training   | SW-503Site  | \$6,079.00/day plus T&E    |  |
| Hands-on Training   | – In depth face to face training for our hardware and software applications   |                            |  |
| Detailed Product Installation Classes                                   | <ul> <li>On site classes to train your employees on site specific hardware<br/>installation.</li> </ul>                               |                            |  |

All prices are U.S. LIST, and subject to dealer software discounting. T&E charges will be quoted upon request.

The Medeco Professional Services team will work closely with your company's in-house team to assist with your new system's planning and design, deployment & integration, and on-going support and training. Together, we will ensure that your new Medeco Intelligent Key System is up and running on Day One and operating at peak efficiency.

# Professional Services - Mechanical Security

**Training Certification Classes** 

SW-505Site

\$6,079.00/day plus T&E

Personalized on-site factory technical certification class(es).

Medeco will conduct field training, demonstrate sample equipment, and certify students on service, maintenance, and support. These are the same certification classes given at factory and trade shows. Various classes available including Medeco 4, Medeco X4, Medeco X7, CLIQ and Medeco Master Keying — see training catalog for further details.

### **Master Key Consultation**

SW-506Site

\$6,079.00/day plus T&E

Master key system design consultation with a Medeco key system design expert.

In person key system design consultation with a system design expert. We will assist you in the development of a master key system to meet your design specifications. The system will be uniquely tailored to your facility, resulting in custom Key System Schematics, bitting lists and pinning charts.

### **Key Management Consultation**

SW-507Site

\$6,079.00/day plus T&E

Assistance in the design, implementation, customization, and best practices for sound key control.

Assistance in the design, implementation, customization, and best practices for sound key control products and key management policies and procedures that will minimize liabilities and extend key system lifespan. A key system investment will be maximized by deploying these sound key management practices.

### **Installation Inspection**

SW-508Site

\$6,079.00/day plus T&E

Project product installation and operation inspection and certification.

### **Professional Services Warranty**

**Professional Services Warranty.** Deliverables Warranty. Medeco represents and warrants that: (a) the Professional Services will be performed in a professional and workmanlike manner with a degree of care, skill and competence that is consistent with generally accepted industry standards reasonably expected of similar types of engagements; and (b) free from defects in workmanship if applicable; and (c) the Deliverables will substantially conform to the description and specifications set forth in the Medeco published catalog, price book, or written quotation, for a period of thirty (30) days after the date of delivery ("Warranty Period"), provided Medeco receives written notification of the non-conformity during the applicable Warranty Period. To the extent any Professional Services or Deliverables do not, in Medeco's sole determination, substantially conform to the foregoing warranties Medeco shall promptly re-perform the Professional Services and/or re-submit the Deliverables. If, after receiving notice of non-conformity, Medeco determines that the Professional Services cannot be performed or the Deliverables cannot reasonably be delivered, pursuant to an accepted purchase order or written quotation, 100% due to Medeco's sole fault, Medeco may elect to promptly refund the fees paid (less accrued expenses) or waive the fees owed, with respect to such Professional Services or Deliverable, as Customer's sole and exclusive remedy. This warranty will apply only if: (a) the Deliverable(s) have been properly incorporated, installed, or utilized by or on behalf of Customer at all times and in accordance with all instructions or documentation; and (b) no modification, alteration or addition has been made to the Deliverable(s) other than with Medeco's written consent; and (c) Medeco receives written notification of and approves of the warranty claim during the applicable Warranty Period.

<u>THE EXPRESS</u> WARRANTIES FOR PROFESSIONAL SERVICES SPECIFIED HEREIN ARE EXCLUSIVE AND TAKE THE PLACE OF AND SUPERSEDE ALL OTHER WARRANTIES, WHETHER EXPRESS OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

# Medeco<sup>®</sup> XT

### Medeco® XT Intelligent Key System

Building on Medeco's 55-year history of creating high security key control products, the Medeco XT Intelligent Key Ecosystem takes key systems to a completely new level.

Medeco XT adds security, regulatory compliance and accountability to practically every opening in a fast, efficient way. A Medeco XT Ecosystem enhances businesses by providing the valuable data and tools needed to be more profitable or meet compliance requirements.

Overview: The Medeco XT Ecosystem consists of a robust electronic locking and access control system that is managed by state-of-the-art web based system software.

Medeco XT overcomes current keying issues by keeping security high even if someone loses a key.

Medeco XT also adds access control capability in hard to reach areas such as safes, cabinets, gates (padlocks), etc. In addition, with the new AIM (Access Interface Module) Device, imagination is your only limitation regarding what to control next with your XT key.



### **Audit Accountability**

Audit information recorded in both the lock and key shows a time- and date-stamped record of every event, including authorized accesses and unauthorized attempts.



### **Uses Existing Hardware**

Medeco XT key provides all power to the cylinder, eliminating the need for any hardwiring or power supply. Simply remove the existing mechanical cylinder and install the Medeco XT cylinder.



### **Reduces Risk of Lost Keys**

Respond quickly to security threats, lost or stolen keys, or personnel changes without the added cost of changing your locks and keys.



### **Electronic Scheduling**

Keys are electronically programmed to open only specific locks during a designated schedule. Schedules may also contain an expiration point to completely disable the key until it is audited and reprogrammed.



### Medeco Data Dashboard

System audit data is displayed in a new graphical way on the Medeco dashboard. The 'Glances' display consists of several mini-dashboards that provide insight into your system configuration and audit events.





### **Data Analytics**

The Visual Audit feature of Medeco XT Web manager software converts audit data into a simple graphic dashboard. Security Administrators can see access trends and irregularities at a glance!

### **Key Features:**

- Small, robust electronic key with stainless steel housing
- Intelligent key holds all access and schedule data
- Rechargeable battery, up to 1,800 openings per charge
- Heavy-duty stainless steel construction
- Stand-alone, network, Web and mobile programming options

### **Warranty:**

Medeco Security Locks warrants Medeco XT products to be free of defects in material and/or workmanship for a period of two (2) years from date of original purchase (except where noted). Extended warranty available at time of purchase, see page 15 (Warranty Information) for additional information.

### **Product Specifications:**

### **Lock / Cylinder Features**

- No wiring required—all power provided by the key
- Indoor / outdoor use—stainless steel shell construction
- 2,000 audit events
- Unauthorized key list
- Variety of retrofit cylinder formats



### **XT Software and Options:**

XT Software and Options: The Medeco XT Web Manager software is an integral part of the Medeco XT Ecosystem. The software not only helps manage the XT Intelligent Key System in flexible and cost-effective manner, but also provides business-enhancing tools.

The XT Web Manager SaaS (Software as a Service) software is available as either a Medeco-hosted or End-user hosted option. The Medeco-hosted option



takes advantage of the power, convenience and security of Amazon Web Services (AWS) and is offered in several pricing levels. This option offers high-availability, secure web access, no start-up fees, and a multitude of AWS optional services to meet any customer's needs.

All Admin functions are handled by trained and certified IT personnel. Medeco holds ISO 27001 Certification for internal information and asset security.

| Description   | Part Number                                  | Annual License Fee |
|---|--|--------------------|
| <b>Enterprise:</b> Medeco can create a custom offering for large enterprise class systems that need more options to support their needs (see Web Hosting below). Speak to your local sales representative for more details.         | Note: Depends<br>on options<br>and # of keys | Custom quoted      |
| <b>Premium:</b> Includes all the functionality of Advanced plus, access to other custom AWS services, and Pro Service Remote Training and support (4 hours annually — a \$2,660 value). <b>Limit 1,500 keyholders</b> .             | SW-500301-4                                  | \$5,777.00         |
| Advanced: Designed for mid-size systems. Adds Remote & Mobile programming & extended schedules to the Basic version. Limit 750 keyholders.  | SW-500301-3                                  | \$3,531.00         |
| <b>Basic:</b> Designed for smaller systems: Effectively manage your XT Intelligent Key system with all the basic functionality which includes Schedules, Audit, Groups, Data Dashboard & Visual Audit. <b>Limit 250 keyholders.</b> | SW-500301-2                                  | \$1,124.00         |

**Web Hosting** custom options available at additional cost include: Dedicated Server for very large systems, regulatory compliance configurations, database archiving, Country/Region customization and more. Please contact your local Medeco sales rep for more information.

Multi-year hosting available.

These offerings are billed annually.

### **Medeco XT Self-Hosted Software**

**These systems are set up and hosted by the End-User:** End-User is responsible for supplying all necessary hardware & expertise for server set up, maintenance, backups, etc.

See Professional Services section for assistance with configuration and set up of your XT system.

| Description  | Part<br>Number   | One-Time<br>Fee | Annual<br>Fee |
|--|------------------|-----------------|---------------|
| *XT Enterprise Self-Hosted Software. All the features of the Advanced version along with support for very large systems plus more advanced and/or future functionality.                  | SW-600901-1      | \$53,618.00     |               |
| Enterprise Self-Hosted Annual Recurring Maintenance Fee – receive all software updates and bug fix releases, installation support, and an additional software license for a test server. | SW-600901-1R     |                 | \$8,043.00    |
| XT Enterprise Self-Hosted Software with XT IKC Support   | SW-600901-2      | \$54,618.00     |               |
| *XT Advanced Self-Hosted Software: for mid to large systems. Includes features such as Remote and Mobile programming, Visual Audit, Who has Access reporting, etc.                       | SW-600901        | \$24,510.00     |               |
| Advanced Self-Hosted Annual Recurring Maintenance Fee – receive an additional software license, software updates and bug fixes and installation support.                                 | SW-600901-R      |                 | \$3,678.00    |
| *XT SOLO – Same interface as our XT Web based software but designed for standalone applications. Does not support Remote or Mobile programming.  | SW-500301-1      | \$1,492.00      |               |
| XT SOLO Software Maintenance Fee – receive software updates and installation support for same  | SW-500301-1R     |                 | \$298.00      |
| Maintenance fees are l   | billed annually. |                 |               |

Self-hosted software purchases entitle the user to a single user license with no annual license fees. Purchase also entitles user to an additional license for an on-site test server. (Medeco always recommends introducing a new version of software to a test server before deploying to their live system.)

Recurring maintenance is recommended and provides an additional license for test server, regular software program updates, maintenance releases, patches, and basic level technical telephone assistance.

Customers who are not paying the recurring maintenance fee but that wish to upgrade their XT Web Manager software must contact their dealer or Medeco Representative for a quote.

**Note:** Medeco Tech support cannot support software versions that are over two years old without the addition of Professional Services

Note: API Interface for 3rd party integrations available. Contact your local sales representative for more details.

<sup>\*</sup> Also requires the purchase of a system setup dongle. Part number EA-250059.

Medeco® XT Intelligent Keys

### **Medeco® XT Electronic Locking Systems**

The Medeco XT keys are small, robust, convenient and portable. They are built to withstand even the toughest environments.

The Medeco XT keys have dynamic memory which can adjust the number of audit transactions and cylinder access the key can store. Medeco XT keys also utilize a rechargeable battery and can be purchased with a portable charger to ensure you are never locked out due to a dead battery. The key provides feedback to indicate when a charge is required.

There are two key models in the XT line. The 'Slim Line' key is designed for just about every application except those extreme and abusive environments, where the 'Rugged' key is recommended.



- Hardened stainless steel housing that will stand up in the toughest environments
- Portable and rechargeable
- Top-mounted LED for convenient access feedback

### **G3R Rugged Key Applications:**

The XT Rugged key was designed for users that want a small, robust credential that will stand up to the most extreme environments. Tested for drop, shock and temperature extremes.

### **Slim Line Key Features:**

- Polished, hardened stainless steel frame for strength and durability
- Soft-touch coating
- Dual-LED indicators for greater visibility
- Raised orientation dimples (allow for feeling the orientation of the key) for easier use
- High-capacity memory

### **Slim Line Key Applications:**

The XT Slim Line key was designed for users that want a small, light credential that will not sacrifice on durability. Created to stand up to all but the most extreme environments but designed to be one of the most portable and desirable keys on the market!

G3R

G3S

### **Bluetooth Key Features:**

- Utilizes Bluetooth Smart Technology
- Program keys from any location (within cellular coverage area)
- No need to 'dock' key to program
- LED programming feedback indicates when key is connected to the mobile device
- Works with the latest XT Web Manager software



### **NEW: Slim Rugged**



- audit eventsExtremely durable
- Stainless steel and aluminum construction
- Support for remote and mobile programming
- Rechargeable



- Higher intelligence to support more advanced features
- Enhanced user experience with faster processing and programming speeds

# Slim Line B Bluetooth Key • All the Slim Line S

- features and...
   Program anywhere
   Bluetooth
  - communication built-in
  - Smartphone app support
  - Immediate upload/ download of data (if desired)
  - New version with 3 week battery life now available.





See page 42 for additional details and technical information.



Medeco XT

# Intelligent Key Cabinet (IKC)

The Intelligent Key Cabinet is a complete, electronically-controlled, key management solution that can secure, distribute and audit the use of XT Keys, mechanical keys, or other assets. Only authorized users can gain access to the cabinet via the included biometric fingerprint reader or PIN code pad, or a combination of both. An optional access card reader is also available. IKC is available in configurations to store mechanical keys, XT electronic keys or a combination of both. As an essential addition to any Medeco XT Intelligent Key system, it locks XT keys in place and keeps them charged and ready for use. The IKC can improve employee efficiency and increase accountability which translates into a more secure facility with lower operating costs.

### **Benefits:**


- Accountability: No more wondering who has checked out keys or for how long. Complete audit trail and reporting by user and key activity. User accountability reduces lost keys. Fewer lost keys leads to lower expenses and improved security.
- Analytics: Identify potential problems in removal and return patterns before they escalate. Complete reporting suite provides multiple reporting options to provide real-time data. Reports can be automatically generated and sent to multiple users by email. Custom reports can be configured and exported to Excel for added convenience.
- Security: Loose keys are vulnerable to being misplaced or stolen. Only authorized users are able to access the electronic key management system. Biometric Fingerprint, PIN, and/or Prox Card authentication (optional) allow access to the IKC for added security and control. The IKC supports dual authentication if desired. For added security, a digital photo capture of each login can be added.
- Convenience: Allow employees to retrieve keys quickly without waiting for a manager. Quick, easy-to-use webbased or locally hosted software shows what keys are in, what keys are out, and to whom they are issued. The IKC allows the return of any key to any location in the cabinet, and then learns the key's new location.
- Productivity: Eliminate time spent searching for, or replacing lost keys – always know who took which key, and when.
- Efficiency: Pair with a full XT solution to identify patterns and workflows to gain even greater efficiency and security. XT version cabinets charge and program keys while they are secured and stored, ensuring keys are always ready to go.

### **Features:**

- Heavy-duty enclosure keeps keys safe and secure
- Distributes keys only to authorized users
- Admin notifications (email and SMS) for unreturned keys
- Available in 3 cabinet sizes. Cabinet storage capacities are 32, 64, 96, 128, 160, 192, 224, 256, and 288.
- Three versions available: XT, iFob, and Hybrid
- Locks XT keys in place and keeps them charged and ready for use. (XT version)
- Identifies XT key serial number (XT version)
- Built-in 10" touchscreen and fingerprint reader
- Multi-factor verification/authentication includes biometric finger scan, PIN, and Prox Card.
- Audible and visual alarms to indicate trouble conditions
- Built-in camera for photo verification of removal or attempted removal.
- Comprehensive reporting & analytics
- Emergency Fob Release System
- Multi-System Networking
- Medeco high security mechanical lock for manual override
- Supports 2 and 3 factor authentication
- Options:
- Mounting: Custom Stand holds 1 or 2 Standard or Mini cabinets to to securely hold the cabinets in place without having to mount them on a wall.
- User authentication: A Multi-class reader is available for purchase or the customer can supply their own reader for installation. (A reader and test card must be provided to Medeco for testing before the cabinet is manufactured to ensure proper compatibility.



# Intelligent Key Cabinet (IKC)



### **Scalability:**

The IKC system can grow as business needs grow by adding on additional secondary cabinets from 32-288 port sizes for iFob units and in a combination of technologies (iFob or XT).

- Each system requires one 'Main' touchscreen cabinet
- Add additional cabinets as needs require
- System can be any combination of 32 or 64 port cabinets
- 32 port cabinets support either XT or iFob ports
- 64 port cabinets support either all XT, all iFob, or a combination of 32 XT plus 32 iFob.
- Main and Secondary boxes can be configured with same technology or different
- Up to 7 Add-on units maximum (512 keys) for every Main unit

### **Large Cabinet:**

- 46" H x 27" W x 11" D
- Weight: 290 pounds
- May require wall reinforcement for mounting
- 160 to 288 key positions
- Available as iFob Main or Add-On Cabinet

### Mini Cabinet (Image A):

- Main Cabinet (Image A) 27" W x 14.72" H x 12" D
- Can be stand alone or connected to Add-on cabinet
- Technology Select All XT or All iFob
- Main and Add-on cabinets can be configured with same technology or different

### **Standard Cabinet (Image B):**

- Main Cabinet (Image B), 32 or 64 ports, 27" W x 25.25" H x 12" D
- Can be stand alone or connected to secondary cabinet
- Technology Select All XT, All iFob, or 32 XT plus 32 iFob
- Main and Add-on cabinets can be configured with same technology or different

### Add-on Cabinet (Image C):

- Add-on Cabinet (Image C), 27"W x 25.25" H x 12"D
- Available with 32 or 64 ports
- 32 port option expandable to 64 with additional 32 port panel (sold separately)
- Must be connected to a Main cabinet

# Intelligent Key Cabinet (IKC)

### **How to Order:**

EA-100199 Base Part #

> Refer to pages 30 to 31 for descriptions and technical specifications to find the corresponding base part number.

2

**Main Cabinet** 

M = Main Cabinet A = Add On


**Input Device** 

D = Multi-Class Card Reader U = Customer Supplied Input 0 = No Input Device\*

\*Note: Input options available on Main cabinet units only.

With Stand

0 = No Stand1 = With Stand



## **Intelligent Key Cabinet**



**Mini Cabinet** 



**Standard Cabinet** 



**Add-On Cabinet** 



**Large Cabinet** 

| Part Number   | Ports       | Type<br>(Standard, Mini, Large) | Description  | Price       |
|---------------|-------------|---------------------------------|--|-------------|
| EA-100237-M00 | 32          | XT - Mini                       | Mini-Cabinet, 32 port XT main, no input, without stand   | \$28,571.00 |
| EA-100237-MD0 | 32          | XT - Mini                       | Mini-Cabinet, 32 port XT main, Multi-class reader input, without stand   | \$29,743.00 |
| A-100237-MU0  | 32          | XT - Mini                       | Mini-Cabinet, 32 port XT main, customer-supplied input, without stand  | \$29,040.00 |
| A-100237-M01  | 32          | XT - Mini                       | Mini-Cabinet, 32 port XT main, no input, with stand  | \$30,035.00 |
| A-100237-MD1  | 32          | XT - Mini                       | Mini-Cabinet, 32 port XT main, Multi-class reader input, with stand  | \$31,207.00 |
| A-100237-MU1  | 32          | XT - Mini                       | Mini-Cabinet, 32 port XT main, customer-supplied input, with stand   | \$30,504.00 |
| A-100236-M00  | 32          | iFob - Mini                     | Mini-Cabinet, 32 port iFob main, no input, without stand   | \$20,937.00 |
| A-100236-MD0  | 32          | iFob - Mini                     | Mini-Cabinet, 32 port iFob main, Multi-class reader input, without stand   | \$22,109.00 |
| A-100236-MU0  | 32          | iFob - Mini                     | Mini-Cabinet, 32 port iFob main, customer-supplied input, without stand  | \$21,406.00 |
| A-100236-M01  | 32          | iFob - Mini                     | Mini-Cabinet, 32 port iFob main, no input, with stand  | \$22,401.00 |
| A-100236-MD1  | 32          | iFob - Mini                     | Mini-Cabinet, 32 port iFob main, Multi-class reader input, with stand  | \$23,573.00 |
| A-100236-MU1  | 32          | iFob - Mini                     | Mini-Cabinet, 32 port iFob main, customer-supplied input, with stand   | \$22,870.00 |
| A-100199-M00  | 32*         | XT - Standard                   | 32 port XT main cabinet, no input, no stand  | \$28,571.00 |
| A-100199-MD0  | 32*         | XT - Standard                   | 32 port XT main cabinet, Multi-class card reader input, no stand   | \$29,743.00 |
| A-100199-MU0  | 32*         | XT - Standard                   | 32 port XT main cabinet, customer-supplied input, no stand   | \$29,040.00 |
| A-100199-M01  | 32*         | XT - Standard                   | 32 port XT main cabinet, no input, with stand  | \$30,035.00 |
| A-100199-MD1  | 32*         | XT - Standard                   | 32 port XT main cabinet, Multi-class card reader input, with stand   | \$31,207.00 |
| A-100199-MU1  | 32*         | XT - Standard                   | 32 port XT main cabinet, customer-supplied input, with stand   | \$30,504.00 |
| A-100199-A00  | 32*         | XT - Standard (add-on)          | 32 port XT add-on cabinet without stand  | \$17,322.00 |
| A-100199-A01  | 32*         | XT - Standard (add-on)          | 32 port XT add-on cabinet with stand   | \$18,787.00 |
| A-100247-M00  | 64          | XT - Standard                   | 64 port XT main cabinet, no input, without stand   | \$34,486.00 |
| A-100247-MD0  | 64          | XT - Standard                   | 64 port XT main cabinet, Multi-class card reader input, without stand  | \$35,658.00 |
| A-100247-MU0  | 64          | XT - Standard                   | 64 port XT main cabinet, customer-supplied input, without stand  | \$34,955.00 |
| A-100247-M01  | 64          | XT - Standard                   | 64 port XT main cabinet, no input, with stand  | \$35,950.00 |
| A-100247-MD1  | 64          | XT - Standard                   | 64 port XT main cabinet, Multi-class card reader input, with stand   | \$37,122.00 |
| A-100247-MU1  | 64          | XT - Standard                   | 64 port XT main cabinet, customer-supplied input, with stand   | \$36,419.00 |
| A-100247-A00  | 64          | XT - Standard (add-on)          | 64 port XT add-on cabinet without stand  | \$26,373.00 |
| A-100247-A01  | 64          | XT - Standard (add-on)          | 64 port XT add-on cabinet with stand   | \$27,837.00 |
| A-100248-M00  | 32*         | iFob - Standard                 | 32 port iFob main cabinet, no input, without stand   | \$20,937.00 |
| A-100248-MD0  | 32*         | iFob - Standard                 | 32 port iFob main cabinet, Multi-class card reader input, without stand  | \$22,109.00 |
| A-100248-MU0  | 32*         | iFob - Standard                 | 32 port iFob main cabinet, customer-supplied input, without stand  | \$21,406.00 |
| A-100248-M01  | 32*         | iFob - Standard                 | 32 port iFob main cabinet, no input, with stand  | \$22,401.00 |
| A-100248-MD1  | 32*         | iFob - Standard                 | 32 port iFob main cabinet, Multi-class card reader input, with stand   | \$23,573.00 |
| A-100248-MU1  | 32*         | iFob - Standard                 | 32 port iFob main cabinet, customer-supplied input, with stand   | \$22,870.00 |
| A-100248-A00  | 32*         | iFob - Standard (add-on)        | 32 port iFob add-on cabinet, without stand   | \$14,878.00 |
| A-100248-A01  | 32*         | iFob - Standard (add-on)        | 32 port iFob add-on cabinet, with stand  | \$16,343.00 |
| A-100249-M00  | 64          | iFob - Standard                 | 64 port iFob main cabinet, no input, without stand   | \$29,158.00 |
| A-100249-MD0  | 64          | iFob - Standard                 | 64 port iFob main cabinet, Multi-class card reader input, without stand  | \$30,330.00 |
| A-100249-MU0  | 64          | iFob - Standard                 | 64 port iFob main cabinet, customer-supplied input, without stand  | \$29,627.00 |
| A-100249-M01  | 64          | iFob - Standard                 | 64 port iFob main cabinet, no input, with stand  | \$30,622.00 |
| A-100249-MD1  | 64          | iFob - Standard                 | 64 port iFob main cabinet, Multi-class card reader input, with stand   | \$31,794.00 |
| A-100249-MU1  | 64          | iFob - Standard                 | 64 port iFob main cabinet, customer-supplied input, with stand   | \$31,091.00 |
| A-100249-A00  | 64          | iFob - Standard (add-on)        | 64 port iFob add-on cabinet, without stand   | \$18,659.00 |
| A-100249-A01  | 64          | iFob - Standard (add-on)        | 64 port iFob add-on cabinet, with stand  | \$20,124.00 |
| A-100250-M00  | 32/32 COMBO | XT/iFob - Standard              | 64 port combo main cabinet, no input, without stand  | \$33,097.00 |
| A-100250-MD0  | 32/32 COMBO | XT/iFob - Standard              | 64 port combo main cabinet, Multi-class card reader input, without stand   | \$34,269.00 |
| A-100250-MU0  | 32/32 COMBO | XT/iFob - Standard              | 64 port combo main cabinet, customer-supplied input, without stand   | \$33,566.00 |
| A-100250-M01  | 32/32 COMBO | XT/iFob - Standard              | 64 port combo main cabinet, no input, with stand   | \$34,561.00 |
| A-100250-MD1  | 32/32 COMBO | XT/iFob - Standard              | 64 port combo main cabinet, Multi-class card reader input, with stand  | \$35,733.00 |
| A-100250-MU1  | 32/32 COMBO | XT/iFob - Standard              | 64 port combo main cabinet, customer-supplied input, with stand  | \$35,030.00 |
| A-100250-A00  | 32/32 COMBO | XT/iFob - Standard (add-on)     | 64 port combo add-on cabinet, without stand  | \$24,984.00 |
| A-100250-A01  | 32/32 COMBO | XT/iFob - Standard (add-on)     | The state of the s | \$26,448.00 |

 $<sup>^*</sup>$  Expandable to 64 total ports with addition of 32 port panel (Sold separately). See page 32 for more details.

# Intelligent Key Cabinet

| Part Number                    | Ports      | Type<br>(Standard, Mini, Large) | Description   | Price                      |
|--------------------------------|------------|---------------------------------|---|----------------------------|
| EA-100259-M00                  | 96         | iFob Standard                   | 96 port iFob standard cabinet, no input, without stand  | \$32,000.00                |
| EA-100259-MD0                  | 96         | iFob Standard                   | 96 port iFob standard cabinet, Multi-class card reader input, without stand   | \$32,750.00                |
| EA-100259-MU0                  | 96         | iFob Standard                   | 96 port iFob standard cabinet, customer-supplied input, without stand   | \$32,250.00                |
| EA-100259-M01                  | 96         | iFob Standard                   | 96 port iFob standard cabinet, no input, with stand   | \$33,000.00                |
| EA-100259-MD1                  | 96         | iFob Standard                   | 96 port iFob standard cabinet, Multi-class card reader input, with stand  | \$33,750.00                |
| EA-100259-MU1                  | 96         | iFob Standard                   | 96 port iFob standard cabinet, customer-supplied input, with stand  | \$33,250.00                |
| EA-100259-A00                  | 96         | iFob - Standard (add-on)        | 96 port iFob add-on cabinet, without stand  | \$24,856.22                |
| EA-100259-A01                  | 96         | iFob - Standard (add-on)        | 96 port iFob add-on cabinet, with stand   | \$25,856.22                |
| EA-100260-M00                  | 128        | iFob Standard                   | 128 port iFob standard cabinet, no input, without stand   | \$37,760.00                |
| EA-100260-MD0                  | 128        | iFob Standard                   | 128 port iFob standard cabinet, Multi-class card reader input, without stand  | \$38,510.00                |
| EA-100260-MU0                  | 128        | iFob Standard                   | 128 port iFob standard cabinet, customer-supplied input, without stand  | \$38,010.00                |
| EA-100260-M01                  | 128        | iFob Standard                   | 128 port iFob standard cabinet, no input, with stand  | \$38,760.00                |
| EA-100260-MD1                  | 128        | iFob Standard                   | 128 port iFob standard cabinet, Multi-class card reader input, with stand   | \$39,510.00                |
| EA-100260-MU1                  | 128        | iFob Standard                   | 128 port iFob standard cabinet, customer-supplied input, with stand   | \$39,010.00                |
| EA-100260-A00                  | 128        | iFob - Standard (add-on)        | 128 port iFob add-on cabinet, without stand   | \$29,880.66                |
| EA-100260-A01                  | 128        | iFob - Standard (add-on)        | 128 port iFob add-on cabinet, with stand  | \$30,880.66                |
| EA-100261-M00                  | 160        | iFob Large                      | 160 port iFob standard cabinet, no input, without stand   | \$43,547.00                |
| EA-100261-MD0                  | 160        | iFob Large                      | 160 port iFob standard cabinet, Multi-class card reader input, without stand  | \$44,297.00                |
| EA-100261-MU0                  | 160        | iFob Large                      | 160 port iFob standard cabinet, customer-supplied input, without stand  | \$43,797.00                |
| EA-100261-M01                  | 160        | iFob Large                      | 160 port iFob standard cabinet, no input, with stand  | \$44,547.00                |
| EA-100261-MD1                  | 160        | iFob Large                      | 160 port iFob standard cabinet, Multi-class card reader input, with stand   | \$45,297.00                |
| EA-100261-MU1                  | 160        | iFob Large                      | 160 port iFob standard cabinet, customer-supplied input, with stand   | \$44,797.00                |
| EA-100261-A00                  | 160        | iFob - Large (add-on)           | 160 port iFob add-on cabinet, without stand   | \$34,880.34                |
| EA-100261-A01                  | 160        | iFob - Large (add-on)           | 160 port iFob add-on cabinet, with stand  | \$35,880.34                |
| EA-100262-M00                  | 192        | iFob Large                      | 192 port iFob standard cabinet, no input, without stand   | \$49,306.00                |
| EA-100262-MD0                  | 192        | iFob Large                      | 192 port iFob standard cabinet, Multi-class card reader input, without stand  | \$50,056.00                |
| EA-100262-MU0                  | 192        | iFob Large                      | 192 port iFob standard cabinet, customer-supplied input, without stand  | \$49,556.00                |
| EA-100262-M01                  | 192        | iFob Large                      | 192 port iFob standard cabinet, no input, with stand  | \$50,306.00                |
| EA-100262-MD1                  | 192        | iFob Large                      | 192 port iFob standard cabinet, Multi-class card reader input, with stand   | \$51,056.00                |
| EA-100262-MU1                  | 192        | iFob Large                      | 192 port iFob standard cabinet, customer-supplied input, with stand   | \$50,556.00                |
| EA-100262-A00                  | 192        | iFob - Large (add-on)           | 192 port iFob add-on cabinet, without stand   | \$40,195.56                |
| EA-100262-A01                  | 192        | iFob -Large (add-on)            | 192 port iFob add-on cabinet, with stand  | \$41,195.56                |
| EA-100263-M00                  | 224        | iFob Large                      | 224 port iFob standard cabinet, no input, without stand   | \$55,067.00                |
| EA-100263-MD0                  | 224        | iFob Large                      | 224 port iFob standard cabinet, Multi-class card reader input, without stand  | \$55,817.00                |
| EA-100263-MU0                  | 224<br>224 | iFob Large                      | 224 port iFob standard cabinet, customer-supplied input, without stand  | \$55,317.00                |
| EA-100263-M01                  | 224        | iFob Large<br>iFob Large        | 224 port iFob standard cabinet, no input, with stand  | \$56,067.00                |
| EA-100263-MD1<br>EA-100263-MU1 | 224        | iFob Large                      | 224 port iFob standard cabinet, Multi-class card reader input, with stand 224 port iFob standard cabinet, customer-supplied input, with stand | \$56,817.00<br>\$56,317.00 |
| EA-100263-M01                  | 224        | iFob -Large (add-on)            | 224 port iFob add-on cabinet, customer-supplied input, with stand   | \$45,196.70                |
| EA-100263-A00                  | 224        | iFob -Large (add-on)            | 224 port iFob add-on cabinet, without stand   | \$46,196.70                |
| EA-100263-A01                  | 256        | iFob Large                      | 256 port iFob standard cabinet, no input, without stand   | \$60,827.00                |
| EA-100264-M00                  | 256        | iFob Large                      | 256 port iFob standard cabinet, no input, without stand   | \$61,577.00                |
| EA-100264-MU0                  | 256        | iFob Large                      | 256 port iFob standard cabinet, Multi-class cald reader input, without stand  | \$61,077.00                |
| EA-100264-M01                  | 256        | iFob Large                      | 256 port iFob standard cabinet, customer-supplied input, without stand  | \$61,827.00                |
| EA-100264-MD1                  | 256        | iFob Large                      | 256 port iFob standard cabinet, No Input, With stand  | \$62,577.00                |
| EA-100264-MU1                  | 256        | iFob Large                      | 256 port iFob standard cabinet, water-class card reader input, with stand   | \$62,077.00                |
| EA-100264-A00                  | 256        | iFob -Large (add-on)            | 256 port iFob add-on cabinet, without stand   | \$50,197.50                |
| EA-100264-A00                  | 256        | iFob -Large (add-on)            | 256 port iFob add-on cabinet, without stand   | \$51,197.50                |
| EA-100265-M00                  | 288        | iFob Large                      | 288 port iFob standard cabinet, no input, without stand   | \$66,587.00                |
| EA-100265-MD0                  | 288        | iFob Large                      | 288 port iFob standard cabinet, Multi-class card reader input, without stand  | \$67,337.00                |
| EA-100265-MU0                  | 288        | iFob Large                      | 288 port iFob standard cabinet, customer-supplied input, without stand  | \$66,837.00                |
| EA-100265-M01                  | 288        | iFob Large                      | 288 port iFob standard cabinet, no input, with stand  | \$67,587.00                |
| EA-100265-MD1                  | 288        | iFob Large                      | 288 port iFob standard cabinet, Nulti-class card reader input, with stand   | \$68,337.00                |
| EA-100265-MU1                  | 288        | iFob Large                      | 288 port iFob standard cabinet, water-class card reader input, with stand   | \$67,837.00                |
| EA-100265-A00                  | 288        | iFob -Large (add-on)            | 288 port iFob add-on cabinet, without stand   | \$55,210.12                |
| EA-100265-A00                  | 288        | iFob -Large (add-on)            | 288 port iFob add-on cabinet, without stand   | \$56,210.12                |
| L/1-100203-/101                | 200        | II OD -Laige (duu-oil)          | 200 port if ob add-off cabilite, with stand   | \$30,210.12                |

### **IKC Software Options**

| Part Number  | Description   | Price      |
|--------------|---|------------|
| SW-500141    | Medeco-hosted software for IKC, up to 5 cabinets, billed annually                               | \$1,012.00 |
| SW-500141-1  | Self-hosted software for IKC on-site server installations, iFob version only, one-time purchase | \$1,012.00 |
| SW-500141-1R | Annual maintenance fee for IKC self-hosted software, billed annually                            | \$190.00   |

## **Intelligent Key Cabinet Accessories**



| Description  | Part Number | Price      |
|--|-------------|------------|
| Medeco iFob  | EA-300242   | \$88.20    |
| 6" Cable Seals (price is per cable seal)               | EA-300245   | \$8.09     |
| Multi-Class reader, includes install and configuration | EA-250066   | \$1,346.00 |
| Spare XT Panel   | EA-300244   | \$9,104.00 |
| Spare iFob Panel                                       | EA-300243   | \$7,261.00 |
| Tray Assembly  | EA-300257   | \$506.55   |

### **IKC Installation Items**

| Description         | Part Number | Price      |
|---------------------|-------------|------------|
| Key Cabinet Stand   | EA-300239   | \$1,684.00 |
| Large Wallboard     | EA-300254   | \$422.00   |
| Standard Wall board | EA-300256   | \$324.27   |
| Mini Wallboard      | EA-300255   | \$258.00   |

# Medeco® XT Access Interface Module (AIM)

The Medeco® XT Access Interface Module – known as "AIM" – allows the user to insert their Medeco XT key to trigger actions in other systems. Using both authorized and unauthorized event conditions, users can unlock doors with electric strikes or maglocks, initiate video cameras and bring attention to unauthorized events by triggering access control or alarm panels.





### **AIM Features:**

- Greatly enhances the capability of the Medeco XT Intelligent Key System
- Key audit tracks events just like an XT cylinder
- Two-person authentication option
- Uses NO Normally Open and NC Normally Closed relays to trigger different outputs for Access Granted or Access Denied events
- Can be powered by an XT key or 12-24V Power Supply depending on AIM connection

### **Warranty:**

Medeco Security Locks warrants Medeco® XT products to be free of defects in material and/or workmanship for a period of two (2) years from date of original purchase.

### **Applications:**

Medeco XT AIM module can be used with other Access Control or Alarm Panels to trigger authorized and unauthorized event conditions.


### Medeco XT Access Interface Module (AIM):

| Description                       | Part Number       | Price    |
|-----------------------------------|-------------------|----------|
| Medeco XT Access Interface Module | EA-100192         | \$864.00 |
|                                   | Medeco ASSA ABLOY |          |
|                                   |                   |          |

# Medeco<sup>®</sup> XT

### Medeco XT Traffic Cabinet Lock

The Medeco XT Traffic Cabinet Lock helps to secure our critical infrastructure. The Intelligent Traffic System (ITS) cabinets located at every street corner contain hardware that control our cities streets. Cyber attack is a constant threat. A simple retrofit lock solution like the Medeco XT Traffic Cabinet Lock is the quickest, most cost-effective way to add the accountability necessary to help eliminate tampering with the advanced equipment contained within these cabinets.





### **Medeco XT Traffic Cabinet Lock:**

| Description   | Part Number | Price    |
|---|-------------|----------|
| XT Traffic Cabinet Lock – Deadbolt*                       | EA-100221   | \$473.00 |
| XT Traffic Cabinet Lock – Slam bolt*                      | EA-100220   | \$496.00 |
| High Security Mechanical Traffic Cabinet Lock - Deadbolt* | 490435      | \$239.50 |
| High Security Mechanical Traffic Cabinet Lock - Slambolt* | 490436      | \$241.50 |


 $<sup>^</sup>st$  Can be installed in left-hand or right-hand doors.

### **XT Safe Lock**

The Medeco XT Safe Lock is a direct replacement for physical security devices that utilize standard mechanical dial combination locks or digital keypad locks. XT Safe Lock includes a reader with key port mounted on the outside of the safe door, and is available three XT lock configurations deadbolt, spring bolt and swing bolt.

To access the safe, an XT Key is programmed via the Medeco XT Web Management Software system to only open a specific XT Safe Lock and the key is issued to a specific user. The user inserts the XT Key into the key port on the exterior reader. Power is supplied by the key to the lock PCB and authentication is initiated with a secure process over the interface communications cable.

An LED provides visual feedback to the user on the current state of the lock. If the lock PCB and XT Key are in agreement that access is granted,





### XT Safe Lock:

| Description                            | Part Number | Price    |
|--|-------------|----------|
| XT Safe Lock – Deadbolt Lock Bundle    | EA-100206   | \$943.00 |
| XT Safe Lock – Spring Bolt Lock Bundle | EA-100207   | \$943.00 |
| XT Safe Lock – Swingbolt Lock Bundle   | EA-100208   | \$943.00 |

# Medeco<sup>®</sup> XT

### **XT Guard Tour Reader**

The Medeco XT Guard Tour Reader is a simple, yet powerful, user tracking solution that can be added to any XT Intelligent Key system. The reader mounts easily to any interior or exterior flat surface and programs just like a standard XT cylinder. As the designated 'Tour' individual makes their rounds, they simply touch the reader with their XT key which creates an audit event that proves they completed this task. A record of activity is available for audit or reporting at any time.



### **XT Guard Tour Reader**

| Description          | Part Number | Price    |
|----------------------|-------------|----------|
| XT Guard Tour Reader | EA-100240   | \$449.00 |

### **XT Cylinders**

For availability of cylinder formats not shown, contact Technical Support.

XT Rim and Mortise electronic cylinders are a simple and direct replacement for mechanical cylinders. Ideal for loss & liability management with flexible authorization and auditing capabilities.

Respond quickly to security threats, lost or stolen keys, or personnel changes without the added cost of changing your locks and keys. Medeco XT is a complete electronic locking system providing controlled access, accountability, physical security, and system management with no wiring requirements.

Cylinders are available in many popular lengths and finishes to fit nearly any application in your office, business and retail applications.



**Mortise Cylinder** 



Rim Cylinder

### **XT Rim and Mortise Cylinders**

| Description                        | Part Number | Price    |
|------------------------------------|-------------|----------|
| Rim Cylinder, horizontal tailpiece | 100400H G*  | \$381.79 |
| Rim Cylinder, vertical tailpiece   | 100400V G*  | \$381.79 |
| 1 1/4" Mortise Cylinder            | 100500 G*   | \$384.86 |
| 1 3/8" Mortise Cylinder            | 105100 G*   | \$381.13 |

<sup>\*</sup>Must specify cam (mortise) or tailpiece (rim) when ordering. See pages 78-79 for cam and tailpiece part numbers and descriptions. If not specified, Z01 cam will be supplied for mortise, Y02 tailpiece will be supplied with rim cylinders.

### Medeco® XT Dual-Tech Cylinder

### **For Rapid-Entry Applications**

The patented Medeco XT Dual-Tech retrofit cylinder is designed for both accountability and rapid-entry applications. It combines two cylinder technologies – the Medeco XT electronic cylinder and the Medeco X4 mechanical cylinder – in one mortise cylinder housing. Both cylinders operate independently of one another so access is provided using either the XT Key or the X4 key.



Allows fire department emergency facility access using a familiar mechanical key while the XT Intelligent key is used for daily accountability. In multi-family applications, tenants use the mechanical key and maintenance uses XT key for accountability. Ideal for any application requiring a mechanical key override.

### **Medeco Dual Tech Cylinder**

| Description  | Part Number | Price    |
|--|-------------|----------|
| XT Dual Tech 1-1/4" Mortise Cylinder, with Medeco X4 | 490423 G    | \$608.50 |
| XT Dual Tech 1-1/4" Mortise Cylinder for Arrow/Best  | 490426 G    | \$608.50 |
| XT Dual Tech 1-3/4" Mortise Cylinder                 | 490437 G    | \$615.50 |
| XT Dual Tech Rim Cylinder                            | 490432 G    | \$907.50 |

### XT Dual-Tech Cams

Dual Tech mortise cylinders come complete with a set of 2 specially designed cams, a direct-drive cam operated by the Medeco XT key and an Override cam operated by the Mechanical key. Cam type must be indicated when ordering (Z00, Z01, etc.) Important Note: The standard cams listed on pages 78-79 cannot be used in Dual-tech cylinders.







Replacement cams must be ordered using the chart below. One each direct drive and override cam required per cylinder.

### **Dual Tech Cams**

| Description                    | Part Number   | Price   |
|--------------------------------|---------------|---------|
| Direct Drive Cam – Russwin     | CP-100771-Z00 | \$11.40 |
| Override Cam – Russwin Type    | CP-100781-Z00 | \$11.40 |
| Direct Drive Cam – Yale Type   | CP-100771-Z01 | \$11.40 |
| Override Cam – Yale Type       | CP-100781-Z01 | \$11.40 |
| Direct Drive Cam – Adams Rite  | CP-100771-Z02 | \$11.40 |
| Override Cam – Adams Rite Type | CP-100781-Z02 | \$11.40 |
| Direct Drive Cam – Sargent     | CP-100771-Z20 | \$11.40 |
| Override Cam – Sargent Type    | CP-100781-Z20 | \$11.40 |
| Direct Drive Cam – Schlage     | CP-100771-Z34 | \$11.40 |
| Override Cam – Schlage Type    | CP-100781-Z34 | \$11.40 |

## **Interchangeable Core Cylinders**

XT Small Format Interchangeable Core (SFIC) is ideal for access management as a direct replacement for mechanical SFIC without any hardware modifications. An easy-to-upgrade solution, ready to install and use without wiring or power supply, XT SFIC is easily installed or removed to existing hardware with the simple use of a programmed control key. Users can audit keys, program a schedule and track who opens a lock and when – all while eliminating the cost of rekeying mechanical locks. Well suited for facilities with high turnover of employees, such as fast food restaurants, convenience stores, and similar businesses, but is also suitable for apartments, office buildings, schools, and hospitals. Available in custom finishes.



#### **Available Finishes:**

06 - Satin Brass, 12 - Satin Bronze, 13 - Dark Bronze/Oil rubbed, BB - Matte Black, 26 - Satin Chrome\* \*See finishes on inside back cover. Note: There is a fee for all finishes other than 26.

#### XT Small & Large Format Interchangeable Core

| Description  | Part Number | Price    |
|--|-------------|----------|
| Small Format Interchangeable Core (SFIC) Cylinder                                      | EA-100108   | \$414.00 |
| Schlage Large Format Interchangeable Core (LFIC) Cylinder*                             | 322201 G    | \$383.50 |
| Yale Large Format Interchangeable Core (LFIC) Cylinder* 6 pin                          | 310100 G    | \$387.47 |
| Yale Large Format Interchangeable Core (LFIC) Cylinder* 7 pin                          | 310100A G   | \$387.47 |
| Sargent Large Format Interchangeable Core (LFIC) Cylinder 6 pin                        | 322401 G    | \$389.86 |
| Corbin Large Format Interchangeable Core (LFIC) Cylinder 6 and 7 pin (includes spacer) | 322301 G    | \$389.86 |

<sup>\*</sup> Fits LFIC format housing, but is a one-time installation and not removable.

See page 110 for LFIC housings. See page 120 for SFIC housings.

## **Key-In-Knob/Lever Cylinders**

XT Key-in-Knob/Lever electronic cylinder is a direct replacement for mechanical KIK/ KIL cylinders and is ideal for access control management. The cylinder requires no wiring to the door and is powered by the XT rechargeable key. Audit trail, user access schedules and the ability to quickly add or remove a key electronically from a system allow for fast response to security threats, lost or stolen keys, or personnel changes without the added cost of changing locks and keys. Designed for quick retrofit of nearly all popular brands of knob and lever-type cylindrical locksets, making them an ideal application for office doors, storage and file rooms, or residential doors: virtually any door where cylindrical hardware is used.



#### **XT Arrow Cylinders**

| Description   | Part Number | Price    |
|---|-------------|----------|
| Medeco XT cylinder for all Arrow RK & MK series knobs<br>and GL series levers. For RK & MK series, replace original |             |          |
| spacer with Medeco CP-160321 (included)   | 20200A1 G   | \$387.54 |

#### **XT Cylinders for Cal-Royal**

| Description  | Part Number      | Price    |
|--|------------------|----------|
| Cylinder for Cal-Royal Apollo series SL00 knob lock and LX01 level | r lock 2020049 G | \$385.32 |
| Cylinder for Cal-Royal CLS03 classroom function Gr. 2 lever lock   | 20200V1 G        | \$385.32 |

#### **XT Cylinders for Corbin Russwin**

| Description   | Part Number | Price    |
|---|-------------|----------|
| Cylinder for Corbin 800 lever lockset CL3300, CL3400, |             |          |
| CL3500 & CL3600                                       | 2020073 G   | \$385.32 |
| Cylinder for Corbin Russwin CL3900 series leversets   | 20200V9 G   | \$385.32 |

| Description   | Part Number | Price    |
|---|-------------|----------|
| Cylinder for Falcon B, LY, X, S & T series. Includes: CT-V03, CT-Y49, |             |          |
| CT-Y54, CT-Y58, CTY68, CT-Y71, CT-Y72, CP-160311                      | 20200F1 G   | \$387.54 |
| Cylinder for Falcon F521, F561, F581, and N series knobs              | 2020051 G   | \$385.32 |
| Cylinder for Falcon T-381 (inside)                                    | 2020073 G   | \$385.32 |
| Cylinder for Falcon T & RU series, T381 (exterior)                    | 20200V3 G   | \$385.32 |

## XT Cylinders for KABA-Mas-Hamilton

| Description                           | Part Number | Price    |
|---------------------------------------|-------------|----------|
| Cylinder for Kaba E-plex 5000         | 2020000 G   | \$385.32 |
| Cylinder for Mas-Hamilton Power Lever | 20200V1 G   | \$385.32 |

## XT Cylinders for LSDA

| Description   | Part Number | Price    |
|---|-------------|----------|
| LSDA cylinder package fits 100, L100, LH1000, LX1000, Includes: |             |          |
| CT-Y49, CT-Y70, CT-Y73, CTY78                                   | 20200L1 G   | \$387.54 |

## **XT Cylinder for Marks**

| Description   | Part Number | Price    |
|---|-------------|----------|
| Cylinder for Marks 110, 170, 180, 190, 195, 295 series Vestibule, |             |          |
| Communicating, Classroom, & Classroom Security functions          |             |          |
| (DA, DC, SB, S).  | 20200V0 G   | \$385.32 |
| Cylinder for Marks Lever 110, 170, 180, 190, 195, 295 series      |             |          |
| in Entrance, Institution, Storeroom, and Corridor functions       |             |          |
| (AB, DW, F,T)   | 20200V1 G   | \$385.32 |

## **XT Cylinders for Olympus**

| Description  | Part Number | Price    |
|--|-------------|----------|
| Cylinder for Olympus 700 LCM & 800 LCM Key Retaining | 20200S1 G   | \$387.54 |

## XT Cylinders for PDQ

| Description   | Part Number | Price    |
|---|-------------|----------|
| Cylinder for PDQ Lever SP & ST Series, GT, XGT, & GP Series | 20200V2 G   | \$385.32 |

## **XT Cylinders for Sargent**

| Description  | Part Number | Price    |
|--|-------------|----------|
| Cylinder for Sargent 10 line locksets, order with '30' option prefix |             |          |
| (note: cylinder will extend from lever more than standard cylinder)  | 20200S1 G   | \$387.54 |

## **XT Cylinders for Schlage**

| Description  | Part Number | Price    |  |
|--|-------------|----------|--|
| Cylinder Package for Schlage A, AL, C, D, ND & Olympiad lever designs, |             |          |  |
| includes: CT-Y49 (A, AL, & D Olympiad Lever & C & D Plymouth),         |             |          |  |
| CT-Y52 (C & D heavy duty knobs Ball, Globe & Sphere designs only),     |             |          |  |
| CT-Y53 (A series Orbit), CT-Y73 (ND series Gr. 1 lever & AL thick doo  | ors),       |          |  |
| and CTY74 (45-101 padlock)   | 20200S1 G   | \$387.54 |  |
| Cylinder for Schlage S Series Lever                                    | 2020097 G   | \$992.70 |  |

## **XT Cylinders for TACO**

| Description  | Part Number | Price    |
|--|-------------|----------|
| Cylinder for Olympus 700 LCM & 800 LCM Key Retaining | 20200S1 G   | \$387.54 |

## **XT Cylinders for Yale**

| Description   | Part Number | Price    |
|---|-------------|----------|
| Cylinder for Yale 6 pin 5300LN, 5400LN and 4300 Knobs | 200503 G    | \$385.32 |

Medeco XT

## **Padlocks**

XT padlocks are ideal for access management at off site or hard to reach locations. The robust cylinder with stainless steel components is designed for interior and exterior use. Keys are electronically programmed to open only specific locks during a designated schedule and audit information is recorded in both the lock and key. With no wiring or power supply required, XT padlocks are an ideal application for perimeter fences and gates, or access to equipment storage areas where traditional EAC is practically impossible to install.



The All Weather Padlock (AWP) is recommended for all outdoor applications to provide maximum protection and reliability.

#### **XT Padlocks**

| Description  | Part No.  | Price    |
|--|-----------|----------|
| All Weather Padlock, 5/16" SS shackle, 1 7/8" Clearance  | 5005511 G | \$584.97 |
| All Weather Padlock. 5/16" SS shackle, 2 3/8" Clearance  | 5005521 G | \$589.97 |
| All Weather Padlock, 5/16" Boron shackle, 1 7/8" Clearance   | 5005531 G | \$584.97 |
| All Weather Padlock, 5/16" Boron shackle, 2 3/8" Clearance   | 5005541 G | \$589.97 |
| All Weather Padlock, 7/16" SS shackle, 2" Clearance  | 5005711 G | \$584.97 |
| All Weather Padlock, 7/16" SS shackle, 2 1/2" Clearance  | 5005721 G | \$589.97 |
| All Weather Padlock, 7/16" Boron shackle, 2 " Clearance  | 5005731 G | \$584.97 |
| All Weather Padlock, 7/16" Boron shackle, 2 1/2" Clearance   | 5005741 G | \$589.97 |
| Hockey Puck Padlock  | 5293000 G | \$530.21 |
| SS Indoor/Outdoor Padlock, Non-Key Retaining, 1 1/8" Shackle Clearance, 5/16" Shackle Diameter, w/Cylinder | 5451500 G | \$521.55 |
| SS Indoor/Outdoor Padlock, Key Retaining, 1 1/8"Shackle Clearance, 5/16" Shackle Diameter, w/Cylinder      | 54515R0 G | \$521.55 |
| SS Indoor/Outdoor Padlock, Non-Key Retaining, 2 3/8" Shackle Clearance, 5/16" Shackle Diameter, w/Cylinder | 5451F00 G | \$525.55 |
| SS Indoor/Outdoor Padlock, Key Retaining, 2 3/8" Shackle Clearance, 5/16" Shackle Diameter, w/Cylinder     | 5451FR0 G | \$525.55 |
| SS Shrouded Padlock, Non-Key Retaining, 3/4" Shackle Clearance, 5/16" Shackle Diameter, w/Cylinder         | 5452500 G | \$548.55 |
| SS Shrouded Padlock, Key Retaining, 3/4" Shackle Clearance, 5/16" Shackle Diameter, w/Cylinder             | 54525R0 G | \$548.55 |
| SS Indoor/Outdoor Padlock, Non-Key Retaining, 1 3/8" Shackle Clearance, 7/16" Shackle Diameter, w/Cylinder | 5471500 G | \$554.55 |
| SS Indoor/Outdoor Padlock, Key Retaining, 1 3/8" Shackle Clearance, 7/16" Shackle Diameter, w/Cylinder     | 54715R0 G | \$554.55 |
| SS Indoor/Outdoor Padlock, Non-Key Retaining, 1 7/8" Shackle Clearance, 7/16" Shackle Diameter, w/Cylinder | 5471F00 G | \$560.55 |
| SS Indoor/Outdoor Padlock, Key Retaining, 17/8" Shackle Clearance, 7/16" Shackle Diameter, w/Cylinder      | 5471FR0 G | \$560.55 |
| SS Shrouded Padlock, Non-Key Retaining, 3/4" Shackle Clearance, 7/16" Shackle Diameter, w/Cylinder         | 5472500 G | \$600.55 |
| SS Shrouded Padlock, Key Retaining, 3/4" Shackle Clearance, 7/16" Shackle Diameter, w/Cylinder             | 54725R0 G | \$600.55 |
| Note: In this section, "SS" stands for "System Series."  |           |          |

#### **Medeco XT Padlock Cylinders**

| Description  | Part No.  | Price    |
|--|-----------|----------|
| XT All Weather Padlock Cylinder                        | 510800 G  | \$334.22 |
| XT System Series Padlock, Cylinder Only                | 510600 G  | \$424.26 |
| XT Pop-Out Cylinder for G8R Padlock – Round Deadbolt   | EV-8501D  | \$398.00 |
| XT Pop-Out Cylinder for G8R Padlock – Round Springbolt | EV-8501S  | \$398.00 |
| XT Cylinder for Hockey Puck Padlock                    | 2001600 G | \$339.32 |

## **Cam and Utility Locks**

Medeco® XT cam locks are built for strong physical security and offer all the benefits of the XT Electronic Locking System. XT cam locks are available in lengths of 7/8" and 1-1/8" with a wide variety of cams and security collars. The cylinder is designed for interior and exterior use and requires no wiring or modification to the door. Audit information recorded in both the lock and key shows a time-and-date stamped record of every event, including authorized accesses and unauthorized attempts. A quick retrofit to existing hardware, XT cam locks are ideal for utility cabinets, retail fixtures, narcotics storage, safes and more.



#### **XT Cam Locks**

| Description                             | Part Number             | Price    |
|---|-------------------------|----------|
| 7/8" Cam lock assembly, Key Retaining   | EN-150002-XXX (Op Code) | \$398.00 |
| 1 1/8" Cam lock assembly, Key Retaining | EN-150003-XXX (Op Code) | \$398.00 |

#### **Cam Lock Operation Codes**

| Description                                    | Op Code |
|--|---------|
| 2 flat, 1 keypull, clockwise 90 degree         | 219     |
| 2 flat, 1 keypull, counter-clockwise 90 degree | 239     |
| 2 flat, 1 keypull, clockwise 180 degrees       | 259     |

#### **XT T-bolt Cylinders**

| Description   | Part Number   | Price    |
|---|---------------|----------|
| XT T-bolt – Key Retaining, unlocked at 180 degree     | 6280550 G -XX | \$382.68 |
| XT T-bolt – Non-Key Retaining, unlocked at 360 degree | 6282550 G -XX | \$382.68 |

#### XT Cam Lock

| Description                                 | Part Number     | Price    |
|---|-----------------|----------|
| 1 1/8" Cam lock assembly, Non-Key Retaining | 600650269 G -XX | \$386.84 |



#### **XT Switch Locks**

| Description                   | Part Number       | Price    |
|-------------------------------|-------------------|----------|
| 2 Position, Key Retaining     | 6522560 G -121-XX | \$367.09 |
| 2 Position, Non-Key Retaining | 6522560 G -122-XX | \$367.09 |

## **Retail/Showcase Locks**

Medeco® XT has an electronic cylinder for many types of retail applications. Ideal for loss & liability management with flexible authorization and auditing capabilities. Respond quickly to security threats, lost or stolen keys, or personnel changes without the added cost of changing your locks and keys. The cylinder is powered by the rechargeable key so no wiring or power supply is needed. Medeco XT Plunger Locks are specifically designed for use in wooden or metal sliding doors. Cabinet style locks are also available and along with the plunger locks are ideal applications for security merchandise showcases, metal cabinets, and laboratory and office furniture.



#### XT Retail/Showcase Locks

| Description                   | Part Number  | Price    |
|-------------------------------|--------------|----------|
| Cabinet Lock, Latchbolt       | 490359 G     | \$474.00 |
| Cabinet Lock, Deadbolt        | 490366 G     | \$474.00 |
| XT Deadbolt Cabinet Lock, KR  | 6210555 G XX | \$408.68 |
| XT Deadbolt Cabinet Lock, NKR | 6212555 G XX | \$408.68 |
| XT Spring Latch Cabinet Lock  | 6211555 G XX | \$426.68 |
| XT T Bolt Cam Lock, KR        | 6280550 G    | \$382.68 |
| XT T Bolt Cam Lock, NKR       | 6282550 G    | \$382.68 |

Medeco XT

## **International Cylinders**

The Medeco® XT Modular Half Profile, Euro Double & Thumb Turn electronic cylinders are a direct replacement for like mechanical cylinders and are ideal for loss and liability management. In addition to international uses, many of these cylinders fit imported hardware used in North America. The cylinder requires no wiring or modification to the door or frame and is designed for interior and exterior use. Attack-resistant design and tamper-proof features provide strong protection against forced entry. Flexible key programming and auditing capabilities allow for quick response to security threats, lost or



stolen keys, or personnel changes. Cylinders are widely used at government installations, airports, hotels, universities and schools. Medeco XT is a complete electronic locking system providing controlled access, accountability, physical security, and system management.

#### **XT International Cylinders**

| •  |                |          |
|--|----------------|----------|
| Description  | Part Number    | Price    |
| Lockwood Oval  | 230301S G      | \$323.00 |
| Cylinder Module EURO 1/2 Module - 30mm                   | 232201S 300 G  | \$302.93 |
| Cylinder Module EURO 1/2 Module - 35mm                   | 232201S 301 G  | \$307.18 |
| Cylinder Module EURO 1/2 Module - 40mm                   | 232201S 302 G  | \$311.43 |
| Single/Double cylinder Module EURO 1/2 Module - 30mm     | 232202S 300 G  | \$307.18 |
| Single/Double cylinder Module EURO 1/2 Module - 35mm     | 232202S 301 G  | \$307.18 |
| Single/Double cylinder Module EURO 1/2 Module - 40mm     | 232202S 302 G  | \$311.43 |
| Euro T/T Profile - 30mm/30mm Assembled                   | 23230XS X00 G  | \$391.00 |
| Euro T/T Profile - 35mm/35mm Assembled                   | 23230XS X11 G  | \$399.50 |
| Modular Profile Cylinder - 30mm Half Profile - Assembled | 232301S 800 G  | \$350.16 |
| Modular Profile Cylinder - 35mm Half Profile - Assembled | 232301S 801 G  | \$354.41 |
| Euro 1/2 Profile 30mm Assembled (True 30mm)              | 232301ST 800 G | \$350.16 |
| Euro Double Profile - 30mm/30mm Assembled                | 23230E5 X00 G  | \$462.82 |
| Euro Double Profile - 35mm/35mm Assembled                | 23230E5 X11 G  | \$471.32 |

## **Specialty Cylinder Formats**

The Medeco® XT Electronic T-handle Cylinders are an ideal for loss and liability management and are available for many specialty applications and formats. Pop-Out Cylinders are available in spring-latch and deadbolt configurations. Stainless steel shell and bolt for lasting strength, durability and strong protection against physical attack. Fits all NAMA Standard T-Handles. Ideal for vending & bottling, bill changers, ATM equipment or other custom OEM applications.



#### **Specialty Cylinder Formats**

| Description                          | Part Number | Price    |
|--------------------------------------|-------------|----------|
| Ruko (inside)                        | 230501S G   | \$348.00 |
| Ruko (outside)                       | 230601S G   | \$348.00 |
| Snowman (padlock)                    | 230801S G   | \$348.00 |
| Mul-T-Lock padlock (G47 Series)      | 490431 G    | \$356.00 |
| XT Insert For Enclosure Lock         | EA-100219   | \$369.00 |
| Safe Deposit Box Single – Left Hand  | 490428 G    | \$399.00 |
| Safe Deposit Box Single – Right Hand | 490429 G    | \$399.00 |

Safe Deposit Box also available in Double.

#### **Pop-Out Cylinders**

| Description                                       | Part Number | Price    |
|---|-------------|----------|
| Pop-Out Cylinder Deadbolt assembly, round bolt    | EV-8501D    | \$398.00 |
| Pop-Out Cylinder, springbolt assembly, round bolt | EV-8501S    | \$398.00 |

## **Keys and Accessories**

The Medeco® XT Key is a convenient, robust electronic key with a heavy duty stainless steel housing that fits right on your key ring. A portable key charger and rechargeable battery assures keys are always fully charged for up to 1,800 openings, eliminating the need for battery maintenance. Convenient key programming and flexible system management eliminates the need for removal of cylinder in order to make changes. This key holds operating and expiration schedule and flexible memory allocation lets the user decide how the memory is used; Access: up to 16,000 cylinders. Audit: up to 14,000 events. With Medeco XT, flexible authorization, auditing of use and quick retrofit to existing hardware are all available in one convenient package.



## **XT Keys**

| Description                        | Part Number | Price    |  |
|------------------------------------|-------------|----------|--|
| XT Slim Line Key Plus (G3S)        | EA-100178   | \$185.00 |  |
| XT Slim Line Key Bluetooth (G3B)   | EA-100177   | \$233.00 |  |
| XT Rugged Slim Key (G3R)           | EA-100254   | \$246.00 |  |
| Slim Line Demo/Install Key         | EA-100173   | \$297.00 |  |
| Slim Line Demo/Install Control Key | EA-100174   | \$297.00 |  |

#### Medeco® XT Key Bundles

| Description  | Part Number | Price         |  |
|--|-------------|---------------|--|
| XT Slim Line Key (G3S) Charger Bundle. Includes XT Slim Line Key,<br>Charger and USB Cable | 94-0307     | \$247.00      |  |
| XT Slim Line Key (G3B) & Charger Bundle. Includes XT Slim Line Key,                        |             | <del>+=</del> |  |
| Charger and USB Cable  XT Rugged Key bundle (G3R). Includes XT Rugged Key,                 | 94-0306     | \$275.00      |  |
| Charger and USB Cable  | 94-0325     | \$299.00      |  |

|                         | Slim Line S (Gen 3)   | Slim Line B (Gen 3)   | Rugged (Gen 3R)   |
|-------------------------|---|---|---|
| Description             | Faster processor,<br>faster communication,<br>support for future<br>functionality | Bluetooth version.<br>Faster processor,<br>faster communication,<br>support for future<br>functionality | Same functionality as G3S<br>key with a rugged housing for<br>increased durability. |
| Part Number             | EA-100178   | EA-100177   | EA-100254   |
| Size                    | 2.65" x 1.25" x .55"  | 2.65" x 1.25" x .55"  | 2.65" x 1.25" x .59"  |
| Weight                  | 1.25 oz.  | 1.25 oz.  | 1.25 oz.  |
| Openings per charge     | 1500-1800   | 1500-1800   | 1500-1800   |
| Durability              | High  | High  | Very High   |
| Memory                  | 14,000 cylinders  | 14,000 cylinders  | 14,000 cylinders  |
| Audit                   | 14,000 events   | 14,000 events   | 14,000 events   |
| Battery Level Indicator | Percentage  | Percentage  | Percentage  |
| Warranty                | 2 years   | 2 years   | 2 years   |



IPD – Identification and Programming Device

## **Medeco XT Programmers**

XT IPD - Identify, program and update Medeco XT Keys remotely via internet connection to Web Manager software

| XT IPD  | Part Number   | Price      |
|---|---------------|------------|
| XT IPD Base unit with power supply  | EA-100242-000 | \$2,078.00 |
| XT IPD Base unit, desktop mount and power supply bundle   | EA-100242-010 | \$2,216.00 |
| XT IPD Base unit, wall mount and power supply bundle  | EA-100242-100 | \$2,216.00 |
| XT IPD Standoff Retrofit Kit - spacer kit for replacing existing Remote Programmer when mounted in a custom enclosure | EA-300241     | \$96.90    |
| XT IPD Replacement Touchscreen assembly   | EA-100245     | \$969.00   |
| 7/8" Cam Lock – Can be added to IPD for users to test keys. (Optional)  | EN-150002-XXX | \$398.00   |

| Genetec IPD®                                     | Part Number   | Price      |
|--|---------------|------------|
| Genetec IPD w/power supply                       | EA-100242-00G | \$2,078.00 |
| Genetec IPD w/power supply and desk mount bundle | EA-100242-01G | \$2,216.00 |
| Genetec IPD w/power supply and wall mount bundle | EA-100242-10G | \$2,216.00 |



**Desktop Programmer** 

| Desktop   | Part Number | Price    |
|---|-------------|----------|
| XT Desktop USB Programming Station (order cable separately) | EA-100109   | \$378.00 |



**Mobile Programmer** 

| Mobile               | Part Number | Price      |
|----------------------|-------------|------------|
| XT Mobile Programmer | EA-100125   | \$1,130.00 |



Multi-Key Programmer/Charger

| Multi-key                       | Part Number | Price      |
|---------------------------------|-------------|------------|
| XT Multi-key Programmer/Charger | EA-100232   | \$5,245.00 |

#### Medeco® XT Kits & Accessories

| Description  | Part Number | Price      |
|--|-------------|------------|
| XT Multi-Key Charger - Charge up to 10 Medeco XT Keys simultaneously (does not program keys)                     | EA-100138   | \$866.00   |
| XT Portable Key Charging Adapter only (order cable separately)   | EA-100088   | \$79.00    |
| XT Key Wall Charger Kit  | 94-0291     | \$137.00   |
| XT Key Vehicle Charger Kit   | 94-0292     | \$135.00   |
| XT Key PC Kit (USB Cable and Charging Adapter)   | 94-0290     | \$104.00   |
| Smart SFIC Solutions Demo Kit (Includes Arrow, Medeco X4, and Medeco XT SFIC cylinders, keys, charger and cable) | 940261      | \$1,669.00 |
| XT Try Me Demo Industrial Keys & SFIC with charger and USB cable - NOT PROGRAMMABLE                              | 940264      | \$1,099.00 |

#### **Medeco® XT Maintenance and Protective Products**

| Description  | Part Number  | Price    |
|--|--------------|----------|
| Fluid Film, 2.25 oz  | PX-KYLUBE-02 | \$22.60  |
| Fluid Film, 11.75 oz   | PX-KYLUBE-11 | \$35.90  |
| Small Bristle Brush (non-metallic bristles) for cleaning cylinder & key contacts | CP-286180    | \$34.00  |
| Deoxit Contact Cleaning Pen (gold contact cleaner)                               | CP-301290    | \$81.10  |
| Metal cylinder protector cover   | CP-287260    | \$103.00 |
| Plastic cylinder protector cover   | CP-170930    | \$76.00  |

#### Self-Hosted Software - End User Startup Checklist:

| Description                | Quantity | Part Number | Price    |
|----------------------------|----------|-------------|----------|
| XT Programming Device      | 1        | EA-100109   | \$378.00 |
| USB Cable                  | 1        | EA-200058   | \$36.60  |
| Enhanced USB System Dongle | 1        | EA-250059   | \$111.00 |

#### Web Hosted Service - End User Startup Checklist:

| Description           | Quantity | Part Number | Price    |
|-----------------------|----------|-------------|----------|
| XT Programming Device | 1        | EA-100109   | \$378.00 |
| USB Cable             | 1        | EA-200058   | \$36.60  |

#### **Professional Services**

Planning, design and support are crucial to the successful deployment of an Intelligent Key System. Medeco offers professional services to ensure every installation is planned and executed seamlessly, and the system works effectively to meet current and future needs to protect the investment. See page 21 for details and pricing.

Medeco M<sup>3</sup> & X4 CLIQ<sup>®</sup>

Medeco M³ and X4 CLIQ merge the features of electronics with reliable mechanical technology – all in a retrofit cylinder. M³ and X4 CLIQ offer end users audit trail, user access schedules and the ability to quickly and remotely change Intelligent Key authorizations with the CLIQ Web Remote or CLIQ Connect App.

M³ and X4 CLIQ installs with no wiring in a matter of minutes. Intelligent Keys and digital cylinders reprogram wirelessly for electronic master keying. CLIQ can be combined with systems featuring Medeco³, X4 or BiLevel mechanical products to offer a blended security solution.





#### **Audit Accountability**

Audit information recorded in both the lock and key shows a time-and-date stamped record of every event, including authorized accesses and unauthorized attempts.



#### **Uses Existing Hardware**

The CLIQ Intelligent Key provides all power to the cylinder, eliminating the need for any hard wiring or power supply. Simply remove the existing mechanical cylinder and install the M³ or X4 CLIQ cylinder. CLIQ can be keyed in with Medeco mechanical systems featuring Medeco³ or BiLevel, Original or X4 (not available in SFIC).



#### **Reduces Risk of Lost Keys**

Respond quickly to security threats, lost or stolen keys, or personnel changes utilizing expiring Intelligent Key validation intervals and remote programming.



#### **Electronic Scheduling**

Intelligent Keys are programmed for specific openings with fully flexible scheduling. Access profiles can be created where programming updates are generated automatically when an opening is added or removed.

#### **Technical Information:**

- Audits: Key capacity 1,000 events
   Cylinder capacity 750 events
- Management: CLIQ Web Manager with Medeco Hosted or Self-Hosted License
- **Power:** Power supplied by the key, no hard wiring required
- Weather Resistant: Can be used in indoor or outdoor applications.
  - Rated for -20°F to 122° F (cylinder)
- Security: Encrypted identification in cylinder and Intelligent Key
- Formats: Available in all common cylinder formats including KIK/KIL, LFIC, padlocks and deadbolts

### **Key Features:**

- Mechanical and electronic technology are combined for superior security with Medeco patented key control
- Audit key that stores up to 1,000 audit records provides information unavailable in a mechanical system
- Powered by an easily replaceable coin cell battery with 20,000 cycle battery life
- Available with RFID/PROX coil insert for dual use with HID compatible systems
- Visible and audible status feedback
- Compact size in water resistant housing
- Bluetooth enabled option with iOS and Android App support.

#### **Warranty:**

Medeco® warrants the M³ & X4 CLIQ products to be free of defects in material and/or workmanship for a period of two (2) years from date of original purchase

#### **Finishes:**

• Available in several finish options

## **CLIQ Web Manager Features:**

- Role based system administration
- Access Profiles
- Remote Programming
- Web Services Integration
- Key Revalidation
- Automated Change Notification

## **Cylinder Technologies:**

- X4 CLIO Technology code = "M"
- M³ CLIQ Technology code = "S"
- Biaxial CLIQ Technology code = "V"
- Original CLIQ Technology code = "Z"



| Example of a CLIQ configured part number                          |                               |            |        |        |         |                   |
|---|-------------------------------|------------|--------|--------|---------|-------------------|
| Base Part # Example   | Cylinder Variation            | Technology | Finish | Keyway | Pinning | Cam or Tailpiece* |
| 10 0200   | If none required, leave blank | S          | 26     | LT     | Р       | <b>Z</b> 01       |
|   |                               |            |        |        |         |                   |
| Q=ATEX R=Delay S=Sequence U=Online M=X4 S=M³ V=Biaxial Z=Original |                               |            |        |        |         |                   |

- ATEX (intrinsically safe certification) ATEX certified hardware reduces the risk of ignition and explosion in areas with possible exposure to flammable gases or vapors, or combustible dusts. Ideal for use in areas where ignition or explosion is a concern.
- Sequence (Dual Custody) When enabled, requires two keys to open. Keys must have different IDs and be inserted in within one minute of each other.
- **Delay lock** When enabled, a specified time is communicated to the key before opening. The time will be added to the keys activation and expiration time when checking the validity of the key and its LOAL entries, creating a time-delay sequence for opening within a specific schedule.
- Online Open When enabled, the access decision for a CLIQ Connect key is done during opening, providing real-time access management and audit trail. The key is automatically updated when inserted into the cylinder, and will only open the cylinder if allowed once the update has finished. The sequence takes 5-10 seconds.

Upcharge applies to special features: ATEX + \$50 List cylinders, + \$20 List for keys. Online Open, Sequence Lock, Delay Lock: + \$50 List Price for cylinders. Only one feature is available per cylinder at a time. Must be indicated at the time of order.

## **Rim and Mortise Cylinders**

A simple replacement of rim or mortise cylinders with M³ or X4 CLIQ provides audit and scheduling along with expiration of credentials for any existing opening utilizing mortise hardware. Cylinders are available in all popular lengths and in any existing mechanical keyway. They are an ideal upgrade for offices requiring loss and liability control or as override for traditional EAC equipment.





#### Medeco M<sup>3</sup> & X4 CLIQ Mortise Cylinders

Priced as Pinned. Master Key Up-charge of \$47.50 applies.

| Description             | Part Number | Price      | $M^3$ | X4 |
|-------------------------|-------------|------------|-------|----|
| 1 1/8" Mortise Cylinder | 100200      | \$871.09   | •     | •  |
| 1 1/4" Mortise Cylinder | 100500      | \$872.73   | •     | •  |
| 1 3/8" Mortise Cylinder | 105100      | \$870.32   | •     |    |
| 1 1/2" Mortise Cylinder | 105200      | \$909.78   | •     |    |
| 1 3/4" Mortise Cylinder | 105400      | \$993.61   | •     | •  |
| 2" Mortise Cylinder     | 105500      | \$1,021.69 | •     |    |

#### Medeco M<sup>3</sup> & X4 CLIQ Rim Cylinders

| Description  | Part Number | Price    | M³ | X4 |
|--|-------------|----------|----|----|
| Rim Cylinder, Horizontal Tailpiece                         | 100400H     | \$870.98 | •  | •  |
| Rim Cylinder, Vertical Tailpiece                           | 100400V     | \$870.98 | •  | •  |
| Rim Cylinder, Lazy Motion                                  | 100700      | \$870.98 | •  |    |
| Rim Cylinder, Sargent Mounting Style, Horizontal Tailpiece | 100403H     | \$870.98 | •  |    |
| Rim Cylinder, Sargent Mounting Style, Vertical Tailpiece   | 100403V     | \$870.98 | •  |    |

<sup>\*</sup> Must specify cam (mortise) or tailpiece (rim) when ordering. See pages 78-79 for cam and tailpiece part numbers and descriptions. If not specified, Z01 cam will be supplied for mortise, Y02 tailpiece will be supplied with rim cylinders.

## **Key-In-Knob/Lever Cylinders**

M³ & X4 CLIQ merges the flexibility of electronics with reliable mechanical technology – all in a key in knob or key in lever retrofit cylinder. Offers user audit trail, user access schedules and the ability to quickly add or remove a key electronically from a system, allowing quick response to security threats or lost/stolen keys. These cylinders fit nearly all popular brands and styles of hardware and are therefore an ideal application for offices, storage and file rooms, as well as any door where cylindrical hardware is used.



#### Medeco M<sup>3</sup> & X4 CLIQ Cylinders for Arrow

| Description  | Part Number | Price    | M³ | X4 |
|--|-------------|----------|----|----|
| Cylinder Package for Arrow RK & MK Series Knobs & GL Series levers. Includes CT-Y70, CTY73, & CP-160321. Original cylinder spacer must be replaced with Medeco cylinder spacer CP-160321 | 20200A1     | \$902.26 | •  | •  |
| 6 Pin cylinder for Arrow D & E single cylinder deadbolts; and Revolution V2 Deadbolts. * Order CT-Y27 tailpiece separately.  | 200901      | \$901.04 | •  |    |
| 6 Pin cylinder for Arrow D & E double cylinder deadbolts   | 200902      | \$901.04 | •  |    |

Medeco M<sup>3</sup> & X4 CLIQ Cylinders for LSDA

Includes: CT-Y49, CT-Y70, CTY73, CT-Y78

LSDA Cylinder package fits 100, , L100, LH1000, LX1000 Series.

| Medeco MP & X4 CLIQ  |                    |              |         |            |
|--|--------------------|--------------|---------|------------|
| Medeco M <sup>3</sup> & X4 CLIQ Cylinders for Alarm Lock  Priced as F  | Pinned. Master Key | Up-charge of | \$47.50 | appli      |
| Description  | Part Number        | Price        | M³      | X4         |
| Cylinder for Alarm Lock Trilogy T1, T2, T3   | 20200V1            | \$900.04     | •       | •          |
| Medeco M <sup>3</sup> & X4 CLIQ Cylinders for Cal-Royal  |                    |              |         |            |
| Description  | Part Number        | Price        | M³      | X4         |
| Cylinder for Cal-Royal SL00 knob lock and LX01 lever lock  | 2020049            | \$900.04     | •       | •          |
| Cylinder for Cal-Royal CLS03 Classroom function Grade 2 lever lock   | 20200V1            | \$900.04     | •       | •          |
| Medeco M <sup>3</sup> & X4 CLIQ Cylinders for Corbin Russwin   |                    |              |         |            |
| Description  | Part Number        | Price        | M³      | X4         |
| Cylinder for Corbin Russwin CL3900   | 20200V9            | \$900.04     | •       |            |
| Cylinder for Corbin Russwin CL3300, CL3400, CL3500, & CL3600   | 2021173            | \$900.04     | •       | •          |
| Jumbo Mortise Cylinder for Corbin Russwin  | 10M1350            | \$877.37     |         | •          |
| Medeco M <sup>3</sup> & X4 CLIQ Cylinders for Dorma  |                    |              |         |            |
| Description  | Part Number        | Price        | $M^3$   | <b>X</b> 4 |
| Cylinder for Dorma CL853, CL860 (exterior), CL880, CL882, CL80EL, CL80EU Grade 1 lever, CK853, CK860 (exterior), CK880, CK882, CK80EL, & CK80EU Grade 1 knobs  | 20200V1            | \$900.04     | •       | •          |
| Cylinder for Dorma CL860 (interior), CL870, CL872, CL873, CL877 Grade 1 Lever, CK860 (interior), CK870, CK872, CK873 & CK 877 Grade 1 Knobs  | 20200V0            | \$900.04     | •       | •          |
| Cylinder for Dorma CL700 Series  | 2020049            | \$900.04     | •       | •          |
| Medeco M <sup>3</sup> & X4 CLIQ Cylinders for Embassy  |                    |              |         |            |
| Description  | Part Number        | Price        | M³      | <b>X</b> 4 |
| Cylinder for Embassy in Entrance, Institution, Storeroom, Corridor Functions.<br>For Embassy Levers sold thru 9/06 and ALL Knobs   | 20200V1            | \$900.04     | •       | •          |
| Cylinder for Embassy Vestibule, Communicating, Classroom & Classroom Security Functions. For Embassy Levers sold thru 9/06 & ALL Knobs   | 20200V0            | \$900.04     | •       | •          |
| Medeco M <sup>3</sup> & X4 CLIQ Cylinders for Falcon   |                    |              |         |            |
| Description  | Part Number        | Price        | $M^3$   | X4         |
| Cylinder for Falcon B Series   | 2020049            | \$900.04     | •       | •          |
| Cylinder for Falcon B (CT-Y49), LY (CT-Y72), X (CT-Y68, except H knob or CT-Y71 - H knob), S (CT-Y54 - except H knob, or CT-Y58 - H knob) & F521, F561, F581, and N Series Knobs (CT-Y49 horizontal) | 20200F1            | \$902.26     | •       | •          |
| Cylinder for Falcon Inside Cylinder T-381  | 2020073            | \$900.04     | •       | •          |
| Cylinder for Falcon T & RU Series, T381 Outside Cylinder   | 20200V3            | \$900.04     |         | •          |
| Medeco M <sup>3</sup> & X4 CLIQ Cylinders for KABA Mas Hamilton  |                    |              |         |            |
| Description  | Part Number        | Price        | $M^3$   | <b>X</b> 4 |
| Cylinder for Kaba E-plex 5000  | 2020000            | \$900.04     | •       | •          |
| Cylinder for Mas-Hamilton Power Lever  | 20200V1            | \$900.04     | •       | •          |

Part Number

20200L1

Price

\$902.26

#### Medeco M<sup>3</sup> & X4 CLIQ Cylinders for Marks

Priced as Pinned. Master Key Up-charge of \$47.50 applies.

| Description  | Part Number | Price    | M³ | X4 |
|--|-------------|----------|----|----|
| Cylinder for Marks 110, 170, 180, 190, 195, 295 Series DA-Vestibule, DC & SB Communicating, S-Classroom & Classroom Security functions | 20200V0     | \$900.04 | •  | •  |
| Cylinder for Marks Lever 110, 170, 180, 190, 195 & 295 Series in AB-Entrance, DWInstitution, F-Storeroom, & T-Corridor Functions       | 20200V1     | \$900.04 | •  | •  |

#### Medeco M<sup>3</sup> & X4 CLIQ Cylinder for Olympus

| Description  | Part Number | Price    | M³ | X4 |
|--|-------------|----------|----|----|
| Cylinder for Olympus 700LCM & 800 LCM Key Retaining          | 2020051     | \$902.26 | •  | •  |
| 6 Pin Cylinder for Olympus 700LCM & 800LCM Non-Key retaining | 2000954     | \$905.86 | •  | •  |

#### Medeco M<sup>3</sup> & X4 CLIQ Cylinders for PDQ

| Description   | Part Number | Price    | $M^3$ | X4 |
|---|-------------|----------|-------|----|
| Cylinder for PDQ Lever SP & ST Series, GT, XGT, & GP Series | 20200V2     | \$900.04 | •     |    |

#### Medeco M<sup>3</sup> & X4 CLIQ Cylinder for Sargent

| Description  | Part Number | Price    | $M^3$ | Х4 |
|--|-------------|----------|-------|----|
| Cylinder for Sargent 6, 7 and 10 Line KIK Series                 | 2080147     | \$901.04 | •     | •  |
| Cylinder for Sargent 11 Line KIK Series                          | 2080148     | \$901.04 | •     |    |
| Cylinder for Sargent 10X Series and Sargent 6 Line (B knob only) | 2020173     | \$900.04 |       | •  |

#### Medeco M<sup>3</sup> & X4 CLIQ Cylinders for Schlage

| Description   | Part Number | Price    | $M^3$ | X4 |
|---|-------------|----------|-------|----|
| Cylinder Package for Schlage A, AL, C, D, ND & Olympiad lever designs, includes: CT-Y49 (A, AL, & D Olympiad Lever & C & D Plymouth), CT-Y52 (C & D heavy duty knobs Ball, Globe & Sphere designs only), CT-Y53 (A series Orbit), CT-Y73 (ND series Gr. 1 lever & AL thick doors), and CTY74 (45-101 padlock) | 2020051     | \$902.26 | •     | •  |
| Cylinder for Schlage S Series Lever   | 2020097     | \$902.26 | •     | •  |
| Cylinder for Schlage B, E & F160 Series   | 2000954     | \$905.86 | •     | •  |

#### Medeco M<sup>3</sup> & X4 CLIQ Cylinders for Yale

| Description  | Part Number | Price    | M³ | X4 |
|--|-------------|----------|----|----|
| 6 pin cylinder for Yale 5300LN, 5400LN and 4300 Series | 200503      | \$900.04 | •  | •  |

#### Medeco M<sup>3</sup> & X4 CLIQ Cylinders for TACO

| Description                         | Part Number | Price    | $M^3$ | Х4 |
|-------------------------------------|-------------|----------|-------|----|
| Cylinder for TACO LXV Lever Lockset | 2020078     | \$902.26 | •     |    |

## **Interchangeable Core Cylinders**

Medeco Large Format Interchangeable Core (LFIC) cylinders are designed so that cores can quickly and easily be changed by non-technical personnel using a special control key. Locks can, in effect, be "rekeyed" without having a working knowledge of the lock or having to take the lock apart. Medeco M³ & X4 CLIQ format additionally provides the benefits of audit and scheduling features. LFIC cylinders fit many of the industry standard formats making them appropriate for almost any door/hardware application.



#### Medeco M<sup>3</sup> & X4 CLIQ LFIC Cylinders

| Description                    | Part Number | Price    | M³ | X4 |
|--------------------------------|-------------|----------|----|----|
| Cylinder for Medeco 6 pin LFIC | 320201      | \$889.27 | •  |    |
| Cylinder for Yale 6 pin LFIC   | 310100      | \$889.27 | •  | •  |
| Cylinder for Yale 7 pin LFIC   | 310100A     | \$889.27 | •  | •  |
| Cylinder for Schlage LFIC      | 322201      | \$897.27 |    | •  |

## **Deadbolts**

In addition to the physical security of the Maxum deadbolt, the M³ and X4 CLIQ cylinder provides an audit trail, the ability to schedule user access rights and the freedom to quickly add or remove a key from the system. The M³ and X4 CLIQ deadbolt installs with no wiring in a matter of minutes and is available in existing mechanical keyways. Attack-resistant design and tamper-proof features provide strong protection against forced entry and allow for flawless integration into any home or business application.



\*All Medeco M³ and X4 CLIQ Double Cylinder Deadbolts use Mechanical Cylinders on the inside of the deadbolt.

#### Medeco M<sup>3</sup> & X4 CLIQ Deadbolt Cylinders

Priced as Pinned. Master Key Up-charge of \$47.50 applies.

| Description  | Part Number | Price    | M³ | X4 |
|--|-------------|----------|----|----|
| Cylinder for Arrow D, E & DB Series Single Cylinder Deadbolts  | 200901      | \$993.70 | •  |    |
| Cylinder for Sargent 470 & 480 single cylinder deadbolt        | 200901      | \$993.70 | •  |    |
| Cylinder for Sargent 470 & 480 double cylinder deadbolt        | 200902      | \$993.70 | •  |    |
| Lazy Motion Cylinder for Schlage B series (old style) deadbolt | 200904      | \$993.70 | •  |    |

#### Medeco M<sup>3</sup> & X4 CLIQ Maxum Deadbolts - Commercial Trim

| Description  | Part Number | Price      | $M^3$ | X4 |
|--|-------------|------------|-------|----|
| • Single Cylinder Maxum Deadbolt, 1 1/8" Faceplate, 2 3/8" Backset | 11C601      | \$1,024.84 | •     | •  |
| • Single Cylinder Maxum Deadbolt, 1 1/8" Faceplate, 2 3/4" Backset | 11C602      | \$1,024.84 | •     |    |
| • Single Cylinder Maxum Deadbolt, 1" Faceplate, 2 3/8" Backset     | 11C603      | \$1,024.84 | •     |    |
| • Single Cylinder Maxum Deadbolt, 1" Faceplate, 2 3/4" Backset     | 11C604      | \$1,024.84 | •     |    |
| • Single Cylinder Maxum Deadbolt, Drive In Front, 2 3/8" Backset   | 11C605      | \$1,024.84 | •     |    |
| • Single Cylinder Maxum, Drive In Front, 2 3/4" Backset            | 11C606      | \$1,024.84 | •     |    |
| Single Cylinder Maxum Deadbolt, Less Bolt                          | 11C60L      | \$940.29   | •     | •  |
| Double Cylinder Maxum Deadbolt, 1 1/8" Faceplate, 2 3/8" Backset   | 11C621      | \$1,132.34 | •     |    |
| Double Cylinder Maxum Deadbolt, 1 1/8" Faceplate, 2 3/4" Backset   | 11C622      | \$1,132.34 | •     |    |
| Double Cylinder Maxum Deadbolt, 1" Faceplate, 2 3/8" Backset       | 11C623      | \$1,132.34 | •     |    |
| Double Cylinder Maxum Deadbolt, 1" Faceplate, 2 3/4" Backset       | 11C624      | \$1,132.34 | •     |    |
| Double Cylinder Maxum Deadbolt, Drive In Front, 2 3/8" Backset     | 11C625      | \$1,132.34 | •     |    |
| Double Cylinder Maxum, Drive In Front, 2 3/4" Backset              | 11C626      | \$1,132.34 | •     |    |
| Double Cylinder Maxum Deadbolt, Less Bolt                          | 11C62L      | \$1,047.79 | •     |    |
|  |             |            |       |    |

<sup>•</sup>Also Available in Classroom Function, 11C61X

### Medeco M<sup>3</sup> & X4 CLIQ Maxum Deadbolts - Residential Trim

| Description  | Part Number | Price      | M³ | X4 |
|--|-------------|------------|----|----|
| Single Cylinder Maxum Deadbolt, 1 1/8" Faceplate, 2 3/8" Backset | 11R601      | \$1,024.84 | •  |    |
| Single Cylinder Maxum Deadbolt, 1 1/8" Faceplate, 2 3/4" Backset | 11R602      | \$1,024.84 | •  |    |
| Single Cylinder Maxum Deadbolt, 1" Faceplate, 2 3/8" Backset     | 11R603      | \$1,024.84 | •  |    |
| Single Cylinder Maxum Deadbolt, 1" Faceplate, 2 3/4" Backset     | 11R604      | \$1,024.84 | •  |    |
| Single Cylinder Maxum Deadbolt, Drive In Front, 2 3/8" Backset   | 11R605      | \$1,024.84 | •  |    |
| Single Cylinder Maxum Deadbolt, Drive In Front, 2 3/4" Backset   | 11R606      | \$1,024.84 | •  |    |
| Single Cylinder Maxum Deadbolt, Less Bolt                        | 11R60L      | \$940.29   | •  |    |
| Double Cylinder Maxum Deadbolt, 1 1/8" Faceplate, 2 3/8" Backset | 11R621      | \$1,132.34 | •  |    |
| Double Cylinder Maxum Deadbolt, 1 1/8" Faceplate, 2 3/4" Backset | 11R622      | \$1,132.34 | •  |    |
| Double Cylinder Maxum Deadbolt, 1" Faceplate, 2 3/8" Backset     | 11R623      | \$1,132.34 | •  |    |
| Double Cylinder Maxum Deadbolt, 1" Faceplate, 2 3/4" Backset     | 11R624      | \$1,132.34 | •  |    |
| Double Cylinder Maxum Deadbolt, Drive In Front, 2 3/8" Backset   | 11R625      | \$1,132.34 | •  |    |
| Double Cylinder Maxum Deadbolt, Drive In Front, 2 3/4" Backset   | 11R626      | \$1,132.34 | •  |    |
| Double Cylinder Maxum Deadbolt, Less Bolt                        | 11R62L      | \$1,047.79 | •  |    |

## **Padlocks**

Medeco M³ & X4 CLIQ padlocks are available to provide accountability in a weather resistant padlock that can be used in indoor or outdoor applications. Padlocks have robust reprogramming abilities, as well as audit and scheduling capabilities. Outstanding performance for your perimeter fences and gates, or access to equipment storage areas where traditional EAC is practically impossible to install.



#### Medeco M<sup>3</sup> & X4 CLIQ Padlock Cylinders

Priced as Pinned. Master Key Up-charge of \$47.50 applies.

| Description   | Part Number | Price      | M³ | X4 |
|---|-------------|------------|----|----|
| Cylinder for AWP Series Padlock   | 510800      | \$877.25   | •  | •  |
| Cylinder for Medeco Protector II (50) Series Padlock                                | 500020      | \$907.00   | •  |    |
| Cylinder for Medeco System (54) Series Padlock                                      | 510600      | \$1,088.61 | •  | •  |
| Cylinder for Abus Padlock Series 83KNK/45, 83KNK/50 & 83KNK/55. (Use Abus driver M) | 2020000     | \$900.04   | •  | •  |
| Cylinder for American 3600/3700 Padlock (Use American driver DR-MED6)               | 2020000     | \$900.04   | •  | •  |
| Cylinder for New Standard Padlock   | 2020052     | \$900.04   | •  |    |
| Cylinder for Master 20 and 6600, 6700 Pro Series (Use Master driver 0298-627)       | 2020000     | \$900.04   | •  | •  |
| Cylinder for Schlage 45-101 padlock   | 2020074     | \$902.26   | •  | •  |

#### Medeco M<sup>3</sup> & X4 CLIQ AWP Series Padlocks (Includes Cylinder)

| Description   | Part Number | Price      | M³ | X4 |
|---|-------------|------------|----|----|
| AWP - 5/16" dia Stainless Steel shackle, 1 7/8" clearance | 5005511     | \$1,061.72 | •  | •  |
| AWP - 5/16" dia Stainless Steel shackle, 2 3/8" clearance | 5005521     | \$1,066.72 | •  | •  |
| AWP - 5/16" dia Boron shackle, 1 7/8" clearance           | 5005531     | \$1,061.72 | •  | •  |
| AWP - 5/16" dia Boron shackle, 2 3/8" clearance           | 5005541     | \$1,066.72 | •  | •  |
| AWP - 7/16" dia Stainless Steel shackle, 2" clearance     | 5005711     | \$1,061.72 | •  | •  |
| AWP - 7/16" dia Stainless Steel shackle, 2 1/2" clearance | 5005721     | \$1,066.72 | •  | •  |
| AWP - 7/16" dia Boron shackle, 2" clearance               | 5005731     | \$1,061.72 | •  | •  |
| AWP - 7/16" dia Boron shackle, 2 1/2" clearance           | 5005741     | \$1,066.72 | •  | •  |

## Medeco M<sup>3</sup> & X4 CLIQ System Series Padlocks (Includes Cylinder)

| Description                                      | Part Number | Price      | M³ | X4 |
|--|-------------|------------|----|----|
| Padlock 5/16" Shackle - KIK                      |             |            |    |    |
| Indoor/Outdoor Padlock, 1 1/8" Shackle Clearance | 54515X0     | \$1,177.74 | •  | •  |
| Indoor/Outdoor Padlock, 2 3/8" Shackle Clearance | 5451FX0     | \$1,181.74 | •  | •  |
| Shrouded Padlock, 3/4" Shackle Clearance         | 54525X0     | \$1,204.74 | •  | •  |
| Padlock 5/16" Shackle - 6 Pin LFIC               |             |            |    |    |
| Indoor/Outdoor Padlock, 1 1/8" Shackle Clearance | 54615X0     | \$1,184.15 | •  |    |
| Indoor/Outdoor Padlock, 2 3/8" Shackle Clearance | 5461FX0     | \$1,192.15 | •  |    |
| Padlock 7/16" Shackle - KIK                      |             |            |    |    |
| Indoor/Outdoor Padlock, 1 3/8" Shackle Clearance | 54715X0     | \$1,210.74 | •  | •  |
| Indoor/Outdoor Padlock, 1 7/8" Shackle Clearance | 5471FX0     | \$1,216.74 | •  | •  |
| Shrouded Padlock, 3/4" Shackle Clearance         | 54725X0     | \$1,256.74 | •  | •  |

<sup>\*</sup> 0 = Non-key retaining and R = key retaining

## Medeco M³ CLIQ 50 Series Brass Body Padlock

Priced as Pinned. Master Key Up-charge of \$47.50 applies.

|  |             |          | ,     | F F |
|--|-------------|----------|-------|-----|
| Description  | Part Number | Price    | $M^3$ | X4  |
| Brass Body CLIQ® Padlock, key retaining, hardened steel shackle, dust cover, less cylinder                           | 50762011    | \$213.92 |       |     |
| Brass Body CLIQ® Padlock, key retaining, stainless steel shackle, dust cover, less cylinder                          | 50762111    | \$213.92 |       |     |
| Brass Body CLIQ® Padlock, non-key retaining, hardened steel shackle, dust cover , less cylinder                      | 50772011    | \$213.92 |       |     |
| Brass Body CLIQ® Padlock, non-key retaining, stainless steel shackle, dust cover, less cylinder                      | 50772111    | \$213.92 |       |     |
| Brass Body CLIQ® Padlock, key retaining, hardened steel shackle, dust cover, case cover (rubber), less cylinder      | 50762014    | \$239.98 |       |     |
| Brass Body CLIQ® Padlock, key retaining, stainless steel shackle, dust cover, case cover (rubber), less cylinder     | 50762114    | \$239.98 |       |     |
| Brass Body CLIQ® Padlock, non-key retaining, hardened steel shackle, dust cover, case cover (rubber), less cylinder  | 50772014    | \$239.98 |       |     |
| Brass Body CLIQ® Padlock, non-key retaining, stainless steel shackle, dust cover, case cover (rubber), less cylinder | 50772114    | \$239.98 |       |     |
| Chain assembly for CLIQ® 50 Series Brass Body Padlock  | CP-280271   | \$38.40  |       |     |
| Cylinder for CLIQ® 50 Series Padlock: Medeco 6 pin LFIC (M³ technology)  | 320201      | \$889.27 | •     |     |
|  |             |          |       |     |

## **International Cylinders**

Medeco's international cylinders are designed to fit in locksets of major world manufacturers. In addition to international uses, many of these cylinders fit imported hardware used in North America. These M³ CLIQ cylinders can be installed into standard hardware with no wiring or other modifications, as power is supplied by the key. Reprogramming, audit and key scheduling capabilities are available with easy to use software. Cylinders are widely used at high security government installations, industrial and institutional organizations, airports, hotels, power plants, palaces, museums, universities and schools, and office buildings.



#### Medeco M<sup>3</sup> CLIQ International Cylinders

| Description                         | Part Number   | Price    | $M^3$ | X4 |
|-------------------------------------|---------------|----------|-------|----|
| Cylinder Module Single/Double 36 mm | 2322016 300 S | \$751.51 | •     |    |
| Cylinder Module Single/Double 41mm  | 2322016 301 S | \$755.76 | •     |    |
| Euro Single Assembled 36mm/36mm*    | 23230X6 X00 S | \$838.25 | •     |    |
| Euro Double Assembled 36mm/36mm**   | 23230E6 X00 S | \$893.59 | •     |    |
| Euro Half 0mm                       | 2323016 800 S | \$838.25 | •     |    |
| Euro Half 5mm Extended              | 2323016 801 S | \$842.50 | •     |    |

<sup>\*</sup> Standard sizes available from the factory.

<sup>\*\*</sup> Only one side is electronic, the other is mechanical.

# Medeco CLIQ® CONNECT Key

## **Bluetooth Low Energy Enabled Keys**

Medeco M³ and X4 CLIQ Intelligent Keys are now available with BLE connectivity. The CLIQ CONNECT Key offers CLIQ remote updates when paired with supported iOS and Android smartphones. The CLIQ CONNECT APP is available as a free download from either App Store and manages the CONNECT Key(s) pairing to the smartphone while reporting key battery level, marking, and system number. Keys are user friendly with visible and audible status feedback, compact in size with water resistant housing, and are powered by an easily replaceable CR2330 battery. Utility patented key control provides protection against unauthorized key duplication.

### **Connect Key Features:**

- Available with RFID/PROX coil
- Visible and audible status feedback
- Compact size in water resistant housing
- New key design, easy battery access
- Powered by an easily replaceable CR2330 coin cell battery, with up to one year battery life
- Available in M<sup>3</sup>, X4 and Original/Biaxial Keyways

## **CONNECT App Features:**

- Bluetooth (BLE) enabled with iOS & Android Apps
- Free App download from Apple or Play Stores
- Obtain remote updates via supported Apple and Android Smartphones
- Key audit report via CONNECT App
- Pair and manage multiple CONNECT keys



### Medeco M<sup>3</sup> & X4 CLIQ CONNECT Keys

| Description                               | Part Number | Price    |
|---|-------------|----------|
| X4 CLIQ Dynamic/E3 User Key               | KEC 49XB03  | \$194.98 |
| M³ CLIQ Dynamic/E3 User Key               | KEC 48XB03  | \$194.98 |
| Original/Biaxial CLIQ Dynamic/E3 User Key | KEC 47XB03  | \$194.98 |

Visit www.cliqkey.tips for additional information


Cylinder Technologies are represented by the following letters:  $S = M^3$  CLIQ, M = X4 CLIQ, V = Medeco Biaxial CLIQ, Z = Medeco Original CLIQ



# How to Order Medeco CLIQ Keys:

Complete part numbers are required for all orders. To determine the correct part number, fill in the "Xs" in sequential order.

## KEC 48 6 003 LT – base part # example



Medeco M<sup>3</sup> & X4 CLIQ<sup>®</sup>

## **Keys and Accessories**

M³ and X4 CLIQ Intelligent Keys operate both CLIQ cylinders as well as compatible mechanical cylinders for unmatched system flexibility and security. Maintaining and ensuring system integrity by means of key audit to obtain historic user access information, as well as the ability to schedule access to doors, is an invaluable tool. M³ and X4 CLIQ keys are also mechanically compatible with M³, M³ BiLevel, and X4 products with the potential to integrate

into an already existing key system. Keys are user friendly with visible and audible status feedback, are compact in size with water resistant housing and are powered by an easily replaceable CR2330 battery. Utility patented key control provides protection against unauthorized key duplication.

#### Visit www.cliqkey.tips for additional information

#### Medeco M<sup>3</sup> & X4 CLIQ Cut Keys

| Description  | Part Number                  | Price    |
|--|------------------------------|----------|
| X4 CLIQ E2 Normal User Key   | KEC 49X002                   | \$151.00 |
| X4 CLIQ E3 Dynamic User Key  | KEC 49X003                   | \$151.00 |
| X4 CLIQ E2 Prox Normal User Key  | KEC 49XP02                   | \$164.49 |
| X4 CLIQ E3 Prox Dynamic User Key   | KEC 49XP03                   | \$164.49 |
| X4 CLIQ Yale LFIC Control Key*   | KEC 49X013                   | \$151.00 |
| X4 CLIQ Schlage LFIC Control key**   | KEC 497043                   | \$151.00 |
| *Yale Control Key required if ordering 31 Series IC. Indicate "6" or "7" pin at first "X". |                              |          |
| Note: For ATEX certified keys, contact customer service. ** Schlage Control key is requ    | uired if ordering 322201 IC. |          |
| M³ CLIQ E2 Normal User Key   | KEC 48X002                   | \$151.00 |
| M³ CLIQ E3 Dynamic User Key  | KEC 48X003                   | \$151.00 |
| M³ CLIQ E2 Normal Prox User Key  | KEC 48XP02                   | \$164.49 |
| M³ CLIQ E3 Dynamic Prox User Key   | KEC 48XP03                   | \$164.49 |
| M³ CLIQ LFIC Control   | KEC 48X023                   | \$151.00 |
| M³ CLIQ Yale LFIC Control Key*   | KEC 48X013                   | \$151.00 |
| *Yale Control Key required if ordering 31 Series IC. Indicate "6" or "7" pin at first "X". | Example: KEC48 <b>6</b> 013  |          |
| Note:For ATEX certified keys, contact customer service.                                    |                              |          |
| Original/Biaxial CLIQ E2 Normal User Key   | KEC 47X002                   | \$151.00 |
| Original/Biaxial CLIQ E3 Dynamic User Key  | KEC 47X003                   | \$151.00 |
| Original/Biaxial CLIQ E2 Prox Normal User Key  | KEC 47XP02                   | \$164.49 |
| Original/Biaxial CLIQ E3 Prox Dynamic User Key   | KEC 47XP03                   | \$164.49 |
| Original/Biaxial CLIQ LFIC Control Key   | KEC 47X023                   | \$151.00 |
| Original/Biaxial CLIQ Yale LFIC Control Key*   | KEC 47X013                   | \$151.00 |
| West - 1 1.6 1   | _ ,                          |          |

<sup>\*</sup>Yale Control Key required if ordering 31 Series IC. Indicate "6" or "7" pin at first "X". Example: KEC47**6**013 Note: For ATEX certified keys, contact customer service.

- Normal Key systems require Loading Authorizations On Lock via the system C-Key.
- Dynamic Key systems require Loading Authorizations On Key via a desktop or remote programming device. Please consult with your Medeco representative to determine which strategy is best for the desired application/installation.

| C-Key for M <sup>3</sup> CLIQ                               | KEB 48600C     | \$194.07 |
|---|----------------|----------|
| C-Key for Original or Biaxial CLIQ                          | KEB 47600C     | \$194.07 |
| C-Key X4 CLIQ   | KEB 49600C     | \$194.07 |
| V -Prox Battery Cap Programmed - Black (25)                 | 94-0304-M0P    | \$644.00 |
| V- Prox Battery Cap Programmed - Blue (25)                  | 94-0304-MBP    | \$644.00 |
| V -Prox Battery Cap, No Programming - Black (25)            | 94-0305-M0P    | \$538.00 |
| V - Prox Battery Cap, No Programming - Blue (25)            | 94-0305-MBP    | \$538.00 |
| Prox Battery Cap, Programmed - Black                        | E A-500054-M0P | \$41.00  |
| Prox Battery Cap, Programmed - Blue                         | EA-500054-MBP  | \$41.00  |
| CR2330 Replacement Battery (for use in M³ and X4 CLIQ keys) | EA-350084      | \$6.10   |

Note: For ATEX certified keys, contact customer service.

Medeco M<sup>3</sup> & X4 CLIQ<sup>®</sup>

## **Programming and Management**

CLIQ® Web Manager is a robust and versatile software used by administrators to efficiently manage their CLIQ® System. The CLIQ® Web Manager Hosting Service is cloud-based, giving administrators the ability to manage their system from anywhere with internet access and have the benefit of the latest software enhancements. In addition, it offers secure 24/7 web access and no start-up fees, making it a cost-effective solution to meet a wide variety of needs. Choose the offering that best fits your CLIQ® system size and requirements.



#### **CLIQ®** Web Hosting Service

| Description  | Part Number | Annual License Fee |
|--|-------------|--------------------|
| <b>Basic:</b> Designed for smaller systems and includes desktop/local key and cylinder programming only, Domain Administration. Limit 750 keys.  | SW-500101-1 | \$1,124.00         |
| <b>Remote Plus:</b> Designed for mid-sized systems and includes Basic features plus remote, mobile and BLE programming, key revalidation, cylinder groups, access profiles, temporary access groups. Limit 750 keys. | SW-500101-3 | \$3,531.00         |
| <b>Enterprise:</b> Designed for large systems and includes all Remote Plus features plus web services for 3rd party applications. Limit 1500 keys.   | SW-500101-5 | \$5,777.00         |
| <b>Enterprise Plus:</b> Designed for systems larger than 1500 keys. Options available for purchase include custom server configuration.  |             | Call for pricing   |
| <b>LenelS2 Onguard:</b> Middleware add-on designed for integration of LenelS2 Onguard with CWM.  | SW-601201   | Call for pricing   |
| <b>LenelS2 Onguard:</b> Recurring maintenance fee for middleware add-on designed for integration of LenelS2 Onguard with CWM.  | SW-601201-R | Call for pricing   |
| AD/LDAP Interface add-on designed for integration of AD/LDAP with CWM.   | SW-500150-R | \$2,300.00         |

#### **CLIQ® Self-Hosted Software**

| Description  | Part<br>Number | One-time<br>License Fee | Annual<br>Maintenance Fee |
|--|----------------|-------------------------|---------------------------|
| Enterprise Self-Hosted One-Time Fee. Includes all Remote Plus features plus web services for 3rd party applications. | SW-600801      | \$53,618.00             |                           |
| Enterprise Self-Hosted Annual Recurring Maintenance Fee.   | SW-600801-6R   |                         | \$8,043.00                |
| CLIQ Web Server customer-hosted advance. One-time license fee.   | SW-600801-7    | \$24,510.00             |                           |
| CLIQ Web Server customer-hosted maintenance (advance)  | SW-600801-7R   |                         | \$3,678.00                |

Self-hosted software purchase entitle the user to a single user license with annual license fees. Software maintenance fee provides regular software program updates, maintenance releases, patches, and technical telephone assistance.

An additional license is required for both Medeco- and Self-hosted customer test server environments.

Multi-year hosting available. Contact your sales representative.

The CLIQ service offerings are billed annually. Annual subscription includes maintenance releases, patches, and normal business hours of basic technical telephone support (M-F). Maintenance fees are billed annually. Annual maintenance subscription includes basic technical telephone support (M-F). For extended technical support, please refer to page 21 for advanced support programs including extended hours and guaranteed response times.

CLIQ Web Manager Client PC minimum requirements: Windows 10 and a modern browser. CLIQ Web Manager is a licensed product for both Medeco Hosted Services and End-User Self Hosted Software.

#### **CLIQ® Local Manager**

The locally installed CLIQ Local Manager software is used for the day-to-day management of the CLIQ system. With it, system managers can perform a variety of tasks based on the specific needs of their environment, managing access rights of user keys locally via desktop programming devices.

| Description  | Part<br>Number | Purchase   | Annual Rental |
|--|----------------|------------|---------------|
| CLIQ Local Manager Stand-alone Software version with perpetual license option: Single system application license – One system can be imported into the software with C-key and ELS files. Two years of tech support is included. | SW-500170      | \$2,300.00 |               |

#### Choose the Purchase Option ▲ OR The Annual Rental Option ▼

| CLIQ Local Manager Stand-alone Software version with recurring license option: Single system application license with Annual maintenance fee. | SW-500170-R |  | \$690.00 |  |
|---|-------------|--|----------|--|
|---|-------------|--|----------|--|

Self-hosted software purchase entitles the user to a single user license with annual license fees. Software maintenance fee provides regular software program updates, maintenance releases, patches, and technical telephone assistance.

#### Medeco M<sup>3</sup> & X4 CLIQ Programming Devices

| Description  | Part Number | Price      |
|--|-------------|------------|
| M³ CLIQ Local Programming Device (Includes USB Cable)                              | EA-100168   | \$740.00   |
| M³ CLIQ Remote Wall PD   | EA-100126   | \$1,217.00 |
| M³ CLIQ Mobile Programmer  | EA-100142   | \$1,158.00 |
| M³ CLIQ Outdoor, Vandal Resistant, Wall Programmer                                 | EA-100160   | \$2,192.00 |
| X4 CLIQ Local Programming Device (Includes USB Cable)                              | EA-100179   | \$740.00   |
| X4 CLIQ Remote Wall PD   | EA-100180   | \$1,217.00 |
| X4 CLIQ Mobile Programmer  | EA-100181   | \$1,158.00 |
| X4 CLIQ Outdoor, Vandal Resistant, Wall Programmer                                 | EA-100182   | \$2,192.00 |
| X4 CLIQ local programming device with one plug (for end users - no plug for C key) | EA-100222   | \$639.00   |
| X4 CLIQ Connect mobile programming device  | EA-100230   | \$1,193.00 |
| M3 CLIQ Local Programming Device with one plug (for end users - no plug for C key) | EA-100210   | \$639.00   |
| M3 CLIQ Connect mobile programming device  | EA-100229   | \$1,193.00 |

#### Medeco M<sup>3</sup> & X4 CLIQ Kits & Accessories

| Description   | Part Number | Price    |
|---|-------------|----------|
| Biaxial and M <sup>3</sup> Bottom Pin Kit for use with M <sup>3</sup> CLIQ (Original Product uses standard pin kit) | .KW5401     | \$894.00 |
| Metal Cylinder Protector Cover  | CP-287260   | \$103.00 |
| Plastic cylinder protector cover  | CP-170930   | \$76.00  |

## New CLIQ Systems Check List

| Required | Recommended | Optional | Product Description   | Product Comments   |
|----------|-------------|----------|---|--|
| •        |             |          | User Key  | Minimum one required per system  |
| •        |             |          | Cylinder  | Minimum one required per system  |
| •        |             |          | Master C-key  | The CLIQ C-Key manages the electronic communication provided by the CLIQ system. It provides users secure access to the system software and the ability to transfer information between the software and cylinders.  |
| •        |             |          | Sub-master C key  | One or more sub-master keys (up to 199 per system)   |
| •        |             |          | Local Programming Device  | The CLIQ Local Programming Device (local PD) is used to connect CLIQ keys and cylinders to the software (CLIQ Web Manager), via secure communication.  |
|          | •           |          | Remote indoor wall programming device   | Embedded with its own IP address, the online CLIQ Remote Indoor Wall Programming Device allows users to remotely program M3 CLIQ, X4 CLIQ, and Classic CLIQ keys.  |
|          |             | •        | Vandal resistant outdoor wall programming device  | Embedded with its own IP address, the online CLIQ Remote outdoor Wall Programming Device allows users to remotely program M3 CLIQ, X4 CLIQ, and Classic CLIQ keys.   |
|          |             | •        | CLIQ Connect (BLE) user key   | Used for remote areas. CLIQ Connect (BLE) keys are updated by the CLIQ Connect app using a cell phone. (Only used with CLIQ Web Manager).  |
|          |             | •        | CLIQ Connect mobile programming device  | Using a cell phone Bluetooth connection and the free CLIQ® Connect app available on iOS or Android phones, the Medeco CLIQ Connect Mobile Programming Device (Connect Mobile PD) allows you to program CLIQ keys on-the-go.  |
| •        |             |          | CLIQ administrator training   | Prior to deployment of your new system, we require Medeco technical training for your business security team. We offer a variety of customized hands-on training courses to teach your team how to properly operate, customize and support your new Intelligent Key System.                        |
|          | •           |          | CLIQ on-site professional services  | To achieve optimum performance of your new intelligent<br>Key System, Medeco recommends professional design and<br>implementation services. Services include system planning,<br>system deployment, team training and on-going support.<br>See the professional services section for more details. |
| •        |             |          | CLIQ software – select one of the two<br>choices. 1) CLIQ Web Manager and CLIQ<br>Connect PC or 2) CLIQ Local Manager | Software required for managing the CLIQ system   |
|          |             | •        | CLIQ Connect mobile app   | Mobile app for Android or iOS available to update user keys (BLE keys or non-BLE keys using CLIQ Connect mobile programming device)  |
| •        |             |          | CLIQ Control key for<br>Interchangeable cores   | CLIQ cylinders can quickly and easily be changed by non-<br>technical personnel using a special control key, applicable<br>only if interchangeable core cylinders are used on a project  |

Medeco Classic CLIQ merges the features of electronics with reliable mechanical technology – all in a retrofit cylinder. Medeco CLIQ offers end users audit trail, user access schedules and the ability to quickly and remotely change Intelligent Key authorizations with the CLIQ Web Manager and Remote.

Medeco Classic CLIQ installs with no wiring in a matter of minutes, and Intelligent Keys and digital cylinder reprogram for electronic master keying.





#### **Audit Accountability**

Audit information recorded in both the lock and key shows a time-and-date stamped record of every event, including authorized accesses and unauthorized attempts.



#### **Uses Existing Hardware**

The Medeco CLIQ Intelligent Key provides all power to the cylinder, eliminating the need for any hard wiring or power supply. Simply remove the existing mechanical cylinder and install the Medeco Classic CLIQ cylinder.



#### **Reduces Risk of Lost Keys**

Respond quickly to security threats, lost or stolen keys or personnel changes utilizing expiring Intelligent Key validation intervals and remote programming.



#### **Electronic Scheduling**

Intelligent Keys are programmed for specific openings with fully flexible scheduling. Access profiles can be created where programming updates are generated automatically when an opening is added or removed.

#### **Technical Features:**

- Audits: Key capacity 1,000 events Cylinder capacity – 750 events
- Management: CLIQ Web Manager with Medeco Hosted or Self-Hosted License
- Power: Power supplied by the key, no hard wiring required
- Lockcase: Fits standard Rim & Mortise Housing as well as other various platforms
- Weather Resistant: Can be used in indoor or outdoor applications
  - Rated for -20° F to 122° F (cylinder)
- **Security:** Encrypted identification in cylinder & Intelligent Key
- Formats: Available in all common cylinder formats including KIK/KIL, LFIC, padlocks and deadbolts

## **Key Information:**

- Audit key holds up to 1,000 audit records and provides information unavailable in a mechanical system
- Self-cleaning electronic contact point for a long lasting key and reliable connection
- Powered by an easily replaceable CR2025 Battery with 20,000 cycle battery life
- Available with HID Prox coil insert for dual use with HID compatible EAC systems
- Visible status feedback
- Compact size in water resistant housing

### Warranty:

Medeco® warrants the Medeco Classic CLIQ products to be free of defects in material and/or workmanship for a period of two (2) years from date of original purchase

#### **Finishes:**

• Available in several finish options

## **CLIQ Web Manager Features:**

- Role based system administration
- Access Profiles
- Remote Programming Web
- Services Integration
- Key Revalidation
- Automated Change Notification

## **Cylinder Technologies:**

Classic CLIQ Technology code = "C"



## **Rim and Mortise Cylinders**

A simple replacement of rim or mortise cylinders with Classic CLIQ cylinders provides audit and scheduling along with expiration of credentials for any existing opening utilizing mortise hardware. Cylinders are available in all popular lengths and are an ideal upgrade for offices or as override for traditional EAC equipment.



#### **Medeco Classic CLIQ Mortise Cylinders**

| Description             | Part Number | Price      |
|-------------------------|-------------|------------|
| 1 1/4" Mortise Cylinder | 100500 C    | \$990.89   |
| 1 3/8" Mortise Cylinder | 105100 C    | \$987.16   |
| 1 1/2" Mortise Cylinder | 105200 C    | \$1,065.55 |
| 1 3/4" Mortise Cylinder | 105400 C    | \$1,161.47 |
| 2" Mortise Cylinder     | 105500 C    | \$1,162.70 |
| 2 1/2" Mortise Cylinder | 105700 C    | \$1,162.13 |

Medeco Classic CLIQ mortise cylinders are not available longer than 2 1/2"

#### Medeco Classic CLIQ Rim Cylinders

| Description   | Part Number | Price    |
|---|-------------|----------|
| Rim Cylinder - Horizontal Tailpiece                         | 100400H C   | \$989.16 |
| Rim Cylinder - Vertical Tailpiece                           | 100400V C   | \$989.16 |
| Rim Cylinder - Sargent Mounting Style, Horizontal Tailpiece | 100403H C   | \$989.16 |
| Rim Cylinder - Sargent Mounting Style, Vertical Tailpiece   | 100403V C   | \$989.16 |
| Rim Cylinder - 180 Degree Lazy Motion                       | 100700 C    | \$989.16 |

## **Key-In-Knob/Lever Cylinders**

Medeco's Key-in-Knob cylinders are designed to retrofit knob type cylindrical locksets, lever type cylindrical locksets, padlocks and bored type auxiliary deadlatches and deadlocks. Medeco Classic CLIQ KIK/KIL cylinders additionally offer user audit trail, user access schedules and the ability to quickly add or remove a key electronically from a system, allowing fast response to security threats or lost/stolen keys. These cylinders fit nearly all popular brands and styles of hardware and are therefore an ideal application for office doors, storage and file rooms, or residential doors; virtually any door where cylindrical hardware is used.



## Medeco Classic CLIQ Cylinders for Alarm Lock

| Description                                | Part Number | Price    |
|--|-------------|----------|
| Cylinder for Alarm Lock Trilogy T1, T2, T3 | 20200V1 C   | \$992.70 |

\*Due to possible variances in hardware tolerance and door preparation, Classic CLIQ KIK cylinders should be field tested in lever or knob applications where the key retracts the latch directly to ensure proper hardware operation.

## Medeco Classic CLIQ Cylinders for Arrow

| Description  | Part Number | Price    |
|--|-------------|----------|
| Cylinder Package for Arrow MK Series include CT-Y70, CT-Y73,   |             |          |
| CP-160321  | 20200A1 C   | \$994.92 |
| Cylinder for Arrow RK Series & MK Series (Except Ball), original cylinder spacer must be replaced with |             |          |
| Medeco spacer CP-160321  | 2020070 C   | \$992.70 |
| Cylinder for Arrow MK Series (Ball knob only) and GL series  | 2020073 C   | \$992.70 |
| Cylinder for Arrow H & S Knob Series, L, ML, Q, & W Series Lever                                       | 2020249 C   | \$992.70 |
| Cylinder for Arrow JL Series Interconnected lock, deadbolt cylinder                                    |             |          |
| also necessary   | 2020249 C   | \$992.70 |

#### Medeco Classic CLIQ Cylinder for Cal-Royal

| Description  | Part Number | Price    |
|--|-------------|----------|
| Cylinder for Cal-Royal SL00 Knob Lock and LX01 Lever Lock          | 2020049 C   | \$992.70 |
| Cylinder for Cal-Royal CLS03 Classroom Function Grade 2 Lever Lock | 20200V1 C   | \$992.70 |

#### Medeco Classic CLIQ Cylinder for Corbin Russwin

| Description   | Part Number | Price    |
|---|-------------|----------|
| Cylinder for Corbin Russwin CL3900                              | 20200V9 C   | \$992.70 |
| Cylinder for Corbin Russwin 800, CL3300, CL3400, CL3500, CL3600 | 2021173 C   | \$992.70 |
| Cylinder for Corbin Russwin CK4200 (new style)                  | 205005 C    | \$992.70 |

### Medeco Classic CLIQ Cylinder for Dorma

| Description   | Part Number | Price    |
|---|-------------|----------|
| Cylinder for Dorma® CL700 series  | 2020049 C   | \$992.70 |
| Cylinder for Dorma® CL860 (Interior), CL870, CL872, CL873, CL877<br>Grade 1 Lever, CK860 (Interior), CK870, CK872, CK873, & CK877 |             |          |
| Grade 1 Knobs   | 20200V0 C   | \$992.70 |
| Cylinder for Dorma® CL853, CL860 (exterior), CL880, CL882, CL80EL,  |             |          |
| CL80EU Grade 1 Lever, CK853, CK860 (exterior), CK880, CK882, CK80EL,  |             |          |
| & CK80EU Grade 1 Knobs  | 20200V1 C   | \$992.70 |

### **Medeco Classic CLIQ Cylinder for Embassy**

| Description   | Part Number | Price    |
|---|-------------|----------|
| Cylinder for Embassy lockset in Entrance, Institution, Storeroom, |             |          |
| Corridor functions.   | 20200V1 C   | \$992.70 |

## Medeco Classic CLIQ Cylinder for Hager

| Description  | Part Number | Price    |
|--|-------------|----------|
| Cylinder for Hager Lever Locksets, Model 3553,3570,3579,3580 | 2020249 C   | \$992.70 |

#### Medeco Classic CLIQ Cylinder for KABA - Mas-Hamilton

| Description              | Part Number | Price    |
|--------------------------|-------------|----------|
| Kaba E-plex 5000         | 2020000 C   | \$992.70 |
| MAS-Hamilton Power Lever | 20200V1 C   | \$992.70 |

#### Medeco Classic CLIQ Cylinder for LSDA

| Description  | Part Number | Price    |
|--|-------------|----------|
| LSDA Cylinder Package Fits 100, L100, LH1000, LX1000 Series.   |             |          |
| Includes: CT-Y49, CT-Y70 (for 100 Series Knob, except B        |             |          |
| and L100 Series Lever), CT-Y73 (for 100 Series B knob), CT-Y78 |             |          |
| (for LX1000 Lever)   | 20200L1 C   | \$994.92 |

<sup>\*</sup>Due to possible variances in hardware tolerance and door preparation, Classic CLIQ KIK cylinders should be field tested in lever or knob applications where the key retracts the latch directly to ensure proper hardware operation.

#### Medeco Classic CLIQ Cylinder for Marks

| Description   | Part Number | Price    |
|---|-------------|----------|
| Cylinder for Marks 110, 170, 180, 190, 195, 295 series Vestibule, |             |          |
| Communicating, Classroom, & Classroom Security functions          |             | 4000 = 0 |
| (DA, DC, SB, S).  | 20200V0 C   | \$992.70 |
| Cylinder for Marks Lever 110, 170, 180, 190, 195, 295 series      |             |          |
| in Entrance, Institution, Storeroom, and Corridor functions       |             |          |
| (AB, DW, F, T)  | 20200V1 C   | \$992.70 |
|   |             |          |

## **Medeco Classic CLIQ Cylinder for Olympus**

| Description  | Part Number | Price    |
|--|-------------|----------|
| Cylinder for Olympus 700 LCM and 800 LCM Key Retaining cabinet |             |          |
| lock, includes: CTY49, CT-Y52, CT-Y53, CT-Y54                  | 20200S1 C   | \$994.92 |

## Medeco Classic CLIQ Cylinder for PDQ

| Description  | Part Number | Price    |
|--|-------------|----------|
| Cylinder for PDQ Lever SP & ST series, GT, XGT & GP Series | 20200V2 C   | \$992.70 |

### Medeco Classic CLIQ Cylinder for Sargent

| Description   | Part Number | Price    |
|---|-------------|----------|
| Cylinder for Sargent 10 line locksets order with '30' option prefix |             |          |
| (note: cylinder will extend from lever more than standard cylinder) | 20200S1 C   | \$994.92 |

## Medeco Classic CLIQ Cylinders for Schlage

| Description   | Part Number | Price    |
|---|-------------|----------|
| Cylinder Package for Schlage A, AL, C, D, ND & Olympiad lever designs   | ,           |          |
| includes: CT-Y49 (A, AL, & D Olympiad Lever & C & D Plymouth),          |             |          |
| CT-Y52 (C & D heavy duty knobs Ball, Globe & Sphere designs only),      |             |          |
| CT-Y53 (A series Orbit), CT-Y73 (ND series Gr. 1 lever & AL thick doors | ),          |          |
| and CTY74 (45-101 padlock)  | 20200S1 C   | \$994.92 |
| Cylinder for Schlage D Series Lever, Athen, Rhodes, & Sparta designs    | 2020249 C   | \$992.70 |

## Medeco Classic CLIQ Cylinder for TACO

| Description                         | Part Number | Price    |
|-------------------------------------|-------------|----------|
| Cylinder for TACO LXV lever lockset | 2020078 C   | \$992.70 |

## Medeco Classic CLIQ Cylinder for Yale

| Description   | Part Number | Price    |
|---|-------------|----------|
| Cylinder for Yale 6 pin 5300LN, 5400LN and 4300 Knobs | 200503 C    | \$992.70 |

<sup>\*</sup>Due to possible variances in hardware tolerance and door preparation, Classic CLIQ KIK cylinders should be field tested in lever or knob applications where the key retracts the latch directly to ensure proper hardware operation.

## **Interchangeable Core Cylinders**

Medeco Classic CLIQ LFIC cores offer end users the ability to obtain an audit trail, schedule user access rights and quickly and easily remove a key electronically from a system. This cylinder installs into standard Schlage-style LFIC housing hardware with no wiring or other modifications. It is drill and tamper resistant, and ideal for indoor or outdoor installations. Common applications include business entrances such as banks and shopping centers, as well as many school and university applications.



### Medeco Classic CLIQ Cylinders for Schlage

| Description                                  | Part Number | Price    |
|--|-------------|----------|
| Classic CLIQ cylinder for Schlage style LFIC | 322201 C    | \$976.31 |

#### **Padlocks**

Medeco Classic CLIQ retrofit cylinders are available for the Medeco System Series and G8R padlocks, as well as several other popular brands such as American, Schlage or Master. These locks are weather resistant and can be used in indoor or outdoor applications. Padlocks have simple reprogramming abilities, as well as audit and scheduling capabilities for perimeter fences and gates, or for equipment storage areas where traditional EAC is practically impossible to install.



### Medeco Classic CLIQ Padlock Cylinders

| Description  | Part Number | Price      |
|--|-------------|------------|
| Medeco System Series padlock cylinder (padlock body sold separately                          | y) 510600 C | \$1,165.02 |
| G8R Padlock popout cylinder, deadbolt function (padlock body sold separately)                | 641201 C    | \$960.00   |
| G8R Padlock popout cylinder, springbolt function (padlock body sold separately)              | 641200 C    | \$960.00   |
| Cylinder for American 3600/3700 padlock<br>(Use American driver DR-MED6)                     | 2020000 C   | \$992.70   |
| Cylinder for New Standard padlocks   | 2020052 C   | \$992.70   |
| Cylinder for Master 20 and 6600, 6700 Pro Series (Use Master driver 0298-627 for Pro Series) | 2020000 C   | \$992.70   |
| Cylinder for Schlage 45-101 padlock  | 2020074 C   | \$992.70   |
| Cylinder for Abus Padlock Series 83KNK/45, 83KNK/50 & 83KNK/55. (Use Abus driver M)          | 2020000 C   | \$992.70   |

#### **Medeco Classic CLIQ Padlock Options**

Refer to the Padlock Section for System Series and G8R Padlock part numbers and options.

## **Deadbolts**

The Medeco Classic CLIQ Maxum Deadbolt provides a loss and liability solution in Medeco's Maxum deadbolt platform. In addition to the physical security of the Maxum deadbolt, the Medeco Classic CLIQ cylinder provides an audit trail, the ability to schedule user access rights and the freedom to quickly add or remove a key from the system. The Medeco Classic CLIQ deadbolt installs in a matter of minutes without cumbersome wiring. Attack-resistant design and tamper-proof features provide strong protection against forced entry and allow for flawless integration into any home or business application.



#### Medeco Classic CLIQ Deadbolt Cylinders

| Description  | Part Number | Price    |
|--|-------------|----------|
| Cylinder for Arrow D, E & DB Series Single Cylinder Deadbolts  | 200901 C    | \$993.70 |
| Cylinder for Arrow Revolution deadbolt                         | 200901 C    | \$993.70 |
| Cylinder for Sargent 470 & 480 single cylinder deadbolt        | 200901 C    | \$993.70 |
| Cylinder for Sargent 470 & 480 double cylinder deadbolt        | 200902 C    | \$993.70 |
| Lazy Motion Cylinder for Schlage B series (old style) deadbolt | 200904 C    | \$993.70 |

#### Medeco Classic CLIQ Maxum Deadbolts - Commercial Trim

| Description  | Part Number | Price      |
|--|-------------|------------|
| • Single Cylinder Maxum Deadbolt, 1 1/8" Faceplate, 2 3/8" Backset | 11C601 C    | \$1,127.59 |
| • Single Cylinder Maxum Deadbolt, 1 1/8" Faceplate, 2 3/4" Backset | 11C602 C    | \$1,127.59 |
| • Single Cylinder Maxum Deadbolt, 1" Faceplate, 2 3/8" Backset     | 11C603 C    | \$1,127.59 |
| • Single Cylinder Maxum Deadbolt, 1" Faceplate, 2 3/4" Backset     | 11C604 C    | \$1,127.59 |
| • Single Cylinder Maxum Deadbolt, Drive In Front, 2 3/8" Backset   | 11C605 C    | \$1,127.59 |
| • Single Cylinder Maxum, Drive In Front, 2 3/4" Backset            | 11C606 C    | \$1,127.59 |
| Single Cylinder Maxum Deadbolt, Less Bolt                          | 11C60LC     | \$1,043.04 |

<sup>•</sup> Available Classroom Function, 11C61X C.

#### Medeco Classic CLIQ Maxum Deadbolts - Residential Trim

| Description  | Part Number | Price      |
|--|-------------|------------|
| Single Cylinder Maxum Deadbolt, 1 1/8" Faceplate, 2 3/8" Backset | 11R601 C    | \$1,127.59 |
| Single Cylinder Maxum Deadbolt, 1 1/8" Faceplate, 2 3/4" Backset | 11R602 C    | \$1,127.59 |
| Single Cylinder Maxum Deadbolt, 1" Faceplate, 2 3/8" Backset     | 11R603 C    | \$1,127.59 |
| Single Cylinder Maxum Deadbolt, 1" Faceplate, 2 3/4" Backset     | 11R604 C    | \$1,127.59 |
| Single Cylinder Maxum Deadbolt, Drive In Front, 2 3/8" Backset   | 11R605 C    | \$1,127.59 |
| Single Cylinder Maxum Deadbolt, Drive In Front, 2 3/4" Backset   | 11R606 C    | \$1,127.59 |
| Single Cylinder Maxum Deadbolt, Less Bolt                        | 11R60LC     | \$1,043.04 |

## **Cam and Utility Locks**

Medeco® Classic CLIQ Cam Locks are recognized throughout the world as the standard for protection. Medeco offers a complete line of various cam lock sizes and functions to meet your specific needs. In addition to providing the ultimate defense against drilling, pulling, and other forms of vandal attacks, locks have both electronic auditing and scheduling capabilities that offer further security in many applications. Storage cabinets, vending machines, lockers and tool boxes can all be accommodated without any wiring and be utilized in either indoor or outdoor use.



#### **Medeco Classic CLIQ Cam Locks**

| Description                                   | Part Number  | Price      |
|---|--------------|------------|
| 7/8" Cam lock                                 | 60810 XXX C  | \$964.00   |
| 7/8" Cam lock with hardened plug face         | 60810D XXX C | \$1,044.58 |
| 1 1/8" Cam lock                               | 60820 XXX C  | \$964.00   |
| 1 1/8" Cam lock with hardened steel plug face | 60820D XXX C | \$1,044.58 |

#### **Medeco Classic CLIQ Cam Lock Codes**

| Description                                    | Op Code |
|--|---------|
| 1 Flat, 1 Key Pull, Clockwise 90 degree        | 119     |
| 2 Flat, 1 Key Pull, Clockwise 90 degree        | 219     |
| 2 Flat, 2 Key Pull, Clockwise 90 degree        | 229     |
| 2 Flat, 1 Key Pull, Counterclockwise 90 degree | 239     |
| 2 Flat, 2 Key Pull, Counterclockwise 90 degree | 249     |
| 2 Flat, 1 Key Pull, Clockwise 180 degree       | 259     |
| 2 Flat, 2 Key Pull, Clockwise 180 degree       | 269     |

## **Retail/Showcase Cylinders**

Medeco Classic CLIQ Showcase and Cabinet Locks offer end users audit trail, user access schedules and the ability to quickly add or remove a key electronically from a system. Installs with no wiring in a matter of minutes, and electronic keys and cylinders reprogram for instant changes. With ease of tracking capabilities, in a retail environment these locks are ideal to protect against both customer and employee theft, and to allow efficient access for sales associates with full audit accountability. Available to fit many types of display cases, as well as cash drawers and inventory cabinets.



#### **Medeco Classic CLIQ Cabinet Locks**

| Description              | Part Number | Price      |
|--------------------------|-------------|------------|
| Plunger Lock, Round Bolt | 490358 C    | \$1,106.00 |
| Plunger Lock, T- Bolt    | 490368 C    | \$1,106.00 |
| Cabinet Lock, Latchbolt  | 490359 C    | \$1,099.74 |
| Cabinet Lock, Deadbolt   | 490366 C    | \$1,099.74 |
| Showcase Ratchet Lock    | 490361 C    | \$1,089.70 |

## **International Cylinders**

Medeco's International Cylinders are designed to fit in locksets of major world manufacturers. In addition to international uses, many of these cylinders fit imported hardware used in North America. These Medeco Classic CLIQ cylinders can be installed into standard hardware with no wiring or other modifications, as power is supplied by the key. Reprogramming, audit and key scheduling capabilities are available with easy to use software. These cylinders are widely used at high security government installations, industrial and institutional organizations, airports, hotels, power plants, palaces, museums, universities and schools, and office buildings.



#### Medeco Classic CLIQ International Cylinders

| Description                                 | Part Number | Price      |
|---|-------------|------------|
| Thumbturn Profile - Assembled 30/30mm       | 2325005 C   | \$1,154.00 |
| Double Cylinder Profile - Assembled 30/30mm | 2325025 C   | \$1,650.00 |

<sup>•</sup> Other lengths available, please inquire.

## **Vending Cylinder Formats**

Medeco Classic CLIQ specialty cylinders offer industrial or route management vendors electronic control over their assets. Medeco Classic CLIQ offers end users audit trail, user access schedules and the ability to quickly add or remove a key electronically from a system. Installs with no wiring in a matter of minutes and electronic keys and cylinders reprogram for instant changes. Audit information recorded in both the lock and key shows a time-and-date stamped record of every event, including authorized accesses and unauthorized attempts. Medeco Classic CLIQ products add a wide variety of intelligent features without compromising on physical security. Attack-resistant design and tamper-proof features provide strong protection against forced entry.



#### Medeco Classic CLIQ Pop-Out Cylinders

| Description                                    | Part Number | Price      |
|--|-------------|------------|
| CLIQ Pop-out Cylinder, Springbolt              | 641200 C    | \$960.00   |
| CLIQ Pop-out, Springbolt, Hardened Plug        | 641200D C   | \$1,040.60 |
| CLIQ Pop-out Cylinder, Deadbolt                | 641201 C    | \$960.00   |
| CLIQ Pop-Out Cylinder, Deadbolt, Hardened Plug | 641201D C   | \$1,040.60 |

## **Keys and Accessories**

Medeco Classic CLIQ Intelligent Keys operate Classic CLIQ cylinders for system flexibility and security they maintain and ensures system integrity by means of key audit to obtain historic user access information, as well as the ability to schedule access to doors. Keys are user friendly with visible LCD status feedback, compact in size with water resistant housing and are powered by an easily replaceable CR2025 battery.



#### **Medeco Classic CLIQ Keys**

| Description   | Part Number | Price    |
|---|-------------|----------|
| E2/Normal User Key - Key Only   | KEC 42602B  | \$168.11 |
| E3/Dynamic User Key - Key Only  | KEC 42603B  | \$168.11 |
| C-Key   | KEC 4260CR  | \$215.18 |
| E2/Normal User Key with 125kHz PROX Cover   | KEC 426P2B  | \$181.60 |
| E3/Dynamic User Key with 125kHz PROX Cover  | KEC 426P3B  | \$181.60 |
| CLIQ Battery Cover w/Proximity-upgrade standard Medeco Classic CLIQ keys to RFID Proximity Keys (sold in pack of 25) - Black only | 94-0249     | \$470.00 |

- Normal Key systems require Loading Authorizations On Lock via the system C-Key.
- Dynamic Key systems require Loading Authorizations On Key via a desktop or remote programming device. Please consult with your Medeco Intelligent Key representative to determine which strategy is best for the desired application/installation.

### **Medeco Classic CLIQ Programming Devices**

| Description   | Part Number | Price      |  |
|---|-------------|------------|--|
| Medeco Classic CLIQ Local Programming Device (Includes USB Cable)       | EA-100167   | \$740.00   |  |
| Remote Wall PD for Medeco Classic CLIQ                                  | EA-100121   | \$1,268.00 |  |
| Medeco Classic CLIQ Mobile Programmer                                   | EA-100145   | \$1,158.00 |  |
| Outdoor, Vandal Resistant, Wall Programmer for Medeco Classic CLIQ keys | EA-100159   | \$2,192.00 |  |
| CLIQ Connect Mobile PD  | EA-100258   | \$1,089.00 |  |

#### **Medeco Classic CLIQ Kits & Accessories**

| Description                       | Part Number | Price    |
|-----------------------------------|-------------|----------|
| Plastic Cylinder Protection Cover | CP-170930   | \$76.00  |
| Metal Cylinder Protection Cover   | CP-287260   | \$103.00 |

## **End-User Startup Checklist:**

- CLIQ Web Manager
- CLIQ Local Programmer
- CLIQ C Key
- Remote Wall and/or Mobile Programmers
- User Keys

#### **Professional Services**

Planning, design and support are crucial to the successful deployment of an Intelligent Key System. Medeco offers professional services to ensure every installation is planned and executed seamlessly, and the system works effectively to meet current and future needs to protect the investment. See page 21 for details and pricing.

## **Programming and Management**

CLIQ® Web Manager is a robust and versatile software used by administrators to efficiently manage their CLIQ® System. The CLIQ® Web Manager Hosting Service is cloud-based, giving administrators the ability to manage their system from anywhere with internet access and have the benefit of the latest software enhancements. In addition, it offers secure 24/7 web access and no start-up fees, making it a cost-effective solution to meet a wide variety of needs. Choose the offering that best fits your CLIQ® system size and requirements.



#### **CLIQ®** Web Hosting Service

| Description  | Part Number | Annual License Fee |  |  |
|--|-------------|--------------------|--|--|
| <b>Basic:</b> Designed for smaller systems and includes desktop/local key and cylinder programming only, Domain Administration. Limit 750 keys.  | SW-500101-1 | \$1,124.00         |  |  |
| <b>Remote Plus:</b> Designed for mid-sized systems and includes Basic features plus remote, mobile and BLE programming, key revalidation, cylinder groups, access profiles, temporary access groups. Limit 750 keys. | SW-500101-3 | \$3,531.00         |  |  |
| <b>Enterprise:</b> Designed for large systems and includes all Remote Plus features plus web services for 3rd party applications. Limit 1500 keys.   | SW-500101-5 | \$5,777.00         |  |  |
| <b>Enterprise Plus:</b> Designed for systems larger than 1500 keys. Options include custom server configuration, FedRAMP compliance.   |             | Call for pricing   |  |  |
| These offerings are billed annually.   |             |                    |  |  |

#### **CLIQ® Self-Hosted Software**

| Description  | Part<br>Number | One-time<br>License Fee | Annual<br>Maintenance Fee |  |
|--|----------------|-------------------------|---------------------------|--|
| Enterprise Self-Hosted One-Time Fee. Includes all Remote Plus features plus web services for 3rd party applications. | SW-600801      | \$53,618.00             |                           |  |
| Enterprise Self-Hosted Annual Recurring Maintenance Fee.   | SW-600801-6R   |                         | \$8,043.00                |  |
| CLIQ Web Server customer-hosted advance. One-time license fee.   | SW-600801-7    | \$24,510.00             |                           |  |
| CLIQ Web Server customer-hosted maintenance (advance)  | SW-600801-7R   |                         | \$3,678.00                |  |
| Maintenance fees are billed annually.  |                |                         |                           |  |

Self-hosted software purchases entitle the user to a single user license with no annual license fees. However, the software maintenance fee is recommended and provides regular software program updates, maintenance releases, patches, and technical telephone assistance.

CLIQ Web Manager Client PC minimum requirements: Windows 10 and a modern browser. CLIQ Web Manager is a licensed product for both Medeco Hosted Services and End-User Self Hosted Software.

## Medeco 4

## **High Security Locking System**

Medeco builds on more than 50 years of lock engineering innovation and takes security to the next level, offering the highest level of protection against physical attack and unauthorized key duplication with Medeco 4 (M4).

M4 cylinders are UL 437 listed for physical strength and high security components, using solid brass construction with strategically placed hardened-steel inserts to thwart drilling attacks. In addition to tumbler pins that lift and rotate, M4's design includes up to 4 side pins: 3 finger pins and 1 lift pin, which must all interact with the sidebar to open, providing a high level of pick resistance. The patent-pending M4 key design, with its shuttle pin movable element, also protects against the emerging threat of 3D printing for added credential security.





#### **Key Control**

Patent-pending key control protects against unauthorized duplication of keys.



#### **Protection Against 3D Printing**

A patent-pending movable element in the key deters against unauthorized 3D printed copies of keys or blanks.



#### **Picking and Bumping Protection**

M4 cylinders use cylinder side pins, a shuttle lift pin and a movable key element to engage a sidebar that prevents the key from turning until the elements are rotated and aligned in the correct position, protecting against bumping, picking and other attacks.



#### **Uses Existing Hardware**

M4 cylinders are available in a wide variety of formats, retrofitting most hardware on the market.



#### **Protection From Physical Attack**

M4 cylinders are UL 437 listed and UL test lab proven to stand up to drilling, picking and other forms of physical attack.



#### **Special Angled Cut Keys**

A special key cutting machine and access to Medecospecific blanks are required to duplicate M4 keys, which are available in multiple levels of restriction to support every need.



#### **Master Keying Capabilities**

M4 cylinders can be master keyed into a system that includes M4 and M4 BiLevel keys and cylinders. Extremely large systems are possible.

## Technical Information Cylinders:

- UL 437: Underwriters Laboratory Standard for a locking cylinder's ability to resist physical attack.
- ANSI/BHMA A156.30 & 156.5 rated meets or exceeds criteria for strength and durability, key control, and surreptitious entry resistance.
- Solid brass machined construction
- Biaxial-style split pin tumblers
- 100,000 cycle endurance tested

#### **Keys:**

- Angled, offset cuts on key blade
- Movable element on blade provides 3D key and key blank copy protection
- Patent-pending protection against duplicate keys
- Unique keyway pre-cuts using side cuts
- Secondary bitting/side pins in four positions
- Expanded master keying capability

#### **Applications:**

 M4 cylinders are available in a wide variety of formats and are ideal for any application requiring key control and a high level of physical security.

#### Warranty:

M4 cylinders are warranted for two years against manufacturer's defects. M4 keys have a lifetime warranty against breakage. See the Medeco limited warranty for details.



## **Medeco BiLevel**

Medeco 4 BiLevel cylinders offer affordable key control through patent-pending protected keys. Standard locking systems without utility patent protected keys allow anyone who gains possession of a key to easily and inexpensively make a copy. With an unauthorized duplicate key, a thief has complete access to a building, its physical and intellectual property, and the people inside. BiLevel locking systems ensure that the keys to a facility can only be duplicated by certified Medeco dealers and only with the proper authorization.

Medeco BiLevel cylinders can tie in with other Medeco mechanical and Intelligent Key products for master keying purposes.





#### **Patented -pending Key Control**

Protects against unauthorized duplication of keys.



#### Special Angle Cut Keys

Requires a special key cutting machine and access to Medeco specific blanks, available in a variety of restrictions to support every need.



#### **Uses Existing Hardware**

Medeco offers the largest selection of retrofit cylinders that reduce cost by eliminating the need to replace your existing hardware.



#### Can Be Master Keyed

Can be master keyed into a system containing M4 BiLevel and M4 mechanical.

#### **Technical Information:**

• Can be keyed with M4

#### **Applications:**

BiLevel retrofit cylinders are ideal for any application requiring patented key control where physical high security is not necessary.

### Warranty:

Medeco BiLevel cylinders are warranted for two years against manufacturer's defects. See the Medeco limited warranty for full details.

## **Cylinder Formats:**

- Rim & Mortise
- Key in Knob/Lever Cylinders
- Large Format Interchangeable Cores
- Padlocks
- Deadbolts



## Medeco X4

All facilities need patented key control to effectively secure exterior and interior openings. This strength of integrity allows security managers to have peace of mind when it comes to managing the system. Unfortunately, instituting a new key system is not always easy... or economical.

Medeco X4 is an economic and efficient solution to rekeying needs. Medeco X4 has one of the largest master key capabilities on the market, allowing facility managers to tie everything together under one key for ease, convenience and efficiency. Additionally, Medeco X4 easily retrofits into existing systems, significantly reducing installation time.



Medeco X4 is the perfect security upgrade for small format interchangeable core (SFIC) installations In addition to SFIC cylinders, Medeco X4 is also available in many other styles of retrofit cylinders that can all be keyed into a single system.



#### **Patented Key Control**

Protects against unauthorized duplication of your keys.



#### **Uses Existing Hardware**

Medeco X4 is available in a large selection of retrofit cylinder formats that can all be keyed into a single system.



#### **Quickly Change Cores**

Medeco X4 SFIC cylinder provides quick and easy cylinder changes in the event keys are lost or stolen.



#### Can be Master Keyed

Available in Small Format Interchangeable Cores (SFIC) and other retrofit cylinder formats which can be master keyed together, eliminating the need to replace your existing hardware.



#### **Technical Information:**

- Superior master key capabilities, up to four (4) times that of similar style cylinders
- One key flexibility for different cylinder styles compatible
- Patented system lasting until the year 2030
- Custom key coining for added security

#### **Applications:**

The Medeco X4 retrofit cylinders are ideal for any application requiring key control and physical security of your cylinders

#### **Warranty:**

Medeco X4 cylinders are warranted for two years against manufacturer's defects. See the Medeco® limited warranty for full details

## **Cylinder Formats:**

- Rim & Mortise
- Key in Knob/Lever Cylinders
- Small Format Interchangeable Cores
- Large Format Interchangeable Cores
- Padlocks
- Deadbolts



## **Rim & Mortise Cylinders**

| FEATURES   | M4/M³     | BiLevel | X4 | CLIQ | Medeco XT |
|--|-----------|---------|----|------|-----------|
| Utility patented key control provides protection from unauthorized duplication of keys                                       | (pending) | •       | •  | •    | •         |
| UL 437 Listing and BHMA Certification provide validation of high security from recognized, independent testing laboratories  | •         |         |    |      |           |
| Pick resistance and large numbers of combinations for master keying flexibility to accommodate systems of virtually any size | •         |         |    |      |           |
| Hardened steel inserts in the cylinder face provide proven drill resistance  | •         |         |    |      |           |
| Nickel plated pins provide exceptional wear resistance and additional hardened stainless steel pins provide drill resistance | •         |         |    |      |           |
| Solid nickel silver bottom pins provide exceptional wear resistance  |           |         | •  |      |           |
| Retrofits into virtually any manufacturers' locksets for cost effective improved security                                    | •         | •       | •  | •    | •         |
| High security and key control may be incorporated in a single system for cost effective system flexibility                   | •         | •       |    | •    |           |
| Keys may be integrated with Hybrid proximity head for greater system retrofit  | •         | •       | •  | •    |           |

#### **Medeco 4 Premium High Security**

For effective mechanical protection against most forms of attack as well as protection against unauthorized duplicate keys, M4 cylinders are recommended. Security features including hardened steel components, pins that must be elevated, rotated, and interact with a sidebar which is engaged by the movable element in the key make M4 the cylinder of choice to protect people, property and information.

#### **X4 Patented Key Control**

X4 cylinders offer patented control against unauthorized duplication of keys without the additional security features protecting against force or surreptitious attack.

#### **Medeco 4 BiLevel Key Control**

M4 BiLevel cylinders may be incorporated into a master key system with M4 high security, offering protection against all types of attack where needed, and patented key control cylinders for areas requiring less protection. BiLevel cylinders offer patented control against unauthorized duplication of keys without the additional security features protecting against force or surreptitious attack.

#### **Intelligent Key Solutions**

Many of the cylinders in this section are also available with an Intelligent Key solution. See the Intelligent Key section for more details.

**Rim & Mortise Cylinders** 

Medeco mortise cylinders are precision-machined solid brass and retrofit into virtually any industry standard hardware. Rim cylinders can be used with auxiliary locking devices such as: surface mounted deadbolts, night latches, panic devices and jimmy proof locks (also known as vertical dropbolts or interlocking deadbolts). Medeco high security rim and mortise cylinders are UL 437 listed for drill and pick resistance, and the those that incorporate the Medeco 4 (M4), M4 BiLevel, or Medeco X4 technologies, offer utility patented key control.





#### **Patented Key Control**

Protects against unauthorized duplication of keys.



#### **Picking and Bumping Protection**

M4 cylinders use cylinder side pins, a lift pin and a movable key element to engage a sidebar that prevents the key from turning until the elements are rotated and aligned in the correct position, protecting against bumping, picking and other attacks.



#### **Protection From Physical Attack**

M4 rim & mortise cylinders are UL 437 listed and stand up to drilling, picking and other forms of physical attack.



#### **Special Angle Cut Keys**

Requires a special key cutting machine and access to Medeco specific blanks, available in multiple levels of restriction to support every need.



#### **Uses Existing Hardware**

Medeco offers the largest selection of retrofit Rim & Mortise cylinders that reduce cost by eliminating the need to replace existing hardware.



#### **Master Keying Capabilities**

M4 can be master keyed into a system containing M4 BiLevel. Extremely large systems are possible.

#### **Applications**

Flexible options designed to retrofit various manufacturers mortise and rim locks

#### Warranty:

Warranted for two (2) years against manufacturers' defects. See the Medeco® limited warranty for full details

#### **Technical Features:**

- BHMA A156.30 Certification assures patent protected key control and physical strength (M4, M3)
- BHMA A156.5 Grade 1 Certification assures consistent quality for heavy use applications (M4, M3)
- Solid brass construction provides high quality and long cylinder life
- Set screw pin chamber caps allow quick and easy pinning and re-keying without the need to take the cylinder apart
- Large variety of cylinder lengths and cam/tailpiece configurations provide excellent retrofit capability and reduce the need to replace the entire locking device

#### **Finishes:**

 Available in all standard finishes to match existing hardware

## **Available Key Technologies:**

Mechanical: Intelligent Key:

– M4/M4 BiLevel
 – M³ CLIQ

– M³/M³ BiLevel – Classic CLIQ

- X4 CLIQ

- XT



## **How To Order Rim & Mortise Cylinders**

Complete part numbers are required for all orders. To determine the correct part number, fill in the "X's" in sequential order.

1

2

## 100200 base part # example

Refer to pages 65-77 for descriptions and technical specifications to find the corresponding base part number.

5

H technology

H = M4

P = M4 BiLevel $T = M^3$ 

J = M<sup>3</sup> BiLevel

 $S = M^3 CLIQ$ 

W = Biaxial

- = OriginalK = KM

C = Classic CLIQ

N = X4

M = X4 CLIQG = XT 05

3

Refer to the inside back cover of this catalog for finish options.

M4 keyway

Insert keyway if known or contact Customer Service for help. P pinning

S = Sub-Assembled (Uncombinated)

N = Sub-assembled, - No side pins

(M4 only) – No slider

(M3 only)
P = Pinned
(Combinated)

M = Master Keyed

R = Master Keyed

blade and side pins (Medeco 4 only) **Z**01

cam or tailpiece

6

Refer to pages 78-79 for cam and tailpiece options.


If not specified, Z01 for mortise and Y02 for rim will be supplied. 7

624 side pin code

(M4 only)

Insert side pin code if known or contact Customer Service for help.

#### **BUILD A RIM & MORTISE PART #:**



## **Standard Mortise Cylinders**

| Description  | Part Number | M4/M³    | BiLevel  | X4       | Biax/Orig | KeyMarl  |
|--|-------------|----------|----------|----------|-----------|----------|
| 1" 5 Pin Mortise Cylinder                          | 100100 (P)  | \$179.50 | \$97.83  | \$122.53 | \$190.91  | \$132.47 |
| -(6 pin for Medeco X4)                             | 100100(S)   | \$163.00 | \$88.83  | \$106.03 | \$174.41  | \$115.97 |
| 1" 5 Pin Mortise Cylinder with 120° notch          | 100101 (P)  | \$179.50 | \$97.83  |          | \$190.91  |          |
| along top of shell for alternate retaining ocation | 100101(S)   | \$163.00 | \$88.83  |          | \$174.41  |          |
| 1 1/01/C D'- Martin Calindar                       | 100200 (P)  | \$179.50 | \$97.83  | \$122.53 | \$190.91  | \$132.47 |
| 1-1/8" 6 Pin Mortise Cylinder                      | 100200(S)   | \$163.00 | \$88.83  | \$106.03 | \$174.41  | \$115.97 |
| 1.1/4//CD: 14 .: C !: 1                            | 100500 (P)  | \$186.50 | \$101.65 | \$124.50 | \$198.40  | \$134.55 |
| 1-1/4" 6 Pin Mortise Cylinder                      | 100500(S)   | \$170.00 | \$92.65  | \$108.00 | \$181.90  | \$118.05 |
|  | 105100 (P)  | \$193.50 | \$105.47 | \$137.14 | \$205.89  | \$148.06 |
| 1-3/8" 6 Pin Mortise Cylinder                      | 105100(S)   | \$177.00 | \$96.47  | \$120.64 | \$189.39  | \$131.56 |
| 4.4/20.50; 14 5.1; 1                               | 105200 (P)  | \$262.50 | \$143.07 | \$186.00 | \$279.72  |          |
| 1-1/2" 6 Pin Mortise Cylinder                      | 105200(S)   | \$246.00 | \$134.07 | \$169.50 | \$263.22  |          |
| 4 = 10 × 6 0 ×                                     | 105300 (P)  | \$269.50 | \$146.88 | \$193.00 | \$287.21  | \$208.75 |
| 1-5/8" 6 Pin Mortise Cylinder                      | 105300(S)   | \$253.00 | \$137.88 | \$176.50 | \$270.71  | \$192.25 |
| 1-3/4" 6 Pin Mortise Cylinder                      | 105400 (P)  | \$276.50 | \$150.70 | \$200.00 | \$294.70  | \$216.24 |
|  | 105400(S)   | \$260.00 | \$141.70 | \$183.50 | \$278.20  | \$199.74 |
| 2" 6 Pin Mortise Cylinder                          | 105500 (P)  | \$292.50 | \$159.42 | \$216.00 | \$311.82  | \$233.36 |
|  | 105500(S)   | \$276.00 | \$150.42 | \$199.50 | \$295.32  | \$216.86 |
| 2.4/41(CP; 14 .; CP; 1                             | 105600 (P)  | \$308.50 | \$168.59 |          | \$328.87  |          |
| 2-1/4" 6 Pin Mortise Cylinder                      | 105600(S)   | \$292.00 | \$159.59 |          | \$312.37  |          |
|  | 105700 (P)  | \$325.50 | \$177.41 | \$249.00 | \$347.13  | \$268.67 |
| 2-1/2" 6 Pin Mortise Cylinder                      | 105700(S)   | \$309.00 | \$168.41 | \$232.50 | \$330.63  | \$252.17 |
| 2.2(0)(6.2), 14 6.11. 1                            | 105904 (P)  | \$315.50 |          |          | \$336.43  |          |
| 2-3/8" 6 Pin Mortise Cylinder                      | 105904(S)   | \$299.00 |          |          | \$319.93  |          |
|  | 105104(P)   | \$343.50 |          |          | \$366.39  |          |
| 2-3/4" 6 Pin Mortise Cylinder                      | 105104(S)   | \$327.00 |          |          | \$349.89  |          |
|  | 105900 (P)  | \$371.50 |          | \$371.50 | \$396.35  |          |
| 3-1/4" 6 Pin Mortise Cylinder                      | 105900(S)   | \$355.00 |          | \$355.00 | \$379.85  |          |
|  | 105800 (P)  | \$424.50 |          |          | \$453.06  |          |
| 4-1/8" 6 Pin Mortise Cylinder                      | 105800(S)   | \$408.00 |          |          | \$436.56  |          |
|  | 105901 (P)  | \$476.50 |          |          | \$508.70  |          |
| 5" 6 Pin Mortise Cylinder                          | 105901(S)   | \$460.00 |          |          | \$492.20  |          |

## **Residential Mortise Cylinders**

| Description                                 | Part Number | $M4/M^3$ | BiLevel | X4 | Biax/Orig | KeyMark |
|---|-------------|----------|---------|----|-----------|---------|
| 1" F win Thin hand magnetics onlined an     | 1014506 (P) | \$179.50 |         |    | \$190.91  |         |
| 1" 5 pin, Thin head mortise cylinder        | 1014506(S)  | \$163.00 |         |    | \$174.41  |         |
| 1 1/0" [ ]. This has described a discharge  | 1014500 (P) | \$179.50 |         |    | \$190.91  |         |
| 1-1/8" 5 pin, Thin head mortise cylinder    | 1014500(S)  | \$163.00 |         |    | \$174.41  |         |
| 1 1/4" C This has described a dischar       | 1014501 (P) | \$186.50 |         |    | \$198.40  |         |
| 1-1/4" 5 pin, Thin head mortise cylinder    | 1014501(S)  | \$170.00 |         |    | \$181.90  |         |
| 1 3/0" E nin Thin head mortice culinder     | 1014502 (P) | \$193.50 |         |    | \$205.89  |         |
| 1-3/8" 5 pin, Thin head mortise cylinder    | 1014502(S)  | \$177.00 |         |    | \$189.39  |         |
| 1-1/2" 5 pin, Thin head mortise cylinder    | 1014503 (P) | \$262.50 |         |    | \$279.72  |         |
|   | 1014503 (S) | \$246.00 |         |    | \$263.22  |         |
| 4.5/0.5                                     | 1014504(P)  | \$267.50 |         |    | \$285.07  |         |
| 1-5/8" 5 pin, Thin head mortise cylinder    | 1014504(S)  | \$251.00 |         |    | \$268.57  |         |
| 1 3/4% Fig. 1. This has decourted a lind of | 1014505 (P) | \$274.50 |         |    | \$292.56  |         |
| 1-3/4" 5 pin, Thin head mortise cylinder    | 1014505(S)  | \$258.00 |         |    | \$276.06  |         |
| 2" 5 pin, Thin head mortise cylinder        | 1014507 (P) | \$284.50 |         |    | \$303.26  |         |
|   | 1014507 (S) | \$268.00 |         |    | \$286.76  |         |
| 24/45 - 71 - 1 - 1 - 1                      | 1014508 (P) | \$294.50 |         |    | \$313.96  |         |
| 2-1/4" 5 pin, Thin head mortise cylinder    | 1014508(S)  | \$278.00 |         |    | \$297.46  |         |
| 1 1/0" C This hand an autim and a           | 1014600 (P) | \$179.50 |         |    | \$190.91  |         |
| 1-1/8" 6 pin, Thin head mortise cylinder    | 1014600(S)  | \$163.00 |         |    | \$174.41  |         |
| 1 1/4" Curin Thin hand an autino a dia day  | 1014601 (P) | \$186.50 |         |    | \$198.40  |         |
| 1-1/4" 6 pin, Thin head mortise cylinder    | 1014601(S)  | \$170.00 |         |    | \$181.90  |         |
| 1 2/0" C This had a service a diad a        | 1014602 (P) | \$193.50 |         |    | \$205.89  |         |
| 1-3/8" 6 pin, Thin head mortise cylinder    | 1014602(S)  | \$177.00 |         |    | \$189.39  |         |
| 1 1/2" C u.i. This hand an autim and in day | 1014603 (P) | \$262.50 |         |    | \$279.72  |         |
| 1-1/2" 6 pin, Thin head mortise cylinder    | 1014603 (S) | \$246.00 |         |    | \$263.22  |         |
| 1 5/0" C This had a sawing a distant        | 1014604(P)  | \$267.50 |         |    | \$285.07  |         |
| 1-5/8" 6 pin, Thin head mortise cylinder    | 1014604(S)  | \$251.00 |         |    | \$268.57  |         |
| 1 2/4" Cuin Thin hand an autino autindau    | 1014605 (P) | \$274.50 |         |    | \$292.56  |         |
| 1-3/4" 6 pin, Thin head mortise cylinder    | 1014605(S)  | \$258.00 |         |    | \$276.06  |         |
| 2" 6 pip Thip hand marting cylinder         | 1014607 (P) | \$284.50 |         |    | \$303.26  |         |
| 2" 6 pin, Thin head mortise cylinder        | 1014607 (S) | \$268.00 |         |    | \$286.76  |         |
| 2.1/4" 6 pip Thip hard mouting ordinates    | 1014608 (P) | \$294.50 |         |    | \$313.96  |         |
| 2-1/4" 6 pin, Thin head mortise cylinder    | 1014608(S)  | \$278.00 |         |    | \$297.46  |         |

## Jumbo/Mogul Mortise Cylinders

| Description   | Part Number | M4/M³    | BiLevel  | X4       | Biax/Orig | KeyMark  |
|---|-------------|----------|----------|----------|-----------|----------|
| 6 Pin Jumbo Mortise Cylinder<br>(1-19/64" Long, 1-3/8" Shell Dia.)<br>Corbin Russwin® Master Ring<br>Cylinder Replacement | 101350(P)   | \$234.50 | \$127.81 | \$185.51 | \$249.76  | \$199.41 |
|   | 101350(S)   | \$218.00 | \$118.81 | \$169.01 | \$233.26  | \$182.91 |
| 6 Pin 1-1/4" Mogul Cylinder for Prison<br>Locks (1-1/4" Long, 2" Shell Dia.)  | 104001 (P)  | \$245.50 |          |          | \$261.53  |          |
|   | 104001(S)   | \$229.00 |          |          | \$245.03  |          |

#### **Limited Rotation Mortise Cylinders**

| Description   | Part Number | M4/M³    | BiLevel | X4 | Biax/Orig | KeyMark |
|---|-------------|----------|---------|----|-----------|---------|
| 6 Pin 1-1/4" Mortise Cylinder with Raised   | 100500H(P)  | \$234.14 |         |    | \$246.04  |         |
| Plug,Limited Rotation: CK 145° CW and 145° CCW  | 100500H(S)  | \$217.64 |         |    | \$229.54  |         |
| 6 Pin 1-1/4" Mortise Cylinder Hotel Function<br>Uses Spring Loaded Stop Pins with Notched<br>and Un-Notched Keys to Provide Directional<br>and Limited Rotation | 100501 (P)  | \$222.50 |         |    | \$236.92  |         |
|   | 100501(S)   | \$206.00 |         |    | \$220.42  |         |
| 6 Pin 1-3/16" Length Mortise Cylinder   | 490078 (P)  | \$204.50 |         |    | \$217.66  |         |
| Limited Rotation: CK 145° CCW, MK 360° CCW and CW   | 490078 (S)  | \$188.00 |         |    | \$201.16  |         |
| 6 Pin 1-3/16" Length Mortise Cylinder,  | 490079 (P)  | \$204.50 |         |    | \$217.66  |         |
| Limited Rotation: CK 145° CW, MK 360° CCW and CW  | 490079 (S)  | \$188.00 |         |    | \$201.16  |         |

#### **Specialty Mortise Cylinders**

| Description   | Part Number | M4/M³    | BiLevel  | X4       | Biax/Orig | KeyMark  |
|---|-------------|----------|----------|----------|-----------|----------|
| 5 Pin Otis® Elevator Mortise Cylinder,  | 100903 (P)  | \$199.50 |          |          | \$212.31  |          |
| 1 Key Pull Position   | 100903(S)   | \$183.00 |          |          | \$195.81  |          |
| 5 Pin Otis® Elevator Mortise Cylinder,  | 100909 (P)  | \$227.50 |          |          | \$242.27  |          |
| 2 Key Pull Positions (not used in MK systems)                                   | 100909(S)   | \$211.00 |          |          | \$225.77  |          |
| 1-7/32" 6 Pin Mortise Cylinder with Mini  | 100200A (P) | \$287.55 | \$205.88 | \$202.58 | \$298.96  | \$212.52 |
| Micro Switch, 7 Amp, SPDT, 1 Key Pull (requires quick connect leads: CP-270511) | 100200A(S)  | \$271.05 | \$196.88 | \$186.08 | \$282.46  | \$196.02 |
| 1-1/8" 6 Pin Concealed Face Mortise   | 100202 (P)  | \$204.50 | \$111.46 | \$146.16 | \$217.66  | \$157.62 |
| Cylinder for Schlage® "K" Locks, Trim<br>Style 712, 714, 202                    | 100202(S)   | \$188.00 | \$102.46 | \$129.67 | \$201.16  | \$141.12 |
| 1-1/8" 6 Pin Mortise Cylinder with Extended                                     | 104207 (P)  | \$218.50 | \$105.47 |          | \$205.89  |          |
| Plug & Second Cam Washer Reversed to Close Bottom of Keyway                     | 104207 (S)  | \$177.00 | \$96.47  |          | \$189.39  |          |
| 1-1/8" 6 Pin Mortise Cylinder with  | 104207A (P) | \$193.50 | \$105.47 |          | \$205.89  |          |
| Extended Plug   | 104207A(S)  | \$177.00 | \$96.47  |          | \$189.39  |          |
| 6 Pin LFIC Mortise Cylinder with  | 320200B (P) | \$440.22 |          |          | \$460.10  |          |
| 15 Amp Micro Switch   | 320200B(S)  | \$423.72 |          |          | \$443.60  |          |
| 1 1/4" 6 Pin Mortise Cylinder for   | 490214 (P)  | \$186.50 | \$101.65 |          | \$198.40  |          |
| VingCard® Persona® ´  | 490214(S)   | \$170.00 | \$92.65  |          | \$181.90  |          |

## **Mortise Cylinder Plugs**

| Description                                     | Part Number | Price   |
|---|-------------|---------|
| Plug for 10-0200 (Medeco Original®)             | 12005002 -  | \$69.60 |
| Plug for 10W0200 (Medeco Biaxial®)              | 12005006 W  | \$69.60 |
| Plug for 10T0200 (Medeco <sup>3®</sup> )        | 1200500 T   | \$69.60 |
| Plug for 10-0500 (Medeco Original®)             | 12020002 -  | \$74.47 |
| Plug for 10W0500 (Medeco Biaxial®)              | 12020006 W  | \$74.47 |
| Plug for 10T0500 (Medeco <sup>3®</sup> )        | 1202000 T   | \$69.60 |
| Plug for 10-0100 (Medeco Original®)             | 12021002 -  | \$74.47 |
| Plug for 10W0100 (Medeco Biaxial®)              | 12021006 W  | \$74.47 |
| Plug for 10T0100 (Medeco <sup>3®</sup> )        | 1202100 T   | \$69.60 |
| Plug for 10J0500 (Medeco <sup>3</sup> BiLevel®) | 1239000 J   | \$69.60 |
| Plug for 10J0100 (Medeco <sup>3</sup> BiLevel®) | 1239100 J   | \$69.60 |
| Plug for 10J0200 (Medeco <sup>3</sup> BiLevel®) | 1251300 J   | \$69.60 |

Include finish and keyway with all part #'s. Medeco<sup>3</sup> or Medeco BiLevel Slider package sold separately.

#### **Mortise Cams**

| Mortise Ca | Description                     | Part Number | Price  |
|------------|---------------------------------|-------------|--------|
|            | Corbin Russwin® Type            | CT-Z00      | \$5.17 |
|            | Standard Yale® Type             | CT-Z01      | \$5.17 |
|            | Adams Rite® Type                | CT-Z02      | \$5.17 |
|            | Keil® Norwalk Type              | CT-Z04      | \$5.17 |
|            | Schlage® Type                   | CT-Z05      | \$5.17 |
|            | Medium Yale® Type               | CT-Z06      | \$5.17 |
|            | Segal® Type                     | CT-Z07      | \$5.17 |
|            | Lockwood® Type                  | CT-Z08      | \$5.17 |
|            | Corbin Russwin® Type            | CT-Z09      | \$5.17 |
|            | Segal® Deadbolt Type            | CT-Z16      | \$5.17 |
|            | Corbin Russwin® Oversized Jumbo | CT-Z17      | \$5.17 |
|            | For Night Deposit Lock          | CT-Z18      | \$5.17 |
|            | General® Lock                   | CT-Z19      | \$5.17 |
|            | Sargent® Type                   | CT-Z20      | \$5.17 |
|            | Ruko® Type                      | CT-Z21      | \$5.17 |
|            | Falcon® Type                    | CT-Z22      | \$5.17 |
|            |                                 |             |        |

#### **Mortise Cams**

| Mortise Ca |   |             |         |
|------------|---|-------------|---------|
|            | Description   | Part Number | Price   |
|            | Schlage® Type   | CT-Z34      | \$5.17  |
|            | Mogul Lock  | CT-Z45      | \$5.17  |
|            | Yale® Mortise After 1982  | CT-Z47      | \$5.17  |
|            | Dominion <sup>®</sup>   | CT-Z48      | \$5.17  |
|            | Corbin Russwin® Jumbo   | CT-Z55      | \$5.17  |
|            | Yale® Medium After 1982   | CT-Z56      | \$5.17  |
|            | Medeco Residential  | CT-Z57      | \$5.17  |
|            | Falcon® Type  | CT-Z58      | \$5.17  |
|            | Corbin Russwin® Master Ring clover leaf for deadbolt function locks made since 6/93 | CT-Z59      | \$5.17  |
|            | Hook Type for Detention Locks   | CT-Z61      | \$6.07  |
|            | Mogul clover leaf   | CT-Z69      | \$14.40 |
|            | Best® Hotel Function Reversible Lock  | CT-Z70      | \$5.17  |
|            | Marks® J Type   | CT-Z84      | \$5.17  |
|            | VingCard® Persona®  | CT-Z87      | \$5.17  |
|            | Falcon® Type  | CT-Z99      | \$5.17  |
|            | Sargent Mogul   | CT-ZA6      | \$4.71  |
|            |   |             |         |

#### **Mortise Components**

| Description  | Part Number   | Price   |  |  |  |  |  |
|--|---------------|---------|--|--|--|--|--|
| 1-1/2" Dia. Threaded Adapter Ring for Corbin® Jumbo Mortise Cylinder |               |         |  |  |  |  |  |
| (converts conventional size Mortise Cylinder to Jumbo thread size)   |               |         |  |  |  |  |  |
| Contains: CP-050131 Adapter Ring and CP-011013-030                   |               |         |  |  |  |  |  |
| # 8-32 x 3/16" Set Screws  | 940010        | \$61.40 |  |  |  |  |  |
| M <sup>3</sup> Slider Package, Includes Slider & Spring              | 94-0174-XX    | \$15.50 |  |  |  |  |  |
| # 2-56 UNC x 5/16" Length Phillips® Head Screws- Stainless Steel     |               |         |  |  |  |  |  |
| (used to attach cams to Mortise Cylinders)                           | CP-010203-050 | \$0.28  |  |  |  |  |  |
| Set Screws (for Medeco X4 pin chamber) # 6-32 x1/8"                  | CP-011011-020 | \$0.29  |  |  |  |  |  |
| Set Screws (for High Security pin chambers) #8-32 x 1/8"             | CP-011013-020 | \$0.34  |  |  |  |  |  |
| Cam Washer for Mortise Cylinders                                     | CP-021011     | \$0.91  |  |  |  |  |  |
| Sidebar Spring-Stainless Steel                                       | CP-030018     | \$0.11  |  |  |  |  |  |
| Mounting Nut for Mortise Cylinder 1.150"-32 UNS Inside Dia.          | CP-050120     | \$13.60 |  |  |  |  |  |
| 5 Pin Sidebar Assembly, .123" high for Door Hardware Cylinders       | CP-084571     | \$9.31  |  |  |  |  |  |
| 6 Pin Sidebar Assembly, .123" high for Door Hardware Cylinders       | CP-084671     | \$9.31  |  |  |  |  |  |

## **Rim Cylinders**

| Description   | Part Number  | M4/M³    | BiLevel  | X4       | Biax/Orig | KeyMark  |
|---|--------------|----------|----------|----------|-----------|----------|
| 5 Pin 1-1/16" Rim Cylinder                            | 100300H(P)   | \$184.50 | \$100.56 | \$133.18 | \$196.26  | \$143.59 |
| - Horizontal Tailpiece                                | 100300H(S)   | \$168.00 | \$91.56  | \$116.68 | \$179.76  | \$127.09 |
| 5 Pin 1-1/16" Rim Cylinder<br>- Vertical Tailpiece    | 100300V(P)   | \$184.50 | \$100.56 | \$133.18 | \$196.26  | \$143.59 |
|   | 100300V(S)   | \$168.00 | \$91.56  | \$116.68 | \$179.76  | \$127.09 |
| 5 Pin 1-1/16" Rim Cylinder, Sargent®                  | 100305H(P)   | \$184.50 | \$100.56 | \$133.18 | \$196.26  | \$143.59 |
| Mounting Style, Horizontal Tailpiece                  | 100305H(S)   | \$168.00 | \$91.56  | \$116.68 | \$179.76  | \$127.09 |
| 5 Pin 1-1/16" Rim Cylinder, Sargent®                  | 100305V(P)   | \$184.50 | \$100.56 | \$133.18 |           |          |
| Mounting Style, Vertical Tailpiece                    | 100305V(S)   | \$168.00 | \$91.56  | \$116.68 |           |          |
| 5 Pin 1-1/16" Rim Cylinder,<br>180 Degree Lazy Motion | 100600 (P)   | \$195.50 | \$106.56 |          | \$208.03  |          |
|   | 100600(S)    | \$179.00 | \$97.56  |          | \$191.53  |          |
| 6 Pin,1-1/8" Rim Cylinder<br>Horizontal Tailpiece     | 100400H(P)   | \$195.50 | \$106.56 | \$131.89 | \$208.03  | \$142.96 |
|   | 100400H(S)   | \$179.00 | \$97.56  | \$115.39 | \$191.53  | \$126.46 |
| 6 Pin, 1-1/8" Rim Cylinder                            | 100400V(P)   | \$195.50 | \$106.56 | \$131.89 | \$208.03  | \$142.96 |
| Vertical Tailpiece                                    | 100400V(S)   | \$179.00 | \$97.56  | \$115.39 | \$191.53  | \$126.46 |
| 6 Pin 1-1/8" Rim Cylinder- Sargent®                   | 100403H(P)   | \$195.50 | \$106.56 | \$131.89 | \$208.03  | \$142.96 |
| Mounting Style, Horizontal Tailpiece                  | 100403H(S)   | \$179.00 | \$97.56  | \$115.39 | \$191.53  | \$126.46 |
| 6 Pin 1-1/8" Rim Cylinder- Sargent®                   | 100403V(P)   | \$195.50 | \$106.56 | \$131.89 | \$208.03  | \$142.96 |
| Mounting Style, Vertical Tailpiece                    | 100403V(S)   | \$179.00 | \$97.56  | \$115.39 | \$191.53  | \$126.46 |
| 6 Pin 1-1/8" Rim Cylinder,                            | 100700 (P)   | \$195.50 | \$106.56 | \$131.89 | \$208.03  | \$142.96 |
| 180 Degree Lazy Motion                                | 100700(S)    | \$179.00 | \$97.56  | \$115.39 | \$191.53  | \$126.46 |
| 6 Pin Jumbo Rim Cylinder Corbin Russwin®              | 101355 (P)   | \$249.50 |          |          | \$265.81  |          |
| Master Ring Cylinder Replacement                      | 101355 (S)   | \$233.00 |          |          | \$249.31  |          |
| 6 Pin 1-15/32" Rim Cylinder with                      | 104407HA (P) | \$185.80 |          |          | \$205.00  |          |
| Extended Plug and Horizontal Tailpiece                | 104407HA(S)  | \$169.30 |          |          | \$189.00  |          |
|   | ·            |          |          |          |           |          |

6 Pin high security cylinders are available in 7 Pin in Medeco X4.

## **Rim Cylinder Plugs**

| Description                                      | Part Number | Price   |
|--|-------------|---------|
| Plug for 10-0300H or 10-0300V (Medeco Original®) | 12001002 -  | \$74.47 |
| Plug for 10W0300H & 10W0300V (Medeco Biaxial®)   | 12001006 W  | \$69.60 |
| Plug for 10T0300 (M <sup>3®</sup> )              | 1200100 T   | \$69.60 |
| Plug for 10-0400H or 10-0400V (Medco Original®)  | 12030002 -  | \$74.47 |
| Plug for 10W0400H & 10W0400V (Medeco Biaxial®)   | 12030006 W  | \$74.47 |
| Plug for 10T0400 (Medeco <sup>3®</sup> )         | 1203000 T   | \$69.60 |
| Plug for 10J0300 (M³ BiLevel®)                   | 1238900 J   | \$69.60 |
| Plug for 10J0400 (M³ BiLevel®)                   | 1251200 J   | \$69.60 |

Add finish and keyway to all part #'s.

M³ or Medeco BiLevel Slider package sold separately.

#### **Rim Components**

| Description  | Part Number   | Price   |
|--|---------------|---------|
| M <sup>3</sup> Slider Package, Includes Slider & Spring        | 94-0174-XX    | \$15.50 |
| Set Screws (for Medeco X4 pin chamber) #6-32 x 1/8"            | CP-011011-020 | \$0.29  |
| Set Screws (for HS pin chambers) #8-32 x 1/8"                  | CP-011013-020 | \$0.34  |
| Rim Cylinder Mounting Screws (#12-24 UNF x 1-7/8" Length)      | CP-012917-000 | \$0.65  |
| Rim Cylinder Plug Retainer                                     | CP-020010     | \$0.75  |
| Screw-on Cap Rim Tailpiece Retainer                            | CP-021121     | \$16.70 |
| Sidebar Spring-Stainless Steel                                 | CP-030018     | \$0.11  |
| Back of Plug Roll Pin 3/32" Dia. x .437" Length                | CP-060203     | \$0.50  |
| 5 Pin Sidebar Assembly, .123" high for Door Hardware Cylinders | CP-084571     | \$9.31  |
| 6 Pin Sidebar Assembly, .123" high for Door Hardware Cylinders | CP-084671     | \$9.31  |
| Rim Cylinder Mounting Plate                                    | CP-180031     | \$2.06  |

## **Collars & Cylinder Rings**

|   | Description   | Part Number | Price   |
|---|---|-------------|---------|
| M | Tapered Cylinder Collar   | 94-0188-XX  | \$19.30 |
|   | 1/4" Thick Spacer Ring 1.165"<br>Inside Diameter x 1.375 Outside Diameter | CP-070011   | \$32.40 |
|   | 1/8" Thick Spacer Ring 1.165"<br>Inside Diameter x 1.375 Outside Diameter | CP-070451   | \$25.90 |
|   | Raised Cylinder Ring  | CP-180021   | \$11.60 |
|   | Flush Cylinder Ring   | CP-180041   | \$11.40 |
|   | Adjustable Cylinder Collar  | CP-160180   | \$32.40 |

## **Rim Tailpieces**

|   | Description   | Part Number | Price  |
|---|---|-------------|--------|
|   | Tailpiece for Rim Cylinder (155/64")<br>Before 1980, After 1983 | CT-Y02      | \$5.17 |
| F | Lazy Motion Tailpiece (2 29/64")                                | CT-Y08      | \$5.17 |
|   | Tailpiece for Rim Cylinder (2 9/16")                            | CT-Y32      | \$5.17 |

## **Key-in-Knob/Lever Cylinders**

| FEATURES   | M4/M³     | BiLevel | X4 | CLIQ | Medeco XT |
|--|-----------|---------|----|------|-----------|
| Utility patented key control provides protection from unauthorized duplication of keys   | (pending) | •       | •  | •    | •         |
| UL437 Listing and BHMA Certification provide validation of high security from recognized, independent testing laboratories                                     | •         |         |    |      |           |
| Triple locking principle provides pick resistance and large numbers of combinations for master keying flexibility to accommodate systems of virtually any size | •         |         |    |      |           |
| Hardened steel inserts in the cylinder face provide proven drill resistance  | •         |         |    |      |           |
| Nickel plated pins provide exceptional wear resistance and additional hardened stainless steel pins provide drill resistance                                   | •         |         |    |      |           |
| Solid nickel silver bottom pins provide exceptional wear resistance  |           |         | •  |      |           |
| Retrofits into virtually any manufacturers' locksets for cost effective improved security  | •         | •       | •  | •    | •         |
| High security and key control may be incorporated in a single system for cost effective system flexibility   | •         | •       |    | •    |           |
| Keys may be integrated with Hybrid proximity head for greater system retrofit  | •         | •       | •  |      |           |

#### **Medeco 4 Premium High Security**

For effective mechanical protection against most forms of attack as well as protection against unauthorized duplicate keys, M4 cylinders are recommended. Security features including hardened steel components, pins that must be elevated, rotated, and interact with a sidebar which is engaged by the movable element in the key make M4 the cylinder of choice to protect people, property and information.

#### **X4 Patented Key Control**

X4 cylinders offer patented control against unauthorized duplication of keys without the additional security features protecting against force or surreptitious attack.

#### **Medeco 4 BiLevel Key Control**

M4 BiLevel cylinders may be incorporated into a master key system with M4 high security, offering protection against all types of attack where needed, and patented key control cylinders for areas requiring less protection. BiLevel cylinders offer patented control against unauthorized duplication of keys without the additional security features protecting against force or surreptitious attack.

#### **Intelligent Key Solutions**

Many of the cylinders in this section are also available with an Intelligent Key solution. See the Intelligent Key section for more details.



# **Key-in-Knob/Lever Cylinders**

Medeco Key-in-Knob cylinders are designed to retrofit knob type cylindrical locksets, lever type cylindrical locksets, padlocks and bored type auxiliary deadlatches and deadlocks. Medeco 4 (M4) Key-in-Knob cylinders are UL437 listed for drill and pick resistance, and utility patented pending key control. Medeco offers one of the largest ranges of retrofit cylinders in the industry, supporting the most popular security hardware.





#### **Key Control**

Patent-pending key control Protects against unauthorized duplication of keys.



#### **Protection Against 3D Printing**

A patent-pending movable element in the key deters against unauthorized 3D printed copies of keys or blanks.



#### **Picking and Bumping Protection**

M4 cylinders use cylinder side pins, a lift pin and a movable key element to engage a sidebar that prevents the key from turning until the elements are rotated and aligned in the correct position, protecting against bumping, picking and other attacks.



#### **Uses Existing Hardware**

M4 cylinders are available in a wide variety of formats, retrofitting most hardware on the market.



#### **Protection From Physical Attack**

M4 cylinders are UL 437 listed and UL test lab proven to stand up to drilling, picking and other forms of physical attack.



#### **Special Angled Cut Keys**

A special key cutting machine and access to Medecospecific blanks are required to duplicate M4 keys, which are available in multiple levels of restriction to support every need.



#### **Master Keying Capabilities**

M4 cylinders can be master keyed into a system that includes M4 and M4 BiLevel keys and cylinders. Extremely large systems are possible.

#### **Applications:**

Over 100 different cylinder designs and tailpiece configurations enable Medeco to offer the largest retrofit capability in the industry.

#### Warranty:

Warranted for two (2) years against manufacturer's defects. See the Medeco® limited warranty for full details.

#### **Technical Information:**

- ANSI A156.30 Level A certification assures patent protected key control and physical strength (M4, M3)
- ANSI A156.5 Grade 1 certification assures consistent quality for heavy use applications (M4/M4 BiLevel, M3)
- Medeco cylinders are constructed of durable machined brass components

#### **Finishes:**

 Available in all standard finishes to match existing hardware

## **Available Key Technologies:**

Mechanical:

- M³ CLIQ

– M4/M4 BiLevel– M³/M³ BiLevel

Classic CLIQ

**Intelligent Key:** 

- X4

– XT

- X4 CLIQ




## How To Order Key-in-Knob/Lever Cylinders

Complete part numbers are required for all orders. To determine the correct part number, fill in the "Xs" in sequential order.

2 3 4 6 05 200200S1 P 624 Н **M4** base part # technology finish pinning side pin keyway example code H = M4Refer to the inside Insert keyway if (M4 only) S = Sub-Assembled P = M4 BiLevel back cover of this known or contact (Uncombinated) Refer to pages 86-100 Insert side pin code  $T = M^3$ catalog for finish **Customer Service** for descriptions and N = Sub-assembled, if known or contact options. Include | = M<sup>3</sup> BiLevel for help. – No Side Pins technical specifications **Customer Service**  $S = M^3 CLIQ$ the corresponding (M4 only) to find the corresponding for help. W = Biaxialtwo digit finish – No slider base part number. (M3 only) number. – Original K = KMP = PinnedC = Classic CLIQ(Combinated) N = X4M = Master Keyed M = X4 CLIQG = XTR = Master Keyed blade and side pins (Medeco 4 only)

#### BUILD A KEY-IN-KNOB/LEVER PART #:



## **Alarm Lock Cylinder**

| Description |  | Part Number | M4/M³    | BiLevel | X4       | Biax/Orig | KeyMark  |
|-------------|--|-------------|----------|---------|----------|-----------|----------|
|             | 6 Pin Cylinder for Alarm Lock                        | 20200V1 (P) | \$169.50 | \$92.39 | \$107.50 | \$180.21  | \$116.36 |
|             | 6 Pin Cylinder for Alarm Lock<br>Trilogy® T1, T2, T3 | 20200V1 (S) | \$153.00 | \$83.39 | \$91.00  | \$163.71  | \$99.86  |

#### Anderson® Cylinder

| Description |                                    | Part Number  | M4/M³    | BiLevel | X4 | Biax/Orig KeyMark |
|-------------|------------------------------------|--------------|----------|---------|----|-------------------|
|             | Frenchwood Hinged and Out Swinging | 20110039 (P) | \$169.50 | \$92.39 |    | \$180.21          |
|             |                                    | 20110039 (S) | \$153.00 | \$83.39 |    | \$163.71          |

## **Arrow Cylinder**

| Description       |   | Part Number | M4/M³    | BiLevel  | X4       | Biax/Orig | KeyMark  |
|-------------------|---|-------------|----------|----------|----------|-----------|----------|
|                   | 6 Pin Cylinder Package for<br>Arrow® "MK" Series includes                         | 20200A1 (P) | \$171.72 | \$94.61  | \$109.72 | \$182.43  | \$118.58 |
| ٥                 | CT-Y70, CT-Y73, CP-160321   | 20200A1 (S) | \$155.22 | \$85.61  | \$93.22  | \$165.93  | \$102.08 |
|                   | Arrow® and Schlage® Packages<br>Combined  | 20200H1 (P) | \$180.26 | \$103.14 | \$118.26 | \$190.97  | \$127.12 |
|                   |   | 20200H1(S)  | \$163.76 | \$94.14  | \$101.76 | \$174.47  | \$110.62 |
| The second second | 6 Pin Cylinder for Arrow® "MK" Series (Except Ball) Original Cylinder Spacer must | 2020070 (P) | \$169.50 | \$92.39  | \$107.50 | \$180.21  | \$116.36 |
|                   | be replaced with Medeco Cylinder Spacer<br>CP-160321                              | 2020070(S)  | \$153.00 | \$83.39  | \$91.00  | \$163.71  | \$99.86  |
|                   | 6 Pin Cylinder for Arrow RK Series  | 2020071 (P) | \$169.50 | \$92.39  | \$107.50 | \$180.21  | \$116.36 |
| 0                 |   | 2020071 (S) | \$153.00 | \$83.39  | \$91.00  | \$163.71  | \$99.86  |
| The second second | 6 Pin Cylinder for Arrow® "MK" Series<br>(B Knob Only) & GL Series Levers         | 2020073 (P) | \$169.50 | \$92.39  | \$107.50 | \$180.21  | \$116.36 |
|                   |   | 2020073 (S) | \$153.00 | \$83.39  | \$91.00  | \$163.71  | \$99.86  |
|                   | 6 Pin Cylinder for Arrow® "H", "S", & "HK" Knob                                   | 2020249 (P) | \$169.50 | \$92.39  | \$107.50 | \$180.21  | \$116.36 |
| ٥                 | Series, "Q", "L" Series Lever   | 2020249(S)  | \$153.00 | \$83.39  | \$91.00  | \$163.71  | \$99.86  |
|                   | 6 pin cylinder for Arrow "QL" and "MLX"   | 2020049 (P) | \$169.50 | \$92.39  | \$107.50 | \$180.21  | \$116.36 |
|                   | Series Levers   | 2020049(S)  | \$153.00 | \$83.39  | \$91.00  | \$163.71  | \$99.86  |
|                   | 6 Pin Cylinder for Arrow® "M" Series  | 208008 (P)  | \$169.50 | \$92.39  | \$107.50 | \$180.21  | \$116.36 |
|                   | (Tulip or Tudor) Knobs  | 208008(S)   | \$153.00 | \$83.39  | \$91.00  | \$163.71  | \$99.86  |
| n n               | 6 Pin Cylinder for Arrow® "RL" Series Levers                                      | 2080700 (P) | \$169.50 | \$92.39  | \$107.50 | \$180.21  | \$116.36 |
|                   | of in Cylinder for Arrows RL Series Levels  | 2080700(S)  | \$153.00 | \$83.39  | \$91.00  | \$163.71  | \$99.86  |

## Baldwin® Cylinders

| Description |  | Part Number | M4/M³    | BiLevel | X4 | Biax/Orig | KeyMark |
|-------------|--|-------------|----------|---------|----|-----------|---------|
|             | 5 Pin Cylinder for Baldwin® for 5245,<br>5250, 5255 Levers & 5215, 5225 Knobs                                      | 2001300 (P) | \$169.50 | \$92.39 |    | \$180.21  |         |
|             |  | 2001300 (S) | \$153.00 | \$83.39 |    | \$163.71  |         |
|             | 5 Pin Cylinder for Baldwin® for 5205, 5210<br>Knobs & 5270, 5280 Levers, (Not available<br>in Original Technology) | 2001200 (P) | \$169.50 | \$92.39 |    | \$180.21  |         |
|             |  | 2001200 (S) | \$153.00 | \$83.39 |    | \$163.71  |         |

## **Cal-Royal Cylinders**

| Description  |   | Part Number | M4/M³    | BiLevel | X4       | Biax/Orig | KeyMark  |
|--|---|-------------|----------|---------|----------|-----------|----------|
|  | 6 Pin Cylinder for Cal-Royal SL00 Knob<br>Lock and LX01 Lever Lock          | 2020049 (P) | \$169.50 | \$92.39 | \$107.50 | \$180.21  | \$116.36 |
|  |   | 2020049 (S) | \$153.00 | \$83.39 | \$91.00  | \$163.71  | \$99.86  |
| The state of the s | 6 Pin Cylinder for Cal-Royal CLS03<br>Classroom Function Grade 2 Lever Lock | 20200V1 (P) | \$169.50 | \$92.39 | \$107.50 | \$180.21  | \$116.36 |
| ٩  |   | 20200V1 (S) | \$153.00 | \$83.39 | \$91.00  | \$163.71  | \$99.86  |
|  | 6 Pin Cylinder for K200, L100, LX100, L200, LX200, Levers                   | 20200S1(P)  | \$171.72 | \$94.61 | \$109.72 | \$182.43  | \$118.58 |
| 0  |   | 20200S1(S)  | \$155.22 | \$85.61 | \$93.22  | \$165.93  | \$102.08 |

## Corbin Russwin® Cylinders

| Description  |  | Part Number  | M4/M³    | BiLevel | X4       | Biax/Orig | KeyMark  |
|--|--|--------------|----------|---------|----------|-----------|----------|
|  |  | 20200V9 (P)  | \$169.50 | \$92.39 | \$107.50 | \$180.21  | \$116.36 |
|  | 6 Pin Cylinder for Corbin Russwin® CL3900              | 20200V9(S)   | \$153.00 | \$83.39 | \$91.00  | \$163.71  | \$99.86  |
|  | 6 Pin Cylinder for Corbin Russwin®                     | 2020575 (P)  | \$169.50 | \$92.39 | \$107.50 | \$180.21  | \$116.36 |
| ٥  | old style 3300 & 3400 Series                           | 2020575 (S)  | \$153.00 | \$83.39 | \$91.00  | \$163.71  | \$99.86  |
| The second secon | 6 Pin Cylinder for Corbin Russwin® 6600                | 2020777 (P)  | \$169.50 | \$92.39 | \$107.50 | \$180.21  | \$116.36 |
|  | Old Series, CK3400, CK4400 Knob                        | 2020777 (S)  | \$153.00 | \$83.39 | \$91.00  | \$163.71  | \$99.86  |
|  | 6 Pin Cylinder for Corbin Russwin® 800,                | 20211730 (P) | \$169.50 | \$92.39 | \$107.50 | \$180.21  | \$116.36 |
|  | CL3300, CL3400, CL3500, CL3600                         | 20211730(S)  | \$153.00 | \$83.39 | \$91.00  | \$163.71  | \$99.86  |
|  | 5 Pin Cylinder for Corbin Russwin® Knob<br>(Old Style) | 205003 (P)   | \$170.50 | \$92.93 | \$108.50 | \$181.28  | \$117.43 |
| 0  |  | 205003 (S)   | \$154.00 | \$83.93 | \$92.00  | \$164.78  | \$100.93 |
|  | 6 Pin Cylinder for Corbin Russwin® 5460A,              | 205004(P)    | \$169.50 | \$92.39 | \$107.50 | \$180.21  | \$116.36 |
|  | 5460E (Old Style), 46 F97, 46 F29, 83 F05              | 205004(S)    | \$153.00 | \$83.39 | \$91.00  | \$163.71  | \$99.86  |
|  | 6 Pin Cylinder for Corbin Russwin®                     | 205005 (P)   | \$169.50 | \$92.39 | \$107.50 | \$180.21  | \$116.36 |
|  | CK 4200 (New Style) UT5251                             | 205005(S)    | \$153.00 | \$83.39 | \$91.00  | \$163.71  | \$99.86  |
|  | 6 Pin Cylinder for Corbin Russwin® 5460 B,             | 205006 (P)   | \$169.50 | \$92.39 | \$107.50 | \$180.21  | \$116.36 |
|  | C, D, G, M (Old Style)                                 | 205006(S)    | \$153.00 | \$83.39 | \$91.00  | \$163.71  | \$99.86  |
|  | 5 Pin Cylinder for Corbin Russwin® 5600                | 205008 (P)   | \$169.50 |         | \$107.50 | \$180.21  | \$116.36 |
|  | Series Śignet® & Ensign®                               | 205008(S)    | \$153.00 |         | \$91.00  | \$163.71  | \$99.86  |
|  |  |              |          |         |          |           |          |

## Dorma® Cylinders

| Description |  | Part Number | M4/M³    | BiLevel | X4       | Biax/Orig | KeyMark  |
|-------------|--|-------------|----------|---------|----------|-----------|----------|
|             | 6 Pin Cylinder for Dorma® CL700 Series   | 2020049 (P) | \$169.50 | \$92.39 | \$107.50 | \$180.21  | \$116.36 |
|             | Grade 2 Levers   | 2020049(S)  | \$153.00 | \$83.39 | \$91.00  | \$163.71  | \$99.86  |
|             | 6 Pin Cylinder for Dorma® CL860 (Interior),<br>CL870, CL872, CL873, CL877 Grade 1 Lever,<br>CK860 (Interior), CK870, CK872, CK873, &<br>CK877Grade 1 Knobs |             | \$169.50 | \$92.39 | \$107.50 | \$180.21  | \$116.36 |
|             |  | 20200V0(S)  | \$153.00 | \$83.39 | \$91.00  | \$163.71  | \$99.86  |
|             | 6 Pin Cylinder for Dorma® CL853, CL860 (exterior), CL880, CL882, CL80EL, CL80EU Grade 1 Lever, CK853, CK860 (exterior),                                    | 20200V1 (P) | \$169.50 | \$92.39 | \$107.50 | \$180.21  | \$116.36 |
|             | CK880, CK882, CK80EL, & CK80EU Grade 1<br>Knobs  | 20200V1 (S) | \$153.00 | \$83.39 | \$91.00  | \$163.71  | \$99.86  |

## Emtek® Cylinders

| Description                       | Part Number | M4/M³    | BiLevel | X4 | Biax/Orig KeyMark |
|-----------------------------------|-------------|----------|---------|----|-------------------|
| T Dia Culindan for Freda ® Vanha  | 2051100 (P) | \$169.50 | \$92.39 |    | \$180.21          |
| 5 Pin Cylinder for Emtek® Knobs   | 2051100 (S) | \$153.00 | \$83.39 |    | \$163.71          |
| 5 Pin Cylinder for Emtek® Levers, | 2051200 (P) | \$169.50 | \$92.39 |    | \$180.21          |
| Except Hanover and Helios         | 2051200 (S) | \$153.00 | \$83.39 |    | \$163.71          |
| 5 Pin Cylinder for Emtek Hanover  | 2052000 (P) | \$169.50 |         |    | \$180.21          |
| and Helios Levers                 | 2052000 (S) | \$153.00 |         |    | \$163.71          |

## Falcon® Cylinders

| Description |         |  | Part Number | M4/M³    | BiLevel | X4       | Biax/Orig | KeyMark  |
|-------------|---------|--|-------------|----------|---------|----------|-----------|----------|
|             |         | 6 Pin Cylinder for Falcon® Single Cylinder   | 200903 (P)  | \$170.50 | \$92.93 | \$108.50 | \$181.28  | \$117.43 |
| ٥           |         | Deadbolt Lock (New Style)  | 200903 (S)  | \$154.00 | \$83.93 | \$92.00  | \$164.78  | \$100.93 |
|             |         | C Dia Culindan fan Falaan ® "D" Cariaa   | 2020049 (P) | \$169.50 | \$92.39 | \$107.50 | \$180.21  | \$116.36 |
| o           |         | 6 Pin Cylinder for Falcon® "B" Series  | 2020049(S)  | \$153.00 | \$83.39 | \$91.00  | \$163.71  | \$99.86  |
|             |         | 6 Pin Cylinder for Falcon® F521, F561, F581  | 2020051 (P) | \$169.50 | \$92.39 | \$107.50 | \$180.21  | \$116.36 |
| o           | 6       | and "N" Series Knobs   | 2020051 (S) | \$153.00 | \$83.39 | \$91.00  | \$163.71  | \$99.86  |
|             | ]_B     | 6 Pin Cylinder for Falcon® "S" Series  | 2020054(P)  |          |         | \$107.50 |           | \$116.36 |
| 0           |         | (Except "H" Knob)  | 2020054(S)  |          |         | \$91.00  |           | \$99.86  |
|             | ]       | 6 Pin Cylinder for Falcon® "S" Series  | 2020058 (P) |          |         | \$107.50 |           | \$116.36 |
| o           | -       | ("H" Knob Only)  | 2020058 (S) |          |         | \$91.00  |           | \$99.86  |
|             | <u></u> | 6 Pin Cylinder for Falcon® "X" Series<br>(Except "H" Knob)                                     | 2020068(P)  | \$169.50 | \$92.39 | \$107.50 | \$180.21  | \$116.36 |
| 0           |         |  | 2020068(S)  | \$153.00 | \$83.39 | \$91.00  | \$163.71  | \$99.86  |
|             | ]<br>H  | 6 Pin Cylinder for Falcon® "X" Series ("H"<br>Knobs Only) Original Cylinder Spacer must        | 2020071 (P) | \$169.50 | \$92.39 | \$107.50 | \$180.21  | \$116.36 |
| <u> </u>    | _6      | be replaced with Medeco Cylinder Spacer<br>CP-160321   | 2020071 (S) | \$153.00 | \$83.39 | \$91.00  | \$163.71  | \$99.86  |
|             | <u></u> | C Dia C lia la a Ca Talana @ (IIV)// Laura   | 2020072 (P) | \$169.50 | \$92.39 | \$107.50 | \$180.21  | \$116.36 |
| o           |         | 6 Pin Cylinder for Falcon® "LY" Lever  | 2020072 (S) | \$153.00 | \$83.39 | \$91.00  | \$163.71  | \$99.86  |
|             |         | 6 Pin Cylinder for Falcon® Inside  | 2020073 (P) | \$169.50 | \$92.39 | \$107.50 | \$180.21  | \$116.36 |
| ٥           |         | Cylinder T-381   | 2020073 (S) | \$153.00 | \$83.39 | \$91.00  | \$163.71  | \$99.86  |
|             |         | 6 Pin Cylinder for Falcon® "B", "LY", "X", "S", & "T" series includes: CT-Y49, CT-Y54, CT-Y58, | 20200F1 (P) | \$171.72 | \$94.61 | \$109.72 | \$182.43  | \$118.58 |
| o .         | -       | CTVC0 CTV71 CTV72 CTV02 CD 1C0211  | 20200F1 (S) | \$155.22 | \$85.61 | \$93.22  | \$165.93  | \$102.08 |
|             |         | 6 Pin Cylinder for Falcon® "RU" Series and   | 20200V3 (P) | \$169.50 | \$92.39 | \$107.50 | \$180.21  | \$116.36 |
| ٥           |         | T381 Outside Cylinder  | 20200V3 (S) | \$153.00 | \$83.39 | \$91.00  | \$163.71  | \$99.86  |
|             |         |  |             |          |         |          |           |          |

## Hager® Cylinders

| Description |   | Part Number | M4/M³    | BiLevel | X4       | Biax/Orig | KeyMark  |
|-------------|---|-------------|----------|---------|----------|-----------|----------|
|             | 5 PIn Cylinder for Hager® Lever Locksets, | 2020249 (P) | \$169.50 | \$92.39 | \$107.50 | \$180.21  | \$116.36 |
|             |   | 2020249(S)  | \$153.00 | \$83.39 | \$91.00  | \$163.71  | \$99.86  |

## **KABA® Mas-Hamilton Cylinders**

| Description               |  | Part Number | M4/M³    | BiLevel  | X4       | Biax/Orig | KeyMark  |
|---------------------------|--|-------------|----------|----------|----------|-----------|----------|
| MAS-Hamilton® Power Lever | 20200V1 (P)  | \$169.50    | \$92.39  | \$107.50 | \$180.21 | \$116.36  |          |
|                           | 20200V1 (S)  | \$153.00    | \$83.39  | \$91.00  | \$163.71 | \$99.86   |          |
|                           | 6 pin cylinder for Kaba E-plex 2000<br>(18 bow key req. for Orig/Biax) | 2051500 (P) | \$169.50 | \$92.39  | \$107.50 | \$180.21  | \$116.36 |
|                           |  | 2051500(S)  | \$153.00 | \$83.39  | \$91.00  | \$163.71  | \$99.86  |

## Lockwood® Cylinders

| Description                  |                                  | Part Number | M4/M³    | BiLevel | X4       | Biax/Orig | KeyMark  |
|------------------------------|----------------------------------|-------------|----------|---------|----------|-----------|----------|
|                              | 5 Pin Cylinder for Lockwood® 530 | 201006 (P)  | \$169.50 |         |          |           |          |
|                              |                                  | 201006 (S)  | \$153.00 |         |          |           |          |
|                              |                                  | 2020169 (P) | \$169.50 | \$92.39 | \$107.50 | \$180.21  | \$116.36 |
| 6 Pin Cylinder for Lockwood® | 2020169(S)                       | \$153.00    | \$83.39  | \$91.00 | \$163.71 | \$99.86   |          |

#### LSDA® Cylinders

| Description |   | Part Number | M4/M³    | BiLevel | X4       | Biax/Orig | KeyMark  |
|-------------|---|-------------|----------|---------|----------|-----------|----------|
|             | 6 Pin cylinder for LSDA® 100 Series Knob                          | 2020070 (P) | \$169.50 | \$92.39 | \$107.50 | \$180.21  | \$116.36 |
| °           | (Except "B" Knob), L100 Series Lever                              | 2020070(S)  | \$153.00 | \$83.39 | \$91.00  | \$163.71  | \$99.86  |
|             | 6 Pin Cylinder for LSDA® 100 (B Knob Only)                        | 2020073 (P) | \$169.50 | \$92.39 | \$107.50 | \$180.21  | \$116.36 |
|             |   | 2020073 (S) | \$153.00 | \$83.39 | \$91.00  | \$163.71  | \$99.86  |
|             | 6 Din Culindar for LCDA® LV1000 Louis                             | 2020078 (P) | \$169.50 | \$92.39 | \$107.50 | \$180.21  | \$116.36 |
| 0           | 6 Pin Cylinder for LSDA® LX1000 Lever                             | 2020078(S)  | \$153.00 | \$83.39 | \$91.00  | \$163.71  | \$99.86  |
|             | 6 Pin cylinder package for LSDA® 100, L100,                       | 20200L1 (P) | \$171.72 | \$94.61 | \$109.72 | \$182.43  | \$118.58 |
| 0           | LH1000, LX1000 Series. Includes: CT-Y49,<br>CTY70, CT-Y73, CT-Y78 | 20200L1 (S) | \$155.22 | \$85.61 | \$93.22  | \$165.93  | \$102.08 |

## Marks® Cylinders

| Description   |  | Part Number | M4/M³    | BiLevel  | X4       | Biax/Orig | KeyMark  |
|---|--|-------------|----------|----------|----------|-----------|----------|
| 190, 195, 295 Series DA-Vestibule, DC & SB<br>Communicating S-Classroom & Classroom | 20200V0 (P)  | \$169.50    | \$92.39  | \$107.50 | \$180.21 | \$116.36  |          |
|   | 20200V0(S)   | \$153.00    | \$83.39  | \$91.00  | \$163.71 | \$99.86   |          |
| 190, 195, 295   | 6 pin Cylinder for Marks 110, 170, 180,<br>190, 195, 295 Series in AB-Entrance, DW | 20200V1 (P) | \$169.50 | \$92.39  | \$107.50 | \$180.21  | \$116.36 |
|   | Instutution, F-Storeroom, & T Corridor Functions                                   | 20200V1 (S) | \$153.00 | \$83.39  | \$91.00  | \$163.71  | \$99.86  |

#### Marvin® Cylinders

| Description |  | Part Number | M4/M³    | BiLevel | X4 | Biax/Orig KeyMark |
|-------------|--|-------------|----------|---------|----|-------------------|
|             | 5 Pin Cylinder for Marvin® Auxiliary Locks | 2000827 (P) | \$169.50 | \$92.39 |    | \$180.21          |
| 0           |  | 2000827 (S) | \$153.00 | \$83.39 |    | \$163.71          |

#### **Medeco Embassy® Cylinders**

| Description   |   | Part Number | $M4/M^3$ | BiLevel | X4       | Biax/Orig | KeyMark  |
|---|---|-------------|----------|---------|----------|-----------|----------|
| В   | 6 Pin Cylinder for Embassy® Vestibule,<br>Communicating, Classroom & Classroom          | 20200V0 (P) | \$169.50 | \$92.39 | \$107.50 | \$180.21  | \$116.36 |
| Security Functions. For Embassy Levers sold thru 9/06 & ALL Knobs | 20200V0(S)  | \$153.00    | \$83.39  | \$91.00 | \$163.71 | \$99.86   |          |
| Institution, Storeroom, Corridor Fun                              | 6 Pin Cylinder for Embassy® in Entrance,<br>Institution, Storeroom, Corridor Functions. | 20200V1 (P) | \$169.50 | \$92.39 | \$107.50 | \$180.21  | \$116.36 |
|   | For Embassy Levers sold thru 9/06 & ALL<br>Knobs  | 20200V1 (S) | \$153.00 | \$83.39 | \$91.00  | \$163.71  | \$99.86  |
|   | 6 Pin Cylinder for Embassy Levers<br>All Functions after 9/2006                         | 2020249 (P) | \$169.50 | \$92.39 | \$107.50 | \$180.21  | \$116.36 |
|   |   | 2020249(S)  | \$153.00 | \$83.39 | \$91.00  | \$163.71  | \$99.86  |

## Olympus® Cylinders

| Description |   | Part Number | M4/M³    | BiLevel | X4       | Biax/Orig | KeyMark  |
|-------------|---|-------------|----------|---------|----------|-----------|----------|
|             | 6 Pin Cylinder for Olympus® 700LCM,<br>800LCM Non-key Retaining Cabinet Lock<br>Includes: CT-F34-CT-F38               | 20009S4 (P) | \$175.32 | \$98.20 | \$113.32 | \$186.03  | \$122.18 |
| 0           |   | 20009S4(S)  | \$158.82 | \$89.20 | \$96.82  | \$169.53  | \$105.68 |
|             | 6 Pin Cylinder for Olympus® 700LCM,<br>800LCM Key Retaining Cabinet lock,<br>Includes: CT-Y49, CT-Y52, CT-Y53, CT-Y54 | 20200S1 (P) | \$171.72 | \$94.61 | \$109.72 | \$182.43  | \$118.58 |
|             |   | 20200S1 (S) | \$155.22 | \$85.61 | \$93.22  | \$165.93  | \$102.08 |

## PDQ® Cylinders

| Description |  | Part Number | M4/M³    | BiLevel | X4       | Biax/Orig | KeyMark  |
|-------------|--|-------------|----------|---------|----------|-----------|----------|
|             | 6 Pin Cylinder for PDQ® "SX" Series                                  | 2020149 (P) | \$169.50 | \$92.39 |          | \$180.21  |          |
|             |  | 2020149(S)  | \$153.00 | \$83.39 |          | \$163.71  |          |
|             | 6 Pin Cylinder for PDQ® "SV" Knob/Lever                              | 203000 (P)  | \$169.50 | \$92.39 | \$107.50 | \$180.21  | \$116.36 |
|             |  | 203000 (S)  | \$153.00 | \$83.39 | \$91.00  | \$163.71  | \$99.86  |
|             | 6 Pin cylinder for PDQ® Lever SP & ST Series,<br>GT, XGT & GP Series | 20200V2 (P) | \$169.50 | \$92.39 | \$107.50 | \$180.21  | \$116.36 |
| 9           |  | 20200V2(S)  | \$153.00 | \$83.39 | \$91.00  | \$163.71  | \$99.86  |

## Pella® Cylinders

| Description   |  | Part Number | M4/M³    | BiLevel | X4       | Biax/Orig KeyMark |
|---|--|-------------|----------|---------|----------|-------------------|
| 1880  | and patio doors                                  | 2000827 (P) | \$169.50 | \$92.39 |          | \$180.21          |
| •   |  | 2000827 (S) | \$153.00 | \$83.39 |          | \$163.71          |
| $\bigcap$   | 5 Pin profile type cylinder to fit popular Pella | 490258 (P)  | \$212.50 |         |          | \$226.22          |
| 5 Pin profile type cylinder to fit popular Pella and Anderson storm and patio doors | 490258(S)  | \$196.00    |          |         | \$209.72 |                   |

## Sargent® Cylinders

| Jaigent' Cym   | iucis  |             |          |         |          |           |          |
|--|--|-------------|----------|---------|----------|-----------|----------|
| Description  |  | Part Number | M4/M³    | BiLevel | X4       | Biax/Orig | KeyMark  |
|  | 6 Pin Cylinder for Sargent® 6 Line<br>(Except for B Knob) & 6500 Lever   | 2020170 (P) | \$169.50 | \$92.39 | \$107.50 | \$180.21  | \$116.36 |
|  | - For Original Design, otherwise use 20*80147  | 2020170(S)  | \$153.00 | \$83.39 | \$91.00  | \$163.71  | \$99.86  |
| The state of the s | 6 Pin cylinder for Sargent® 6 Line (B Knob<br>Only) Original Cylinder Spacer must be<br>replaced with Medeco Cylinder Spacer | 2020173 (P) | \$169.50 | \$92.39 | \$107.50 | \$180.21  | \$116.36 |
|  | CP-160321 (Included) - For Original Design, otherwise use 20*80147   | 2020173 (S) | \$153.00 | \$83.39 | \$91.00  | \$163.71  | \$99.86  |
| The state of the s | 6 Pin Cylinder for Sargent® 10 Line, Levers<br>7L & 8L - For Original Design, otherwise use                                  | 2020349 (P) | \$169.50 | \$92.39 | \$107.50 | \$180.21  | \$116.36 |
|  | 20*80147   | 2020349(S)  | \$153.00 | \$83.39 | \$91.00  | \$163.71  | \$99.86  |
|  | 6 Pin Cylinder for Sargent® 7600 Integra®  | 208005 (P)  | \$169.50 | \$92.39 | \$107.50 | \$180.21  | \$116.36 |
|  |  | 208005 (S)  | \$153.00 | \$83.39 | \$91.00  | \$163.71  | \$99.86  |
|  | 6 Pin Cylinder for Sargent® 8 & 9 Line knobs   | 208006 (P)  | \$169.50 | \$92.39 | \$107.50 | \$180.21  | \$116.36 |
| 0  | OPIN Cyllinder for Sargerit® 8 & 9 Line knobs  | 208006(S)   | \$153.00 | \$83.39 | \$91.00  | \$163.71  | \$99.86  |
|  | 5 Pin Cylinder for Sargent® 6 Line Includes:   | 208007 (P)  | \$169.50 | \$92.39 | \$107.50 | \$180.21  | \$116.36 |
|  | CT-Y35, CT-Y37, CT-Y47, CT-Y55   | 208007(S)   | \$153.00 | \$83.39 | \$91.00  | \$163.71  | \$99.86  |
|  | 6 Pin Cylinder for Sargent® 6, 7, & 10 line,<br>6500 Series (Not Available in Original                                       | 2080147 (P) | \$170.50 | \$92.93 | \$108.50 | \$181.28  | \$117.43 |
|  | Technology) Includes: CT-Y35- CT-Y37-<br>CTY47 & CT-Y55  | 2080147 (S) | \$154.00 | \$83.93 | \$92.00  | \$164.78  | \$100.93 |
|  | 6 Pin Cylinder for Sargent® 11 Line  | 2080148 (P) | \$170.50 | \$92.93 |          | \$181.28  |          |
|  | (Not Available in Original Technology)   | 2080148(S)  | \$154.00 | \$83.93 |          | \$164.78  |          |
|  |  |             |          |         |          |           |          |

## Schlage® Cylinders

| 5 Pin Knob Cylinder for Schlage®<br>"F" Series Plymouth & Ball Knob                   | 2000 400 (D)  |   |  |   |   |  |
|---|---|---|--|---|---|--|
|   | 2000400 (P)   | \$169.50  | \$92.39  |   | \$180.21  |  |
| (Mfg prior to 2004)   | 2000400(S)  | \$153.00  | \$83.39  |   | \$163.71  |  |
| 6 Pin Cylinder for Schlage®   | 2000700 (P)   | \$169.50  | \$92.39  | \$107.50  | \$180.21  | \$116.36   |
| (Manufactured Prior to 2004)  | 2000700(S)  | \$153.00  | \$83.39  | \$91.00   | \$163.71  | \$99.86  |
| 5 Pin Cylinder for Schlage®   | 2001400 (P)   | \$169.50  | \$92.39  |   | \$180.21  |  |
| Prior to 2004)  | 2001400 (S)   | \$153.00  | \$83.39  |   | \$163.71  |  |
| 5 Pin Cylinder for Schlage®   | 2001700 (P)   | \$169.50  | \$92.39  |   | \$180.21  |  |
| 2004 through 2007)  | 2001700 (S)   | \$153.00  | \$83.39  |   | \$163.71  |  |
| 5 Pin Knob Cylinder for Schlage®  | 200700 (P)  | \$169.50  | \$92.39  |   | \$180.21  |  |
| "A" Series (Ply Only)   | 200700(S)   | \$153.00  | \$83.39  |   | \$163.71  |  |
| 5 Pin Knob Cylinder for Schlage®  | 200701 (P)  | \$169.50  | \$92.39  |   | \$180.21  |  |
| "A" Series (Except Ply)   | 200701 (S)  | \$153.00  | \$83.39  |   | \$163.71  |  |
| 6 Pin Cylinder for Schlage® "A",  | 2020049 (P)   | \$169.50  | \$92.39  | \$107.50  | \$180.21  | \$116.36   |
| "AL", & "D", Series Olympiad® Lever<br>(Use CT-Y73, for "AL" thick doors)             | 2020049 (S)   | \$153.00  | \$83.39  | \$91.00   | \$163.71  | \$99.86  |
| 6 Pin Cylinder for Schlage®   | 2020051 (P)   | \$169.50  | \$92.39  | \$107.50  | \$180.21  | \$116.36   |
| "C, D" Series (Ply Only)  | 2020051 (S)   | \$153.00  | \$83.39  | \$91.00   | \$163.71  | \$99.86  |
| 6 Pin Cylinder for Schlage®  "C" 8. "D" Series Heavy Duty Knobs                       | 2020052 (P)   | \$169.50  | \$92.39  | \$107.50  | \$180.21  | \$116.36   |
| Ball, Globe & Sphere Designs Only   | 2020052 (S)   | \$153.00  | \$83.39  | \$91.00   | \$163.71  | \$99.86  |
| 6 Pin Cylinder for Schlage®   | 2020053 (P)   | \$169.50  | \$92.39  | \$107.50  | \$180.21  | \$116.36   |
| "A" Series (Orbit® Only)  | 2020053 (S)   | \$153.00  | \$83.39  | \$91.00   | \$163.71  | \$99.86  |
| 6 Pin Knob Cylinder for   | 2020073 (P)   | \$169.50  | \$92.39  | \$107.50  | \$180.21  | \$116.36   |
| Grade 1 Lever. **See note   | 2020073 (S)   | \$153.00  | \$83.39  | \$91.00   | \$163.71  | \$99.86  |
| 6 Pin Knob Cylinder for   | 2020097 (P)   | \$171.72  | \$94.61  | \$109.72  | \$182.43  | \$118.58   |
| Schlage® "S" Series   | 2020097 (S)   | \$155.22  | \$85.61  | \$93.22   | \$165.93  | \$102.08   |
| 6 Pin Knob Cylinder Assembly for Schlage®<br>& Arrow® (Except Arrow "H" & "S" Series) | 20200H1 (P)   | \$180.26  | \$103.14   | \$118.26  | \$190.97  | \$127.12   |
| Includes: CT-Y49, CT-Y52, CTY53, CT-Y70, CT-Y73, CT-Y74, CP-160321 **See note         | 20200H1(S)  | \$163.76  | \$94.14  | \$101.76  | \$174.47  | \$110.62   |
|   | "F" Series Orbit Design Only (Manufactured Prior to 2004)  5 Pin Cylinder for Schlage® "F" Series Lever (Manufactured Prior to 2004)  5 Pin Cylinder for Schlage® "F" Series Lever (Manufactured 2004 through 2007)  5 Pin Knob Cylinder for Schlage® "A" Series (Ply Only)  5 Pin Knob Cylinder for Schlage® "A" Series (Except Ply)  6 Pin Cylinder for Schlage® "A", "AL", & "D", Series Olympiad® Lever (Use CT-Y73, for "AL" thick doors)  6 Pin Cylinder for Schlage® "C, D" Series (Ply Only)  6 Pin Cylinder for Schlage® "C", & "D" Series Heavy Duty Knobs Ball, Globe & Sphere Designs Only  6 Pin Cylinder for Schlage® "A" Series (Orbit® Only)  6 Pin Knob Cylinder for Schlage® "ND" & "AL" Series Grade 1 Lever. **See note  6 Pin Knob Cylinder for Schlage® "S" Series  6 Pin Knob Cylinder for Schlage® "S" Series | "F" Series Orbit Design Only (Manufactured Prior to 2004)  5 Pin Cylinder for Schlage® "F" Series Lever (Manufactured Prior to 2004)  5 Pin Cylinder for Schlage® "F" Series Lever (Manufactured Prior to 2004)  5 Pin Cylinder for Schlage® "F" Series Lever (Manufactured 2001700 (P) "F" Series Lever (Manufactured 2004 through 2007)  5 Pin Knob Cylinder for Schlage® "A" Series (Ply Only)  5 Pin Knob Cylinder for Schlage® "A" Series (Except Ply)  6 Pin Cylinder for Schlage® "A", "AL", & "D", Series Olympiad® Lever (Use CT-Y73, for "AL" thick doors)  6 Pin Cylinder for Schlage® "C, D" Series (Ply Only)  6 Pin Cylinder for Schlage® "C", & "D" Series Heavy Duty Knobs Ball, Globe & Sphere Designs Only  6 Pin Cylinder for Schlage® "A" Series (Orbit® Only)  6 Pin Knob Cylinder for Schlage® "A" Series (Orbit® Only)  6 Pin Knob Cylinder for Schlage® "A" Series (Orbit® Only)  6 Pin Knob Cylinder for Schlage® "A" Series (Orbit® Only)  6 Pin Knob Cylinder for Schlage® "A" Series (Orbit® Only)  6 Pin Knob Cylinder for Schlage® "A" Series (Orbit® Only)  6 Pin Knob Cylinder for Schlage® "A" Series (Orbit® Only)  6 Pin Knob Cylinder for Schlage® "A" Series (Orbit® Only)  6 Pin Knob Cylinder for Schlage® "S" Series  6 Pin Knob Cylinder Assembly for Schlage® Schlage® "S" Series  2020097 (P)  2020097 (S) | "F" Series Orbit Design Only (Manufactured Prior to 2004)         2000700 (\$)         \$153.00           5 Pin Cylinder for Schlage® (F" Series Lever (Manufactured Prior to 2004)         2001400 (\$)         \$169.50           5 Pin Cylinder for Schlage® (F" Series Lever (Manufactured 2004 through 2007)         2001700 (\$)         \$169.50           5 Pin Knob Cylinder for Schlage® (A" Series (Ply Only)         200700 (\$)         \$153.00           5 Pin Knob Cylinder for Schlage® (A" Series (Except Ply)         200700 (\$)         \$153.00           6 Pin Cylinder for Schlage® (A", (AL", & "D", Series Olympiad® Lever (Use CT-Y73, for "AL" thick doors)         2020049 (\$)         \$153.00           6 Pin Cylinder for Schlage® (C, B) (Ply Only)         2020049 (\$)         \$153.00           6 Pin Cylinder for Schlage® (Ply Only)         2020049 (\$)         \$153.00           6 Pin Cylinder for Schlage® (C, B) (Ply Only)         2020049 (\$)         \$153.00           6 Pin Cylinder for Schlage® (C, B) (Ply Only)         2020051 (\$)         \$153.00           6 Pin Cylinder for Schlage® (C, B) (Ply Only)         2020051 (\$)         \$153.00           6 Pin Cylinder for Schlage® (C, B) (Ply Only)         2020051 (\$)         \$153.00           6 Pin Cylinder for Schlage® (C, B) (Ply Only)         2020052 (\$)         \$169.50           6 Pin Cylinder for Schlage® (C, B) (Ply Only)         2020052 (\$)         \$153.00 | F"Series Orbit Design Only (Manufactured Prior to 2004)         2000700(S)         \$153.00         \$83.39           5 Pin Cylinder for Schlage® "F" Series Lever (Manufactured Prior to 2004)         2001400 (P)         \$169.50         \$92.39           5 Pin Cylinder for Schlage® "F" Series Lever (Manufactured 2004 through 2007)         2001700 (P)         \$169.50         \$92.39           5 Pin Knob Cylinder for Schlage® "A" Series (Ply Only)         2007700 (P)         \$169.50         \$92.39           5 Pin Knob Cylinder for Schlage® "A" Series (Except Ply)         200700 (P)         \$169.50         \$92.39           6 Pin Cylinder for Schlage® "A", "AL", & "D", Series Olympiad® Lever (Use CT-Y73, for "AL" thick doors)         200701 (P)         \$169.50         \$92.39           6 Pin Cylinder for Schlage® "A", "AL", & "D", Series Olympiad® Lever (Use CT-Y73, for "AL" thick doors)         2020049 (P)         \$169.50         \$92.39           6 Pin Cylinder for Schlage® "C", D" Series (Ply Only)         2020049 (P)         \$169.50         \$92.39           6 Pin Cylinder for Schlage® "C", Beries (Ply Only)         2020051 (P)         \$169.50         \$92.39           6 Pin Cylinder for Schlage® "C", Beries Heavy Duty Knobs Ball, Globe & Sphere Designs Only         2020051 (P)         \$169.50         \$92.39           6 Pin Cylinder for Schlage® "C", Beries (Orbit® Only)         2020052 (P)         \$169.50         \$92.39 | "F" Series Orbit Design Only (Manufactured Prior to 2004) 2000700(s) \$153.00 \$83.39 \$91.00  5 Pin Cylinder for Schlage® "F" Series Lever (Manufactured Prior to 2004) 2001400(s) \$153.00 \$83.39 \$23.9 \$2001400(p) \$169.50 \$92.39 \$2001700(p) \$169.50 \$92.39 \$200700(p) \$169.50 \$92.39 \$200700(p) \$169.50 \$92.39 \$200700(p) \$169.50 \$92.39 \$200700(p) \$169.50 \$92.39 \$200701(p) \$169.50 \$92.39 \$107.50 \$200701(p) \$169.50 \$92.39 \$107.50 \$200701(p) \$169.50 \$92.39 \$107.50 \$200049(p) \$169.50 \$92.39 \$107.50 \$200051(p) \$169.50 \$20005 | "F" Series Orbit Design Only (Manufactured Prior to 2004)         2000700 (S)         \$153.00         \$83.39         \$91.00         \$163.71           5 Pin Cylinder for Schlage® "F" Series Lever (Manufactured Prior to 2004)         2001400 (S)         \$153.00         \$83.39         \$180.21           5 Pin Cylinder for Schlage® "F" Series Lever (Manufactured 2004 through 2007)         2001700 (P)         \$169.50         \$92.39         \$180.21           5 Pin Knob Cylinder for Schlage® "A" Series (Ply Only)         200700 (S)         \$153.00         \$83.39         \$163.71           5 Pin Knob Cylinder for Schlage® "A" Series (Ply Only)         200700 (S)         \$153.00         \$83.39         \$180.21           5 Pin Knob Cylinder for Schlage® "A" Series (Except Ply)         200701 (P)         \$169.50         \$92.39         \$180.21           6 Pin Cylinder for Schlage® "A", "A" Series (Except Ply)         200701 (P)         \$169.50         \$92.39         \$180.21           6 Pin Cylinder for Schlage® "A", "A", "AL", & "D", Series Olympiade Lever (Use CT-YT3, for "AL" thick doors)         2020049 (S)         \$153.00         \$83.39         \$91.00         \$169.21           6 Pin Cylinder for Schlage® "C, D" Series (Ply Only)         2020049 (S)         \$153.00         \$83.39         \$91.00         \$163.71           6 Pin Cylinder for Schlage® "C, D" Series (Ply Only)         2020051 (S)         \$169.50 </td |

## Schlage® Cylinders

| Description  |   | Part Number | M4/M <sup>3</sup> | BiLevel  | X4       | Biax/Orig | KeyMark  |
|--|---|-------------|-------------------|----------|----------|-----------|----------|
| 6 Pin Cylinder Package for Schlage A, AL, C, D, ND & Olympiad lever designs, includes: CT-Y49 (A, AL, & D Olympiad Lever & C & D Plymouth), CT-Y52 (C & D heavy duty knobs Ball, Globe & Sphere designs only), CT-Y53 (A series Orbit), CT-Y73 (ND series Gr. 1 lever & AL thick doors), and CT-Y74 (45-101 padlock) (Use CT-Y73 for thick doors)  ** See note |   |             |                   |          |          |           |          |
|  | 20200S1 (P)   | \$171.72    | \$94.61           | \$109.72 | \$182.43 | \$118.58  |          |
|  | (A series Orbit), CT-Y73 (ND series Gr. 1                                     | 20200S1 (S) | \$155.22          | \$85.61  | \$93.22  | \$165.93  | \$102.08 |
|  | padlock) (Use CT-Y73 for thick doors)   |             |                   |          |          |           |          |
|  | 6 Pin Cylinder for Schlage D Series Lever,<br>Athens, Rhodes & Sparta Designs | 2020249 (P) | \$169.50          | \$92.39  | \$107.50 | \$180.21  | \$116.36 |
|  |   | 2020249 (S) | \$153.00          | \$83.39  | \$91.00  | \$163.71  | \$99.86  |

<sup>\*\*</sup> The ND series with Sparta trim is not compatible with 17 bow (Biaxial large bow) keys. 12 bow (small bow) or 18 bow (large bow/ extended throat) keys must be used instead.

#### Taco® Cylinders

| Description                             | Part Number | M4/M³    | BiLevel | X4       | Biax/Orig | KeyMark  |
|---|-------------|----------|---------|----------|-----------|----------|
| 6 Dia Culindar TACO® LVVI quar la diset | 2020078 (P) | \$169.50 | \$92.39 | \$107.50 | \$180.21  | \$116.36 |
| 6 Pin Cylinder TACO® LXV Lever Lockset  | 2020078 (S) | \$153.00 | \$83.39 | \$91.00  | \$163.71  | \$99.86  |

#### Yale® Cylinders

| Description  |  | Part Number | M4/M³    | BiLevel | X4       | Biax/Orig | KeyMark  |
|--|--|-------------|----------|---------|----------|-----------|----------|
| 6 Pin Cylinder for Yale® Knobs<br>5300, 5400, 6100, 6200 | 6 Pin Cylinder for Yale® Knobs                                 | 200500 (P)  | \$169.50 | \$92.39 | \$107.50 | \$180.21  | \$116.36 |
|  | 5300, 5400, 6100, 6200   | 200500(S)   | \$153.00 | \$83.39 | \$91.00  | \$163.71  | \$99.86  |
|  | 6 Pin Cylinder for Yale® 5300LN, 5400LN ,<br>4300 series knobs | 200503 (P)  | \$169.50 | \$92.39 | \$107.50 | \$180.21  | \$116.36 |
|  |  | 200503(S)   | \$153.00 | \$83.39 | \$91.00  | \$163.71  | \$99.86  |
|  | 6 Dia culindar for Valo® VMCI 100 VMCI 200                     | 2020073 (P) | \$169.50 | \$92.39 | \$107.50 | \$180.21  | \$116.36 |
| 0  | 6 Pin cylinder for Yale® YMCL100, YMCL200                      | 2020073 (S) | \$153.00 | \$83.39 | \$91.00  | \$163.71  | \$99.86  |
|  | 6 Pin cylinder for Yale® 4600LN                                | 2080700 (P) | \$169.50 | \$92.39 | \$107.50 | \$180.21  | \$116.36 |
| 0  |  | 2080700(S)  | \$153.00 | \$83.39 | \$91.00  | \$163.71  | \$99.86  |

| <b>Arrow</b> ® | Deadbolt | Cylinders |
|----------------|----------|-----------|
|----------------|----------|-----------|

| Description                    |   | Part Number | M4/M <sup>3</sup> | BiLevel | X4       | Biax/Orig | KeyMark  |
|--------------------------------|---|-------------|-------------------|---------|----------|-----------|----------|
|                                | 5 Pin Cylinder for Arrow JL Interconnected  | 1065140 (P) | \$175.50          | \$95.66 | \$111.89 | \$186.63  | \$121.56 |
|                                | lock. Separate cylinder required for lever.                                       | 1065140(S)  | \$159.00          | \$86.66 | \$95.39  | \$170.13  | \$105.06 |
|                                | 5 Pin Cylinder (6 Pin KeyMark) for Arrow D 8                                      | 200801 (P)  | \$170.50          | \$92.93 |          | \$181.28  |          |
|                                | E Series Single Cylinder Deadbolt   | 200801 (S)  | \$154.00          | \$83.93 |          | \$164.78  |          |
| 5 Pin Cylinder for Arrow D & E | 200802 (P)  | \$166.50    | \$90.75           |         | \$177.00 |           |          |
|                                | Series Double Cylinder Deadbolt   | 200802 (S)  | \$150.00          | \$81.75 |          | \$160.50  |          |
|                                | 6 Pin Cylinder for Arrow D & E  | 200901 (P)  | \$170.50          | \$92.93 | \$108.50 | \$181.28  | \$117.43 |
| 9                              | Series Single Cylinder Deadbolt   | 200901 (S)  | \$154.00          | \$83.93 | \$92.00  | \$164.78  | \$100.93 |
|                                | 6 Pin Cylinder for Arrow D & E  | 200902 (P)  | \$170.50          | \$92.93 | \$108.50 | \$181.28  | \$117.43 |
|                                | Series Double Cylinder Deadbolt   | 200902 (S)  | \$154.00          | \$83.93 | \$92.00  | \$164.78  | \$100.93 |
|                                | 6 Pin Cylinder for Arrow Revolution<br>Deadbolt*Order CT-Y27 tailpiece separately | 200903 (P)  | \$170.50          | \$92.93 | \$108.50 | \$181.28  | \$117.43 |
|                                |   | 200903 (S)  | \$154.00          | \$83.93 | \$92.00  | \$164.78  | \$100.93 |

## **Baldwin® Deadbolt Cylinders**

| Description                                |  | Part Number | M4/M³    | BiLevel  | X4       | Biax/Orig | KeyMark  |
|--|--|-------------|----------|----------|----------|-----------|----------|
| 5 Pin Rim Type Lazy Motion Single Cylinder | 1075127 (P)  | \$204.77    | \$120.83 | \$116.60 | \$216.53 | \$126.63  |          |
|  | handlesets and deadbolts   | 1075127 (S) | \$188.27 | \$111.83 | \$100.10 | \$200.03  | \$110.13 |
|  | 5 Pin Lazy Motion cylinder for Baldwin 2 point lock handleset (lower cylinder) | 2001851 (P) | \$169.50 | \$92.39  |          | \$180.21  |          |
| ٥  |  | 2001851(S)  | \$153.00 | \$83.39  |          | \$163.71  |          |

## Cal-Royal® Deadbolt Cylinder

| Description |  | Part Number | M4/M <sup>3</sup> | BiLevel | X4       | Biax/Orig | KeyMark  |
|-------------|--|-------------|-------------------|---------|----------|-----------|----------|
| 1880        | 6 Pin Cylinder for Cal-Royal T-300 Series<br>Grade 2 Deadbolt, Includes: CT-F34, DT-F35, | 20009S4(P)  | \$175.32          | \$98.20 | \$113.32 | \$186.03  | \$122.18 |
|             | 20009S4(S)   | \$158.82    | \$89.20           | \$96.82 | \$169.53 | \$105.68  |          |

#### Corbin Russwin® Deadbolt Cylinder

| Description  |                 | Part Number | M4/M³   | BiLevel  | X4       | Biax/Orig | KeyMark |
|--|-----------------|-------------|---------|----------|----------|-----------|---------|
| 6 Pin Cylinder for Corbin Russwin DL2100,<br>DL3100 Deadbolt | 2051027 (P)     | \$169.50    | \$92.39 | \$107.50 | \$180.21 | \$116.36  |         |
|  | N 3100 Deadholt | 2051027 (S) |         |          |          |           |         |

## **Emtek® Deadbolt Cylinders**

| Description  |   | Part Number | M4/M³    | BiLevel  | X4       | Biax/Orig | KeyMark  |
|--|---|-------------|----------|----------|----------|-----------|----------|
| 5 Pin Rim Lazy Mc<br>to fit Emtek® Han<br>Outside Cylinder | 5 Pin Rim Lazy Motion Rim Type Cylinder<br>to fit Emtek® Handleset & Deadbolt   | 1065140(P)  | \$175.50 | \$95.66  | \$111.89 | \$186.63  | \$121.56 |
|  |   | 1065140(S)  | \$159.00 | \$86.66  | \$95.39  | \$170.13  | \$105.06 |
|  | 5 Pin Rim Lazy Motion Rim Type Cylinder<br>To Inside Cylinder w/Emtek Tailpiece | 1065244 (P) | \$184.50 | \$100.56 |          | \$196.26  |          |
|  |   | 1065244(S)  | \$168.00 | \$91.56  |          | \$179.76  |          |

## Falcon® Deadbolt Cylinders

| Description  |  | Part Number | M4/M³    | BiLevel | X4       | Biax/Orig | KeyMark  |
|--|--|-------------|----------|---------|----------|-----------|----------|
| 6 Pin Cylinder for Falcon Single<br>Cylinder Deadbolt Lock (New Style) | 6 Pin Cylinder for Falcon Single                                       | 200903 (P)  | \$170.50 | \$92.93 | \$108.50 | \$181.28  | \$117.43 |
|  | 200903 (S)   | \$154.00    | \$83.93  | \$92.00 | \$164.78 | \$100.93  |          |
| 5 Pin Cylinder for Falcon Single                                       | 206005 (P)   | \$170.50    | \$92.93  |         | \$181.28 |           |          |
|  | ,  | 206005(S)   | \$154.00 | \$83.93 |          | \$164.78  |          |
|  | 5 Pin Cylinder for Falcon Double<br>Cylinder Deadbolt Lock (Old Style) | 206100(P)   | \$169.50 | \$92.39 |          | \$180.21  |          |
|  |  | 206100(S)   | \$153.00 | \$83.39 |          | \$163.71  |          |

## Kwikset® Deadbolt Cylinders

| Description |   | Part Number | $M4/M^3$ | BiLevel | X4 | Biax/Orig KeyMark |
|-------------|---|-------------|----------|---------|----|-------------------|
|             | P BID 1320 MOTIOD RITH INDE TOT KWIRSET®    | 1012040 (P) |          |         |    | \$190.91          |
|             | Single Cylinder deadbolts, except Powerbolt | 1012040(S)  | \$163.00 | \$88.83 |    | \$174.41          |

## PDQ® Deadbolt Cylinder

| Description |   | Part Number | M4/M³    | BiLevel | X4       | Biax/Orig | KeyMark  |
|-------------|---|-------------|----------|---------|----------|-----------|----------|
|             | 6 Pin Cylinder for PDQ KV Series Deadbolt | 200903 (P)  | \$170.50 | \$92.93 | \$108.50 | \$181.28  | \$117.43 |
|             |   | 200903 (S)  | \$154.00 | \$83.93 | \$92.00  | \$164.78  | \$100.93 |

#### Sargent® Deadbolt Cylinder

| Description |  | Part Number  | M4/M³  | BiLevel | X4       | Biax/Orig  | KeyMark  |
|-------------|--|--|--|---------|----------|--|----------|
|             | 6 Pin Cylinder for 470 & 480   | 200901 (P)   | \$170.50   | \$92.93 | \$108.50 | \$181.28   | \$117.43 |
|             | Single Cylinder Deadbolt Lock  | 200901 (S)   | \$154.00   | \$83.93 | \$92.00  | \$164.78   | \$100.93 |
|             | 6 Pin Cylinder for Sargent 470 & 480 Double Cylinder Deadbolt Lock   | 200902 (P)   | \$170.50   | \$92.93 | \$108.50 | \$181.28   | \$117.43 |
|             |  | 200902 (S)   | \$154.00   | \$83.93 | \$92.00  | \$164.78   | \$100.93 |
|             | 5 Pin Cylinder for Sargent 470 &<br>480 Single Cylinder Deadbolt   | 200801 (P)   | \$170.50   | \$92.93 |          | \$181.28   |          |
|             |  | 200801 (S)   | \$154.00   | \$83.93 |          | \$164.78   |          |
|             | 5 Pin Cylinder for Sargent 470 & 480 Double Cylinder Deadbolt  | 200802 (P)   | \$166.50   | \$90.75 |          | \$177.00   |          |
|             |  | 200802(S)  | \$150.00   | \$81.75 |          | \$160.50   |          |
|             | 5 Pin cylinder for Sargent 460   | 200807 (P)   | \$170.50   |         |          | \$181.28   |          |
|             | Single Cylinder deadbolt   | 200807 (S)   | \$154.00   |         |          | \$164.78   |          |
|             | 6 Pin cylinder for Sargent 460   | 200907 (P)   | \$170.50   | \$92.93 | \$108.50 | \$181.28   | \$117.43 |
|             | Single Cylinder deadbolt   | 200907 (S)   | \$154.00   | \$83.93 | \$92.00  | \$164.78   | \$100.93 |
|             | 5 Pin cylinder for Sargent   | 200808 (P)   | \$170.50   |         |          | \$181.28   |          |
|             | 460 Double Cylinder deadbolt   | 200808(S)  | \$154.00   |         |          | \$164.78   |          |
|             | 480 Double Cylinder Deadbolt  5 Pin cylinder for Sargent 460 Single Cylinder deadbolt  6 Pin cylinder for Sargent 460 Single Cylinder deadbolt  5 Pin cylinder for Sargent | 200802 (S)<br>200807 (P)<br>200807 (S)<br>200907 (P)<br>200907 (S)<br>200808 (P) | \$150.00<br>\$170.50<br>\$154.00<br>\$170.50<br>\$154.00<br>\$170.50 | \$81.75 |          | \$160.50<br>\$181.28<br>\$164.78<br>\$181.28<br>\$164.78<br>\$181.28 |          |

## Schlage® Deadbolt Cylinder

| Description | abole cylinder   | Part Number  | M4/M³    | BiLevel  | X4       | Biax/Orig | KeyMark  |
|-------------|--|--------------|----------|----------|----------|-----------|----------|
|             | 5 Pin Lazy Motion Schlage® Outside Cylinder  | ·10651S4 (P) | \$200.79 | \$120.94 | \$137.18 | \$211.92  | \$146.85 |
|             | for "E", "H", B200, B400 Series Deadbolt<br>(Rim Type Cylinder) includes CT-F34-CT-F38       | 10651S4(S)   | \$184.29 | \$111.94 | \$120.68 | \$195.42  | \$130.35 |
|             | 5 Pin Lazy Motion Schlage® Inside Cylinder 1 for B200/B400 Series Deadbolt Lock (Rim -       | 10652S4(P)   | \$196.02 | \$112.08 | \$128.12 | \$207.78  | \$138.15 |
|             | Type Cylinder) includes CT-F34-CTF38   | 10652S4(S)   | \$179.52 | \$103.08 | \$111.62 | \$191.28  | \$121.65 |
|             | 6 Pin Lazy Motion Schlage® Outside Cylinder<br>for "E", "H", B200, B400 Series Deadbolt Lock | -10661S4 (P) | \$201.20 | \$117.26 | \$134.59 | \$212.96  | \$147.89 |
|             | (Rim Type Cylinder) includes: CT-F34-CT-F38  |              | \$184.70 | \$108.26 | \$121.09 | \$196.46  | \$131.39 |
|             | 6 Pin Lazy Motion Schlage® Inside Cylinder for B200 and B400 Series Deadbolt Lock            | 10662S4(P)   | \$198.29 | \$94.33  | \$128.66 | \$213.13  | \$143.50 |
|             | (Rim Type Cylinder) includes: CT-F34-CT-F38  | 10662S4(S)   | \$181.79 | \$85.33  | \$112.16 | \$196.63  | \$127.00 |
| 1881        | 5 Pin Lazy Motion Cylinder for Schlage B   | 2000800 (P)  | \$169.50 | \$92.39  |          | \$180.21  |          |
| 0           | Series Deadbolt Lock (less tailpiece)  | 2000800(S)   | \$153.00 | \$83.39  |          | \$163.71  |          |
| 1880        | 5 Pin Knob Cylinder for Schlage B, E, and F160 Series Deadbolt lock, includes CT-F34,        | 20008S4(P)   | \$175.32 | \$98.20  |          | \$186.03  |          |
| 0           | CT-F38   | 20008S4(S)   | \$158.82 | \$89.20  |          | \$169.53  |          |
|             | 6 Pin Lazy Motion Cylinder Schlage B Series  | 200904(P)    | \$170.50 | \$92.93  | \$108.50 | \$181.28  | \$117.43 |
|             | (Old Style) deadbolt   | 200904(S)    | \$154.00 | \$83.93  | \$92.00  | \$164.78  | \$100.93 |
| 1880        | 6 Pin Lazy Motion Cylinder for Schlage B   | 2000900 (P)  | \$169.50 | \$92.39  | \$107.50 | \$180.21  | \$116.36 |
| o .         | Series Deadbolt (less tailpiece) except B662 after 2001                                      | 2000900(S)   | \$153.00 | \$83.39  | \$91.00  | \$163.71  | \$99.86  |
|             | 6 Pin Lazy Motion Knob Cylinder for Schlage® "B", "E", and F160 includes:                    | 20009S4 (P)  | \$175.32 | \$98.20  | \$113.32 | \$186.03  | \$122.18 |
| a           | CT-F34, CTF35, CT-F36, CT-F37, CT-F38  | 20009S4(S)   | \$158.82 | \$89.20  | \$96.82  | \$169.53  | \$105.68 |

## Weiser® Deadbolt Cylinders

| Description |  | Part Number | M4/M³    | BiLevel | X4       | Biax/Orig | KeyMark  |
|-------------|--|-------------|----------|---------|----------|-----------|----------|
|             | 5 Pin Lazy Motion Outside Cylinder for<br>Weiser® Prestige Series Deadbolt and | 100602 (P)  | \$167.50 | \$91.30 | \$113.60 | \$178.07  | \$124.17 |
|             | Entryset/ Handleset  | 100602 (S)  | \$151.00 | \$82.30 | \$97.10  | \$161.57  | \$107.67 |
|             | 6 Pin Lazy Motion Outside Cylinder for Weiser Prestige Entryset/Handleset      | 100702 (P)  | \$175.50 | \$95.66 | \$117.08 | \$186.63  | \$128.19 |
|             |  | 100702 (S)  | \$159.00 | \$86.66 | \$100.58 | \$170.13  | \$111.69 |
|             | 6 Pin Cylinder for Weiser® Single Cylinder<br>Deadbolt, including powerbolt    | 200903 (P)  | \$170.50 | \$92.93 | \$108.50 | \$181.28  | \$117.43 |
|             |  | 200903 (S)  | \$154.00 | \$83.93 | \$92.00  | \$164.78  | \$100.93 |
|             | 5 Pin Cylinder for Weiser® Single  | 206005 (P)  | \$170.50 | \$92.93 |          | \$181.28  |          |
|             | Cylinder Deadbolt  | 206005 (S)  | \$154.00 | \$83.93 |          | \$164.78  |          |
|             | 5 Pin Cylinder for Weiser® Double  | 206100 (P)  | \$169.50 | \$92.39 |          | \$180.21  |          |
| d           | Cylinder Deadbolt  | 206100(S)   | \$153.00 | \$83.39 |          | \$163.71  |          |
|             | 5 Pin Cylinder for Weiser® 4000, 4200  | 207001 (P)  | \$170.50 | \$92.39 |          | \$181.28  |          |
|             | Single Cylinder Deadbolt   | 207001 (S)  | \$154.00 | \$83.39 |          | \$164.78  |          |

#### Yale® Deadbolt Cylinders

| Description |                                     | Part Number | M4/M³    | BiLevel | X4       | Biax/Orig | KeyMark  |
|-------------|-------------------------------------|-------------|----------|---------|----------|-----------|----------|
|             | 6 Pin Cylinder for Yale 3300, 3500, | 2051027 (P) | \$169.50 | \$92.39 | \$107.50 | \$180.21  | \$116.36 |
|             | & 3600 Series Deadbolt Locks        | 2051027 (S) | \$153.00 | \$83.39 | \$91.00  | \$163.71  | \$99.86  |

## **Abus® Padlock Cylinders**

| Description                             |                               | Part Number | M4/M³    | BiLevel  | X4       | Biax/Orig | KeyMark |
|---|-------------------------------|-------------|----------|----------|----------|-----------|---------|
| 6 Pin Cylinder for Abus® Padlock Series | 2020000 (P)                   | \$169.50    | \$92.39  | \$107.50 | \$180.21 | \$116.36  |         |
| 0                                       | 83KNK/45, 83KNK/50 & 83KNK/55 | 2020000 (S) | \$153.00 | \$83.39  | \$91.00  | \$163.71  | \$99.86 |

#### **American® Padlock Cylinders**

| Description |   | Part Number | M4/M³    | BiLevel | X4       | Biax/Orig | KeyMark  |
|-------------|---|-------------|----------|---------|----------|-----------|----------|
|             | 6 Pin Cylinder for American® 3600/3700<br>Padlock (Note: Use American® Driver | 2020000 (P) | \$169.50 | \$92.39 | \$107.50 | \$180.21  | \$116.36 |
| 0           | DR-MED6)  | 2020000 (S) | \$153.00 | \$83.39 | \$91.00  | \$163.71  | \$99.86  |

## **Master® Padlock Cylinders**

| Description |  | Part Number | M4/M <sup>3</sup> | BiLevel | X4       | Biax/Orig | KeyMark  |
|-------------|--|-------------|-------------------|---------|----------|-----------|----------|
|             | 6 Pin Cylinder for Master® "29" and 6600,                          | 2020000 (P) | \$169.50          | \$92.39 | \$107.50 | \$180.21  | \$116.36 |
|             | 6700 Pro Series (Note: Use Master® Driver 0298-627 for Pro Series) | 2020000 (S) | \$153.00          | \$83.39 | \$91.00  | \$163.71  | \$99.86  |

## **Medeco System Series Padlock Cylinders**

| Description                                |            | Part Number | M4/M³    | BiLevel  | X4       | Biax/Orig | KeyMark  |
|--|------------|-------------|----------|----------|----------|-----------|----------|
| 6 Pin cylinder for System Series KIK style | 510600 (P) | \$137.50    | \$75.20  | \$119.67 | \$145.97 | \$127.67  |          |
|  | padlocks   | 510600 (S)  | \$121.00 | \$66.20  | \$103.17 | \$129.47  | \$111.17 |

#### New Standard Mfg. Co.® Padlock Cylinders

| Description |   | Part Number | M4/M³    | BiLevel | X4       | Biax/Orig | KeyMark  |
|-------------|---|-------------|----------|---------|----------|-----------|----------|
|             | C Dia C lia da a Can Nava Cara da al@ Da dia da | 2020052 (P) | \$169.50 | \$92.39 | \$107.50 | \$180.21  | \$116.36 |
| 0           | 6 Pin Cylinder for New Standard® Padlocks       | 2020052(S)  | \$153.00 | \$83.39 | \$91.00  | \$163.71  | \$99.86  |

#### Schlage® Padlock Cylinders

| Description |  | Part Number | M4/M³ | BiLevel | X4 | Biax/Orig | KeyMark  |
|-------------|--|-------------|-------|---------|----|-----------|----------|
|             |  | 2020074(P)  |       |         |    |           | \$116.36 |
|             | 6 Pin Cylinder for Schlage® 45-101 Padlock | 2020074(S)  |       |         |    |           | \$99.86  |

#### **KIK/KIL Cylinder Components**

| Description   | Part Number         | Price       |
|---|---------------------|-------------|
| M <sup>3</sup> slider package. (Includes slider & spring)   | 94-0174             | \$15.50     |
| Flat Head Machine Screw, 5/16" -#2-56 UNC, Phillips with Nylok Pate for 20-200XX Cylinders. Sold in Bags of 100           | ch<br>CP-010203-050 | \$0.28 each |
| Pan Head Machine Screw, 1/4" - #2-56 UNC, Phillips with Nylok Patc<br>for most Lazy Motion Cylinders. Sold in Bags of 100 | h<br>CP-010503-040  | \$0.41 each |
| Retaining Ring, Knob Cylinder "E" Clip  | CP-020020           | \$1.95      |
| Retaining Ring, Knob Cylinder, Full Clip  | CP-020040           | \$3.74      |
| Retaining Ring, Knob Cylinder Plug Retainer, "C" Clip   | CP-020100           | \$1.21      |
| Lazy Motion Tailpiece Retainer for 20*090X cylinders  | CP-021031           | \$2.46      |
| Tailpiece Retainer ring for Arrow and Sargent clip on tailpieces  | CP-021130           | \$3.49      |
| Plug Retainer, Standard Knob  | CP-021370           | \$9.45      |
| Castle Nut Retainer for Schlage type lazy motion cylinders  | CP-021651           | \$14.50     |
| Compression Spring for Schlage type lazy motion cylinders   | CP-030670           | \$1.95      |
| Drive Disk for Schlage -type Lazy Motion Cylinders  | CP-041200           | \$4.90      |
| Detent Pin for Schlage type lazy motion cylinders   | CP-064490           | \$2.33      |

## **KIK/KIL Cylinder Plugs**

| Description                              | Part Number | Price   |
|--|-------------|---------|
| Plug for 20-200XX- (Medeco Original)     | 12126002 -  | \$74.47 |
| Plug for 20W200XX (Medeco Biaxial)       | 12126156 W  | \$74.47 |
| Plug for 20T200XX (Medeco <sup>3</sup> ) | 1212633 T   | \$69.60 |

#### **Mailbox Lock Cylinders**

| Description  | Part Number | (S) Pricing | (P) Pricing |
|--|-------------|-------------|-------------|
| 6 Pin M <sup>3</sup> Key in Knob Style Mailbox cylinder, less slider | 490375 T    | \$177.50    | N/A         |
| 6 Pin Mailbox cylinder. Medeco KM only                               | 200155 K    | \$137.26    | \$153.76    |

## **KIK/KIL Cylinder Tailpieces**

| Description |  | Part Number | Price   |
|-------------|--|-------------|---------|
|             | Tailpiece for Schlage® B200,<br>B400, B500, Series (Double<br>Cylinder)                      | CT-F34      | \$5.17  |
|             | Tailpiece for Schlage® F160,<br>B100, B200, B400, B500 Series<br>(Double Cylinder)           | CT-F35      | \$5.17  |
|             | Tailpiece for Schlage® B200,<br>B400 Series (Double Cylinder)                                | CT-F36      | \$5.17  |
|             | Tailpiece for Schlage® F160,<br>B100, B200, B400, B500 Series<br>(Double Cylinder)           | CT-F37      | \$5.17  |
| *           | Tailpiece for Schlage® "E", F160,<br>"H", B100, B200, B400, B500<br>Series (Single Cylinder) | CT-F38      | \$5.17  |
| £           | Tailpiece for Baldwin® Images Series   | CT-F40      | \$15.90 |
|             | Tailpiece for Marks® 190S Lever Lockset  | CT-V00      | \$5.17  |
|             | Tailpiece for Marks® 190AB Lever Lockset   | CT-V01      | \$5.17  |
|             | Tailpiece for PDQ® SP  | CT-V02      | \$5.17  |
|             | Tailpiece for Falcon®® "T" Series  | CT-V03      | \$5.17  |
|             | Tailpiece for Corbin® Russwin®<br>3900 Series Lever Lock                                     | CT-V19      | \$5.17  |
|             | Tailpiece for Sargent® 11 Line TZone   | CT-V35      | \$10.90 |
|             | Tailpiece for Anderson® Door Locks   | CT-V39      | \$5.17  |
|             | Tailpiece for Kwikset®   | CT-V40      | \$21.70 |
| ř           | Tailpiece for Schlage® Lazy Motion   | CT-Y08      | \$5.17  |
|             |  |             |         |

## KIK/KIL Cylinder Tailpieces

| Description | ·   | Part Number | Price   |
|-------------|---|-------------|---------|
|             | Tailpiece for Schlage® Deadbolt Lock (.542")  | CT-Y24      | \$5.17  |
| <b></b>     | Tailpiece for Baldwin®, Falcon®, Marvin®, Weiser®<br>& Yale® (Lazy Motion)          | CT-Y27      | \$5.17  |
|             | Tailpiece for Schlage® "G" Series Knob Lock   | CT-Y28      | \$24.70 |
|             | Tailpiece for Weiser® 4370 Deadbolt Lock  | CT-Y29      | \$5.17  |
|             | Tailpiece for Dexter® Double Cylinder<br>Deadbolt Lock 4209                         | CT-Y31      | \$5.17  |
|             | Tailpiece for Sargent® 6 Line (.685" Length)  | CT-Y35      | \$5.17  |
|             | Tailpiece for Sargent® 6 Line   | CT-Y37      | \$5.17  |
|             | Tailpiece for Russwin® Forum (20-5008) Line   | CT-Y46      | \$5.17  |
|             | Tailpiece for Arrow® 151 Knob and Sargent® 10 Line                                  | e CT-Y47    | \$5.17  |
|             | Tailpiece for Schlage® "C", "D", & Olympiad® Lever<br>& Falcon® "B", "F" Series     | CT-Y49      | \$5.17  |
|             | Tailpiece for Schlage® "A" Series & "C", "D" Series<br>(Ball, Globe, Sphere Design) | CT-Y52      | \$5.17  |
|             | Tailpiece for Schlage® "A" Series (Orbit Design Only                                | ) CT-Y53    | \$5.17  |
|             | Tailpiece for Falcon® "S" Series Knob (Except "H"<br>Knob)                          | CT-Y54      | \$5.17  |
|             | Tailpiece for Sargent® 10 Line  | CT-Y55      | \$5.17  |
|             | Tailpiece for Yale® AU5400 Lever Handle<br>(Old Style)                              | CT-Y57      | \$5.17  |
|             |   |             |         |

## KIK/KIL Cylinder Tailpieces

| Description | er rumpreces   | Part Number | Price   |
|-------------|--|-------------|---------|
|             | Tailpiece for Falcon® "S" Series "H" Knob  | CT-Y58      | \$5.17  |
| 0           | Tailpiece for Yale® 5400LN Series<br>Lever Lockset   | CT-Y67      | \$5.17  |
|             | Tailpiece for Falcon® "X" Series<br>Knob (Except "H" Knob)   | CT-Y68      | \$5.17  |
|             | Tailpiece for Lockwood® Knob Lock  | CT-Y69      | \$5.17  |
|             | Tailpiece for Arrow® "M" Series, LSDA®<br>100 Series & Sargent® 6 Line                                 | CT-Y70      | \$5.17  |
|             | Tailpiece for Falcon® "X" Series "H" Knob  | CT-Y71      | \$5.17  |
|             | Tailpiece for Falcon® "X" Series Lever Lock  | CT-Y72      | \$5.17  |
|             | Tailpiece for Arrow® "M" Series, LSDA® 100 Series<br>& Sargent® 6 Line (B Knob Only), Schlage ND lever | CT-Y73      | \$5.17  |
|             | Tailpiece for Schlage® 45-101 Padlock  | CT-Y74      | \$5.17  |
|             | Tailpiece for Russwin® 3300 & 4300 Series  | CT-Y75      | \$5.17  |
|             | Tailpiece for Russwin® 3400 Series<br>& Corbin®® 6600 Series   | CT-Y77      | \$5.17  |
|             | Tailpiece for LSDA® LX1000 Lever Lockset   | CT-Y78      | \$5.17  |
|             | Tailpiece for Schlage "S" Series   | CT-Y97      | \$35.40 |

## KIK/KIL Tailpiece Packages

| Description  | Part Number | Price   |
|--|-------------|---------|
| Tailpiece Package for Arrow®: Listed as A1 in cylinder part number.  | 0.4.000.4   | t.= 00  |
| Includes CT-Y70, CT-Y73 & CP-160321 (Spacer)   | 94-0034     | \$15.00 |
| Tailpiece Package for Schlage®: Listed as S1 in cylinder part number. Includes CT-Y49, CT-Y52, CT-Y53, CT-Y73, CT-Y74                    | 94-0036     | \$15.00 |
| Tailpiece Package for Falcon®: Listed as F1 in cylinder part number. Includes CT-Y49, CT-Y54, CT-Y58, CT-Y68, CT-Y71, CT-Y72 & CP-160311 | 94-0035     | \$15.00 |
| Tailpiece Package for LSDA®: Listed as L1 in cylinder part number.   |             |         |
| Includes CT-Y49, CT-Y70, CT-Y73, CT-78   | 94-0272     | \$15.00 |
| Tailpiece Package for Schlage® "S" Series: Includes CT-Y97 & CP-021370   | 94-0051     | \$37.90 |
| Tailpiece package for Arrow®, Schlage® & Sargent®: Listed as H1 in cylinder part number. Includes CT-Y49, CT-Y52, CT-Y53, CT-Y54, CTY70, |             |         |
| CT-Y73, & CP-160321  | 94-0061     | \$26.60 |
| Tailpiece Package for Sargent® & Arrow®: Includes CT-Y35, CT-Y37,  |             |         |
| CT-Y47, CT-Y55   | 94-0067     | \$4.35  |
| Tailpiece Package for Schlage® Deadbolt Cylinders: Listed as S4 in   |             |         |
| cylinder part number. Includes CT-F34, CT-F35, CT-F36, CT-F37, CT-F38  | 94-0098     | \$15.00 |

## Large Format Interchangeable Cores

| FEATURES   | M4/M³ | BiLevel | X4 | CLIQ | Medeco XT |
|--|-------|---------|----|------|-----------|
| Utility patented key control provides protection from unauthorized duplication of keys   | •     | •       | •  | •    | •         |
| UL 437 Listing and BHMA Certification provide validation of high security from recognized, independent testing laboratories  | •     |         |    |      |           |
| Triple locking principle provides pick resistance and large numbers of combinations for master keying flexibility to accommodate systems of virtually any size                 | •     |         |    |      |           |
| Hardened steel inserts in the cylinder face and hardened steel driver pins provide proven drill resistance   | •     |         |    |      |           |
| Solid brass construction provides high quality and long cylinder life  | •     | •       | •  |      |           |
| Nickel plated pins designed to provide exceptional wear resistance   | •     | •       | •  |      |           |
| Retrofits into virtually any manufacturers' locksets with a wide selection of interchangeable cams to fit various mortise series hardware for cost effective improved security | •     | •       | •  | •    | •         |
| Ability to key with non-interchangeable core cylinders, including rim and mortise, knob style for M4/M³ BiLevel cost effective system flexibility                              | •     | •       | •  |      |           |
| High security and key control may be incorporated in a single system for cost effective system flexibility   | •     | •       |    | •    |           |

#### **Medeco 4 Premium High Security**

For effective mechanical protection against most forms of attack as well as protection against unauthorized duplicate keys, M4 cylinders are recommended. Security features including hardened steel components, pins that must be elevated, rotated, and interact with a sidebar which is engaged by the movable element in the key make M4 the cylinder of choice to protect people, property and information.

#### **X4 Patented Key Control**

X4 cylinders offer patented control against unauthorized duplication of keys without the additional security features protecting against force or surreptitious attack.

#### **Medeco 4 BiLevel Key Control**

M4 BiLevel cylinders may be incorporated into a master key system with M4 high security, offering protection against all types of attack where needed, and patented key control cylinders for areas requiring less protection. BiLevel cylinders offer patented control against unauthorized duplication of keys without the additional security features protecting against force or surreptitious attack.

#### **Intelligent Key Solutions**

Many of the cylinders in this section are also available with an Intelligent Key solution. See the Intelligent Key section for more details.



# Large Format Interchangeable Core

Offering increased security without costly and time-consuming rekeying, interchangeable core cylinders enable quick and easy cylinder changes by non-technical personnel by using a special control key to remove the cylinder (core) from the lock housing. A core with a new combination can then be



inserted, which in effect rekeys the lock. LFIC cylinders are often used on doors of high-turnover businesses, like fast-food or manufacturing environments, where rapid rekeying is often desirable. Medeco 4's (M4) patent-pending high security technology provides protection against unauthorized duplication of keys, along with hardened inserts to resist drilling, and features that protect against other types of attack.



#### **Key Control**

Patent-pending key control protects against unauthorized duplication of keys.



#### **Protection Against 3D Printing**

A patent-pending movable element in the key deters unauthorized 3D printed copies of keys or blanks.



#### **Picking and Bumping Protection**

M4 cylinders use cylinder side pins, a lift pin and a movable key element to engage a sidebar that prevents the key from turning until the elements are rotated and aligned in the correct position, protecting against bumping, picking and other attacks.



#### **Protection From Physical Attack**

M4 LFIC cylinders are UL 437 listed to stand up to drilling, picking and other forms of physical attack.



#### **Special Angled Cut Keys**

A special key cutting machine and access to Medecospecific blanks are required to duplicate M4 keys, which are available in multiple levels of restriction to support every need.



#### **Quickly Change Cores**

Provides quick and easy cylinder changes in the event keys are lost or stolen.



#### **Uses Existing Hardware**

Medeco offers a large selection of retrofit LFIC that reduce cost by eliminating the need to replace existing hardware.



#### **Master Keying Capabilities**

M4 cylinders can be master keyed into a system that includes M4 and M4 BiLevel keys and cylinders. Very large systems are possible.

#### **Technical Information:**

- Meets ANSI A156.30 assuring patent protected key control and physical strength (M4, M³)
- ANSI A156.5 Grade 1 certification assures consistent quality for heavy use applications (Medeco 4, M³)
- Solid brass construction provides high quality and long cylinder life
- Nickel plated pins provide exceptional wear resistance and additional hardened stainless steel pins provide drill resistance
- Ability to key with non-interchangeable core cylinders for cost effective system flexibility

#### **Applications:**

Office buildings, universities, apartments, perimeter doors, schools and hospitals.

#### **Warranty:**

Warranted for two (2) years against manufacturer's defects. See Medeco's limited warranty for full details.

#### **Finishes:**

Available in all standard finishes to match with existing hardware.

## **Available Technologies:**

Mechanical: Intelligent Key:

– M4/M4 BiLevel
 – M³ CLIQ
 – M³/M³ BiLevel
 – Classic CLIQ

-X4 -XT

- X4 CLIQ



## Large Format Interchangeable Core

| Description   |  | Part Number    | M4/M³    | BiLevel  | X4       | Biax/Orig | KeyMark  |
|---|--|----------------|----------|----------|----------|-----------|----------|
| Yale® Large Format Interchangeable Core,<br>6 Pin (Masterkey upcharges apply)   | 310100 (P)   | \$184.50       | \$101.24 | \$121.87 | \$196.26 | \$130.74  |          |
|   | 310100 (S)   | \$168.00       | \$92.24  | \$105.37 | \$179.76 | \$114.24  |          |
|   | Control Key blank for 31-0100 cylinders  | KYB XX6X11     | \$11.40  |          |          | \$11.40   |          |
| Ħ   | 6 Pin Core for 7 Pin Yale® Large Format  | 310100A (P)    | \$184.50 | \$101.24 | \$121.87 | \$196.26  | \$130.74 |
|   | Interchangeable Core Housing<br>(Masterkey upcharges apply)  | 310100A(S)     | \$168.00 | \$92.24  | \$105.37 | \$179.76  | \$114.24 |
|   | Control key blank for 31-0100A cylinders   | KYB XX7X11     | \$11.40  |          |          | \$11.40   |          |
|   | 6 Pin Interchangeable Core<br>Construction Core (Yale® Style)<br>Cut keys provided separately<br>– 12 keys Maximum | 310100CC BI R1 |          |          |          | \$196.26  |          |
|   | 5 Pin Large Format Interchangeable Core<br>(Masterkey upcharges apply)   | 320101 (P)     | \$183.50 | \$100.02 |          | \$195.19  |          |
|   |  | 320101 (S)     | \$167.00 | \$91.02  |          | \$178.69  |          |
| Image: control of the | 5 Pin Large Format Interchangeable Core for Simplex® Unican® 1000-2m   | 320101H(P)     | \$183.50 |          |          | \$195.19  |          |
|   | Manufactured Before 2/10/92<br>(Masterkey upcharges apply)   | 320101H(S)     | \$167.00 |          |          | \$178.69  |          |
|   | Pin Large Format Interchangeable Core  | 320201 (P)     | \$184.50 | \$100.56 | \$128.61 | \$196.26  |          |
|   | (Masterkey upcharges apply)  | 320201 (S)     | \$168.00 | \$91.56  | \$112.11 | \$179.76  |          |
| Image: control of the | 6 Pin Large Format Interchangeable Core for Simplex® Unican® 1000-2m   | 320201H(P)     | \$184.50 | \$100.56 |          | \$196.26  |          |
|   | Manufactured Before 2/10/92<br>(Masterkey upcharges apply)   | 320201H(S)     | \$168.00 | \$91.56  |          | \$179.76  |          |
|   | 6 Pin Large Format Removable Core<br>Construction Core Cut keys sold<br>separately – 12 keys maximum               | 320201CC BI R1 |          |          |          | \$196.26  |          |
|   | 6 Pin Large Format Hotel Function  | 321201 (P)     | \$187.50 |          |          | \$199.47  |          |
|   | Interchangeable Core<br>(Masterkey upcharges apply)  | 321201 (S)     | \$171.00 |          |          | \$182.97  |          |
|   | 6 Pin Large Format Interchangeable   | 324201 (P)     | \$184.50 | \$100.56 |          | \$196.26  |          |
| Core with Extended Plug Face (Masterkey upcharges apply)  | 324201 (S)   | \$168.00       | \$91.56  |          | \$179.76 |           |          |

## Large Format Interchangeable Core

| Description |  | Part Number      | M4/M³     | BiLevel | X4       | Biax/Orig | KeyMark  |
|-------------|--|------------------|-----------|---------|----------|-----------|----------|
|             | 6 Pin Emergency Key blank for 321201   | KYB XX6620 XX 05 | 5 \$11.40 |         |          |           |          |
|             | 6 Pin Large Format Interchangeable Core  | 322201 (P)       |           |         | \$125.81 |           | \$136.43 |
|             | (Schlage®) – (Masterkey upcharges apply)   | 322201 (S)       |           |         | \$109.31 |           | \$119.93 |
|             | X4 Control Key blank for 322201  | KYB XX7X31       |           |         | \$11.40  |           |          |
|             | 5 Pin Large Format Interchangeable Core<br>(Schlage®) – (Masterkey upcharges apply)      | 322201 (P)       | \$192.50  |         | \$125.81 |           | \$136.43 |
|             |  | 322201 (S)       | \$176.00  |         | \$109.31 |           | \$119.93 |
|             | M³ Control Key blank for 322201  | KYB XX6X31       | \$11.40   |         |          |           |          |
|             | 6 Pin Large Format Interchangeable Core<br>(Corbin Russwin®) (Masterkey upcharges apply) | 322301 (P)       | \$184.50  |         | \$128.61 | \$196.26  | \$138.93 |
|             | Not available in Original Technology*  | 322301 (S)       | \$168.00  |         | \$112.11 | \$179.76  | \$122.43 |
|             | 6 Pin Large Format Interchangeable Core<br>(Sargent®), (Masterkey upcharges apply)       | 322401 (P)       | \$184.50  |         | \$128.61 | \$196.26  | \$138.93 |
|             |  | 322401 (S)       | \$168.00  |         | \$112.11 | \$179.76  | \$122.43 |
|             | (Corbin Russwin®), (Masterkey upcharges  | 322801 (P)       |           |         | \$139.61 |           | \$150.70 |
|             |  | 322801 (S)       |           |         | \$123.11 |           | \$134.20 |

# **LFIC Mortise Cylinders**

| Description  |   | Part Number | M4/M³    | BiLevel  | X4 Biax/Orig | KeyMark |
|--|---|-------------|----------|----------|--------------|---------|
| 8  | 6 Pin Mortise Cylinder for Yale®                                    | 310101 (P)  | \$300.50 | \$217.24 | \$320.38     |         |
| 8  | (Masterkey upcharges apply)   | 310101 (S)  | \$284.00 | \$208.24 | \$303.88     |         |
|  | 7 Pin Mortise Cylinder Assembly for Yale®                           | 310101A (P) | \$300.50 | \$217.24 | \$320.38     |         |
| 8  | (Masterkey upcharges apply)   | 310101A (S) | \$284.00 | \$208.24 | \$303.88     |         |
| 8  | 5 Pin 1 1/8" Mortise Cylinder Assembly                              | 320100 (P)  | \$299.50 | \$212.76 | \$319.31     |         |
| \sigma_\s | (Masterkey upcharges apply)   | 320100 (S)  | \$283.00 | \$203.76 | \$302.81     |         |
|  | 6 Pin 1 1/4" Mortise Cylinder Assembly                              | 320200 (P)  | \$300.50 | \$213.48 | \$320.38     |         |
|  | (Masterkey upcharges apply)   | 320200 (S)  | \$284.00 | \$204.48 | \$303.88     |         |
|  | 6 Pin LFIC Mortise Cylinder Assembly Hotel                          | 321200 (P)  | \$303.50 |          | \$323.59     |         |
|  | Function (Masterkey upcharges apply)                                | 321200 (S)  | \$287.00 |          | \$307.09     |         |
|  | 6 Pin Mortise Cylinder Master<br>Corbin Russwin® Ring Size Assembly | 321350 (P)  | \$346.50 |          | \$369.60     |         |
|  | (Masterkey upcharges apply)   | 321350 (S)  | \$330.00 |          | \$353.10     |         |
|  | 6 Pin 1 1/2" LFIC Mortise Cylinder                                  | 325200 (P)  | \$498.50 |          | \$532.24     |         |
|  | Assembly (Masterkey upcharges apply)                                | 325200 (S)  | \$482.00 |          | \$515.74     |         |
|  | 6 Pin 1 3/4" LFIC Mortise Cylinder                                  | 325400 (P)  | \$517.50 |          | \$552.57     |         |
|  | Assembly (Masterkey upcharges apply)                                | 325400 (S)  | \$501.00 |          | \$536.07     |         |
|  | 6 Pin 2" LFIC Mortise Cylinder                                      | 325500 (P)  | \$532.50 |          | \$568.62     |         |
|  | Assembly (Masterkey upcharges apply)                                | 325500 (S)  | \$516.00 |          | \$552.12     |         |
|  | 6 Pin 2 5/8" LFIC Mortise Assembly (Masterkey uncharges apply)      | 325600 (P)  | \$571.50 |          | \$610.35     |         |
|  |   | 325600 (S)  | \$555.00 |          | \$593.85     |         |
|  | 6 Pin 3" LFIC Mortise Assembly                                      | 325700 (P)  | \$595.50 |          | \$636.03     |         |
|  | (Masterkey upcharges apply)   | 325700 (S)  | \$579.00 |          | \$619.53     |         |

# **LFIC Mortise Housings**

| Description |   | Part Number | Price    |
|-------------|---|-------------|----------|
|             | 5 Pin Mortise Cylinder Housing  | 32-0175     | \$117.00 |
|             | 6 Pin Mortise Cylinder Housing  | 32-0275     | \$117.00 |
|             | 6 Pin Jumbo Mortise Cylinder Housing for Corbin® Russwin® Master Ring Cylinders | 32-1375     | \$162.00 |
|             | 1 1/2" Mortise Cylinder Housing for 32-5200                                     | 32-5275     | \$317.00 |
|             | 1 3/4" Mortise Cylinder Housing for 32-5400                                     | 32-5475     | \$334.00 |
|             | 2" Mortise Cylinder Housing for 32-5500   | 32-5575     | \$349.00 |
|             | 2 1/4" Mortise Cylinder Housing for 32-5300                                     | 32-5375     | \$367.00 |
|             | 2 5/8" Mortise Cylinder Housing for 32-5600                                     | 32-5675     | \$388.00 |
|             | 3" Mortise Cylinder Housing for 32-5700   | 32-5775     | \$414.00 |
|             | 6 Pin 1 3/8" Mortise Cylinder Housing (Yale®)                                   | 31-0175     | \$117.00 |
|             | 7 Pin Mortise Cylinder Housing (Yale®)  | 31-0175A    | \$117.00 |
|             | 2 1/4" Mortise Cylinder Housing (Yale®)   | 31-5375     | \$354.00 |

# LFIC Rim Cylinders

| Description  |   | Part Number | M4/M³    | BiLevel  | X4 Biax/C | Orig KeyMark |
|--------------|---|-------------|----------|----------|-----------|--------------|
|              | 6 Pin Rim Cylinder Assembly for Yale®,  | 310102H(P)  | \$310.50 | \$227.24 | \$331.    | 08           |
| +            | Horizontal Tailpiece (Masterkey upcharges apply)  | 310102H(S)  | \$294.00 | \$218.24 | \$314.    | 58           |
|              | 6 Pin Rim Cylinder Assembly for Yale®,  | 310102V(P)  | \$310.50 | \$220.68 | \$331.    | 08           |
| +            | Vertical Tailpiece (Masterkey upcharges apply)  | 310102V(S)  | \$294.00 | \$211.68 | \$314.    | 58           |
|              | 7 Pin Rim Cylinder Assembly for Yale®,  | 310104H(P)  | \$310.50 |          | \$331.    | 08           |
| +            | Horizontal Tailpiece (Masterkey upcharges apply)  | 310104H(S)  | \$294.00 |          | \$314.    | 58           |
|              | 7 Pin Rim Cylinder Assembly for Yale®,  | 310104V(P)  | \$310.50 |          | \$331.    | 08           |
| +            | <ul><li>Vertical Tailpiece (Masterkey upcharges apply)</li></ul>  | 310104V(S)  | \$294.00 |          | \$314.    | 58           |
|              | 5 Pin Rim Cylinder Assembly with Horizontal<br>Tailpiece and Staked Tailpiece Retainer for<br>Thin Door Applications (Masterkey<br>upcharges apply) | 320300H(P)  | \$290.50 | \$206.28 | \$309.    | 68           |
| +            |   | 320300H(S)  | \$274.00 | \$197.28 | \$293.    | 18           |
|              | 5 Pin Rim Cylinder Assembly, Vertical<br>Tailpiece (Masterkey upcharges apply)  | 320300V(P)  | \$290.50 | \$206.28 | \$309.    | 68           |
| +            |   | 320300V(S)  | \$274.00 | \$206.28 | \$293.    | 18           |
|              | 6 Pin Rim Cylinder Assembly, Horizontal<br>Tailpiece (Masterkey upcharges apply)  | 320400H(P)  | \$310.50 | \$220.68 | \$331.    | 08           |
| +            |   | 320400H(S)  | \$294.00 | \$211.68 | \$314.    | 58           |
|              | 6 Pin Rim Cylinder Assembly, Vertical<br>* Tailpiece (Masterkey upcharges apply)  | 320400V(P)  | \$310.50 | \$220.68 | \$331.    | 08           |
| <del> </del> |   | 320400V(S)  | \$294.00 | \$211.68 | \$314.    | 58           |
|              | 5 Pin Rim ( vlinder Assembly with Lazy  | 320600 (P)  | \$280.50 |          | \$298.    | 98           |
| +            | Motion Tailpiece (Masterkey upcharges apply)  | 320600(S)   | \$264.00 |          | \$282.    | 48           |
|              | 6 Pin Lazy Motion Rim Cylinder Assembly   | 320700 (P)  | \$311.50 |          | \$332.    | 15           |
| +            | (Masterkey upcharges apply)   | 320700(S)   | \$295.00 |          | \$315.    | 65           |
|              | 6 pin Rim Cylinder with Sargent mounting  | 320405H (P) | \$329.50 |          | \$351.    | 41           |
| +            | holes (Masterkey upcharges apply)   | 320405H(S)  | \$313.00 |          | \$334.    | 91           |

**LFIC Rim Cylinder Housings** 

| Description |   | Part Number | Price    |
|-------------|---|-------------|----------|
|             | 7 Pin Rim Cylinder Housing (Yale®),<br>Horizontal Tailpiece                   | 31-0153H    | \$126.00 |
|             | 7 Pin Rim Cylinder Housing (Yale®),<br>Vertical Talpiece                      | 31-0153V    | \$126.00 |
|             | 6 Pin 1 1/2" Rim Cylinder Housing (31 series for Yale®), Horizontal Tailpiece | 31-0375H    | \$126.00 |
|             | 6 Pin 1 1/2" Rim Cylinder Housing (31 series for Yale), Vertical Tailpiece    | 31-0375V    | \$126.00 |
|             | 6 Pin Rim Cylinder Housing - 31 Series with Sargent® mounting hole spacing    | 31-03755    | \$126.00 |
|             | 5 Pin Rim Cylinder Housing, Horizontal Tailpiece                              | 32-0375H    | \$111.00 |
|             | 5 Pin Rim Cylinder Housing, Vertical Tailpiece                                | 32-0375V    | \$111.00 |
|             | 6 Pin Rim Cylinder Housing, Horizontal Tailpiece                              | 32-0475H    | \$126.00 |
|             | 6 Pin Rim Housing, Vertical Tailpiece   | 32-0475V    | \$126.00 |
|             | 6 Pin Rim Cylinder Housing - 32 Series with Sargent® mounting hole spacing    | 32-0477H    | \$126.00 |
|             | 5 Pin Rim Cylinder Housing with<br>Lazy Motion Tailpiece                      | 32-0675     | \$109.00 |
|             | 6 Pin Rim Lazy Motion Cylinder Housing  | 32-0775     | \$128.00 |

# Small Format Interchangeable Core

| FEATURES   | Medeco B | X4 | Medeco XT |
|--|----------|----|-----------|
| Utility patented key control provides protection from unauthorized duplication of keys   |          | •  | •         |
| Available in a large selection of competitive keyways  | •        |    |           |
| Solid brass construction provides high quality and long cylinder life  | •        | •  |           |
| Nickel plated pins designed to provide exceptional wear resistance   | •        | •  |           |
| Retrofits into virtually any manufacturers' locksets with a wide selection of interchangeable cams to fit various mortise series hardware for cost effective improved security | •        | •  | •         |
| Ability to key with non-interchangeable core cylinders, including rim and mortise, knob style for Medeco BiLevel cost effective system flexibility                             |          | •  |           |

#### **Medeco B SFIC**

Medeco B is an economical solution, available in a large selection of competitive keyways including: AB, BB, CB, DB, EB, FB, GB, HB, JB, KB, LB, MB, QB, RB, TA, TB, TC, TD, TE, WA, WB, WC, WG, WH & WY.

#### **Medeco X4 Patented Key Control**

Medeco X4 cylinders offer patented control against unauthorized duplication of keys without the additional security features protecting against force or surreptitious attack.

#### **Medeco XT Intelligent Key Solution**

Many of the cylinders in this section are also available with a Medeco XT Intelligent Key solution. See the Medeco XT section for more details.



# Medeco X4 Small Format Interchangeable Core

Medeco X4 leads the market in patent protected small format interchangeable core (SFIC) cylinders, conventional rim, mortise and key-in-knob cylinders are also available, offering one key convenience – both SFIC and conventional Medeco X4 cylinders will operate using the same key. With patents extending through 2030 and the ability to expand key systems to four times that of standard SFIC, Medeco X4 is guaranteed to be an important product to suit your needs.





#### **Patented Key Control**

Protects against unauthorized duplication of your keys.



#### **Uses Existing Hardware**

Industry standard Small Format Interchangeable Cores (SFIC) size, reduces cost by eliminating the need to replace your existing hardware.



#### **Quickly Change Cores**

Provides quick and easy cylinder changes in the event keys are lost or stolen.

#### **Technical Information:**

- Utilizes the standard A2 pinning system in conjunction with a bitted slider locking arrangement which allows for more master keying capabilities for large master key systems. Up to 65,536 unique change keys in a 7 pin master key system on a single keyway
- ANSI A156.5 Grade 1 certification assures consistent quality for heavy use applications
- Expandable, simple master keying available in SFIC and LFIC, as well as standard key-in-knob, mortise, and rim cylinders
- SFIC's are available in six or seven pin cylinders, and can replace Best style cores
- Standard Medeco cams and tailpieces can be used on Medeco X4 cylinders
- Keys can be cut using many standard code type key machines such as the Pro-Lok Blue Punch, A1 Green Machine, the ITL 9000/9700, HPC 1200 and HPC Code Max

- Solid brass construction for excellent durability
- Spool shaped top and bottom pins add a measure of pick resistance
- Solid nickel silver bottom pins increase wear resistance
- Individual pin chamber caps provide for ease of servicing
- Locks can be keyed alike, keyed different, or master keyed depending on your specific needs.

### **Applications:**

Provides a key control retrofit for other manufacturers SFIC products in use in a variety of facilities.

### Warranty:

Warranted for two (2) years against manufacturer's defects. See the Medeco® limited warranty for full details.

#### **Finishes:**

Available in all standard finishes to match with existing hardware.



# Medeco B

Medeco B Small Format Interchangeable Cores (SFIC) provide quick and easy cylinder changes in the event keys are lost or stolen. Medeco B is an economic and efficient solution to rekeying needs. Medeco B easily retrofits into existing systems, significantly reducing installation time.

Medeco B offers flexibility and is available in standard 6 and 7 pin format in established competitive keyways. The reinforced sleeve design provides added strength and durability.





#### **Competitive Keyways**

Medeco B is an affordable alternative for end users currently using industry standard unpatented keyways. Available keyways: 1C, 1D, AB, BB, CB, DB, EB, FB, GB, HB, JB, KB, LB, MB, QB, RB, TA, TB, TC, TD, TE, WA, WB, WC, WG, WH & WY.



#### **Quickly Change Cores**

Medeco B SFIC cylinder provides quick and easy cylinder changes in the event keys are lost or stolen.



#### **Fits Existing & New Master Key Systems**

Medeco B is priced to save clients' money vs. other unpatented competitors and can be substituted directly into existing SFIC master key systems.

# **Technical Information:**

- Solid brass construction
- Reinforced sleeve design
- Uses A2 SFIC Specifications
- Available with Medeco-branded or plain face
- 6 & 7 pin unpatented SFIC
- Sleeve, shell, plug & face plate made of brass
- Individually capped pin chambers
- Available in the following industry standard SFIC keyways: 1C, 1D, AB, BB, CB, DB, EB, FB, GB, HB, JB, KB, LB, MB, QB, RB, TA, TB, TC, TD, TE, WA, WB, WC, WG, WH & WY
- Dealers do not need a contract to purchase Medeco B SFIC Cores. Cores are available through Medeco and authorized distributors.

# **Applications:**

The Medeco B retrofit cylinders are ideal for any application requiring unpatented key control that can be substituted directly into existing small format interchangeable core systems.

#### Warranty:

Medeco B cylinders are warranted for two years against manufacturer's defects. See the Medeco® limited warranty for full details.

#### **Finishes:**

 Available in all standard finishes to match existing hardware.




# **How To Order Small Format Interchangeable Core**

| Medeco X4                                    |              | LEVEL 1 – Patented Key Control   |
|--|--------------|--|
| Cores Only                                   | Part Number  | Notes  |
| 6 Pin Small Format Interchangeable Core with | 33600006 (P) | Pinned pricing includes master key system design   |
| Clip Retainer, Removable Front Plate         | 33600006 (S) | and pinning, as well as two cut keys.  |
| 7 Pin Small Format Interchangeable Core with | 33700006 (P) | Note: Conventional cylinders are available<br>(KIK, Rim, Mortise, etc.) and can be easily integrated |
| Clip Retainer, Removable Front Plate         | 33700006 (S) | into an SFIC Master Key System   |

**How to Order Medeco X4:** 

(P) = Pinned (S) = Sub-Assembled




| Medeco B                                 |              | LEVEL 0 – Convenience                            |
|--|--------------|--|
| Cores Only                               | Part Number  | Notes  |
| 6 Pin Small Format Interchangeable Core, | 33-6B07X(P)  |  |
| Medeco face plate                        | 33-6B07X(S)  |  |
| 6 Pin Small Format Interchangeable Core  | 33-6B01X(P)  |  |
| with plain face                          | 33-6B01X(S)  | Pinned pricing includes master key system design |
| 7 Pin Small Format Interchangeable       | 33-7B07X (P) | and pinning, as well as two cut keys             |
| Core, Medeco face plate                  | 33-7B07X(S)  |  |
| 7 Pin Small Format Interchangeable Core  | 33-7B01X(P)  |  |
| with plain face                          | 33-7B01X(S)  |  |

# **How to Order Medeco B:**

W = Keyways WA-WY

(P) = Pinned (S) = Sub-Assembled



# **Small Format Interchangeable Core**

| Description |  | Part Number      | Medeco B | X4      | KeyMark  |
|-------------|--|------------------|----------|---------|----------|
|             | Madaa VA and WAA C Din CEIC  | 33600006 (P)     |          | \$91.00 | \$96.22  |
|             | Medeco X4 and KM 6 Pin SFIC  | 33600006 (S)     |          | \$74.50 | \$79.72  |
|             | Medeco B 6 Pin SFIC, Medeco face plate,  | 336B070 (P)      | \$67.70  |         |          |
|             | Alphabet and T series keyways  | 336B070(S)       | \$22.70  |         |          |
|             | Medeco B 6 Pin SFIC, Medeco face plate,  | 336B07W (P)      | \$67.70  |         |          |
|             | W series keyways   | 336B07W(S)       | \$22.70  |         |          |
|             | Medeco B 6 Pin SFIC, plain face plate,   | 336B010(P)       | \$67.70  |         |          |
|             | Alphabet and T Series Keyways  | 336B010(S)       | \$22.70  |         |          |
|             | Medeco B 6 Pin SFIC, plain face plate,   | 336B01W (P)      | \$67.70  |         |          |
|             | W Series Keyways   | 336B01W(S)       | \$22.70  |         |          |
|             | M. J VA JVM 7 D'- CEIC   | 33700006 (P)     |          | \$91.00 | \$96.22  |
|             | Medeco X4 and KM 7 Pin SFIC  | 33700006 (S)     |          | \$74.50 | \$79.72  |
|             | Medeco B 7 Pin SFIC, Medeco face plate,<br>Alphabet and T series keyways                       | 337B070 (P)      | \$67.70  |         |          |
|             |  | 337B070(S)       | \$22.70  |         |          |
|             | Medeco B 7 Pin SFIC, Medeco face plate,<br>W series keyways                                    | 337B07W (P)      | \$67.70  |         |          |
|             |  | 337B07W(S)       | \$22.70  |         |          |
|             | Medeco B 7 Pin SFIC, plain face place,,  | 337B010(P)       | \$67.70  |         |          |
|             | Alphabet and T Series Keyways  | 337B010(S)       | \$22.70  |         |          |
|             | Medeco B 7 Pin SFIC, plain face plate,   | 337B01W(P)       | \$67.70  |         |          |
|             | W Series Keyways   | 337B01W(S)       | \$22.70  |         |          |
|             | Medeco X4 and KM 6 Pin Construction Core<br>(cut keys ordered separately – 12 keys<br>maximum) | 33600006 BI CC K |          | \$91.00 | \$96.22  |
|             | Medeco X4 and KM 6 Pin SFIC,   | 33600007 (P)     |          | \$91.00 | \$96.22  |
|             | Extended Plug Head   | 33600007 (S)     |          | \$74.50 | \$79.72  |
|             | Small Format Interchangeable Core,   | 33700007 (P)     |          | \$91.00 | \$96.22  |
|             | Extended Plug Head   | 33700007 (S)     |          | \$74.50 | \$79.72  |
|             | Specialty Sliding Door 7 Pin SFIC,   | 3370000S (P)     |          | \$97.95 | \$103.17 |
|             | Medeco X4 and KM   | 3370000S (S)     |          | \$81.45 | \$86.67  |
|             | Medeco B 7 Pin SFIC for Showcase Lock,   | 337B070S (P)     | \$74.65  |         |          |
|             | Medeco face plate  | 337B070S(S)      | \$29.65  |         |          |
|             | Medeco B 7 Pin SFIC for Showcase Lock,   | 337B07WS (P)     | \$74.65  |         |          |
|             | Medeco face plate, W series keyways  | 337B07WS (S)     | \$29.65  |         |          |

# **SFIC Rim Cylinders**

| Description |  | Part Number    | Medeco B | X4       | KeyMark  |
|-------------|--|----------------|----------|----------|----------|
|             |  | 33602032 (P)   |          | \$143.59 | \$152.20 |
| +           | 6 Pin SFIC with 1 1/4" Rim Assembly                              | 33602032 (S)   |          | \$127.09 | \$135.70 |
|             | C Din CEIC with 1 1/2" Dim Accombly                              | 33602042 (P)   |          | \$143.59 | \$152.20 |
| +           | 6 Pin SFIC with 1 1/2" Rim Assembly                              | 33602042 (S)   |          | \$127.09 | \$135.70 |
|             | 7 Dia CEIC id. 1 1/28 Diag. According                            | 33702042 (P)   |          | \$143.59 | \$152.20 |
|             | 7 Pin SFIC with 1 1/2" Rim Assembly                              | 33702042 (S)   |          | \$127.09 | \$135.70 |
|             | 7 Pin SFIC with Corbin Russwin®<br>Master Ring Assembly          | 337020B2 (P)   |          | \$143.59 | \$152.20 |
| +           |  | 337020B2 (S)   |          | \$127.09 | \$135.70 |
|             | 6 Pin SFIC with 1 1/2" Ext.Face Rim<br>Assembly. Medeco KM only. | 33602033 K(P)  |          | \$143.59 | \$152.20 |
| +           |  | 33602033 K(S)  |          | \$127.09 | \$135.70 |
|             | 6 Pin SFIC with 1 1/2" Ext.Face Rim                              | 33602043 K(P)  |          | \$143.59 | \$152.20 |
| +           | Assembly. Medeco KM only.  | 33602043 K(S)  |          | \$127.09 | \$135.70 |
|             | 7 Pin SFIC with 1 1/2" Ext.Face Rim                              | 33702043 K(P)  |          | \$143.59 | \$152.20 |
|             |  | 33702043 K (S) |          | \$127.09 | \$135.70 |

# **SFIC Mortise Cylinders**

|  | Part Number Medeco B  | X4   | KeyMark  |
|--|---|--|--|
| 6 Din SEIC 1 1/4" Martica Accombly                             | 33602012 (P)  | \$139.50   | \$148.11   |
| o Pili Sric 1 1/4 Mortise Assembly                             | 33602012 (S)  | \$123.00   | \$131.61   |
| 7 Dia CEIC 1 2/0" Moutice Accombly                             | 33702022 (P)  | \$139.50   | \$148.11   |
| 7 PHI SFIC 1 3/8 MOLUSE ASSETTIBLY                             | 33702022 (S)  | \$123.00   | \$131.61   |
| 7 Pin SFIC 1 3/8" Corbin®                                      | 337020C2 (P)  | \$139.50   | \$148.11   |
| Jumbo Assembly   | 337020C2 (S)  | \$123.00   | \$131.61   |
| 7 Pin SFIC 1 1/2" Mortise<br>Cylinder Assembly                 | 337020E2 (P)  | \$139.50   | \$148.11   |
|  | 337020E2 (S)  | \$123.00   | \$131.61   |
| 6 Pin SFIC 1 1/4" Ext. Face<br>Mortise Assembly Medeco KM only | 33602013 K (P)  |  | \$148.11   |
|  | 33602013 K(S)   |  | \$131.61   |
| 7 Pin SFIC 1 3/8" Ext. Face                                    | 33702023 K (P)  |  | \$148.11   |
| Mortise Assembly Medeco KM only                                | 33702023 K(S)   |  | \$131.61   |
| 6 Pin SFIC 7/8" body length                                    | 33602052 (P)  | \$139.50   | \$148.11   |
| Mortise Assembly   | 33602052 (S)  | \$123.00   | \$131.61   |
| 6 Pin SFIC 1" body length (1 1/2"                              | 33602062 (P)  | \$139.50   | \$148.11   |
| Assembly (can accept 7 pin core)                               | 33602062 (S)  | \$123.00   | \$131.61   |
| 6 Pin SFIC 7/8" body length (1 3/8" overall)                   | 33602053 K (P)  | \$139.50   | \$148.11   |
| Ext. Face Tapered Head Mortise Assembly                        | 33602053 K(S)   | \$123.00   | \$131.61   |
| 6 Pin SFIC 1" body length (1 1/2"                              | 33602063 K (P)  | \$139.50   | \$131.61   |
| Assembly (can accept 7 pin core)                               | 33602063 K(S)   | \$123.00   | \$131.61   |
|  | Jumbo Assembly  7 Pin SFIC 1 1/2" Mortise Cylinder Assembly  6 Pin SFIC 1 1/4" Ext. Face Mortise Assembly Medeco KM only  7 Pin SFIC 1 3/8" Ext. Face Mortise Assembly Medeco KM only  6 Pin SFIC 7/8" body length (1 3/8" overall) Tapered Head Mortise Assembly  6 Pin SFIC 1" body length (1 1/2" overall) Tapered Head Mortise Assembly (can accept 7 pin core)  6 Pin SFIC 7/8" body length (1 3/8" overall) Ext. Face Tapered Head Mortise Assembly | 33602012 (P)   33602012 (S)   33702022 (P)   33702022 (P)   33702022 (S)   33702023 K(P)   33602013 K(S)   33702023 K(S)   33702 | 6 Pin SFIC 1 1/4" Mortise Assembly       33602012 (P)       \$139.50         3602012 (S)       \$123.00         7 Pin SFIC 1 3/8" Mortise Assembly       33702022 (P)       \$139.50         7 Pin SFIC 1 3/8" Corbin® Jumbo Assembly       337020C2 (P)       \$139.50         7 Pin SFIC 1 1/2" Mortise Cylinder Assembly       337020C2 (S)       \$123.00         7 Pin SFIC 1 1/2" Mortise Cylinder Assembly       337020E2 (P)       \$139.50         6 Pin SFIC 1 1/4" Ext. Face Mortise Assembly Medeco KM only       33602013 K (P)       \$123.00         7 Pin SFIC 1 3/8" Ext. Face Mortise Assembly Medeco KM only       33702023 K (P)       \$139.50         6 Pin SFIC 7/8" body length (13/8" overall) Tapered Head Mortise Assembly (13/8" overall) Tapered Head Mortise Assembly (can accept 7 pin core)       33602052 (P)       \$139.50         6 Pin SFIC 7/8" body length (13/8" overall) Ext. Face Tapered Head Mortise Assembly (can accept 7 pin core)       33602053 K (P)       \$139.50         6 Pin SFIC 7/8" body length (11/2" overall) Ext. Face Tapered Head Mortise Assembly (SS)       \$123.00       \$139.50 |

# **SFIC Housings**

| Description  |  | Part Number | Price   |
|--------------|--|-------------|---------|
|              | 6 Pin 1 1/4" Mortise Housing Only  | 33-076011   | \$23.71 |
|              | 6 or 7 Pin 1 3/8" Mortise Housing Only   | 33-076021   | \$23.71 |
|              | 7 Pin 1 1/2" SFIC Mortise Housing Only,<br>(If using 6 Pin core spacer CP-160420 required) | 33-076025   | \$47.80 |
|              | 7 Pin 1 3/8" Housing Only for Corbin® Russwin® Master Ring Cylinders*                      | 33-076028   | \$70.69 |
| ( <u>0</u> - | 6 Pin 7/8" Tapered Head Mortise<br>Housing Only  | 33-076051   | \$23.71 |
|              | 6 or 7 Pin 1" Tapered Head Mortise Housing Only  | 33-076061   | \$23.71 |
|              | 6 Pin 1 1/2" Rim Cylinder Housing Only   | 33-07603H   | \$23.71 |
|              | 7 Pin 1 1/2" Rim Cylinder Housing Only   | 33-07604Н   | \$23.71 |
|              | 7 Pin Corbin® Jumbo Rim Housing Only   | 33-076048   | \$70.69 |


# **Showcase Lock Housing**

| Description   | Part Number | Price   |
|---|-------------|---------|
| Showcase lock for SFIC cylinder. Works with Medeco X4, Medeco XT, or Medeco B SFIC. SFIC sold separately. | 33-07340    | \$97.90 |

# Intelligent Key Cabinet (IKC)

The Intelligent Key Cabinet (IKC) is a complete, electronicallycontrolled, key management solution that can secure, distribute and audit the use of XT Keys, mechanical keys, or other assets. Only authorized users can gain access to the cabinet via the included biometric fingerprint reader or PIN code pad, or a combination of both. An optional access card reader is also available. The IKC can improve

employee efficiency and increase accountability which translates into a more secure facility with lower operating costs. The IKC comes in three configurations – XT, iFob, and Hybrid. By selecting the right option for your needs you can securely store, track, and distribute mechanical keys,






- Accountability: No more wondering who has checked out keys or for how long. Complete audit trail and reporting by user and key activity. User accountability reduces lost keys. Fewer lost keys leads to lower expenses and improved security.
- Analytics: Identify potential problems in removal and return patterns before they escalate. Complete reporting suite provides multiple reporting options to provide real-time data. Reports can be automatically generated and sent to multiple users by email or SMS text. Custom reports can be configured and exported to Excel for added convenience.
- Security: Loose keys are vulnerable to being misplaced or stolen. Only authorized users are able to access. Biometric Fingerprint, PIN, and/or Prox Card authentication (optional) allow access to the IKC for added security and control. The IKC supports dual authentication if desired. For added security, a digital photo capture of each login can be added.
- Convenience: Allow employees to retrieve keys quickly without waiting for a manager. Quick, easy-to-use webbased or locally hosted software shows what keys are in, what keys are out, and to whom they are issued. The IKC allows the return of any key to any location in the cabinet, and then learns the key's new location.
- **Productivity:** Eliminate time spent searching for, or replacing lost keys – always know who took which key, and when.
- Efficiency: Pair with a full XT solution to identify patterns and workflows to gain even greater efficiency and security. XT version cabinets charge keys while they are secured and stored, ensuring keys are always ready to go.

#### **Features:**

- Heavy-duty enclosure keeps keys safe and secure
- Distributes keys only to authorized users
- Admin notifications (email and SMS) for unreturned keys
- Available in 3 cabinet sizes. Cabinet storage capacities are 32, 64, 96, 128, 160, 192, 224, 256, and 288.
- Three versions available: XT, iFob, and Hybrid
- Locks XT keys in place and keeps them charged and ready for use. (XT version)
- Identifies XT key serial number (XT version)
- Built-in 10" touchscreen and fingerprint reader
- Multi-factor verification/authentication includes biometric finger scan, PIN, and Prox Card.
- Audible and visual alarms to indicate trouble conditions
- Built-in camera for photo verification of removal or attempted removal.
- Comprehensive reporting & analytics
- Emergency Fob Release System
- Multi-System Networking
- Medeco high security mechanical lock for manual override
- Supports 2 and 3 factor authentication
- Options:
  - Mounting: Custom Stand holds 1 or 2 Standard or Mini cabinets to to securely hold the cabinets in place without having to mount them on a wall.
  - User authentication: A Multi-class reader is available for purchase or the customer can supply their own reader for installation. (A reader and test card must be provided to Medeco for testing before the cabinet is manufactured to ensure proper compatibility.



# Intelligent Key Cabinet (IKC)



# **Scalability:**

The IKC system can grow as business needs grow by adding on additional secondary cabinets from 32-288 port sizes for iFob units and in a combination of technologies (iFob or XT).

- Each system requires one 'Main' touchscreen cabinet
- Add additional cabinets as needs require
- System can be any combination of 32 or 64 port cabinets
- 32 port cabinets support either XT or iFob ports
- 64 port cabinets support either all XT, all iFob, or a combination of 32 XT plus 32 iFob.
- Main and Secondary boxes can be configured with same technology or different
- Up to 7 Add-on units maximum (512 keys) for every Main unit

# **Large Cabinet:**

- 46" H x 27" W x 11" D
- Weight: 290 pounds
- May require wall reinforcement for mounting
- 160 to 288 key positions
- Available as iFob Main or Add-On Cabinet

# Mini Cabinet (Image A):

- Main Cabinet (Image A) 27" W x 14.72" H x 12" D
- Can be stand alone or connected to Add-on cabinet
- Technology Select All XT or All iFob
- Main and Add-on cabinets can be configured with same technology or different\*

# Standard Cabinet (Image B):

- Main Cabinet (Image B), 32 or 64 ports, 27" W x 25.25" H x 12" D
- Can be stand alone or connected to secondary cabinet
- Technology Select All XT, All iFob, or 32 XT plus 32 iFob
- Main and Add-on cabinets can be configured with same technology or different

# Add-on Cabinet (Image C):

- Add-on Cabinet (Image C), 27"W x 25.25" H x 12"D
- Available with 32 or 64 ports
- 32 port option expandable to 64 with additional 32 port panel (sold separately)
- Must be connected to a Main cabinet

<sup>\*</sup> Before ordering, consult your local sales team about different configurations.

# Medeco T21 Key **Management System**

The Medeco T21 is a sophisticated stand-alone key management system which combines innovative RFID technology and robust design to provide small to medium-sized businesses with the advanced management of 21 keys or keysets in a plug and play solution.



#### **Operation:**

- Stand-alone plug & play solution with advanced RFID technology
- Touchscreen interface
- PIN access to designated keys or keysets which are individually locked in place
- Keys are securely attached using special security seals
- Simple to configure through the setup wizard
- No requirement for network connection or PC
- Concealed robust fixing points allow secure wall fixing
- Mains operated with optional battery backup
- 1,000 users per system
- System can save 250,000 audit events

#### **Technical Information:**

- User, key and access rights administration
- Multilingual functionality
- Screen-based audit trail and reporting capability or export via USB port
- 21 robust, long-live iFobs with security seals
- 21 locking receptors with LEDs
- Robust and compact steel housing eliminates exposed hinges and obvious access points
- Manual override and door release functions in case of emergency
- Audible alarms

### **Warranty:**

Medeco warrants the T21 to be free of defects in material and/or workmanship for a period of one (1) year from date of original purchase.

#### iFob

Once attached to an iFob with a robust security seal, individual keys or keysets are assigned to a specific user.



#### Security Seal

The secure one-time security seal is cost-effective and simple to apply without the need for specific tools.

#### T21 Key Management System

| Description   | Part Number    | Price      |  |
|---|----------------|------------|--|
| Medeco T21 Key Management System, comes with 21 ifobs and security seals. | EA-100117      | \$4,810.00 |  |
| Security Seal   | EA-100148      | \$11.60 ea |  |
| iFob  | EA-100149      | \$57.50 ea |  |
| Battery   | EA-100154      | \$134.00   |  |
| T21 Key override replacement lock   | 960590 W 26-S6 | \$93.26    |  |



# SimpleK

# Master Key System and Key Management Software

SimpleK is a flexible and intuitive software program that streamlines and simplifies the complexities of managing master key systems, keys, and facilities. It combines all tools needed by locksmiths, facility managers, security officers, and anyone else involved in the key management processes.



The software provides total key control with audit trails, outstanding keys, overdue keys, tools for the rekeying process, and more. SimpleK software allows you to import maps and floor plans to see who has access to each individual door, the associated keys, and hardware on the opening.

SimpleK allows you to manage keys and keying systems of all sizes and types. This includes: Medeco, Corbin Russwin, Yale, SARGENT, ASSA, ABLOY, Schlage, Best, and many others.

#### **Features:**

- Advanced tools for locksmithing and key control
- Manage all key systems (unlimited number of records)
- Robust import tools to bring current data into SimpleK
- Interactive floor plans
- Master key system design and expansion
- Key requests, approvals, issuances, and returns workflow
- Cylinders and core pinning (verifies key interchange)
- Door-Key association visualization and rekeying solution
- Easily identify keys, access, and hardware on openings
- Visibility to audit trails and outstanding/overdue keys

SimpleK - Standard Edition

| Description                                       | Part Number | Price       |
|---|-------------|-------------|
| Primary License (3 users)                         | SMK040-30   | \$2,981.00* |
| Updates & Support Plan on Primary License, 1 year | SMK040-31   | \$557.00*   |

SimpleK – Professional Edition

| Description  | Part Number | Price       |
|--|-------------|-------------|
| Primary License (3 users)  | SMK042-30   | \$3,511.00* |
| Additional license   | SMK042-32   | \$464.00*   |
| Updates & Support Plan on Primary License, 1 year                    | SMK042-35   | \$835.00*   |
| Updates & Support Plan on Additional License, 1 year (per Add. Lic.) | SMK042-33   | \$139.00*   |

#### Add-On Modules

| Description         | Part Number | Price       |
|---------------------|-------------|-------------|
| Item Tracking       | SMK032-31   | \$1,258.00* |
| Web Interface       | SMK032-33   | \$1,657.00* |
| Room Management     | SMK032-35   | \$795.00*   |
| Mobile Applications | SMK032-37   | \$1,126.00* |

**Signature Capture Devices** 

| Description                                   | Part Number | Price            |
|---|-------------|------------------|
| Topaz SigLite 1x5, T-S460-HSB-R               | SMK004-01   | Call for pricing |
| Topaz SigLite Backlit LCD 1x5, T-LBK460-HSB-R | SMK004-02   | Call for pricing |

\*Standard Buying Program Discounts do not apply. Contact Medeco or SimpleK (orders@simplek.com) for net pricing.



# **International Cylinders**

Medeco's international cylinders are designed to fit in locksets of major world manufacturers. In addition to international uses, many of these cylinders fit imported hardware used in North America. Medeco offers a variety of international cylinders including European profile and modular cylinders in both mechanical and Intelligent Key technologies. The Medeco European Profile cylinder has a teardrop shape that fits into storm doors, upscale hardware and specialty applications and is available in single, half and double cylinder versions. Cylinders are also available in: oval, round, and "snowman" formats.





#### **Patented Key Control**

Patent-pending key control protects against unauthorized duplication of keys (Medeco 4\*).



#### **Protection Against 3D Printing**

A patent-pending movable element in the M4\* key deters unauthorized 3D printed copies of keys or blanks.



#### **Picking and Bumping Protection**

M4\* cylinders use cylinder side pins, a lift pin and a movable key element to engage a sidebar that prevents the key from turning until the elements are rotated and aligned in the correct position, protecting against bumping, picking and other attacks.



#### **Protection From Physical Attack**

M4\* cylinders are UL 437 Listed and use hardened steel inserts positioned in critical areas of the cylinder, providing a high degree of drill and picking resistance.



#### **Special Angle Cut Keys**

Requires a special key cutting machine and access to Medeco specific blanks, available in a variety of restrictions to support every need.



#### **Intelligent Key Cylinders**

Medeco's international cylinders are also available in electronic Intelligent Key format for loss & liability control.



#### **Master Keying Capabilities**

M4\* international-style cylinders can be master keyed into a system containing M4 and M4 BiLevel.

#### **Technical Information:**

- Utility patented key control provides protection from unauthorized duplication of keys in most countries (M4\*, M3)
- Superior master keying capability to accommodate systems of virtually any size
- Solid brass construction provides high quality and long cylinder life
- Nickel plated pins provide exceptional wear resistance and additional hardened stainless steel pins provide drill resistance
- European profile cylinders retrofit into virtually any manufacturers' locksets requiring DIN Standard cylinders
- Pin chamber set screws provide ease of rekeying and resist comb attacks
- 5 and 6 pin cylinders available

# **Certification (M4 Pending):**

- SKG \*\*\* Netherlands
- DIN18254
- Swedish Standards SS3522
- EN1303:2015
- EN1303 -2005

#### **Warranty:**

Warranted for two (2) years against manufacturer's defects. See the Medeco® limited warranty for full details

# **Available Key Technologies:**

Mechanical: Intelligent Key:

- M4/M4 BiLevel − M³ CLIQ

- M³/M³ BiLevel - Classic CLIQ

- X4 - XT

- X4 CLIQ

Note: M3 and M4 BiLevel not available in Euro Dbl.



# EPIC-Euro Profile Interchangeable Core

Medeco EPIC-Euro Profile cylinders are designed to accept a special, slab-sided, small format interchangeable core (SFIC) cylinder to retrofit into most standard European Profile applications.

Medeco Euro profiles can be furnished with Medeco's patented X4 technology, offering unmatched key control, the widest array of retrofit cylinders and four times the master keying capability.





#### **Patented Key Control**

Protects against unauthorized duplication of your keys.



#### **Uses Existing Hardware**

European profile cylinders retrofit into virtually any manufacturers' locksets requiring DIN Standard cylinders.



#### **Superior Master Keying Capability**

Furnished with Medeco X4 SFIC, EPIC offers superior master keying to accommodate very large systems.

#### **Medeco X4 Technical Information**

- 6 and 7 Pin cylinders available
- Solid nickel silver pins
- Many cylinder formats available
- Profile cylinders available in multiple sizes, finishes and functions
- Where interchangeable core is not required, Euro profile cylinders are also available in modular components and assembled standard lengths.
- Solid brass construction provides high quality and long cylinder life
- Solid nickel silver pins and keys
- European Profile Cylinders retrofit into virtually any manufacturers' locksets equivalent to DIN Standards

# Warranty

Warranted for (2) years against manufacturing defects. See Medeco Limited Warranty for full details.



# **EPIC–Euro Profile Interchangeable Core**

| Description                                   | Part Number  | Price    |
|---|--------------|----------|
| 6 Pin Part Numbers                            |              |          |
| EPIC Euro Double 37.9 mm/37.9mm               | 2326D21      | \$123.00 |
| EPIC Euro Half 37.9mm                         | 2326H01      | \$80.40  |
| EPIC Euro with Thumbturn 40mm int/39.2 mm ext | 2326S12X*    | \$116.00 |
| Small Format Interchangeable Core (SFIC)      | 3360000R (P) | \$91.00  |
| Small Format Interchangeable Core (SFIC)      | 3360000R(S)  | \$74.50  |
| 7 Pin Part Numbers                            |              |          |
| EPIC Euro Double 41.73mm/41.73mm              | 2324D21      | \$123.00 |
| EPIC Euro Double 41.73mm/55mm                 | 2324D25      | \$123.00 |
| EPIC Euro Half 41.73mm                        | 2324H01      | \$80.40  |
| EPIC Euro Half 55mm                           | 2324H05      | \$80.40  |
| EPIC with Thumbturn 40mm int/43mm ext         | 2324S12X     | \$116.00 |
| EPIC with Thumbturn 40mm int/55mm ext         | 2324S15X     | \$116.00 |
| EPIC with Thumbturn 55mm int/43mm ext         | 2324S52X     | \$116.00 |
| Small Format Interchangeable Core (SFIC)      | 3370000R (P) | \$91.00  |
| Small Format Interchangeable Core (SFIC)      | 3370000R(S)  | \$74.50  |

<sup>\*</sup>X denotes thumb turn. Please see following page for thumb turn. EPIC sold less cylinder.

# **How To Order International Cylinders - Euro-Profile**

# 23130 05500 base part # example

Refer to pages 137-139 for descriptions and technical specifications to find the corresponding base part number.

# H technology

H = M4 P = M4 BiLevel  $T = M^3$  $J = M^3$  BiLevel

 $S = M^3 CLIQ$ W = Biaxial

- = OriginalK = KM

C = Classic CLIQ N = X4M = X4 CLIQ

# 05 finish

Refer to the inside back cover of this catalog for finish options.

# M4 keyway

Insert keyway if known or contact Customer Service for help.

# **P** pinning

S = Sub-Assembled (Uncombinated)

N = Sub-assembled,

No side pins (M4 only)No slider (M3 only)

P = Pinned (Combinated)

M = Master Keyed

R = Master Keyed - blade and side pins (Medeco 4 only)


# 6

624 side pin code

(Medeco 4 only)


Insert side pin code if known or contact Customer Service for help.

#### **BUILD A BASE PART #:**




# **How To Order Other International Cylinders**


Complete part numbers are required for all orders. To determine the correct part number, fill in the "X's" in sequential order.




#### **BUILD A BASE PART #:**




# Medeco Premium High Security Euro Thumbturn Profile Cylinder




| ltem | Description  | Part Number       |
|------|--|-------------------|
| 1    | Plug   | Cylinder Specific |
| 2    | Shell  | Cylinder Specific |
| 3    | Sidebar  | CP-084X71         |
| 4    | Sidebar Springs  | CP-030018         |
| 5    | Plug Retainer Ring   | CP-021490         |
| 6    | Cam  | CT-Z51            |
| 7    | Thumbturn Retaining Clip                                       | CP-020031         |
| 8    | Actuator   | CP-100111         |
| 9    | Actuator Spring  | CP-030025         |
| 10   | Actuator Pilot   | CP-280261         |
| 11   | Pilot Spring   | CP-030024         |
| 12   | Standard Round "SR" Thumbturn                                  | CP-285961         |
| 13   | Decorative "RD" Thumbturn                                      | CP-285901         |
| 14   | Thumbturn Shaft - 6 Pin  | CP-240761-600     |
| 15   | Thumbturn Allen Set Screw #6-32 x 3/16" Knurled Cup Point      | CP-012411-040     |
| 16   | Lever "RL" Thumbturn   | CP-285931         |
| 17   | Thumbturn Shaft - 5 Pin  | CP-240761-500     |
| 18   | Low Profile "LP" Thumbturn                                     | CP-285991         |
| 19   | Thumbturn Retaining Pin  | TP-F10-1T         |
| 20   | Thumbturn Retaining Pin Spring                                 | CP-030001         |
| 21   | Thumbturn Retaining Pin Allen Set Screw #8-32 x 1/4"           | CP-011013-040     |
| 22   | Slider (varies related to keyway)                              | CP-084591         |
| 23   | Slider Spring  | CP-030910         |
| 24   | Spade Thumbturn (Pictured on page 139 "Special Order") "SP"    | CP-286051         |
| 25   | Crescent Thumbturn (Pictured on page 139 "Special Order") "CR" | CP-286021         |




| Item | Description                               | Part Number       |
|------|---|-------------------|
| 1    | Key                                       | As Required       |
| 2    | Plug                                      | Cylinder Specific |
| 3    | Shell                                     | Cylinder Specific |
| 4    | Sidebar Springs                           | CP-030018         |
| 5    | Sidebar                                   | CP-084X71         |
| 6    | Cam Spring                                | CP-030860         |
| 7    | Actuator                                  | CP-220090         |
| 8    | Plug Retainer                             | CP-021490         |
| 9    | Cam                                       | CT-Z88            |
| 10   | Bottom Pins                               | As Required       |
| 11   | Top Pins                                  | As Required       |
| 12   | Springs (Phosphor Bronze)                 | CP-030001         |
| 13   | Pin Chamber Allen Set Screws #8-32 x 1/4" | CP-011013-040     |
| 14   | Slider – (varies related to keyway)       | CP-084591         |
| 15   | Slider Spring                             | CP-030910         |



| Item | Description                               | Part Number       |
|------|---|-------------------|
| 1    | Key                                       | As Required       |
| 2    | Plug                                      | Cylinder Specific |
| 3    | Shell                                     | Cylinder Specific |
| 4    | Sidebar Springs                           | CP-030018         |
| 5    | Sidebar, 6 Pin                            | CP-084671         |
| 6    | Plug Retainer                             | CP-021040         |
| 7    | Plate                                     | CP-180830         |
| 8    | Tailpiece                                 | CT-Y76            |
| 9    | Bottom Pins                               | As Required       |
| 10   | Top Pins                                  | As Required       |
| 11   | Springs (Phosphor Bronze)                 | CP-030001         |
| 12   | Pin Chamber Allen Set Screws #8-32 x 1/4" | CP-011013-040     |
| 13   | Crescent Steel Insert                     | CP-180011         |
| 14   | Slider – (varies related to keyway)       | CP-084591         |
| 15   | Slider Spring                             | CP-030910         |




| ltem | Description                               | Part Number       |
|------|---|-------------------|
| 1    | Key                                       | As Required       |
| 2    | Plug                                      | Cylinder Specific |
| 3    | Shell                                     | Cylinder Specific |
| 4    | Sidebar Springs                           | CP-030018         |
| 5    | Sidebar, 6 Pin                            | CP-084671         |
| 6    | Plug Retainer                             | CP-021040         |
| 7    | Plate                                     | CP-180830         |
| 8    | Tailpiece                                 | CT-Y76            |
| 9    | Bottom Pins                               | As Required       |
| 10   | Top Pins                                  | As Required       |
| 11   | Springs (Phosphor Bronze)                 | CP-030001         |
| 12   | Pin Chamber Allen Set Screws #8-32 x 1/4" | CP-011013-040     |
| 13   | Crescent Steel Inserts                    | CP-180011         |
| 14   | Slider – (varies related to keyway)       | CP-084591         |
| 15   | Slider Spring                             | CP-030910         |




| ltem | Description                               | Part Number       |
|------|---|-------------------|
| 1    | Key                                       | As Required       |
| 2    | Plug                                      | Cylinder Specific |
| 3    | Sidebar Springs                           | CP-030018         |
| 4    | Sidebar, 5 Pin                            | CP-084571         |
| 5    | Clutch                                    | CP-220071         |
| 6    | Shell                                     | Cylinder Specific |
| 7    | Plug Retainer                             | CP-021490         |
| 8    | Cam                                       | CT-Z50            |
| 9    | Plug Retainer                             | CP-021490         |
| 10   | Bottom Pins                               | As Required       |
| 11   | Top Pins                                  | As Required       |
| 12   | Springs (Phosphor Bronze)                 | CP-030001         |
| 13   | Pin Chamber Allen Set Screws #8-32 x 1/4" | CP-0110113-040    |
| 14   | Slider – (varies related to keyway)       | CP-084591         |
| 15   | Slider Spring                             | CP-030910         |

# Medeco Premium High Security EuroLine Modular Profile Cylinder System



# **Modular Profile Double Cylinder**


| ltem | Description   | Part Number |
|------|---|-------------|
| 1    | Cylinder Module (5 or 6 Pin)                            | 232201X 30X |
| 2    | Outer Plug Extension - 10mm – 25mm extensions available | CP-200751   |
| 3    | Inner Plug Extension - 5mm – 25mm extensions available  | CP-200761   |
| 4    | Brass Shell Extension - finish required                 | CP-200771   |
| 5    | Groove Pins   | CP-063220   |
| 6    | Cam   | CT-Z50      |
| 7    | Connecting Bar - requires length designation            | CP-200801   |
| 8    | Bar Filler  | CP-160661   |
| 9    | Clutch Assembly   | CP-220071   |



# Modular Profile Single Cylinder with Thumbturn

| ltem | Description   | Part Number   |
|------|---|---------------|
| 1    | Thumbturn Cylinder Module (5 or 6 pin), requires knob selection | 23X220XX-300  |
| 2    | Outer Plug Extension, 10-25 mm extension                        | CP-200751     |
| 3    | Inner Plug Extension, 5-25 mm extension                         | CP-200761     |
| 4    | Brass Shell Extension, Finish required                          | CP-200771     |
| 5    | Groove Pins   | CP-063220     |
| 6    | Cam   | CP-Z51        |
| 7    | Connecting Bar  | CP-200801     |
| 8    | Bar Filler  | CP-160661     |
| 9    | Thumbturn Actuator Cartridge                                    | CP-220131     |
| 10   | Thumbturn Cartridge Extension, 5-25 mm extension                | CP-200781     |
| 11   | Thumbturn Shaft – Modular Only                                  | CP-240771-XP  |
| 12   | Thumbturn Knob  | See Page 140  |
| 13   | Thumbturn Set Screw   | CP-011013-020 |
| 14   | Thumbturn Retaining Set Screw 8- 32 x 1/4"                      | CP-011013-040 |
| 15   | Thumbturn Retaining Pin Spring                                  | CP-030001     |
| 16   | Thumbturn Retaining Pin   | TP-F10-IT     |


# **Euro Profile Technical Information**



# **Euro Profile Single Cylinder with Thumbturn**

| Part#                | Α      | В     | С     | КР    |
|----------------------|--------|-------|-------|-------|
| 2313005 X00 *        | 99.04  | 31.98 | 31.98 | 35.08 |
| 2313035 X00          | 81.44  | 31.98 | 31.98 | 17.48 |
| 2313045 X00          | 83.09  | 31.98 | 31.98 | 19.13 |
| 2313055 X00          | 84.1   | 31.98 | 31.98 | 20.14 |
| 2313006 X00 *        | 107.68 | 36.3  | 36.3  | 35.08 |
| 2313036 X00          | 90.08  | 36.3  | 36.3  | 17.48 |
| 2313046 X00          | 91.73  | 36.3  | 36.3  | 19.13 |
| 2313056 X00          | 92.74  | 36.3  | 36.3  | 20.14 |
| 2313065 X00 (490264) | 84.3   | 31.98 | 31.98 | 20.35 |
| 2313066 X00 (490291) | 92.94  | 36.3  | 36.3  | 20.35 |

#### **Euro Profile Technical Information**




# **Euro Profile Double Cylinder with Thumbturn**

| Part#       | A     | В     | С     |
|-------------|-------|-------|-------|
| 2313025 X00 | 63.96 | 31.98 | 31.98 |
| 2313026 X00 | 72.59 | 36.3  | 36.3  |
| 2313025 X01 | 68.96 | 31.98 | 36.98 |
| 2313025 X02 | 73.96 | 31.98 | 41.99 |
| 2313025 X11 | 73.96 | 36.98 | 36.98 |
| 2313025 X12 | 78.97 | 36.98 | 41.99 |
| 2313026 X01 | 77.6  | 36.3  | 41.3  |
| 2313026 X02 | 82.6  | 36.3  | 46.3  |
| 2313026 X12 | 87.6  | 41.3  | 46.3  |

All table measurements in millimeters.

#### **Euro Profile Technical Information**





# **Euro Profile Single Cylinder with Thumbturn**


| Part#       | Α     | В     | С     |
|-------------|-------|-------|-------|
| 2313015 800 | 41.99 | 10.01 | 31.98 |
| 2313016 800 | 46.4  | 10.01 | 36.3  |
| 2313015 801 | 46.99 | 10.01 | 36.98 |
| 2313016 801 | 51.31 | 10.01 | 41.3  |


All table measurements in millimeters.


#### **Euro Profile Technical Information**






































# **Euroline Modular Profile Kit**

| Description   | Part Number | Price        |
|---|-------------|--------------|
| Euroline Modular Profile Kit - Danish   | 940243      | \$6,116.00   |
| Medeco XT Half Profile Modular Kit  | 940279      | \$4,075.00   |
| Euro Single/Double Thumbturn Kit Mechanical/Electric<br>Available in Medeco XT or M³ CLIQ | 940219      | \$6,454.00   |
| Export XT Demo Kit (Programmed to STOCK)  | 94-0287     | \$995.00 NET |
| Upgrade Key Assembly Solo   | 94-0288     | \$252.00 NET |
| Upgrade Key Assembly Web  | 94-0289     | \$252.00 NET |
| Medeco XT Cam for Doubles – Not included in kit   | CT-Z98      | \$5.17       |

# **Euroline Modular Cylinder Assembled**



| Description                               | Part Number | $M^3$    | X4       | Biax/Orig |
|---|-------------|----------|----------|-----------|
| 5 Pin Double Cylinder                     | 2323025 X00 | \$205.28 |          | \$217.26  |
| 6 Pin Double Cylinder                     | 2323026 X00 | \$218.34 |          | \$230.49  |
| 5 Pin Double Thumbturn/Cylinder           | 23230X5 X00 | \$187.50 |          | \$199.47  |
| 6 Pin Double Thumbturn/Cylinder           | 23230X6 X00 | \$197.07 |          | \$209.18  |
| 7 Pin X4 Euro Assembly ext. 0mm Thumbturn | 23230X7 500 |          | \$187.50 | _         |
| 7 Pin X4 Euro Assembly ext. 5mm Thumbturn | 23230X7 511 |          | \$196.00 |           |

# **Euroline Modular Intelligent Key Assembled**

| Description  | Part Number    | Price    |
|--|----------------|----------|
| M³ CLIQ, Thumbturn/Cylinder, 36/36mm                         | 23230X6 X00 S  | \$838.25 |
| M³ CLIQ Double, 36/36mm                                      | 23230E6 X00 S  | \$893.59 |
| Medeco XT Single Cylinder Half Euro                          | 232301S 800 G  | \$350.16 |
| Medeco XT Single Cylinder Half Euro – ext. 5mm               | 232301S 801 G  | \$354.41 |
| Medeco XT Single Cylinder Half Euro Assembled (True 30mm)    | 232301ST 800 G | \$350.16 |
| Medeco XT Single Cylinder Euro Thumbturn 30/30mm Assembled   | 23230XS X00 G  | \$391.00 |
| Medeco XT Single Cylinder Euro Thumbturn 35/35mm Assembled   | 23230XS X11 G  | \$399.50 |
| Medeco XT Double Euro Mechanical/eCyl 30/30mm Assembled      | 23230E5 X00 G  | \$462.82 |
| Medeco XT Double Euro Mechanical/eCyl 35/35mm Assembled      | 23230E5 X11 G  | \$471.32 |
| Special Pin Kit for Biaxial/Medeco <sup>3</sup> CLIQ Pinning | .KW5401        | \$894.00 |

#### **EuroLine Profile Cylinder Modules**



|   |               |         |         | ~         |
|---|---------------|---------|---------|-----------|
| Description                                 | Part Number   | $M^3$   | X4      | Biax/Orig |
| 5 Pin Cylinder                              | 2322015 300   | \$66.50 |         | \$70.00   |
| 5 Pin Cylinder + 5mm                        | 2322015 301   | \$70.75 |         | \$74.25   |
| 6 Pin Cylinder                              | 2322016 300   | \$72.58 |         | \$76.17   |
| 6 Pin Cylinder + 5mm                        | 2322016 301   | \$76.83 |         | \$80.42   |
| Medeco X4 Standard 7 Pin Cylinder (35.59mm) | 2322017 300 N |         | \$39.69 |           |
| Medeco X4 7 Pin + 5mm Cylinder (40.59mm)    | 2322017 301 N |         | \$43.94 |           |

Note: Pinned Modules include one cut key in the price.

#### **Euroline Profile Medeco XT Modules**

| Description                                   | Part Number    | Price    |
|---|----------------|----------|
| Medeco XT 30mm Single Cylinder Half Euro      | 232201S 300 G  | \$302.93 |
| Medeco XT 35mm Single Cylinder Half Euro      | 232201S 301 G  | \$307.18 |
| Medeco XT 40mm-85mm Single Cylinder Half Euro | 232201S 302 G  | \$302.93 |
| Medeco XT 30mm Single Cylinder Thumbturn      | 232202S 300 G  | \$302.93 |
| Medeco XT 35mm Single Cylinder Thumbturn      | 232202S 301 G  | \$307.18 |
| Medeco XT 40mm-85mm Single Cylinder Thumbturn | 232202S 302 G  | \$302.93 |
| Medeco XT 30mm Double Cylinder                | 232212SX 300 G | \$303.83 |
| Medeco XT 35 mm Double Cylinder               | 232212SX 301 G | \$308.08 |
| Medeco XT 40mm-85mm Double Cylinder           | 232222SX 302 G | \$312.33 |

#### Euroline Profile Medeco<sup>3</sup> CLIQ Modules

| Description           | Part Number   | Price    |
|-----------------------|---------------|----------|
| M³ CLIQ, 6 pin Module | 2322016 300 S | \$751.51 |
| M³ CLIQ 6 pin + 5mm   | 2322016 301 S | \$755.76 |

#### **EuroLine Profile Thumbturn Modules**

| Description               | Part Number | Price   |
|---------------------------|-------------|---------|
| 5 Pin Thumbturn           | 23220X5 300 | \$66.38 |
| 6 Pin Thumbturn           | 23220X6 300 | \$71.67 |
| 5 Pin X4 Thumbturn Module | 23220X5 302 | \$74.88 |

#### **Euroline Profile Medeco XT Thumbturn Modules**

| Description                  | Part Number | Price   |
|------------------------------|-------------|---------|
| Euro Thumbturn Module - 30mm | 23220XS 300 | \$67.22 |

To order the Euro Thumbturn Module 35mm, you must add the shell ext. CP20071-05 and cart ext. CP-200781-05 to the 30mm Module

#### **Special Cylinders**

| Description                          | Part Number | Price    |
|--------------------------------------|-------------|----------|
| Lockwood Oval retrofit AUS 570 Style | 2303015 G   | \$323.00 |
| KIK AUS 530 Style                    | 201006 G    | \$385.32 |
| 3-Tailpieces – For Australia Package | 94-0283     | \$30.80  |
| Medeco XT Ruko Oval                  | 230501S G   | \$348.00 |
| Medeco XT AUS 8221 PD Style          | 20112B1 G   | \$385.32 |

#### Plug Extensions - Outer

\*Quantities shown in parentheses below are included in the 94-0219 Euroline modular profile kit listed above. Additional items may be ordered individually.



| Description       | Part Number  | Price   |
|-------------------|--------------|---------|
| 10mm Kit Qty (20) | CP-200751-10 | \$6.19  |
| 15mm Kit Qty (10) | CP-200751-15 | \$6.83  |
| 20mm Kit Qty (5)  | CP-200751-20 | \$7.21  |
| 25mm Kit Qty (5)  | CP-200751-25 | \$8.82  |
| 30mm              | CP-200751-30 | \$9.31  |
| 40mm              | CP-200751-40 | \$10.20 |
| 45mm              | CP-200751-45 | \$10.50 |
| 50mm              | CP-200751-50 | \$12.10 |
| 55mm              | CP-200751-55 | \$12.50 |
| 60mm              | CP-200751-60 | \$13.10 |
| 65mm              | CP-200751-65 | \$13.50 |
| 70mm              | CP-200751-70 | \$14.40 |
| 75mm              | CP-200751-75 | \$14.50 |
| 80mm              | CP-200751-80 | \$15.10 |
| 85mm              | CP-200751-85 | \$15.90 |
| 90mm              | CP-200751-90 | \$16.70 |

## Plug Extensions – Inner

| Description       | Part Number  | Price   |
|-------------------|--------------|---------|
| 5mm Kit Qty (20)  | CP-200761-05 | \$4.01  |
| 10mm Kit Qty (20) | CP-200761-10 | \$4.40  |
| 15mm Kit Qty (10) | CP-200761-15 | \$5.05  |
| 20mm Kit Qty (5)  | CP-200761-20 | \$5.55  |
| 25mm Kit Qty (5)  | CP-200761-25 | \$6.83  |
| 30mm              | CP-200761-30 | \$7.21  |
| 40mm              | CP-200761-40 | \$8.32  |
| 45mm              | CP-200761-45 | \$9.81  |
| 50mm              | CP-200761-50 | \$10.20 |
| 55mm              | CP-200761-55 | \$10.50 |
| 60mm              | CP-200761-60 | \$11.60 |
| 65mm              | CP-200761-65 | \$12.10 |
| 70mm              | CP-200761-70 | \$16.70 |
| 75mm              | CP-200761-75 | \$16.70 |
| 80mm              | CP-200761-80 | \$17.30 |
| 85mm              | CP-200761-85 | \$18.20 |
| 90mm              | CP-200761-90 | \$18.20 |

## Plug Extensions - Double EAC/EAC

| Description | Part Number  | Price   |
|-------------|--------------|---------|
| 10mm        | CP-200851-10 | \$15.30 |
| 15mm        | CP-200851-15 | \$15.80 |
| 20mm        | CP-200851-20 | \$16.20 |
| 25mm        | CP-200851-25 | \$17.50 |
| 30mm        | CP-200851-30 | \$17.90 |
| 40mm        | CP-200851-40 | \$18.90 |
| 45mm        | CP-200851-45 | \$19.20 |
| 50mm        | CP-200851-50 | \$19.60 |
| 55mm        | CP-200851-55 | \$20.10 |
| 60mm        | CP-200851-60 | \$20.80 |
| 65mm        | CP-200851-65 | \$21.10 |
| 70mm        | CP-200851-70 | \$21.60 |
| 75mm        | CP-200851-75 | \$22.10 |
| 80mm        | CP-200851-80 | \$22.40 |
| 85mm        | CP-200851-85 | \$22.80 |
| 90mm        | CP-200851-90 | \$23.30 |

## **Brass Shell Extensions**

| Description       | Part Number  | Price   |
|-------------------|--------------|---------|
| 5mm Kit Qty (20)  | CP-200771-05 | \$8.57  |
| 10mm Kit Qty (20) | CP-200771-10 | \$9.81  |
| 15mm Kit Qty (10) | CP-200771-15 | \$11.40 |
| 20mm Kit Qty (5)  | CP-200771-20 | \$12.90 |
| 25mm Kit Oty (5)  | CP-200771-25 | \$14.20 |



## **Connecting Bar**

| 2011112 2011        |              | We will be a second of the sec |
|---------------------|--------------|--|
| Description         | Part Number  | Price  |
| 5mm Kit Qty (15)    | CP-200801-00 | \$34.00  |
| 10mm Kit Qty (5)    | CP-200801-02 | \$36.80  |
| 20mm Kit Qty (5)    | CP-200801-04 | \$39.10  |
| 30mm Kit Qty (5)    | CP-200801-06 | \$41.00  |
| 40mm Kit Qty (1)    | CP-200801-08 | \$43.40  |
| 50mm Kit Qty (1)    | CP-200801-0A | \$46.20  |
| 10/10mm Kit Qty (5) | CP-200801-22 | \$39.10  |
| 10/20mm Kit Qty (5) | CP-200801-24 | \$41.00  |
| 10/30mm Kit Qty (3) | CP-200801-26 | \$43.40  |
| 10/40mm Kit Qty (1) | CP-200801-28 | \$46.20  |
| 10/50mm Kit Qty (1) | CP-200801-2A | \$49.10  |
| 20/20mm Kit Qty (3) | CP-200801-44 | \$43.40  |
| 20/30mm Kit Qty (1) | CP-200801-46 | \$46.20  |
| 20/40mm Kit Qty (1) | CP-200801-48 | \$49.10  |
| 20/50mm Kit Qty (1) | CP-200801-4A | \$52.00  |
| 30/30mm Kit Qty (1) | CP-200801-66 | \$49.10  |
| 30/40mm Kit Qty (1) | CP-200801-68 | \$52.00  |
| 30/50mm Kit Qty (1) | CP-200801-6A | \$54.30  |
| 40/40mm Kit Qty (1) | CP-200801-88 | \$54.30  |
| 40/50mm Kit Qty (1) | CP-200801-8A | \$56.30  |
| 50/50mm Kit Qty (1) | CP-200801-AA | \$60.20  |
|                     |              |  |



#### **Modular Thumbturn Shaft**

| Description       | Part Number  | Price   |
|-------------------|--------------|---------|
| 5 Pin Kit Qty (2) | CP-240771-5P | \$12.20 |
| 6 Pin Kit Qty (2) | CP-240771-6P | \$12.50 |

#### **Modular Service Tools**

| Description                              | Part Number | Price      |
|--|-------------|------------|
| Modular Assembly Block Kit Qty (1)       | 94-0208     | \$1,209.00 |
| Pinning Block Kit Qty (2)                | 94-0203     | \$12.30    |
| Pinning Block Medeco X4                  | 94-0285     | \$12.30    |
| Capping Tool Kit Qty (2)                 | 94-0207     | \$2.31     |
| Small flat blade screwdriver Kit Qty (1) | 94-0221     | \$55.80    |
| Removing Punch, 2.3 mm Kit Qty (1)       | 94-0222     | \$168.00   |
| Installing punch, 6.35 mm Kit Qty (1)    | 94-0223     | \$168.00   |
| Allen Wrench, 1.588 mm Kit Qty (1)       | CP-280330   | \$3.88     |

## **Miscellaneous Components**

| Description                        | Part Number | Price  |
|------------------------------------|-------------|--------|
| Groove Pin Kit Qty (200)           | CP-063220   | \$0.72 |
| Clutch Piece Assembly Kit Qty (20) | CP-220071   | \$9.57 |
| 5 Pin Cover Kit Qty (100)          | CP-170730-5 | \$0.73 |
| 6 Pin Cover Kit Qty (100)          | CP-170730-6 | \$0.73 |
| Double Cam Kit Qty (20)            | CT-Z50      | \$5.17 |
| Thumbturn Cam Kit Qty (20)         | CT-Z51      | \$5.17 |

## **Top Pins**

| Description             | Part Number          |
|-------------------------|----------------------|
| 1 top pin Kit Qty (200) | TP-F10-4T (.180")    |
| 2 top pin Kit Qty (200) | TP-F10-5T (.150")    |
| 3 top pin Kit Qty (200) | TP-H10-9W (.135")    |
| 4 top pin Kit Qty (200) | TP-F10-4W-6T (.120") |
| 5 top pin Kit Qty (200) | TP-F10-3W (.090")    |
| 6 top pin Kit qty (200) | TP-F10-2W (.060")    |

## **Thumbturn Knobs**

| Description |                  |   | Part Number | Price   |
|-------------|------------------|---|-------------|---------|
| 8           | Decorative "RD"  | 4 | CP-285901   | \$22.40 |
|             | Lever "RL"       | 5 | CP-285931   | \$33.30 |
|             | Round "SR"       | 0 | CP-285961   | \$33.30 |
|             | Low Profile "LP" | 3 | CP-285991   | \$22.40 |
|             | Crescent "CR"    | 6 | CP-286021   | \$17.30 |
|             | Spade "SP"       | 7 | CP-286051   | \$17.30 |

Finish required.

## Thumbturn Assembly - Shaft, Knob, Set Screw - 5 pin

| Description    | Part Number   | Price    |
|----------------|---------------|----------|
| Decorative     | CP-285921-500 | \$67.40  |
| Lever          | CP-285951-500 | \$101.00 |
| Standard Round | CP-285981-500 | \$101.00 |
| Low Profile    | CP-286011-500 | \$67.40  |
| Crescent       | CP-286041-500 | \$31.10  |
| Spade          | CP-286071-500 | \$67.40  |
| Less TT Knob   | CP-240761-500 | \$29.70  |

#### **Medeco XT Half Cylinder Connecting Bar**

\*Quantities shown in parentheses below are included in the 94-0279 Euroline half cylinder kit listed above. Additional items may be ordered individually.



| Description           | Part Number  | Price   |
|-----------------------|--------------|---------|
| 40, 45mm Kit Qty (6)  | CP-200801-12 | \$28.90 |
| 50, 55mm Kit Qty (5)  | CP-200801-14 | \$31.80 |
| 60, 65mm Kit Qty (3)  | CP-200801-16 | \$34.00 |
| 70, 75mm Kit Qty (3)  | CP-200801-18 | \$36.80 |
| 80, 85 mm Kit Qty (3) | CP-200801-1A | \$39.10 |



## Plug Extensions Outer for 94-0279

| Description       | Part Number  | Price  |
|-------------------|--------------|--------|
| 10mm Kit Qty (20) | CP-200751-10 | \$6.19 |
| 15mm Kit Qty (15) | CP-200751-15 | \$6.83 |
| 20mm Kit Qty (5)  | CP-200751-20 | \$7.21 |
| 25mm Kit Qty (5)  | CP-200751-25 | \$8.82 |

#### **Brass Shell Extensions for 94-0279**

| Description       | Part Number  | Price   |
|-------------------|--------------|---------|
| 5mm Kit Qty (20)  | CP-200771-05 | \$8.57  |
| 10mm Kit Qty (20) | CP-200771-10 | \$9.81  |
| 15mm Kit Qty (10) | CP-200771-15 | \$11.40 |
| 20mm Kit Qty (5)  | CP-200771-20 | \$12.90 |
| 25mm Kit Qty (5)  | CP-200771-25 | \$14.20 |

#### Bar Filler (2 per Cylinder) for 94-0279

| Description             | Part Number  | Price  |
|-------------------------|--------------|--------|
| 5 Pin, 0mm Kit Qty (20) | CP-160661-50 | \$1.42 |
| 5 Pin, 5mm Kit Qty (20) | CP-160661-55 | \$1.42 |

## **Miscellaneous Components for 94-0279**

| Description                     | Part Number | Price   |
|---------------------------------|-------------|---------|
| Half Shell Backend Kit Qty (20) | CP-200830   | \$21.40 |
| Actuator Spring Kit Qty (25)    | CP-030860   | \$1.29  |
| Indexable Actuator Kit Qty (20) | CP-220090   | \$5.81  |
| Security Pin Kit Qty (25)       | CP-060106   | \$1.42  |
| Groove Pin Kit Qty (65)         | CP-063220   | \$0.72  |
| Indexable Cam                   | CT-Z88      | \$5.17  |

## **Euro Profile Single Cylinder with Thumbturn**

| Description |                             | Part Number     | M4/M³    | BiLevel | X4 | Biax/Orig | KeyMark |
|-------------|-----------------------------|-----------------|----------|---------|----|-----------|---------|
|             | 5 Pin, Standard Round       | 2313005 X00 (P) | \$187.50 |         |    | \$199.47  |         |
| 0           | "SR" Thumbturn              | 2313005 X00 (S) | \$171.00 |         |    | \$182.97  |         |
|             | 6 Pin, Standard Round       | 2313006 X00 (P) | \$197.07 |         |    | \$209.18  |         |
| 0           | "SR" Thumbturn              | 2313006 X00 (S) | \$180.57 |         |    | \$192.68  |         |
|             | 5 Pin, Low Profile          | 2313035 X00 (P) | \$187.50 |         |    | \$199.47  |         |
| 0           | "LP" Thumbturn              | 2313035 X00 (S) | \$171.00 |         |    | \$182.97  |         |
|             | 6 Pin, Low Profile          | 2313036 X00 (P) | \$197.07 |         |    | \$209.18  |         |
| 0           | "LP" Thumbturn              | 2313036 X00 (S) | \$180.57 |         |    | \$192.68  |         |
|             | 5 Pin, Removable Decorative | 2313045 X00 (P) | \$187.50 |         |    | \$199.47  |         |
| 0           | "RD" Thumbturn              | 2313045 X00 (S) | \$171.00 |         |    | \$182.97  |         |
|             | 6 Pin, Removable Decorative | 2313046 X00 (P) | \$197.07 |         |    | \$209.18  |         |
| 0           | "RD" Thumbturn              | 2313046 X00 (S) | \$180.57 |         |    | \$192.68  |         |
|             | 5 Pin, Removable Lever      | 2313055 X00 (P) | \$187.50 |         |    | \$199.47  |         |
| 0           | "RL" Thumbturn              | 2313055 X00 (S) | \$171.00 |         |    | \$182.97  |         |
|             | 6 Pin, Removable Lever      | 2313056 X00 (P) | \$197.07 |         |    | \$209.18  |         |
| 0           | "RL" Thumbturn              | 2313056 X00 (S) | \$180.57 |         |    | \$192.68  |         |
|             | 5 Pin, Euro Crescent        | 2313065 X00 (P) | \$187.50 |         |    | \$199.47  |         |
| V V         | "CR" Thumbturn              | 2313065 X00 (S) | \$171.00 |         |    | \$182.97  |         |
|             | 6 Pin, Euro Crescent        | 2313066 X00 (P) | \$197.07 |         |    | \$209.18  |         |
|             | "CR" Thumbturn              | 2313066 X00 (S) | \$180.57 |         |    | \$192.68  |         |
|             |                             |                 |          |         |    |           |         |

## **Euro Profile Double Cylinder**

| Description |                            | Part Number     | M4/M³    | BiLevel | X4 | Biax/Orig KeyMark |
|-------------|----------------------------|-----------------|----------|---------|----|-------------------|
|             | 5 Pin, No Extension        | 2313025 X00 (P) | \$192.45 |         |    | \$204.26          |
| 0           | 3 FIII, NO EXTENSION       | 2313025 X00 (S) | \$159.45 |         |    | \$171.26          |
|             | 5 Pin Extended, 5 mm Ext.  | 2313025 X01 (P) | \$196.70 |         |    | \$208.51          |
| 0           | Side (0mm/5mm)             | 2313025 X01 (S) | \$163.70 |         |    | \$175.51          |
|             | 5 Pin Extended, 10 mm Ext. | 2313025 X02 (P) | \$200.95 |         |    | \$212.76          |
| 0           | Side (0mm/10mm)            | 2313025 X02 (S) | \$167.95 |         |    | \$179.76          |
|             | E Din Extended (Emm/Emm)   | 2313025 X11 (P) | \$200.95 |         |    | \$212.76          |
| 0           | 5 Pin Extended, (5mm/5mm)  | 2313025 X11 (S) | \$167.95 |         |    | \$179.76          |
|             | 5 Pin Extended, (5mm/10mm) | 2313025 X12 (P) | \$205.20 |         |    | \$217.01          |
| 0           |                            | 2313025 X12 (S) | \$172.20 |         |    | \$184.01          |
|             | 6 Pin, No Extension        | 2313026 X00 (P) | \$205.28 |         |    | \$217.26          |
| 0           | o Fili, No exterision      | 2313026 X00 (S) | \$172.28 |         |    | \$184.26          |
|             | 6 Pin Extended, 5mm Ext.   | 2313026 X01 (P) | \$209.53 |         |    | \$221.51          |
| 0           | Side (0 mm/5 mm)           | 2313026 X01 (S) | \$176.53 |         |    | \$188.51          |
|             | 6 Pin Extended, 10mm Ext.  | 2313026 X02 (P) | \$213.78 |         |    | \$225.76          |
| 0           | Side (0 mm/10 mm)          | 2313026 X02 (S) | \$180.78 |         |    | \$192.76          |
|             | 6 Pin Evtondad (5mm/10mm)  | 2313026 X12 (P) | \$218.03 |         |    | \$230.01          |
| 0           | 6 Pin Extended, (5mm/10mm) | 2313026 X12 (S) | \$185.03 |         |    | \$197.01          |

## **Euro Profile Half Cylinder**

| Euro Prome r | ian Cymnuei  |                 |          |         |    |                   |
|--------------|--|-----------------|----------|---------|----|-------------------|
| Description  |  | Part Number     | M4/M³    | BiLevel | X4 | Biax/Orig KeyMark |
|              | 5 Pin with 12 Position                                 | 2313015 800 (P) | \$161.61 |         |    | \$173.08          |
| 0            | Indexable Cam  | 2313015 800 (S) | \$145.11 |         |    | \$156.58          |
|              | 5 Pin, Extended 5 mm with<br>12 Position Indexable Cam | 2313015 801 (P) | \$165.86 |         |    | \$177.33          |
| 0            |  | 2313015 801 (S) | \$149.36 |         |    | \$160.83          |
|              | 6 Pin with 12 Position                                 | 2313016 800 (P) | \$163.53 |         |    | \$175.15          |
| 0            | Indexable Cam  | 2313016 800 (S) | \$147.03 |         |    | \$158.65          |
|              | 6 Pin, Extended 5 mm with                              | 2313016 801 (P) | \$167.78 |         |    | \$179.40          |
| 0            | 12 Position Indexable Cam                              | 2313016 801 (S) | \$151.28 |         |    | \$162.90          |
|              |  |                 |          |         |    |                   |

## **Other International Cylinders**

| Description                                       | Part Number  | M4/M³ BiLevel | X4 Biax/Orig KeyMark |
|---|--------------|---------------|----------------------|
| Danish Round Mortica Culindar                     | 2301016 (P)  | \$150.50      | \$159.88             |
| Danish Round Mortise Cylinder                     | 2301016 (S)  | \$134.00      | \$143.38             |
| Danish Special Cam Lock (Ruko®)                   | 23010168 (P) |               | \$121.70             |
|   | 23010168 (S) |               | \$105.20             |
| Australian Oval - Less Cams and Pins              | 2303016A(S)  | \$171.00      | \$182.97             |
| F Die Davish Oral Cards City dans 1th Thomas      | 2304005 (P)  | \$211.50      | \$225.15             |
| 5 Pin British Oval Single Cylinder with Thumbturn | 2304005 (S)  | \$195.00      | \$208.65             |
|   | 2304006 (P)  | \$211.50      | \$225.15             |
| 6 Pin British Oval Single Cylinder with Thumbturn | 2304006 (S)  | \$195.00      | \$208.65             |
|   | 2304015 (P)  | \$160.31      | \$173.24             |
| 5 Pin British Oval Half Cylinder                  | 2304015 (S)  | \$143.81      | \$156.74             |
| C Die Deitels O editiel C de l                    | 2304016 (P)  | \$160.31      | \$173.24             |
| 6 Pin British Oval Half Cylinder                  | 2304016 (S)  | \$143.81      | \$156.74             |
|   | 2304025 (P)  | \$217.82      | \$231.31             |
| 5 Pin British Oval Double Cylinder                | 2304025 (S)  | \$184.82      | \$198.31             |
|   | 2304026 (P)  | \$217.82      | \$231.31             |
| 6 Pin British Oval Double Cylinder                | 2304026 (S)  | \$184.82      | \$198.31             |
|   | 2305016 (P)  | \$156.50      | \$166.30             |
| Scandinavian Oval Exterior Cylinder               | 2305016 (S)  | \$140.00      | \$149.80             |
|   | 2306016 (P)  | \$156.50      | \$166.30             |
| Scandinavian Oval Interior Cylinder               | 2306016 (S)  | \$140.00      | \$149.80             |
|   | 23070165 (P) | \$175.50      | \$186.63             |
| Norwegian Oval Shape Cylinder                     | 23070165 (S) | \$159.00      | \$170.13             |
| - 6   | 23080166 (P) | \$179.50      | \$190.91             |
| Scandinavian Snowman Cylinder                     | 23080166 (S) | \$163.00      | \$174.41             |
|   | 2309016 (P)  | \$230.50      | \$245.48             |
| Scandinavian Round Exterior Cylinder              | 2309016 (S)  | \$214.00      | \$228.98             |
|   | 2310016 (P)  | \$230.50      | \$245.48             |
| Scandinavian Round Interior Cylinder              | 2310016 (S)  | \$214.00      | \$228.98             |
|   | 2314003 (P)  | \$111.30      | \$117.94             |
| Italian Cylinder Inner Gate Lock, 3 Pin           | 2314003 (S)  | \$94.80       | \$101.44             |
|   | 2315005 (P)  | \$125.50      | \$133.13             |
| Italian Cylinder Exterior Gate Lock, 5 Pin        | 2315005 (S)  | \$109.00      | \$116.63             |
|   | 2316004 (P)  | \$125.50      | \$133.13             |
| Italian Roller Shutter 4 Pin                      | 2316004 (S)  | \$109.00      | \$116.63             |
|   | 2320016 (P)  | \$150.50      | \$159.88             |
| Danish Cam Lock (for Ruko®) w/ 90° Stop           |              |               |                      |

## **Profile Components**

| Profile Components                                |               |                  |
|---|---------------|------------------|
| Description                                       | Part Number   | Price            |
| 5 Pin Plug For Half Cylinder                      | 12286         | \$68.30          |
| 5 Pin Double Cylinder Profile Plug                | 12286         | \$68.30          |
| 6 Pin Plug For Half Cylinder                      | 12288         | \$68.30          |
| 6 Pin Double Cylinder Profile Plug                | 12288         | \$68.30          |
| 5 Pin Double Cylinder Profile Shell               | 13327         | \$96.20          |
| 6 Pin Double Cylinder Profile Shell               | 13346         | \$96.20          |
| 5 Pin Shell For Half Cylinder                     | 13365         | \$96.20          |
| 6 Pin Shell For Half Cylinder                     | 13375         | \$96.20          |
| Thumbturn Set Screw                               | CP-011013-020 | \$0.34           |
| Profile Cylinder Set Screw, #8-32 x 1/4"          | CP-011013-040 | \$0.47           |
| Set Screw for "CR" Thumbturn                      | CP-012409-030 | \$0.71           |
| Thumbturn Set Screw                               | CP-012411-030 | \$0.91           |
| Set Screw For Removable Thumbturn                 | CP-012411-040 | \$0.91           |
| Thumbturn Retaining Clip                          | CP-020031     | \$6.83           |
| Cartridge Retainer                                | CP-020240     | \$0.29           |
| Plug Retaining Clip - Old Style, C Clip           | CP-021400     | \$6.44           |
| Plug Retaining Clip - Continuous Ring             | CP-021490     | \$1.95           |
| Tumbler Spring                                    | CP-030001     | \$0.11           |
| Single Cylinder Profile Pilot Spring              | CP-030024     | \$0.75           |
| Single Cylinder Profile Thumbturn Actuator Spring | CP-030025     | \$0.28           |
| Actuator Spring For Half Cylinder                 | CP-030860     | \$1.29           |
| Snap Ring   | CP-031030     | \$0.79           |
| Single Cylinder Profile Actuator                  | CP-100111     | \$12.90          |
| Double Cylinder Profile EAC/EAC Push Rod          | CP-100761     | Consult Factory  |
| Double Cylinder Profile Clutch                    | CP-220071     | \$9.57           |
| 5 and 6 Pin Actuator For Half Cylinder            | CP-220090     | \$5.81           |
| Clutch Assembly, Emergency                        | CP-220120     | \$34.80          |
| Double Cylinder Profile EAC/EAC Clutch            | CP-220201     | \$92.20          |
| Double Cylinder Profile Gear Cam                  | CP-230081     | \$11.40          |
| Thumbturn Cylinder Profile Gear Cam               | CP-230091     | \$11.40          |
| Single Cylinder Profile Thumbturn Actuator Pilot  | CP-280261     | \$17.30          |
| Standard Round "SR" Thumbturn Assembly 5 Pin      | CP-285981-500 | \$101.00         |
| Low Profile "LP" Thumbturn Assembly 5 Pin         | CP-286011-500 | \$67.40          |
| Lever "RL" Thumbturn Assembly 5 Pin               | CP-285951-500 | \$101.00         |
| Crescent "CR" Thumbturn Assembly 5 Pin            | CP-286041-500 | \$31.10          |
| Decorative "RD" Thumbturn Assembly 5 Pin          | CP-285921-500 | \$67.40          |
| Decorative "RD" Thumbturn Only                    | CP-285901     | \$22.40          |
| Lever "RL" Thumbturn Only                         | CP-285931     | \$33.30          |
| Low Profile "SR" Thumbturn Only                   | CP-285961     | \$33.30          |
| Low Profile "LP" Thumbturn Only                   | CP-285991     | \$22.40          |
| Oval Int./Ext. Cylinder tailpiece                 | CT-Y76        | \$5.17           |
| Cam, British Oval (Half/Double)                   | CT-Z26        | \$5.17<br>\$5.17 |
| Cam, British Oval (Thumbturn)                     | CT-Z29        | \$5.17<br>\$5.17 |
| Double Cylinder Profile Cam                       | CT-Z50        | \$5.17<br>\$5.17 |
| Thumbturn Cylinder Profile Cam, Non Indexing      | CT-Z51        | \$5.17<br>\$5.17 |
| Indexing Cam For Half Cylinders                   | CT-Z88        | \$5.17<br>\$5.17 |
| Cam, Medeco XT Double Profile Cyl                 | CT-Z98        | \$5.17           |
| Double Cylinder Profile EAC/EAC Cam               | CT-ZA2        | \$5.17           |
| Double Cyllinder Frome LACILAC Call               | CI-ZAZ        | ١١.دد            |

# **Maxum Deadbolts**

| FEATURES   | M4/M³ | BiLevel | X4 | CLIQ |
|--|-------|---------|----|------|
| UL Listed for use on fire doors having a rating up to three hours  | •     | •       | •  | •    |
| ANSI/BHMA 156.36 Grade 1 Certification for auxiliary locks and associated products   | •     |         |    |      |
| ANSI/BHMA A156.30 Level A Certification on the cylinder assures patent protected key control and physical strength               | •     |         |    |      |
| Can be incorporated into existing master key systems   | •     | •       | •  | •    |
| Security features to protect against drill, wrench, ice pick, kick-in, hammer, bumping and prying attacks                        | •     | •       |    |      |
| Solid brass construction provides high quality and long cylinder life  | •     | •       | •  | •    |
| Deadbolt is designed to accommodate both mortise and drive-in face applications for greater flexibility and ease of installation | •     | •       | •  | •    |
| Large thumbturn provides ease of use for physically challenged individuals   | •     | •       | •  |      |
| Keys may be integrated with Hybrid proximity head for greater system retrofit  | •     | •       | •  |      |
| Double cylinder captive thumbturn safety option available  | •     | •       | •  | •    |

#### **Medeco 4 Premium High Security**

For effective mechanical protection against most forms of attack as well as protection against unauthorized duplicate keys, M4 cylinders are recommended. Security features including hardened steel components, pins that must be elevated, rotated, and interact with a sidebar which is engaged by the movable element in the key make M4 the cylinder of choice to protect people, property and information.

#### **X4 Patented Key Control**

X4 cylinders offer patented control against unauthorized duplication of keys without the additional security features protecting against force or surreptitious attack.

#### **Medeco 4 BiLevel Key Control**

M4 BiLevel cylinders may be incorporated into a master key system with M4 high security, offering protection against all types of attack where needed, and patented key control cylinders for areas requiring less protection. BiLevel cylinders offer patented control against unauthorized duplication of keys without the additional security features protecting against force or surreptitious attack.

#### **Intelligent Key Solutions**

Many of the cylinders in this section are also available with an Intelligent Key solution. See the Intelligent Key section for more details.



# Medeco Maxum<sup>®</sup> Deadbolts

#### **Commercial and Residential**

Deadbolts are about strength. Just hold an ANSI Grade 1 Maxum® deadbolt in your hand, and you know this is one tough hunk of protection. Medeco Maxum deadbolts are available in commercial style or residential trim, and offer superior physical protection attacks and break-ins.

They are also available as a single- or double-cylinder or with a "captive thumbturn." The captive thumbturn converts the inside cylinder to a thumbturn for easy exit when the facility/home is occupied.

A quick conversion when the facility/home is not occupied returns it to double cylinder mode to guard against unauthorized entry. Medeco 4 (M4) Maxum® Maxum® deadbolts are UL 437 listed, offering maximum protection with solid-brass construction, along with anti-drilling, picking and anti-prying features.



**Maxum Commercial Deadbolt** 



**Maxum Residential Deadbolt** 



#### **Key Control**

Patent-pending key control protects against unauthorized duplication of keys (Medeco 4).



#### **Protection Against 3D Printing**

A patent-pending movable element in the key deters unauthorized 3D printed copies of keys or blanks (M4).



#### **Picking and Bumping Protection**

M4 cylinders use cylinder side pins, a lift pin and a movable key element to engage a sidebar that prevents the key from turning until the elements are rotated and aligned in the correct position, protecting against bumping, picking and other attacks.



#### **Certified Grade 1**

BHMA certified Grade 1, passes to the highest standards in the industry.



#### **Drill Protection**

Offers maximum protection with solid-brass construction and strategically placed drill pins.



#### **Protection From Physical Attack**

M4 Maxum Deadbolts are UL 437 Listed and stand up to prying, picking and other forms of physical attack.



#### **Special Angle Cut Keys**

Requires a special key cutting machine and access to Medeco specific blanks, available in a variety of restrictions to support every need.



#### **Master Keying Capabilities**

M4 deadbolts can be master keyed into a system that includes M4 and M4 BiLevel keys and cylinders. Extremely large systems are possible.

## **Technical Information:**

- ANSI/BHMA A156.36 Grade 1 and UL 437 listed cylinders for high security
- Fits doors 1 3/8" to 2 1/2" thick
- Standard 2 1/8" crossbore and 1" edge bore (ANSI A115.13 prep)

#### Warranty:

Warranted for two (2) years against manufacturer's defects. See the Medeco® Limited Warranty for full details.

#### Finishes:

Available in all standard finishes to match existing hardware.

## **Applications:**

Ideal for a wide variety of commercial and residential applications where consistent quality, ease of use and installation are required.

- Office buildings
- Restaurants
- Hospitals
- Apartments
- Schools
- Retail outlets

## **Available Technologies:**

Mechanical: Intelligent Key:

- M4/M4 BiLevel - M³ CLIQ

- M³/M³ BiLevel - Classic CLIQ



- X4 CLIQ



Deadbolts 157

#### **How to Order:**

11C601 base part # example

1

Refer to pages 158-163 for descriptions and technical specifications to find the corresponding base part number. H technology

2

H = M4 P = M4 BiLevel  $T = M^3$ 

 $J = M^3 \text{ BiLevel}$   $S = M^3 \text{ CLIQ}$ 

W = Biaxial - = Original

K = KMC = Classic CLIQ

N = X4M = X4 CLIQ 05 finish

Refer to the inside back cover of this catalog for finish options.

Upcharge for split finish.

■ M4

keyway

Insert keyway if known or contact Customer Service for help. P pinning

> S = Sub-Assembled (Uncombinated)

N = Sub-assembled, No Side Pins (M4 only) No Slider (M3 only)

P = Pinned(Combinated)

M = Master Keyed


R = Master Keyed – blade and side pins (Medeco 4 only) 624
Side Pin
Code

6

Insert side pin code if known or contact Customer Service for help.

(M4 only)

#### **BUILD A MAXUM DEADBOLT BASE PART#**



## Single Cylinder Maxum Deadbolt – Commercial Trim

| Description  | Part Number | M4/M <sup>3</sup> | BiLevel  | X4 | Biax/Orig | KeyMark |
|--|-------------|-------------------|----------|----|-----------|---------|
| Maxum Deadbolt Lock, Blank Plate Outside with Inside<br>Thumbturn, 1 1/8" Faceplate, with bolt | 11C28X      | \$237.00          |          |    |           |         |
| Single Cylinder Maxum Deadbolt Lock,   | 11C60X (P)  | \$284.50          | \$236.80 |    | \$303.26  |         |
| 1 1/8" Faceplate, with bolt  | 11C60X(S)   | \$268.00          | \$227.80 |    | \$286.76  |         |
| Single Cylinder Mayyum Deadhelt Leek Lees Belt   | 11C60L(P)   | \$199.95          | \$152.25 |    | \$218.71  |         |
| Single Cylinder Maxum Deadbolt Lock, Less Bolt   | 11C60L(S)   | \$183.45          | \$143.25 |    | \$202.21  |         |
| Single Cylinder Maxum Deadbolt Lock, Classroom Function,                                       | 11C61X (P)  | \$290.50          |          |    | \$309.68  |         |
| 1 1/8" Faceplate, with bolt  | 11C61X(S)   | \$274.00          |          |    | \$293.18  |         |
| Single Cylinder Maxum Deadbolt Lock,   | 11C61L(P)   | \$205.95          |          |    | \$225.13  |         |
| Classroom Function, Less Bolt  | 11C61L(S)   | \$189.45          |          |    | \$208.63  |         |
| Single Cylinder Maxum Deadbolt Lock, Classroom Function,                                       | 11C61X (P)  | \$290.50          |          |    | \$309.68  |         |
| 1 1/8" Faceplate, with bolt  | 11C61X(S)   | \$274.00          |          |    | \$293.18  |         |
| Single Cylinder Maxum Deadbolt Lock with Blank Plate   | 11C64X (P)  | \$279.50          |          |    | \$297.91  |         |
| Inside, 1 1/8" Faceplate, with bolt  | 11C64X (S)  | \$263.00          |          |    | \$281.41  |         |
| Single Cylinder Maxum Deadbolt Lock, with Blank Plate  | 11C69X (P)  | \$279.50          |          |    | \$297.91  |         |
| Outside, 1 1/8" Faceplate , with bolt  | 11C69X(S)   | \$263.00          |          |    | \$281.41  |         |

## LFIC Single Cylinder Maxum – Commercial Trim

| Description   | Part Number | M4/M³    | BiLevel | X4 | Biax/Orig | KeyMark |
|---|-------------|----------|---------|----|-----------|---------|
| LFIC Single Cylinder Maxum Deadbolt Lock, Less Bolt                                 | 11C30L(P)   | \$299.95 |         |    | \$325.71  |         |
|   | 11C30L(S)   | \$283.45 |         |    | \$309.21  |         |
| LFIC Single Cylinder Maxum Deadbolt Lock,   | 11C30X (P)  | \$384.50 |         |    | \$410.26  |         |
| 1 1/8" Faceplate, with bolt   | 11C30X(S)   | \$368.00 |         |    | \$393.76  |         |
| LFIC Single Cylinder Maxum Deadbolt Lock Classroom                                  | 11C31X(P)   | \$390.50 |         |    | \$416.68  |         |
| Function, 1 1/8" Faceplate, with bolt   | 11C31X(S)   | \$374.00 |         |    | \$400.18  |         |
| LFIC Single Cylinder Maxum Deadbolt Lock  | 11C31L(P)   | \$305.95 |         |    | \$332.13  |         |
| Classroom Function, Less Bolt   | 11C31L(S)   | \$289.45 |         |    | \$315.63  |         |
| LFIC Single Cylinder Maxum Deadbolt Lock,   | 11C34X (P)  | \$378.50 |         |    | \$403.84  |         |
| Blank Inside, 1 1/8" Faceplate, with bolt   | 11C34X(S)   | \$362.00 |         |    | \$387.34  |         |
| LFIC Single Cylinder Maxum Deadbolt Lock,   | 11C39X (P)  | \$378.50 |         |    | \$403.84  |         |
| Blank Outside, 1 1/8" Faceplate *, with bolt  | 11C39X(S)   | \$362.00 |         |    | \$387.34  |         |
| LFIC Single Cylinder Maxum Deadbolt Lock,<br>1 1/8" Faceplate, Less Core, with bolt | 11C40X      | \$219.00 |         |    | \$219.00  |         |

## SFIC Single Cylinder Maxum – Commercial Trim

| Description   | Part Number | M4/M³ | BiLevel | X4       | Biax/Orig | KeyMark  |
|---|-------------|-------|---------|----------|-----------|----------|
| SFIC Single Cylinder Maxum Deadbolt Lock,<br>1 1/8" Faceplate, Less Core , with bolt                    | 11C70X      |       |         | \$217.35 |           | \$217.35 |
| SFIC Single Cylinder Maxum Deadbolt Lock, Classroom Function, 1 1/8" Faceplate, Less Core, with bolt    | 11C71X      |       |         | \$216.00 |           | \$216.00 |
| SFIC Single Cylinder Maxum Deadbolt Lock,   | 11C80X(P)   |       |         | \$297.50 |           | \$317.17 |
| SFIC Single Cylinder Maxum Deadbolt Lock,<br>1 1/8" Faceplate, 6 Pin SFIC Cylinder, with bolt           | 11C80X(S)   |       |         | \$281.00 |           | \$300.67 |
| SFIC Single Cylinder Maxum Deadbolt Lock. Classroom   | 11C81X(P)   |       |         | \$303.50 |           | \$323.59 |
| SFIC Single Cylinder Maxum Deadbolt Lock, Classroom Funct., 1 1/8" Faceplate, 6 Pin SFIC Cyl. with bolt | 11C81X(S)   |       |         | \$287.00 |           | \$307.09 |

## SFIC Single Cylinder Maxum – Commercial Trim

| Description  | Part Number | M4/M³ | BiLevel | X4       | Biax/Orig | KeyMark  |
|--|-------------|-------|---------|----------|-----------|----------|
| SFIC Single Cylinder Maxum Deadbolt Lock, Blank Inside,<br>1 1/8" Faceplate, 6 Pin SFIC Cylinder, with bolt    | 11C84X (P)  |       |         | \$291.50 |           | \$310.75 |
| 1 1/8" Faceplate, 6 Pin SFIC Cylinder, with bolt   | 11C84X(S)   |       |         | \$275.00 |           | \$294.25 |
| SFIC Single Cylinder Maxum Deadbolt Lock, Blank Outside,   | 11C89X (P)  |       |         | \$291.50 |           | \$310.75 |
| SFIC Single Cylinder Maxum Deadbolt Lock, Blank Outside, 1 1/8" Faceplate, 6 Pin SFIC Cylinder *, with bolt    | 11C89X(S)   |       |         | \$275.00 |           | \$294.25 |
| SFIC Single Cylinder Maxum Deadbolt Lock,  | 11C90X (P)  |       |         | \$297.50 |           | \$317.17 |
| 1 1/8" Faceplate, 7 Pin SFIC Cylinder, with bolt   | 11C90X(S)   |       |         | \$281.00 |           | \$300.67 |
| SFIC Single Cylinder Maxum Deadbolt Lock, Classroom  | 11C91X (P)  |       |         | \$303.50 |           | \$323.59 |
| SFIC Single Cylinder Maxum Deadbolt Lock, Classroom Function, 1 1/8" Faceplate, 7 Pin SFIC Cylinder, with bolt | 11C91X(S)   |       |         | \$287.00 |           | \$307.09 |
| SEIC Single Cylinder Maxum Deadbolt Lock Blank Inside  | 11C94X (P)  |       |         | \$291.50 |           | \$310.75 |
| SFIC Single Cylinder Maxum Deadbolt Lock, Blank Inside,<br>11/8" Faceplate, 7 Pin SFIC Cylinder, with bolt     | 11C94X (S)  |       |         | \$275.00 |           | \$294.25 |

#### Double Cylinder Maxum Deadbolt - Commercial Trim

| Description                                     | Part Number | M4/M <sup>3</sup> | BiLevel  | X4 | Biax/Orig | KeyMark |
|---|-------------|-------------------|----------|----|-----------|---------|
| Double Cylinder Maxum Deadbolt Lock,            | 11C621X(P)  | \$392.00          | \$323.15 |    | \$417.13  |         |
| 1 1/8" Faceplate, with bolt                     | 11C62X(S)   | \$359.00          | \$305.15 |    | \$384.13  |         |
| Double City double was Double let and Love Dale | 11C62L(P)   | \$307.45          | \$238.60 |    | \$332.58  |         |
| Double Cylinder Maxum Deadbolt Lock, Less Bolt  | 11C62L(S)   | \$274.45          | \$220.60 |    | \$299.58  |         |

## Double Cylinder Captive Thumbturn Maxum – Commercial Trim

| Description                                       | Part Number | M4/M³    | BiLevel  | X4 | Biax/Orig | KeyMark |
|---|-------------|----------|----------|----|-----------|---------|
| Captive Double Cylinder Maxum Deadbolt            | 11C63L(P)   | \$358.45 | \$281.95 |    | \$387.15  |         |
| Lock, Less Bolt, 13/4" - 2" door                  | 11C63L(S)   | \$325.45 | \$263.95 |    | \$354.15  |         |
| Captive Double Cylinder Maxum Deadbolt Lock,      | 11C63X (P)  | \$443.00 | \$366.50 |    | \$471.70  |         |
| 1 1/8" Faceplate, 1 3/4" - 2" door , with bolt    | 11C63X(S)   | \$410.00 | \$348.50 |    | \$438.70  |         |
| Captive Double Cylinder Maxum Deadbolt Lock,      | 11C63XT(P)  | \$443.00 | \$366.50 |    | \$471.70  |         |
| 1 1/8" Faceplate, 2 1/4" - 2 1/2" door, with bolt | 11C63XT(S)  | \$410.00 | \$348.50 |    | \$438.70  |         |
| Captive Double Cylinder Maxum Deadbolt Lock,      | 11C63LT (P) | \$358.45 | \$281.95 |    | \$387.15  |         |
| Less Bolt, 2 1/4" - 2 1/2" door                   | 11C63LT(S)  | \$325.45 | \$263.95 |    | \$354.15  |         |

## LFIC Double Cylinder Maxum – Commercial Trim

| Description   | Part Number | M4/M³    | BiLevel | X4 | Biax/Orig | KeyMark |
|---|-------------|----------|---------|----|-----------|---------|
| LFIC Double Cylinder Maxum Deadbolt Lock,<br>1" Faceplate, with bolt                | 11C32X(P)   | \$594.00 |         |    | \$633.27  |         |
|   | 11C32X(S)   | \$561.00 |         |    | \$600.27  |         |
| LEIC Double Cylinder Mayum Doadbalt Lock Loss Balt                                  | 11C32L(P)   | \$509.45 |         |    | \$548.72  |         |
| LFIC Double Cylinder Maxum Deadbolt Lock, Less Bolt                                 | 11C32L(S)   | \$476.45 |         |    | \$515.72  |         |
| LFIC Double Cylinder Maxum Deadbolt Lock,<br>1 1/8" Faceplate, Less Core, with bolt | 11C42X      | \$267.00 |         |    | \$267.00  |         |

## SFIC Double Cylinder Maxum – Commercial Trim

| Part Number | M4/M³   | BiLevel  | X4   | Biax/Orig  | KeyMark   |
|-------------|---|--|--|--|---|
| 11C72X      | \$253.00                                      |  |  | \$253.00   |   |
| 11C82X(P)   |   |  | \$432.00   |  | \$459.93  |
| 11C82X(S)   |   |  | \$399.00   |  | \$426.93  |
| 11C92X(P)   |   |  | \$432.00   |  | \$459.93  |
| 11C92X(S)   |   |  | \$399.00   |  | \$426.93  |
|             | 11C72X<br>11C82X(P)<br>11C82X(S)<br>11C92X(P) | 11C72X \$253.00<br>11C82X(P)<br>11C82X(S)<br>11C92X(P) | 11C72X \$253.00<br>11C82X(P)<br>11C82X(S)<br>11C92X(P) | 11C72X       \$253.00         11C82X(P)       \$432.00         11C82X(S)       \$399.00         11C92X(P)       \$432.00 | 11C72X       \$253.00       \$253.00         11C82X(P)       \$432.00         11C82X(S)       \$399.00         11C92X(P)       \$432.00 |

## Interchangeable Core Cylinders for Maxum® Deadbolts

| Description           | Part Number  | M4/M³    | BiLevel  | X4       | Biax/Orig | KeyMark |
|-----------------------|--------------|----------|----------|----------|-----------|---------|
| 6 pin LFIC Cylinder   | 320201 (P)   | \$184.50 | \$100.56 | \$128.61 | \$196.26  |         |
|                       | 320201 (S)   | \$168.00 | \$91.56  | \$112.11 | \$179.76  |         |
| S. Din SEIC Cylinder  | 33600006 (P) |          |          | \$91.00  |           | \$96.22 |
| 6 Pin SFIC Cylinder   | 33600006 (S) |          |          | \$74.50  |           | \$79.72 |
| 7 Div CEIC Calinatura | 33700006 (P) |          |          | \$91.00  |           | \$96.22 |
| 7 Pin SFIC Cylinder   | 33700006 (S) |          |          | \$74.50  |           | \$79.72 |

## **Maxum Deadbolt Cylinder Assemblies**

| Description                                | Part Number | M4/M³    | BiLevel  | X4 | Biax/Orig | KeyMark |
|--|-------------|----------|----------|----|-----------|---------|
| F. Din Outside Gulinden Assessable         | 110A00 (P)  | \$153.50 |          |    |           | ·       |
| 5 Pin Outside Cylinder Assembly            | 110A00(S)   | \$137.00 |          |    |           |         |
| E Din Incido Cylindor Assembly             | 110A01 (P)  | \$153.50 |          |    |           |         |
| 5 Pin Inside Cylinder Assembly             | 110A01(S)   | \$137.00 |          |    |           |         |
| E Dip Outside Captive Cylinder Assembly    | 110A02 (P)  | \$162.50 |          |    |           |         |
| 5 Pin Outside Captive Cylinder Assembly    | 110A02(S)   | \$146.00 |          |    |           |         |
| F. Die Leeide Courtee C. Lie des Assembles | 110A03 (P)  | \$162.50 |          |    |           |         |
| 5 Pin Inside Captive Cylinder Assembly     | 110A03(S)   | \$146.00 |          |    |           |         |
| 6 Dip Outside Cylinder Assembly            | 110A04 (P)  | \$153.50 | \$125.45 |    | \$163.09  |         |
| 6 Pin Outside Cylinder Assembly            | 110A04(S)   | \$137.00 | \$116.45 |    | \$146.59  |         |
| 6 Pin Inside Cylinder Assembly             | 110A05 (P)  | \$153.50 | \$125.45 |    | \$163.09  |         |
| 6 Fill Hiside Cyllider Assembly            | 110A05(S)   | \$137.00 | \$116.45 |    | \$146.59  |         |
| 6 Dip Outside Captive Cylinder Assembly    | 110A06 (P)  | \$162.50 |          |    | \$172.72  |         |
| 6 Pin Outside Captive Cylinder Assembly    | 110A06(S)   | \$146.00 |          |    | \$156.22  |         |
| 6 Din Incide Captive Cylinder Assembly     | 110A07 (P)  | \$162.50 |          |    | \$172.72  |         |
| 6 Pin Inside Captive Cylinder Assembly     | 110A07 (S)  | \$146.00 |          |    | \$156.22  |         |

## **Cylinder Housing & Plugs for Maxum Deadbolt**

| Description   | Part Number | M4/M³    | BiLevel | X4 | Biax/Orig | KeyMark |
|---|-------------|----------|---------|----|-----------|---------|
| LFIC Outside Cylinder Housing for Maxum Deadbolt Lock         | 110A08L     | \$118.00 |         |    |           |         |
| LFIC Inside Cylinder Housing for Maxum Deadbolt Lock          | 110A09L     | \$147.00 |         |    |           |         |
| 6 Pin Plug for Maxum D.bolt (except Inside Captive Thumbturn) | 1202800     | \$62.40  |         |    |           |         |
| 6 Pin Plug for Maxum Deadbolt Inside Captive Thumbturn        | 1202900     | \$62.40  |         |    |           |         |

#### **Bolt Assemblies for Maxum® Deadbolt**

| Description  | Part Number | M4/M <sup>3</sup> | BiLevel | X4 | Biax/Orig | KeyMark |
|--|-------------|-------------------|---------|----|-----------|---------|
| 2 3/8" Maxum Bolt 1" X 2 1/4" Faceplate  | 110A1911    | \$85.00           |         |    |           |         |
| 2 3/8" Maxum Bolt 1 1/8" X 2 1/4" Faceplate  | 110A1912    | \$85.00           |         |    |           |         |
| 2 3/8" Maxum Drive-in Bolt (Available in 26 finish only)                                       | 110A1913    | \$85.00           |         |    |           |         |
| 2 3/4" Maxum Bolt 1" X 2 1/4" Faceplate  | 110A1921    | \$85.00           |         |    |           |         |
| 2 3/4" Maxum Bolt 1 1/8" X 2 1/4" Faceplate  | 110A1922    | \$85.00           |         |    |           |         |
| 2 3/4" Maxum Drive-in Bolt (Available in 26 finish only)                                       | 110A1923    | \$85.00           |         |    |           |         |
| 5 Pack Round Front Assembly For Maxum Drive-In Bolt (Includes: CP-180961-26 and CP-011016-020) | 94-0058-MED | \$187.00          |         |    |           |         |
| Round Front Assembly For Maxum Drive-In Bolt (Includes: CP-180961-26 and CP-011016-020)        | 94-0059     | \$45.70           |         |    |           |         |

## **Maxum Deadbolt Components**

| Description  | Part Number        | Price               |
|--|--------------------|---------------------|
| 6 Pin Length Deadbolt Lock Outside Dummy Cylinder  | 11-0A16            |                     |
| Residential Blank Inside Plate Assembly for  | 11-0416            | \$79.20             |
| Maxum® Deadbolt Lock   | 11-0A17            | \$52.50             |
| 5 Pin Length Deadbolt Lock Outside Dummy Cylinder  | 11-0A18            | \$79.20             |
| Commercial Blank Inside Plate Assembly for   |                    |                     |
| Maxum® Deadbolt Lock   | 11-0A14            | \$52.50             |
| Residential StyleThumbturn To Fit On Captive   |                    |                     |
| Thumbturn Key (Original/Biaxial)   | 11-0A20            | \$40.30             |
| Residential Style Thumbturn To Fit On Captive  | 11 0421            | ¢40.20              |
| Thumbturn Key (Medeco <sup>3</sup> /Medeco 4) Commercial Thumbturn and Base Plate Assembly | 11-0A21<br>11-0A12 | \$40.30<br>\$101.00 |
| Commercial Thumbturn and Base Plate Assembly  Commercial Style Thumbturn To Fit On Captive | 11-UA12            | \$101.00            |
| Thumbturn Key (Medeco <sup>3</sup> /Medeco 4)  | 11-0018            | \$40.30             |
| Commercial Thumbturn & set screw   | 11-0A22            | \$58.50             |
| Residential Thumbturn & set screw  | 11-0A23            | \$58.50             |
| Residential Thumbturn and Base Plate Assembly  | 11-0A10            | \$101.00            |
| Commercial Style Thumbturn To Fit On Captive   |                    | ·                   |
| Thumbturn Key (Original/Biaxial)   | 11-0092            | \$40.30             |
| Thumbturn Trim Plate Package for Maxum   |                    |                     |
| Deadbolt Lock  | 940210             | \$10.10             |
| Inside Cylinder Trim Plate Package for<br>Commercial Maxum® I/C Deadbolt Lock              |                    |                     |
| (includes CP-021090 & CP-180141)   | 94-0030            | \$8.82              |
| Spacer Rings for 1 3/8" Door for Maxum   | 31 0030            | \$0.0 <u>C</u>      |
| Deadbolt Lock (Package of 2)   | 94-0212            | \$49.30             |
| Inside Cylinder Trim Plate Package for Maxum   |                    |                     |
| Double Cylinder Deadbolt Lock (Includes  | 0.4.0020           | 40.03               |
| CP-021090 & CP-180131)   | 94-0029            | \$8.82              |
| #8 x 2" FHWS Strike Box mounting screws<br>#8 x 3/4" comb. Wood/Machine S Bolt & Strike    | CP-010234-320      | \$0.91              |
| mounting screws  | CP-010235-120-XX   | \$0.91              |
| Screw Package for 5 and 6 Pin Single Cylinder  | CI 010233 120 700  | <b>40.3</b> 1       |
| Maxum Deadbolt Lock  | CP-011762          | \$22.40             |
| Screw Package for 5 Pin Double Cylinder  |                    |                     |
| Maxum Deadbolt Lock  | CP-011763          | \$22.40             |
| Screw Package for 6 Pin Double Cylinder  | CD 011764          | ¢22.40              |
| Maxum Deadbolt Lock  | CP-011764          | \$22.40             |
| Screw Package for Blank x Thumbturn Maxum<br>Deadbolt Lock                                 | CP-011751          | \$22.40             |
| Screw Package for Blank x Cylinder Maxum   | CI 011131          | <b>\$22.10</b>      |
| Deadbolt Lock  | CP-011767          | \$22.40             |
| Screw Package for Blank x Thumbturn Maxum  |                    |                     |
| Deadbolt Lock for 2 1/4" - 2 1/2" thick door   | CP-011753          | \$11.40             |
| Screw Package for Blank x Cylinder Maxum   | CD 011754          | ¢11.40              |
| Deadbolt Lock for 2 1/4" - 2 1/2" thick door   | CP-011754          | \$11.40             |
| Screw Package for 6 Pin Classroom Function<br>Maxum Deadbolt Lock                          | CP-011757          | \$22.40             |
| Collar for Maxum Residential Style Deadbolt  | Ci Ulliai          | ψ <b>∠∠.</b> ¬υ     |
| Lock 5 Pin   | CP-070691          | \$80.20             |
| Collar for Maxum Residential Style Deadbolt  |                    |                     |
| Lock 6 Pin   | CP-070701          | \$80.20             |
|  |                    |                     |

## **Maxum Deadbolt Components**

| Description  | Part Number | Price   |
|--|-------------|---------|
| Collar for Maxum Commercial Style Deadbolt Lock (Inside & Outside)                     | CP-070711   | \$80.20 |
| Collar for Maxum Residential Style Deadbolt<br>Lock Thick Door Captive Thumbturn 5 Pin | CP-070721   | \$80.20 |
| Collar for Maxum Residential Style Deadbolt<br>Lock Thick Door Captive Thumbturn 6 Pin | CP-070731   | \$80.20 |
| Collar for Maxum Commercial Style Deadbolt<br>Lock Thick Door Captive Thumbturn        | CP-070741   | \$80.20 |
| Strike for Maxum Deadbolt Lock   | CP-180061   | \$20.40 |
| Ball bearings (Allen head of mounting screws) .191" diameter silver                    | CP-250010   | \$0.28  |
| Ball bearings (tip of mounting screws) .202" diameter black                            | CP-250020   | \$0.28  |
| Strike Reinforcement Strike Box for Maxum<br>Deadbolt Lock                             | CP-280620   | \$6.83  |
| Keyblank for Captive Thumbturn Key for<br>Maxum Deadbolt 6 Pin, varies by Key Section  |             |         |
| (factory will supply correct part number)  | KYB XX6605  | \$11.40 |

## **Maxum® Deadbolt Tailpieces**

| Description  | Part Number | Price  |
|--|-------------|--------|
| Thumbturn Tailpiece for Maxum Deadbolt   | CT 542      | ¢0.04  |
| lock for 1 3/4" - 2 1/2" thick door  | CT-F42      | \$8.94 |
| Thumbturn Tailpiece for Classroom Function<br>Maxum Deadbolt lock, 1 3/4" - 2" thick doors | CT-F43      | \$8.94 |
| Thumbturn Tailpiece for Classroom Function   |             |        |
| Maxum Deadbolt lock for doors 2 1/4" - 2 1/2"  |             |        |
| thick  | CT-F44      | \$8.94 |
| Tailpiece for Maxum Deadbolt lock, outside cylinder, .532" length, for doors up to 1 3/4"  |             |        |
| thick  | CT-Y60      | \$3.35 |
| Tailpiece for Maxum Deadbolt outside   |             |        |
| cylinder, 1.430" length for doors over 1 3/4" thick  | CT-Y61      | \$3.35 |

## Single Cylinder Maxum Deadbolt – Residential Trim

| Description                                   | Part Number | M4/M <sup>3</sup> | BiLevel  | X4 | Biax/Orig | KeyMark |
|---|-------------|-------------------|----------|----|-----------|---------|
| 5 Pin Single Cylinder Deadbolt, 1" Faceplate, | 11R503 (P)  | \$284.50          | \$236.80 |    | \$303.26  |         |
| 2-3/8" Backset                                | 11R503 (S)  | \$268.00          | \$227.80 |    | \$286.76  |         |
| 5 Pin Single Cylinder Deadbolt, 1" Faceplate, | 11R504 (P)  | \$284.50          | \$236.80 |    | \$303.26  |         |
| 2-3/4" Backset                                | 11R504(S)   | \$268.00          | \$227.80 |    | \$286.76  |         |
| 6 Pin Single Cylinder Deadbolt, 1" Faceplate, | 11R603 (P)  | \$284.50          | \$236.80 |    | \$303.26  |         |
| 2-3/8" Backset                                | 11R603 (S)  | \$268.00          | \$227.80 |    | \$286.76  |         |
| 6 Pin Single Cylinder Deadbolt, 1" Faceplate, | 11R604 (P)  | \$284.50          | \$236.80 |    | \$303.26  |         |
| 2-3/4" Backset                                | 11R604(S)   | \$268.00          | \$227.80 |    | \$286.76  |         |
| Single Dummy Trim Deadbolt (5 Pin Length)     | 11R57L      | \$212.80          |          |    | \$212.80  |         |
| Single Dummy Trim Deadbolt (6 Pin Length)     | 11R67L      | \$212.80          |          |    | \$212.80  |         |

## Double Cylinder Maxum Deadbolt – Residential Trim

| Description                                   | Part Number | M4/M <sup>3</sup> | BiLevel  | X4 | Biax/Orig | KeyMark |
|---|-------------|-------------------|----------|----|-----------|---------|
| 5 Pin Double Cylinder Deadbolt 1" Faceplate,  | 11R523 (P)  | \$392.00          | \$323.15 |    | \$417.13  |         |
| 2 3/8" Backset                                | 11R523 (S)  | \$359.00          | \$305.15 |    | \$384.13  |         |
| 5 Pin Double Cylinder Deadbolt 1" Faceplate,  | 11R524 (P)  | \$392.00          | \$323.15 |    | \$417.13  |         |
| 2 3/4" Backset                                | 11R524(S)   | \$359.00          | \$305.15 |    | \$384.13  |         |
| 6 Pin Double Cylinder Deadbolt, 1" Faceplate, | 11R623 (P)  | \$392.00          | \$323.15 |    | \$417.13  |         |
| 2 3/8" Backset                                | 11R623 (S)  | \$359.00          | \$305.15 |    | \$384.13  |         |
| 6 Pin Double Cylinder Deadbolt, 1" Faceplate, | 11R624 (P)  | \$392.00          | \$323.15 |    | \$417.13  |         |
| 2 3/4" Backset                                | 11R624(S)   | \$359.00          | \$305.15 |    | \$384.13  |         |
| Double Dummy Trim Deadbolt (5 Pin Length)     | 11R5DL      | \$284.80          |          |    | \$284.80  |         |
| Double Dummy Trim Deadbolt (6 Pin Length)     | 11R6DL      | \$284.80          |          |    | \$284.80  |         |

## Double Cyl. Captive Thumbturn Maxum – Residential Trim

| Description                             | Part Number | M4/M³    | BiLevel  | X4 | Biax/Orig | KeyMark |
|---|-------------|----------|----------|----|-----------|---------|
| 5 Pin Captive Thumbturn Double Cylinder | 11R533 (P)  | \$443.00 | \$366.50 |    | \$471.70  |         |
| Deadbolt, 2 3/8" Backset                | 11R533 (S)  | \$410.00 | \$348.50 |    | \$438.70  |         |
| 5 Pin Captive Thumbturn Double Cylinder | 11R534(P)   | \$443.00 | \$366.50 |    | \$471.70  |         |
| Deadbolt, 2 3/4" Backset                | 11R534(S)   | \$410.00 | \$348.50 |    | \$438.70  |         |
| 6 Pin Captive Thumbturn Double Cylinder | 11R633 (P)  | \$443.00 | \$366.50 |    | \$471.70  |         |
| Deadbolt, 1" Faceplate, 2 3/8" Backset  | 11R633 (S)  | \$410.00 | \$348.50 |    | \$438.70  |         |
| 6 Pin Captive Thumbturn Double Cylinder | 11R634 (P)  | \$443.00 | \$366.50 |    | \$471.70  |         |
| Deadbolt, 1" Faceplate, 2 3/4" Backset  | 11R634(S)   | \$410.00 | \$348.50 |    | \$438.70  |         |

## Cylinder Plugs for Maxum – Residential Deadbolts

| Description   | Part Number | M4/M³   | BiLevel | X4 | Biax/Orig | KeyMark |
|---|-------------|---------|---------|----|-----------|---------|
| 6 pin plug for Maxum Residential Deadbolt (except inside captive thumbturn) | 1202800     | \$62.40 |         |    |           |         |
| 6 pin plug for Maxum Residential Deadbolt inside captive thumbturn          | 1202900     | \$62.40 |         |    |           |         |
| 5 pin plug for Maxum Residential Deadbolt (except inside captive thumbturn) | 1236200     | \$66.77 |         |    |           |         |
| 5 pin plug for Maxum Residential Deadbolt inside captive thumbturn          | 1243400     | \$62.40 |         |    |           |         |

## **Padlocks**

| FEATURES   | M4/M³ | BiLevel | X4 | CLIQ | Medeco XT | Nexgen |
|--|-------|---------|----|------|-----------|--------|
| All Weather Padlock  |       |         |    |      |           |        |
| AWP accepts 6 pin knob style cylinders                                     | •     | •       | •  | •    | •         |        |
| AWP is available as key retaining only                                     | •     | •       | •  | •    | •         |        |
| Protector II   |       |         |    |      |           |        |
| Protector II body accepts 6 pin knob style cylinders                       | •     |         | •  | •    | •         |        |
| Protector II is available as key retaining only                            | •     |         | •  | •    | •         |        |
| System Series  |       |         |    |      |           |        |
| System Series body accepts knob style cylinders                            | •     | •       | •  | •    | •         |        |
| System Series body accepts large format interchangeable cylinders          | •     | •       |    | •    |           |        |
| System Series body accepts 6 or 7 pin small format interchangeable cores   |       |         | •  |      | •         |        |
| Non-key retaining and key retaining models available                       | •     | •       | •  | •    | •         |        |
| Hockey Puck  |       |         |    |      |           |        |
| Hockey Puck body accepts knob style 5 pin cylinder                         | •     | •       |    |      |           |        |
| Hockey Puck body accepts knob style 6 pin cylinder                         |       |         | •  |      |           |        |
| Hockey Puck is available as non-key retaining only                         | •     | •       | •  |      | •         |        |
| G8R  |       |         |    |      |           |        |
| G8R body accepts a pop-out cylinder  | •     |         |    | •    | •         | •      |
| Sold less cylinder   | •     |         |    | •    | •         | •      |
| All Padlocks   |       |         |    |      |           |        |
| UL 437 Listing & BHMA Certification for high security                      | •     |         |    |      |           |        |
| Easily integrated into master key systems for key security and convenience | •     | •       | •  |      |           |        |
| Patented key control to protect against unauthorized duplication           | •     | •       | •  |      |           |        |

#### **Medeco 4 Premium High Security**

For effective mechanical protection against most forms of attack as well as protection against unauthorized duplicate keys, M4 cylinders are recommended. Security features including hardened steel components, pins that must be elevated, rotated, and interact with a sidebar which is engaged by the movable element in the key make M4 the cylinder of choice to protect people, property and information.

#### **X4 Patented Key Control**

X4 cylinders offer patented control against unauthorized duplication of keys without the additional security features protecting against force or surreptitious attack.

#### **Medeco 4 BiLevel Key Control**

M4 BiLevel cylinders may be incorporated into a master key system with M4 high security, offering protection against all types of attack where needed, and patented key control cylinders for areas requiring less protection. BiLevel cylinders offer patented control against unauthorized duplication of keys without the additional security features protecting against force or surreptitious attack.

#### **Intelligent Key Solutions**

Many of the cylinders in this section are also available with an Intelligent Key solution. See the Intelligent Key section for more details.



# **All Weather Padlocks**

The Medeco All Weather Padlock (AWP) offers the highest level of severe weather protection. The body is solid 303 stainless steel and is available with either stainless steel or boron shackles. A weatherproof cylinder seal cap, attached by a stainless steel cable, seals the cylinder from harsh environments. Multiple mechanical and Intelligent Key technologies are available.

The AWP is not only weatherproof, it is also a high security padlock when a Medeco 4 (M4) cylinder is included. M4 cylinders provide the benefit of patented key control and resistance to surreptitious attacks while both the Medeco CLIQ and Medeco XT cylinders add sophisticated audit and control features.





#### **Patented Key Control**

Protects against unauthorized duplication of keys.



#### Special Angled Key Cuts (HS Cylinder Models)

Requires a special key cutting machine and access to Medeco specific blanks, available in a variety of restrictions to support every need.



#### Can Be Master Keyed

Medeco can be master keyed into a system containing M4 or X4 mechanical as well as  $\rm M^3$  CLIQ or XT Intelligent Key systems.



#### **Protection From Shackle Attack**

Hardened boron alloy steel shackles (5/16" and 7/16" diameters) provide strong resistance against cutting, sawing and prying. Available in both and 1 7/8" and 2 3/8" or 1" and 2 1/2" lengths.



#### **Protection From Physical Attack**

M4 cylinders are UL 437 listed and resist drilling, forcing and other forms of physical attack.



#### **Picking and Bumping Protection**

M4 cylinders use cylinder side pins, a lift pin and a movable key element to engage a sidebar that prevents the key from turning until the elements are rotated and aligned in the correct position, protecting against bumping, picking and other attacks.

#### **Benefits:**

- 300 Series, solid, machined stainless steel body resists attack and corrosion
- 5/16" and 7/16" diameter, stainless steel and boron shackles
- 17/8", 23/8", 2", and 21/2" shackle lengths
- Padlocks are shipped with a weather proof cylinder seal cap attached by a stainless steel cable
- IP68 Environmental protection rating for harsh environments
- ASTM F883-13 rating for tensile pull, shock, plug pull, plug torque, cutting, and corrosion (salt fog)
- Vibration tested per MIL-STD-202G, method 201A
- Key retaining cylinder design
- O-ring sealed cap, cylinder, and shackles resist grime and water penetration at low temperatures

## **Applications:**

The AWP series is designed for installations requiring service in harsh weather conditions. Applications include outdoor perimeter fencing, gates, tool cabinets, storage, and transportation cargo containers. Ideal for Intelligent Key cylinders in outdoor harsh environments.

## **Warranty:**

Warranted for two (2) years against manufacturer's defects. See the Medeco limited warranty for full details.

#### **Finishes:**

The padlock comes in a standard industrial stainless steel finish and the cylinders are furnished in the satin brass finish.

## **Available Key Technologies:**

#### Mechanical:

-X4

- M<sup>3</sup>/M<sup>3</sup> BiLevel

- M4/M4 BiLevel Medeco Biaxial\*
  - Mada a Biarida a mina
  - \* Medeco Biaxial requires extended throat key blank
- Medeco XT

**Intelligent Key:** 

- requires M<sup>3</sup> CLIQ
  - X4 CLIQ



## **How to Order AWP Series Padlocks:**

Complete part numbers are required for all orders. To determine the correct part number, fill in the "Xs" in sequential order.

1

## 5005511 base part # example

Refer to pages 167-168 for descriptions and technical specifications to find the corresponding base part number.

2

## H technology

H = M4

P = M4 BiLevel

 $T = M^3$ 

J = M<sup>3</sup> BiLevel

 $S = M^3 CLIQ$ 

W = Biaxial

N = X4M = X4 CLIQ

G = XT

3

## 26 finish

26 finish only.

4

## M4 keyway

Insert keyway if known or contact Customer Service for help. 5

## P pinning

S = Sub-Assembled (Uncombinated)

N = Sub-assembled,

No side pins (M4 only)No slider

– No slider (M3 only)

P = Pinned (Combinated)

M = Master Keyed


R = Master Keyed - blade and side pins (M4 only) 6

## 624 side pin code

(M4 only)

Insert side pin code if known or contact Customer Service for help.

#### **BUILD AN AWP SERIES PADLOCK BASE PART#**



**Prefix** 

#### Shackle (Diameter), Material, Clearance

511 = 5/16", SS, 1 7/8"

521 = 5/16", SS, 2 3/8"

531 = 5/16", Boron, 17/8"

541 = 5/16", Boron, 2 3/8"

711 = 7/16", SS, 2"

721 = 7/16", SS, 2 1/2"

731 = 7/16", Boron, 2"

741 = 7/16", Boron, 2 1/2"

\*AWP with mechanical cylinder requires the use of extended shoulder key blanks.

Medeco <sup>3</sup> use KY3366XX or KY3466XX.

Original/Biaxial use KY1866XX or KY2266XX.

## All Weather Padlock with 5/16" Shackle\*

| Description   | Part Number | M4/M³    | BiLevel | X4       | Biax/Orig |
|---|-------------|----------|---------|----------|-----------|
| AWP 5/16" diameter SS shackle, 1-7/8" clearance     | 5005511 (P) | \$284.50 |         | \$268.18 |           |
|   | 5005511 (S) | \$268.00 |         | \$251.68 |           |
| AWP 5/16" diameter SS shackle, 2-3/8" clearance     | 5005521 (P) | \$289.50 |         | \$273.18 |           |
|   | 5005521 (S) | \$273.00 |         | \$256.68 |           |
| AVA/D F/1/C" diamateu Denor alcalda 1 7/0" diamateu | 5005531 (P) | \$284.50 |         | \$268.18 |           |
| AWP 5/16" diameter Boron shackle, 1-7/8" clearance  | 5005531 (S) | \$268.00 |         | \$251.68 |           |
|   | 5005541 (P) | \$289.50 |         | \$273.18 |           |
| AWP 5/16" diameter Boron shackle, 2-3/8" clearance  | 5005541 (S) | \$273.00 |         | \$256.68 |           |

## All Weather Padlock with 7/16" Shackle\*

| Description  | Part Number | M4/M <sup>3</sup> | BiLevel | X4       | Biax/Orig |
|--|-------------|-------------------|---------|----------|-----------|
| AWP 7/16" diameter SS shackle, 2" clearance          | 5005711 (P) | \$284.50          |         | \$268.18 |           |
|  | 5005711(S)  | \$268.00          |         | \$251.68 |           |
| AAA/D 7/10" diamatay CC ahaalda 2 1/2" daayay aa     | 5005721 (P) | \$289.50          |         | \$273.18 |           |
| AWP 7/16" diameter SS shackle, 2 1/2" clearance      | 5005721 (S) | \$273.00          |         | \$256.68 |           |
| ANA/D 7/1C" diagraphy Dagger should a 2 " placers as | 5005731 (P) | \$284.50          |         | \$268.18 |           |
| AWP 7/16" diameter Boron shackle, 2 " clearance      | 5005731 (S) | \$268.00          |         | \$251.68 |           |
| ANA/D 7/10" diamatan Danamahan Julya 2 1/2" diamana  | 5005741 (P) | \$289.50          |         | \$273.18 |           |
| AWP 7/16" diameter Boron shackle, 2 1/2" clearance   | 5005741 (S) | \$273.00          |         | \$256.68 |           |

## All Weather Padlock - No Cylinder

| Description   | Part Number | Price    |
|---|-------------|----------|
| AWP 5/16" dia SS shackle, Less Cyl, 17/8" clearance     | 50-0551L    | \$210.00 |
| AWP 5/16" dia SS shackle, Less Cyl, 2 3/8" clearance    | 50-0552L    | \$217.00 |
| AWP 5/16" dia Boron shackle, Less Cyl, 17/8" clearance  | 50-0553L    | \$210.00 |
| AWP 5/16" dia Boron shackle, Less Cyl, 2 3/8" clearance | 50-0554L    | \$217.00 |
| AWP 7/16" dia SS shackle, Less Cyl, 2" clearance        | 50-0571L    | \$210.00 |
| AWP 7/16" dia SS shackle, Less Cyl, 2 1/2" clearance    | 50-0572L    | \$217.00 |
| AWP 7/16" dia Boron shackle, Less Cyl, 2" clearance     | 50-0573L    | \$210.00 |
| AWP 7/16" dia Boron shackle, Less Cyl, 2 1/2" clearance | 50-0574L    | \$217.00 |

## **All Weather Padlock Cylinders**

| Description                                     | Part Number | M4/M <sup>3</sup> | BiLevel | X4 | Biax/Orig |
|---|-------------|-------------------|---------|----|-----------|
| 6 Pin Cylinder, KIK type for AWP Series Padlock | 510800 (P)  | \$75.00           |         |    |           |
| (26 finish only)                                | 510800(S)   | \$58.50           |         |    |           |

## Components for All Weather Padlocks

| Description                   | Part Number   | Price    |
|-------------------------------|---------------|----------|
| Thumbturn Cap Replacement Kit | 94-0316       | \$30.20  |
| 5/16" AWP O-ring Seal Kit     | 94-0317-516   | \$6.03   |
| 7/16" AWP O-ring Seal Kit     | 94-0317-716   | \$6.03   |
| Wire Assembly Spacer          | CP-160910     | \$1.21   |
| Wire Assembly                 | CP-287720     | \$6.03   |
| Seal Installation Tool        | 94-0318       | \$121.00 |
| Wire Assembly Screw           | CP-014213-061 | \$1.21   |
| Set Screw                     | CP-014642-591 | \$1.21   |
| Shackle Locking Balls         | CP-250180     | \$2.41   |
| Allen Wrench 2.5 mm           | CP-287770     | \$2.41   |

## **Shackles for All Weather Padlocks**

|  | Boron Alloy Stee |         | Stainless Steel |         |
|--|------------------|---------|-----------------|---------|
| Description  | Part Number      | Price   | Part Number     | Price   |
| Standard Shackle for AWP Padlock, 1-7/8" Shackle Clearance |                  |         |                 |         |
| x 5/16" Diameter   | CP-144270        | \$12.50 | CP-144230       | \$18.70 |
| Extra Length Shackle for AWP Padlock,                      |                  |         |                 |         |
| 2-3/8" Shackle Clearance x 5/16" Diameter                  | CP-144280        | \$15.10 | CP-144240       | \$21.00 |
| Standard Shackle for AWP Padlock,                          |                  |         |                 |         |
| 2" Shackle Clearance x 7/16" Diameter                      | CP-144290        | \$15.10 | CP-144250       | \$21.00 |
| Extra Length Shackle for AWP Padlock,                      |                  |         |                 |         |
| 2-1/2" Shackle Clearance x 7/16" Diameter                  | CP-144300        | \$16.70 | CP-144260       | \$23.10 |

# **System Series Padlocks**

The Medeco® System Series padlock offers a high security solution for a multitude of applications and is available in two distinctive body styles. an indoor/outdoor weather resistant design or with a shrouded shackle. Both models utilize a boron alloy steel shackle which provides protection against cutting and increased tensile strength to resist pulling attacks. The boron alloy steel also ensures that the shackle has an exceptional degree of ductility and is not brittle. The cylinder itself uses hardened,



stainless steel inserts to provide the ultimate defense against drilling, pulling and other forms of vandal attack. All Medeco 4 (M4) keys and locks are protected under patent, trademark, and copyright laws. M4 keys may only be duplicated by Medeco® or by a Medeco® authorized sales outlet, and only at your request.



#### **Patented Key Control**

Protects against unauthorized duplication of your keys.



#### **Protection From Physical Attack**

M4 padlock cylinders are UL 437 listed and stand up to drilling, picking and other forms of physical attack.



#### **Proprietary Deadlocking Shackle**

Boron alloy steel shackles protect against cutting and pulling attacks.



#### Can Be Master Keyed

Medeco System Series Padlocks can be master keyed into a system containing M4 and M4 BiLevel, X4, and the CLIQ Intelligent Key system.



#### **Available in Intelligent Key System**

System Series Padlocks are also available with the Medeco CLIQ Intelligent Key system for Loss & Liability control.



#### **Special Angle Cut Keys**

Requires a special key cutting machine and access to Medeco specific blanks, available in a variety of restrictions to support every need.



#### **Picking and Bumping Protection**

M4 cylinders use cylinder side pins, a lift pin and a movable key element to engage a sidebar that prevents the key from turning until the elements are rotated and aligned in the correct position, protecting against bumping, picking and other attacks.

#### **Technical Features:**

- Available with either a 5/16 inch or a 7/16 inch shackle
- Available in Indoor/Outdoor weather resistant design or with a shrouded shackle.
- Extended shackles available for Indoor/Outdoor padlocks only.
- The shrouded shackle design provides extra shackle protection against cutting attacks.
- All Medeco® cylinders are constructed of durable machined brass components, designed to last the life of your equipment.
- Boron alloy steel shackle which protects against cutting and pulling attacks.
- Available in a variety of different shackle lengths.

## **Applications:**

Used in a variety of different indoor or outdoor applications where high security and key control are a primary concern.

## **Warranty:**

Warranted for two (2) years against manufacturer's defects. See the Medeco® limited warranty for full details.

#### **Finishes:**

The padlock comes in a standard black body cover and the cylinders are furnished in satin brass finish.

## **Available Key Technologies:**

Mechanical:

**Intelligent Key:** 

- M<sup>3</sup> CLIO

- M<sup>3</sup>/M<sup>3</sup> BiLevel

Classic CLIQ

- X4


- M4

- Medeco XT - X4 CLIO




## **How to Order System Series Padlocks:**

Complete part numbers are required for all orders. To determine the correct part number, fill in the "Xs" in sequential order.



#### **BUILD A SYSTEM SERIES PADLOCK BASE PART #**



## Indoor/Outdoor Padlock, 5/16" Shackle -KIK

| Description   | Part Number | M4/M³    | BiLevel  | X4       | Biax/Orig | KeyMark  |
|---|-------------|----------|----------|----------|-----------|----------|
| Indoor/Outdoor Padlock, Non-Key Retaining,  | 5451500 (P) | \$209.50 | \$145.86 | \$191.31 | \$223.01  | \$204.46 |
| 1 1/8" Shackle Clearance, With Cylinder   | 5451500(S)  | \$193.00 | \$136.86 | \$174.81 | \$206.51  | \$187.96 |
| Indoor/Outdoor Padlock, Key Retaining,<br>1 1/8" Shackle Clearance, With Cylinder     | 54515R0 (P) | \$209.50 | \$145.86 | \$191.31 | \$223.01  | \$204.46 |
|   | 54515R0(S)  | \$193.00 | \$136.86 | \$174.81 | \$206.51  | \$187.96 |
| Indoor/Outdoor Padlock, Non-Key Retaining,<br>2 3/8" Shackle Clearance, With Cylinder | 5451F00 (P) | \$213.50 | \$149.86 | \$195.31 | \$227.29  | \$208.74 |
|   | 5451F00(S)  | \$197.00 | \$140.86 | \$178.81 | \$210.79  | \$192.24 |
| Indoor/Outdoor Padlock, Key Retaining,  | 5451FR0 (P) | \$213.50 | \$149.86 | \$195.31 | \$227.29  | \$208.74 |
| 2 3/8" Shackle Clearance, With Cylinder   | 5451FR0(S)  | \$197.00 | \$140.86 | \$178.81 | \$210.79  | \$192.24 |
| Indoor/Outdoor Padlock, Key Retaining,<br>1 1/8" Shackle Clearance, Less Cylinder     | 54515K0     | \$70.12  |          |          |           |          |
| Indoor/Outdoor Padlock, Non-Key Retaining,<br>1 1/8" Shackle Clearance, Less Cylinder | 54515L0     | \$70.12  |          |          |           |          |
| Indoor/Outdoor Padlock, Key Retaining,<br>2 3/8" Shackle Clearance, Less Cylinder     | 5451FK0     | \$74.12  |          |          |           |          |
| Indoor/Outdoor Padlock, Non-Key Retaining,<br>2 3/8" Shackle Clearance, Less Cylinder | 5451FL0     | \$74.12  |          |          |           |          |

## Indoor/Outdoor Padlock, 5/16" Shackle -6 Pin LFIC

| Description   | Part Number | M4/M³    | BiLevel  | X4 | Biax/Orig | KeyMark |
|---|-------------|----------|----------|----|-----------|---------|
| Indoor/Outdoor Padlock, Non-Key Retaining,  | 5461500 (P) | \$285.50 | \$193.33 |    | \$304.33  |         |
| 1 1/8" Shackle Clearance, With Cylinder   | 5461500(S)  | \$269.00 | \$184.33 |    | \$287.83  |         |
| Indoor/Outdoor Padlock, Key Retaining,  | 54615R0 (P) | \$285.50 | \$193.33 |    | \$304.33  |         |
| 1 1/8" Shackle Clearance, With Cylinder   | 54615R0(S)  | \$269.00 | \$184.33 |    | \$287.83  |         |
| Indoor/Outdoor Padlock, Non-Key Retaining,<br>2 3/8" Shackle Clearance, With Cylinder | 5461F00 (P) | \$293.50 | \$201.33 |    | \$312.89  |         |
|   | 5461F00(S)  | \$277.00 | \$192.33 |    | \$296.39  |         |
| Indoor/Outdoor Padlock, Key Retaining,  | 5461FR0(P)  | \$293.50 | \$201.33 |    | \$312.89  |         |
| 2 3/8" Shackle Clearance, With Cylinder   | 5461FR0(S)  | \$277.00 | \$192.33 |    | \$296.39  |         |
| Indoor/Outdoor Padlock, Key Retaining,<br>1 1/8" Shackle Clearance, Less Cylinder     | 54615K0     | \$72.68  |          |    |           |         |
| Indoor/Outdoor Padlock, Non-Key Retaining,<br>1 1/8" Shackle Clearance, Less Cylinder | 54615L0     | \$72.68  |          |    |           |         |
| Indoor/Outdoor Padlock, Key Retaining,<br>2 3/8" Shackle Clearance, Less Cylinder     | 5461FK0     | \$80.68  |          |    |           |         |
| Indoor/Outdoor Padlock, Non-Key Retaining,<br>2 3/8" Shackle Clearance, Less Cylinder | 5461FL0     | \$80.68  |          |    |           |         |

## Indoor/Outdoor Padlock, 5/16" Shackle -6 Pin SFIC

| Description   | Part Number | M4/M <sup>3</sup> | BiLevel | X4       | Biax/Orig | KeyMark  |
|---|-------------|-------------------|---------|----------|-----------|----------|
| Indoor/Outdoor Padlock, Non-Key Retaining,<br>1 1/8" Shackle Clearance, With Cylinder | 5431500 (P) |                   |         | \$179.31 |           | \$191.62 |
|   | 5431500 (S) |                   |         | \$162.81 |           | \$175.12 |
| Indoor/Outdoor Padlock, Key Retaining,<br>1 1/8" Shackle Clearance, With Cylinder     | 54315R0 (P) |                   |         | \$179.31 |           | \$191.62 |
|   | 54315R0(S)  |                   |         | \$162.81 |           | \$175.12 |
| Indoor/Outdoor Padlock, Non-Key Retaining,  | 5431F00 (P) |                   |         | \$185.31 |           | \$198.04 |
| 2 3/8" Shackle Clearance, With Cylinder   | 5431F00 (S) |                   |         | \$168.81 |           | \$181.54 |
| Indoor/Outdoor Padlock, Key Retaining,<br>2 3/8" Shackle Clearance, With Cylinder     | 5431FR0 (P) |                   |         | \$185.31 |           | \$198.04 |
|   | 5431FR0 (S) |                   |         | \$168.81 |           | \$181.54 |

## Indoor/Outdoor Padlock, 5/16" Shackle -7 Pin SFIC

| Description   | Part Number | M4/M³ | BiLevel | X4       | Biax/Orig | KeyMark  |
|---|-------------|-------|---------|----------|-----------|----------|
| Indoor/Outdoor Padlock, Non-Key Retaining,<br>1 1/8" Shackle Clearance, With Cylinder | 5433500 (P) |       |         | \$179.31 |           | \$191.62 |
|   | 5433500(S)  |       |         | \$162.81 |           | \$175.12 |
| Indoor/Outdoor Padlock, Key Retaining,<br>1 1/8" Shackle Clearance, With Cylinder     | 54335R0 (P) |       |         | \$179.31 |           | \$191.62 |
|   | 54335R0(S)  |       |         | \$162.81 |           | \$175.12 |
| Indoor/Outdoor Padlock, Non-Key Retaining,  | 5433F00 (P) |       |         | \$185.31 |           | \$198.04 |
| 2 3/8" Shackle Clearance, With Cylinder   | 5433F00(S)  |       |         | \$168.81 |           | \$181.54 |
| Indoor/Outdoor Padlock, Key Retaining,<br>2 3/8" Shackle Clearance, With Cylinder     | 5433FR0 (P) |       |         | \$185.31 |           | \$198.04 |
|   | 5433FR0(S)  |       |         | \$168.81 |           | \$181.54 |

## Indoor/Outdoor Padlock, 5/16" Shackle -Less SFIC

| Description   | Part Number | Price   |
|---|-------------|---------|
| Indoor/Outdoor Padlock, Key Retaining,<br>1 1/8" Shackle Clearance, Less Cylinder     | 54315K0     | \$71.20 |
| Indoor/Outdoor Padlock, Non-Key Retaining,<br>1 1/8" Shackle Clearance, Less Cylinder | 54315L0     | \$71.20 |
| Indoor/Outdoor Padlock, Key Retaining,<br>2 3/8" Shackle Clearance, Less Cylinder     | 5431FK0     | \$77.20 |
| Indoor/Outdoor Padlock, Non-Key Retaining,<br>2 3/8" Shackle Clearance, Less Cylinder | 5431FL0     | \$77.20 |

## Indoor/Outdoor Padlock, 7/16" Shackle -KIK

| Description   | Part Number | M4/M <sup>3</sup> | BiLevel  | X4       | Biax/Orig | KeyMark  |
|---|-------------|-------------------|----------|----------|-----------|----------|
| Indoor/Outdoor Padlock, Non-Key Retaining,<br>1 3/8" Shackle Clearance, With Cylinder | 5471500 (P) | \$242.50          | \$178.86 | \$224.31 | \$258.32  | \$239.77 |
|   | 5471500(S)  | \$226.00          | \$169.86 | \$207.81 | \$241.82  | \$223.27 |
| Indoor/Outdoor Padlock, Key Retaining,<br>1 3/8" Shackle Clearance, With Cylinder     | 54715R0 (P) | \$242.50          | \$178.86 | \$224.31 | \$258.32  | \$239.77 |
|   | 54715R0(S)  | \$226.00          | \$169.86 | \$207.81 | \$241.82  | \$223.27 |
| Indoor/Outdoor Padlock, Non-Key Retaining,<br>1 7/8" Shackle Clearance, With Cylinder | 5471F00 (P) | \$248.50          | \$184.86 | \$230.31 | \$264.74  | \$246.19 |
|   | 5471F00(S)  | \$232.00          | \$175.86 | \$213.81 | \$248.24  | \$229.69 |
| Indoor/Outdoor Padlock, Key Retaining,  | 5471FR0 (P) | \$248.50          | \$184.86 | \$230.31 | \$264.74  | \$246.19 |
| 1 7/8" Shackle Clearance, With Cylinder   | 5471FR0(S)  | \$232.00          | \$175.86 | \$213.81 | \$248.24  | \$229.69 |
| Indoor/Outdoor Padlock, Key Retaining,<br>1 3/8" Shackle Clearance, Less Cylinder     | 54715K0     | \$103.12          |          |          |           |          |
| Indoor/Outdoor Padlock, Non-Key Retaining,<br>1 3/8" Shackle Clearance, Less Cylinder | 54715L0     | \$103.12          |          |          |           |          |
| Indoor/Outdoor Padlock, Key Retaining,<br>1 7/8" Shackle Clearance, Less Cylinder     | 5471FK0     | \$109.12          |          |          |           |          |
| Indoor/Outdoor Padlock, Non-Key Retaining,<br>1 7/8" Shackle Clearance, Less Cylinder | 5471FL0     | \$109.12          |          |          |           |          |

## Shrouded Padlock, 5/16" Shackle - KIK

| Description   | Part Number | M4/M³    | BiLevel  | X4       | Biax/Orig | KeyMark  |
|---|-------------|----------|----------|----------|-----------|----------|
| Shrouded Padlock, Non-Key Retaining,<br>3/4" Shackle Clearance, With Cylinder | 5452500 (P) | \$236.50 | \$172.86 | \$218.31 | \$251.90  | \$233.35 |
|   | 5452500(S)  | \$220.00 | \$163.86 | \$201.81 | \$235.40  | \$216.85 |
| Shrouded Padlock, Key Retaining,  | 54525R0 (P) | \$236.50 | \$172.86 | \$218.31 | \$251.90  | \$233.35 |
| 3/4" Shackle Clearance, With Cylinder   | 54525R0(S)  | \$220.00 | \$163.86 | \$201.81 | \$235.40  | \$216.85 |
| Shrouded Padlock, Key Retaining,<br>3/4" Shackle Clearance, Less Cylinder     | 54525K0     | \$97.12  |          |          |           |          |
| Shrouded Padlock, Non-Key Retaining, 3/4" Shackle Clearance, Less Cylinder    | 54525L0     | \$97.12  |          |          |           |          |

## Shrouded Padlock, 7/16" Shackle - KIK

| Description   | Part Number | M4/M <sup>3</sup> | BiLevel  | X4       | Biax/Orig | KeyMark  |
|---|-------------|-------------------|----------|----------|-----------|----------|
| Shrouded Padlock, Non-Key Retaining,<br>3/4" Shackle Clearance, With Cylinder | 5472500 (P) | \$288.50          | \$224.86 | \$270.31 | \$307.54  | \$288.99 |
|   | 5472500(S)  | \$272.00          | \$215.86 | \$253.81 | \$291.04  | \$272.49 |
| Shrouded Padlock, Key Retaining,  | 54725R0 (P) | \$288.50          | \$224.86 | \$270.31 | \$307.54  | \$288.99 |
| 3/4" Shackle Clearance, With Cylinder   | 54725R0(S)  | \$272.00          | \$215.86 | \$253.81 | \$291.04  | \$272.49 |
| Shrouded Padlock, Key Retaining,<br>3/4" Shackle Clearance, Less Cylinder     | 54725K0     | \$149.12          |          |          |           |          |
| Shrouded Padlock, Non-Key Retaining, 3/4" Shackle Clearance, Less Cylinder    | 54725L0     | \$149.12          |          |          |           |          |

# 50 and 52 Series Brass Body Padlocks

The Medeco 50 Series and 52 Series brass padlocks are available in two versions. The 50 Series Padlock is available with a removable cylinder or interchangeable core. The 52 Series Padlock is designed to be keyed with Medeco's 60 Series cam locks and switch locks.

Both padlocks can accept cylinders and cores which are UL listed and virtually pickproof and drillproof. Mechanical cylinders provide the benefit of patented key control and resistance to physical attacks. The padlock cases are constructed of brass with stainless steel shackles for corrosion protection or hardened steel for protection against sawing.





#### **Patented Key Control**

Protects against unauthorized duplication of keys.



#### **Special Angled Key Cuts**

Requires a special key cutting machine and access to Medeco specific blanks, available in a variety of restrictions to support every need.



#### Can Be Master Keyed

50 and 52 Series Padlocks can be master keyed into the respective key technologies listed below.



#### **Protection From Shackle Attack**

The hardened boron alloy steel shackles provide strong resistance against cutting, sawing and prying. The stainless steel shackle protect against corrosion.



#### **Protection From Physical Attack**

M4 cylinders are UL 437 listed and resists drilling, picking and other forms of physical attack.



#### **Picking and Bumping Protection**

M4 cylinders use cylinder side pins, a lift pin and a movable key element to engage a sidebar that prevents the key from turning until the elements are rotated and aligned in the correct position, protecting against bumping, picking and other attacks.

#### **Benefits:**

- Optional dust cover protects keyway of cylinder from weather conditions
- Available keyed differently, keyed alike, or master keyed to your specific needs
- 50 Series and 52 Series padlocks are available in the non-key retained or key retained functions.
- Toe and heel deadbolt locking action
- The chain and clevis, designed for a more permanent attachment, are constructed of carbon steel with a zinc plating

## **Applications:**

Medeco 50 and 52 Series padlocks can be used in a variety of indoor or outdoor applications including industrial safekeeping, perimeter gates, cargo vehicles, vending machines, gun cabinets, and more.

## Warranty:

Warranted for two (2) years against manufacturer's defects. See the Medeco limited warranty for full details.

#### **Finishes:**

- 50 Series Satin Brass (06) only
- 52 Series Satin Chrome (26) only

## **50 Series Available Key Technologies:**

Mechanical:

**Intelligent Key:** 

- M4 Original M³ CLIQ (LFIC only)
- M³ Biaxial
- X4 (LFIC only)

## **52 Series Available Key Technologies:**


#### Mechanical:

- $-M^3$
- Original
- Biaxial




#### How to Order a 50 Series Padlock:

Complete part numbers are required for all orders. To determine the correct part number, fill in the "Xs" in sequential order.




#### **BUILD A 50 SERIES BRASS PADLOCK BASE PART #**




#### How to Order a 52 Series Padlock:

Complete part numbers are required for all orders. To determine the correct part number, fill in the "Xs" in sequential order.



#### **BUILD A 52 SERIES BRASS PADLOCK BASE PART #**



## **50 Series Brass Body Padlocks**

| Description   | Part Number | M4/M <sup>3</sup> | BiLevel | X4 | Biax/Orig | KeyMark |
|---|-------------|-------------------|---------|----|-----------|---------|
| I/C Core Brass Padlock, 2 1/4" Shackle Clearance,<br>Hardened Steel, Key Retaining            | 5002201 (P) | \$410.50          |         |    | \$438.08  |         |
|   | 5002201(S)  | \$394.00          |         |    | \$421.58  |         |
| I/C Core Brass Padlock, 2 1/4" Shackle Clearance,   | 5002211 (P) | \$410.50          |         |    | \$438.08  |         |
| Stainless Steel, Key Retaining  | 5002211(S)  | \$394.00          |         |    | \$421.58  |         |
| I/C Core Brass Padlock, 2 1/4" Shackle Clearance,   | 5003201 (P) | \$410.50          |         |    | \$438.08  |         |
| Hardened Steel, Non-key Retaining   | 5003201(S)  | \$394.00          |         |    | \$421.58  |         |
| I/C Core Brass Padlock, 2 1/4" Shackle Clearance,<br>Stainless Steel, Non-key Retaining       | 5003211 (P) | \$410.50          |         |    | \$438.08  |         |
|   | 5003211(S)  | \$394.00          |         |    | \$421.58  |         |
| Removeable Cylinder Brass Padlock, 2 1/4" Shackle Clearance, Hardened Steel, Key Retaining    | 5008201 (P) | \$386.50          |         |    | \$412.40  |         |
|   | 5008201 (S) | \$370.00          |         |    | \$395.90  |         |
| Removeable Cylinder Brass Padlock, 2 1/4" Shackle Clearance, Stainless Steel, Key Retaining   | 5008211 (P) | \$386.50          |         |    | \$412.40  |         |
|   | 5008211 (S) | \$370.00          |         |    | \$395.90  |         |
| Removeable Cylinder Brass Padlock, 2 1/4" Shackle   | 5009201 (P) | \$386.50          |         |    | \$412.40  |         |
| Clearance, Hardened Steel, Non-key Retaining  | 5009201 (S) | \$370.00          |         |    | \$395.90  |         |
| Removeable Cylinder Brass Padlock, 2 1/4" Shackle   | 5009211 (P) | \$386.50          |         |    | \$412.40  |         |
| Clearance, Stainless Steel, Non-key Retaining   | 5009211 (S) | \$370.00          |         |    | \$395.90  |         |
| Brass Padlock, 2 1/4" Shackle Clearance, Hardened Steel,<br>Key Retaining, Less Cylinder      | 50-74201    | \$196.00          |         |    |           |         |
| Brass Padlock, 2 1/4" Shackle Clearance, Stainless<br>Steel, Key Retaining, Less Cylinder     | 50-74211    | \$196.00          |         |    |           |         |
| Brass Padlock, 2 1/4" Shackle Clearance, Hardened Steel,<br>Non-key Retaining, Less Cylinder  | 50-75201    | \$196.00          |         |    |           |         |
| Brass Padlock, 2 1/4" Shackle Clearance, Stainless Steel,<br>Non-key Retaining, Less Cylinder | 50-75211    | \$196.00          |         |    |           |         |

## 52 Series Padlock, 5/16" Shackle

| Description  | Part Number | M³       | BiLevel | X4 | Biax/Orig | KeyMark |
|--|-------------|----------|---------|----|-----------|---------|
| 1 1/0" Clearance Peren Alley Charles                     | 526201 (P)  | \$202.50 |         |    | \$215.52  |         |
| 1 1/8" Clearance, Boron Alloy Shackle                    | 526201 (S)  | \$186.00 |         |    | \$199.02  |         |
| 2.2/0" Classes of David Alley Charles                    | 526301 (P)  | \$202.50 |         |    | \$215.52  |         |
| 2 3/8" Clearance, Boron Alloy Shackle                    | 526301 (S)  | \$186.00 |         |    | \$199.02  |         |
| 1 1/8" Clearance, Boron Alloy Shackle, Less Cylinder     | 526200      | \$121.27 |         |    |           |         |
| 2 3/8" Clearance, Boron Alloy Shackle, Less Cylinder     | 526300      | \$121.27 |         |    |           |         |
| 1 1/0" Classanca Stainless Staal Shackle                 | 526211 (P)  | \$202.50 |         |    | \$215.52  |         |
| 1 1/8" Clearance, Stainless Steel Shackle                | 526211 (S)  | \$186.00 |         |    | \$199.02  |         |
| 2 2/0" Classance Stainless Steel Shackle                 | 526311 (P)  | \$202.50 |         |    | \$215.52  |         |
| 2 3/8" Clearance, Stainless Steel Shackle                | 526311 (S)  | \$186.00 |         |    | \$199.02  |         |
| 1 1/8" Clearance, Stainless Steel Shackle, Less Cylinder | 526210      | \$121.27 |         |    |           |         |
| 2 3/8" Clearance, Stainless Steel Shackle, Less Cylinder | 526310      | \$121.27 |         |    |           |         |

<sup>\*</sup>Padlock body is solid brass with 26 plated finish.

#### 52 Series Padlock, 5/16" Shackle, Removable Core

| Description   | Part Number | M³       | BiLevel | X4 | Biax/Orig | KeyMark |
|---|-------------|----------|---------|----|-----------|---------|
| 1 1/8" Clearance, Boron Alloy Shackle, Removable<br>Core, Less Cylinder     | 52-6202     | \$148.37 |         |    |           |         |
| 2 3/8" Clearance, Boron Alloy Shackle, Removable<br>Core, Less Cylinder     | 52-6302     | \$148.37 |         |    |           |         |
| 1 1/8" Clearance, Stainless Steel Shackle,<br>Removable Core, Less Cylinder | 52-6212     | \$148.37 |         |    |           |         |
| 2 3/8" Clearance, Stainless Steel Shackle,<br>Removable Core, Less Cylinder | 52-6312     | \$148.37 |         |    |           |         |

<sup>\*</sup>Padlock body is solid brass with 26 plated finish.

Note: 52-6 Series padlocks use a 5 pin/4 level 60 Series cylinder and can be keyed into a system utilizing cam and switch locks.

## 52 Series Padlock, 7/16" Shackle

| Description  | Part Number | <b>M</b> <sup>3</sup> | BiLevel | X4 | Biax/Orig | KeyMark |
|--|-------------|-----------------------|---------|----|-----------|---------|
| 1 2/9" Classage Paran Alley Shaekla                      | 526001 (P)  | \$202.50              |         |    | \$215.52  |         |
| 1 3/8" Clearance, Boron Alloy Shackle                    | 526001 (S)  | \$186.00              |         |    | \$199.02  |         |
| 1.7/9" Clearance Peron Alley Shackle                     | 526101 (P)  | \$202.50              |         |    | \$215.52  |         |
| 1 7/8" Clearance, Boron Alloy Shackle                    | 526101(S)   | \$186.00              |         |    | \$199.02  |         |
| 1 3/8" Clearance, Boron Alloy Shackle, Less Cylinder     | 526000      | \$121.27              |         |    |           |         |
| 17/8" Clearance, Boron Alloy Shackle, Less Cylinder      | 526100      | \$121.27              |         |    |           |         |
| 12/01/61   | 526011 (P)  | \$202.50              |         |    | \$215.52  |         |
| 1 3/8" Clearance, Stainless Steel Shackle                | 526011(S)   | \$186.00              |         |    | \$199.02  |         |
| 1.7/8" Clearance Stainless Steel Shackle                 | 526111 (P)  | \$202.50              |         |    | \$215.52  |         |
| 17/8" Clearance, Stainless Steel Shackle                 | 526111(S)   | \$186.00              |         |    | \$199.02  |         |
| 1 3/8" Clearance, Stainless Steel Shackle, Less Cylinder | 526010      | \$121.27              |         |    |           |         |
| 17/8" Clearance, Stainless Steel Shackle, Less Cylinder  | 526110      | \$121.27              |         |    |           |         |

<sup>\*</sup> Padlock body is solid brass with 26 plated finish.

#### 52 Series Padlock, 7/16" Shackle, Removable Core

| Description   | Part Number | M³       | BiLevel | X4 | Biax/Orig | KeyMark |
|---|-------------|----------|---------|----|-----------|---------|
| 1 3/8" Clearance, Boron Alloy Shackle, Removable<br>Core, Less Cylinder     | 526002      | \$148.37 |         |    |           |         |
| 1 7/8" Clearance, Boron Alloy Shackle, Removable<br>Core, Less Cylinder     | 526102      | \$148.37 |         |    |           |         |
| 1 3/8" Clearance, Stainless Steel Shackle,<br>Removable Core, Less Cylinder | 526012      | \$148.37 |         |    |           |         |
| 1 7/8" Clearance, Stainless Steel Shackle,<br>Removable Core, Less Cylinder | 526112      | \$148.37 |         |    |           |         |

<sup>\*</sup> Padlock body is solid brass with 26 plated finish.

Note: 52-6 Series padlocks use 5 pin/4 level 60 Series cylinders and can be keyed into a system utilizing cam and switch locks.

<sup>52</sup> series Padlocks Cover Options: 00 = Standard, 01 = Case Cover, 10 = Dust Cover

# **Hockey Puck Padlocks**

Medeco® Hockey Puck style padlocks come with hardened solid steel bodies and a shackle-less design for the highest level of protection against bolt cutter attacks. They are completely serviceable and can be re-keyed in case of lost or stolen keys.



The Hockey Puck padlock can be ordered in a variety of different cylinder technologies. This includes in a high security format (Medeco 4) and Medeco XT for access control, audit trails, and much more. Hockey Puck padlocks can be used in a variety of applications including vending, storage containers, cargo trailers, and more.



#### **Patented Key Control**

Protects against unauthorized duplication of your keys.



#### **Protection From Physical Attack**

M4 cylinders use cylinder side pins, a lift pin and a movable key element to engage a sidebar that prevents the key from turning until the elements are rotated and aligned in the correct position, protecting against bumping, picking and other attacks.



#### Can Be Master Keyed

Medeco Hockey Puck Padlocks can be master keyed into existing Medeco 10 Series products.



#### **Available in Intelligent Key**

Medeco's Hockey Puck Padlocks are also available with the Medeco XT Intelligent Key system for Loss & Liability control.



#### **Special Angle Cut Keys**

Requires a special key cutting machine and access to Medeco specific blanks, available in a variety of restrictions to support every need.



#### **Picking and Bumping Protection**

M4 cylinders use a sidebar that prevent the key from rotating until it is elevated, rotated and aligned in the correct position. This feature protects against bumping and picking attacks.

#### **Technical Features:**

- Hardened steel body.
- 5 pin, key-in-knob cylinder.
- Requires a key to relock.
- Hardened solid steel, black chrome plated body.
- All Medeco cylinders are constructed of durable machined brass components, designed to last the life of your equipment.

### **Applications:**

Hockey Puck style padlocks can be used in a variety of different applications including vending, storage and transportation.

## **Warranty:**

Warranted for two (2) years against manufacturer's defects. See the Medeco limited warranty for full details.

## **Available Key Technologies:**

#### Mechanical:

#### - M4/M4 BiLevel

#### - Medeco XT

**Intelligent Key:** 

- M3/M3 BiLevel\*
- X4\*

#### 52-9 Series Hockey Puck Padlock

| Description   | Part Number | M4/M³    | M4/M³ BiLevel | X4       |
|---|-------------|----------|---------------|----------|
| Hackey Duck Dadlack With E Din High Cocurity on C Din Madaca VA Culindar  | 5293000 (P) | \$223.50 | \$160.83      | \$205.67 |
| Hockey Puck Padlock, With 5 Pin High Security or 6 Pin Medeco X4 Cylinder | 5293000 (S) | \$207.00 | \$151.83      | \$189.17 |
| Hockey Puck Padlock, Non-Key Retaining, Less Cylinder                     | 52930L0     | \$95.00  |               |          |

 $<sup>^</sup>st$  Hockey Puck uses unique cylinders and can be pinned to a door hardware key. Not available with LFIC or SFIC.



G8R Padlocks 18

# **G8R Padlocks**

Medeco® offers a variety of High Security Padlocks that are designed to accept both mechanical and Intelligent Key cylinders. With its tough, weather resistant construction, this is the padlock of choice for extreme environments such as trailers, cargo containers, and gates. The Medeco® G8R body is constructed of solid stainless steel. You can choose from



either a stainless steel shackle for maximum corrosion resistance, or hardened steel to withstand severe physical attack. Each padlock includes a weather seal cap attached by a cable. The Medeco® G8R will accept either an Intelligent Key or mechanical t-handle cylinder. The mechanical cylinders provide the benefit of patented key control and pick resistance. Intelligent Keys sophisticated audit and control features transforming the G8R into a portable access control system for extreme environments.



#### **Patented Key Control**

Protects against unauthorized duplication of your keys.



#### **Protection From Physical Attack**

Medeco<sup>3</sup> padlock cylinders are UL 437 listed and stand up to drilling, picking and other forms of physical attack. Available in either a hardened steel shackle to withstand severe physical attack or a stainless steel shackle for maximum corrosion resistance.



#### Weather Resistant Construction

Uses a weather seal cap, attached by a cable, to provide protection from water and road grime.



#### **Available in Intelligent Key**

Medeco G8R Padlocks are also available with Medeco Intelligent Key systems for Loss & Liability control.



#### **Special Angle Cut Keys**

Requires a special key cutting machine and access to Medeco specific blanks, available in a variety of restrictions to support every need.



#### **Picking and Bumping Protection**

Medeco<sup>3</sup> cylinders use a sidebar that prevent the key from rotating until it is elevated, rotated and aligned in the correct position. This feature protects against bumping and picking attacks.

#### **Technical Information:**

- 300 series, cast stainless steel body.
- Padlock is sold less cylinder. Compatible with Medeco® mechanical and NEXGEN electronic t-handle cylinders.
- Padlocks are shipped with a weather seal cap attached by a steel cable. A finish plate is included for applications that do not require the weather seal cap.
- Sealed construction protects cylinders from water and road grime.
- Stainless steel body resists attack and corrosion.
- Shackles can be specified in stainless or hardened steel to fit your application.

## **Applications:**

 The G8R Series was designed for locking installations requiring weather resistance and strong physical security. Applications include: cargo containers, trailer doors, gates, vending machines.

#### **Warranty:**

Warranted for two (2) years against manufacturer's defects. See the Medeco® limited warranty for full details

## **Available Key Technologies:**

#### Mechanical:

## Intelligent Key: – Medeco XT

 $-M^{3}$ 

– Classic CLIO

- Medeco Nexgen

#### **G8R Series Padlock**

| Description                                | Part Number | Price    |
|--|-------------|----------|
| G8R Weather-tight Padlock, 5/16" Stainless |             |          |
| Steel Shackle, less pop-out cylinder       | 52110040    | \$190.00 |
| G8R Weather-tight Padlock, 5/16" Hardened  |             |          |
| Steel Shackle, less pop-out cylinder       | 52111040    | \$190.00 |
| G8R Weather-tight Padlock, 7/16" Stainless |             |          |
| Steel Shackle, less pop-out cylinder       | 52120040    | \$190.00 |
| G8R Weather-tight Padlock, 7/16" Hardened  |             |          |
| Steel Shackle, less pop-out cylinder       | 52121040    | \$190.00 |
| G8R cap and seal kit                       | 94-0213     | \$32.20  |

G8R padlocks are sold less cylinder and use a cam lock style key with pop-out plug. Keys are charged separately for this style cylinder.



## **Padlock Cylinders**

| Description  | Part Number | M4/M <sup>3</sup> | BiLevel  | X4       | Biax/Orig | KeyMark  |
|--|-------------|-------------------|----------|----------|-----------|----------|
| 5 Pin Cylinder (6 pin Medeco X4) for Hockey Puck Style       | 2001600 (P) | \$123.50          | \$67.31  | \$61.50  | \$130.99  | \$67.14  |
| Padlock sold after 9/2004 (KIK style cylinder)               | 2001600(S)  | \$107.00          | \$58.31  | \$45.00  | \$114.49  | \$50.64  |
| 6 Pin Cylinder for LFIC Medeco Padlocks,                     | 320201 (P)  | \$184.50          | \$100.56 |          | \$196.26  |          |
| 50 (Brass Body Series) & 54 Series                           | 320201 (S)  | \$168.00          | \$91.56  |          | \$179.76  |          |
| Removeable Cylinder to fit 50 Series Brass Padlocks          | 320202 (P)  | \$162.50          |          |          | \$172.72  |          |
| (Note - only available in 06 finish)                         | 320202 (S)  | \$146.00          |          |          | \$156.22  |          |
| 6 Pin Cylinder for KIK Medeco Padlock, for 54 Series Padlock | 510600 (P)  | \$137.50          | \$75.20  | \$119.67 | \$145.97  | \$127.67 |
|  | 510600 (S)  | \$121.00          | \$66.20  | \$103.17 | \$129.47  | \$111.17 |
| 5 Pin Spring Bolt Cylinder (non-key retaining), for          | 960357 (P)  | \$135.00          |          |          | \$142.42  |          |
| G8R Padlock  | 960357 (S)  | \$106.00          |          |          | \$113.42  |          |
| E Dia Doodholt Culinder (kouretaining) for COD Dodlock       | 960358 (P)  | \$135.00          |          |          | \$142.42  |          |
| 5 Pin Deadbolt Cylinder (key retaining), for G8R Padlock     | 960358(S)   | \$106.00          |          |          | \$113.42  |          |
| Spacer for use with 5 Pin Cylinders, for G8R Padlock         | CP-160691   | \$2.33            |          |          |           |          |
| 5 Pi - 1: 1 ( - 1 1 - 1 1) ( 52 G - 11 1                     | 66418 (P)   | \$120.70          |          |          | \$127.12  |          |
| 5 Pin cylinder (cam lock style) for 52-6 padlocks            | 66418 (S)   | \$91.70           |          |          | \$98.12   |          |
| C Dia Danasanhla alua fan C2 C madla dia                     | 66391 (P)   | \$102.50          |          |          | \$110.65  |          |
| 5 Pin Removable plug for 52-6 padlocks                       | 66391 (S)   | \$73.50           |          |          | \$81.65   |          |

Electronic padlock cylinders are available for many of the padlocks. Refer to the XT and CLIQ sections for specific part numbers and pricing.

## Components

| Description   | Dart Number   | Drico    |
|---|---------------|----------|
| Description   | Part Number   | Price    |
| Component Package for 54 Series Padlocks, NonKey Retaining.   |               |          |
| Includes CP-130510 Cylinder Extension/Actuator, Spring & Washer, CP-022030 Cylinder Retainer, CP-011511-000 Retainer Screw, |               |          |
| CP-250140 Steel Ball Bearing  | 94-0199       | \$16.50  |
| Cylinder Retainer Sleeve (Fits over Cylinder Bible Chamber & holds  | 310133        | \$ 10.50 |
| cylinder in padlock body  | CP-022030     | \$8.57   |
| Retainer Screw, #6-32 UNC-2A x .312" length   | CP-011511-000 | \$0.78   |
| Cylinder Extension/Actuator, Non Key Retaining, Spring & Washer   |               |          |
| for 54 Series Padlocks  | CP-130510     | \$7.21   |
| Stainless Steel Ball Bearing for 54 Series Padlocks, .360" Diameter   | CP-250140     | \$0.78   |
| Cylinder Extension/Actuator, Key Retaining, for 54 Series Padlocks  | CP-200720     | \$7.21   |
| Chain Assembly for 50 Series Brass Padlocks   | CP-280271     | \$38.40  |
| Case Cover for 50 Series Brass Padlocks   | CP-170250     | \$23.10  |
| Shackle Spring for 50 Series Brass Padlocks   | CP-030430     | \$0.50   |
| Actuator Adaptor for 50 Series Brass Padlocks   | CP-130101     | \$9.81   |
| Locking Balls for 50 Series Brass Padlocks  | CP-250040     | \$1.95   |
| 3/16" Cylinder Retaining Ball for 50 Series Brass Padlocks  | CP-250030     | \$0.47   |
| 1/16" Hex Allen Wrench - Long Arm to use with 50 Series Brass Padlocks  | 94-0020       | \$6.22   |
| Package for Sub-assembled 50 Series Brass Padlock, Includes:  |               |          |
| Set screws, retaining ball, Brass Pin Chamber Cover   |               |          |
| Chain, 7/16" Collar and Rivet, Eye Strap  | 94-0052       | \$18.50  |

## **Shackles for Indoor/Outdoor Padlocks**

|  | Boron Alloy Steel |         | Stainless Steel |         |
|--|-------------------|---------|-----------------|---------|
| Description  | Part Number       | Price   | Part Number     | Price   |
| Standard Shackle for 54-51 Indoor/Outdoor Padlock,     |                   |         |                 |         |
| 1-1/8" Shackle Clearance x 5/16" Diameter              | CP-144120         | \$12.50 | CP-144180       | \$18.70 |
| Extra Length Shackle for 54-51 Indoor/Outdoor Padlock, |                   |         |                 |         |
| 2-3/8" Shackle Clearance x 5/16" Diameter              | CP-144130         | \$15.10 | CP-144190       | \$21.00 |
| Standard Shackle for 54-71 Indoor/Outdoor Padlock,     |                   |         |                 |         |
| 1-3/8" Shackle Clearance x 7/16" Diameter              | CP-144150         | \$15.10 | CP-144210       | \$21.00 |
| Extra Length Shackle for 54-71 Indoor/Outdoor Padlock, |                   |         |                 |         |
| 1-7/8" Shackle Clearance x 7/16" Diameter              | CP-144160         | \$16.70 | CP-144220       | \$23.10 |

#### **Shackles for Shrouded Padlocks**

|  | Boron Alloy Stee | el      | Stainless Steel |         |
|--|------------------|---------|-----------------|---------|
| Description                                  | Part Number      | Price   | Part Number     | Price   |
| Standard Shackle for 54-52 Shrouded Padlock, |                  |         |                 |         |
| 3/4" Shackle Clearance x 5/16" Diameter      | CP-144110        | \$12.50 | CP-144170       | \$18.70 |
| Standard Shackle for 54-72 Shrouded Padlock, |                  |         |                 |         |
| 3/4" Shackle Clearance x 7/16" Diameter      | CP-144140        | \$15.10 | CP-144200       | \$21.00 |

#### **Shackles for 50 Series Brass Padlocks**

| Description  | Part Number | Price   |
|--|-------------|---------|
| 2 1/4" Stainles Steel Shackle for 50 Series Brass Padlocks | CP-142543   | \$66.50 |
| 2 1/4" Hardened Steel Shackle for 50 Series Brass Padlocks | CP-142043   | \$62.20 |

#### **Protector II Series Padlock Cylinder**

| Description                         | Part Number | $M^3$    | BiLevel | X4 | Biax/Orig | KeyMark |
|-------------------------------------|-------------|----------|---------|----|-----------|---------|
| KIK style cylinder for Protector II | 500020 (P)  | \$116.00 |         |    | \$122.97  |         |
|                                     | 500020(S)   | \$99.50  |         |    | \$106.47  |         |

#### **Protector II Series Padlock Parts**

| Description                            | Part Number | Price   |
|--|-------------|---------|
| Disk For Standard Key In Knob Cylinder | CP-171011   | \$18.20 |
| Disk For CLIQ Cylinder                 | CP-171021   | \$18.20 |
| Disk For Medeco XT Cylinder            | CP-171031   | \$18.20 |

# Cam, Cabinet & Switch Locks

| FEATURES  | M³ | CLIQ | Medeco XT |
|---|----|------|-----------|
| Easily integrated into existing cam lock master key systems   | •  | •    |           |
| Easy installation   | •  | •    | •         |
| Completely serviceable and may be rekeyed in the event of a lost or stolen key  | •  | •    | •         |
| UL 437 Listing on cylinder for high security  | •  |      |           |
| Cam locks available in all standard lengths, flats, and rotations   | •  | •    | •         |
| Switch locks available in single or double switch models and momentary and maintained positions with silver or gold contacts (for low amperage applications) designed to accept quick connect leads | •  | •    | •         |

#### Medeco<sup>3</sup> Premium High Security

For effective mechanical protection against most forms of attack as well as protection against unauthorized duplicate keys, Medeco³ cylinders are recommended. Security features including hardened steel components, pins that must be elevated, rotated, and interact with both a sidebar and a slider, and additional pick resistant features make Medeco³ the cylinder of choice to protect people, property and information.

#### **Intelligent Key Solutions**

Many of the cylinders in this section are also available with an Intelligent Key solution. See the Intelligent Key section for more details.



Cam Locks 185

# **Cam Locks**

Medeco® High Security Cam Locks are recognized throughout the world as the standard for protection in a 3/4 inch diameter lock. Medeco Cam Locks utilize hardened, stainless steel inserts throughout the cylinder to provide the ultimate defense against drilling, pulling, and other forms of vandal attacks. Patented key control programs prevent the



unauthorized duplication of keys and maintain system integrity. Keyed alike, keyed different, or master keyed, Medeco offers a complete line of cam locks in a wide variety of sizes and functions to meet your specific needs.



#### **Patented Key Control**

Protects against unauthorized duplication of your keys.



#### **Available in Intelligent Key System**

Medeco cam locks are also available with Medeco Intelligent Key Systems for loss & liability control.



#### Can Be Master Keyed

Medeco Cam Locks can be keyed alike, keyed different or master keyed.



#### **Protection From Physical Attack**

Medeco<sup>3</sup> cam locks are UL 437 Listed and stand up to drilling, picking and other forms of physical attack.

#### **Benefits:**

- All Medeco cylinders are constructed of durable machined brass components.
- Hardened stainless steel inserts inside the cylinder provide the ultimate defense against drilling and other forms of physical attack.
- Unique elevating and rotating tumbler pin system is virtually pick proof.
- Patented Medeco<sup>3</sup> keys may only be duplicated by Medeco or an authorized Medeco service outlet, and only at your request.
- Locks can be keyed alike, keyed different, or master keyed depending on your specific needs.
- Available in various lengths and rotations.

#### **Technical Information:**

- Four or five pin models available depending on size
- Available in three standard sizes, 11/16 inch,
   7/8 inch and 1 1/8 inch. Other sizes available upon request.
- Two flat models available, key retaining only
- Clockwise or counterclockwise rotation, 90 or 180 degrees
- Keyed alike, keyed different, or master keyed

#### Warranty:

Warranted for two (2) years against manufacturer's defects. See the Medeco limited warranty for full details

#### **Finishes:**

- 26 satin chrome finish standard
- Other finishes available, depending on volume

#### Certification:

• UL 437 Listed

#### **Applications:**

Medeco Cam Locks can be used in any standard 3/4 inch diameter application and a multitude of markets including:

- Safes
- Utility
- Communication
- Data Encryption
- Alarm
- Cabinet
- Access control
- Transit
- Banking
- Lockers

## **Available Key Technologies:**

Mechanical:

**Intelligent Key:** 

 $-M^3$ 

Classic CLIQ

– X4

– Medeco XT



#### Medeco<sup>3</sup> All-In-One Cam Lock Kits

| Description                     | Part Number     | M³       | BiLevel | X4 | Biax/Orig | KeyMark |
|---------------------------------|-----------------|----------|---------|----|-----------|---------|
| 7/0" Longth F Din Com Lock Vit  | 600350T KIT (P) | \$137.54 |         |    | \$144.41  |         |
| 7/8" Length 5 Pin Cam Lock Kit  | 600350T KIT (S) | \$108.54 |         |    | \$115.41  |         |
| 11/0" Longth F Din Com Lock Vit | 600650T KIT (P) | \$137.54 |         |    | \$144.41  |         |
| 11/8" Length 5 Pin Cam Lock Kit | 600650T KIT (S) | \$108.54 |         |    | \$115.41  |         |
| 5/8" Length 5 Pin Cam Lock Kit  | 601150T KIT (P) | \$137.54 |         |    | \$144.41  |         |
|                                 | 601150T KIT (S) | \$108.54 |         |    | \$115.41  |         |
| 11/2" 5 Pin Cam Lock Kit        | 601450T KIT (P) | \$142.34 |         |    | \$149.55  |         |
|                                 | 601450T KIT (S) | \$113.34 |         |    | \$120.55  |         |

#### X4 Cam Lock Kit

| Description   | Part Number | M³ | BiLevel | X4       | Biax/Orig | KeyMark  |
|---|-------------|----|---------|----------|-----------|----------|
| 1 1/8" length Medeco X4 7 pin cam lock kit with two cams, hex nut, lock washer, mounting washer and 1/4" spacer | 210503 (P)  |    |         | \$107.70 |           | \$114.08 |
| collar.   | 210503 (S)  |    |         | \$91.20  |           | \$97.58  |

There is a 6 piece minimum order quantity for high security cam locks.

All-in-One Cam Lock Kits include: CP-040500 pronged washer, CT-A05 flat cam, CT-D05 flat cam, CT-J01 offset cam, CT-H07 offset cam, CP-040451 90 degree stop washer, CP-040461 180 degree stop washer CP-050060 3/4" - 27 mounting nut and 2 keys.

Master keying is not available in a Cam Lock kit, but may be custom ordered with specific Cam Locks listed on the following pages.

Cam Locks 12

#### **High Security Cam Locks**

| Description                | Part Number | $M^3$    | BiLevel | X4 | Biax/Orig | KeyMark |
|----------------------------|-------------|----------|---------|----|-----------|---------|
| 5 pin, 11/16" Cam Lock     | 600250T (P) | \$127.20 |         |    | \$134.07  |         |
| 5 piii, 11/10 Calii Lock   | 600250T(S)  | \$98.20  |         |    | \$105.07  |         |
| Enin 7/0" Com Lock         | 600350T(P)  | \$127.20 |         |    | \$134.07  |         |
| 5 pin, 7/8" Cam Lock       | 600350T(S)  | \$98.20  |         |    | \$105.07  |         |
| Enin 1" Com Lock           | 600450T(P)  | \$127.20 |         |    | \$134.07  |         |
| 5 pin, 1" Cam Lock         | 600450T(S)  | \$98.20  |         |    | \$105.07  |         |
| 4 nin 7/0" Com Lock        | 600550T(P)  | \$124.80 |         |    | \$131.51  |         |
| 4 pin, 7/8" Cam Lock       | 600550T(S)  | \$95.80  |         |    | \$102.51  |         |
|                            | 600650T(P)  | \$127.20 |         |    | \$134.07  |         |
| 5 pin, 1 1/8" Cam Lock     | 600650T(S)  | \$98.20  |         |    | \$105.07  |         |
| 4 min 11/10   Complete al. | 600750T(P)  | \$124.80 |         |    | \$131.51  |         |
| 4 pin, 11/16" Cam Lock     | 600750T(S)  | \$95.80  |         |    | \$102.51  |         |
| 4 min 5/0" Com Look        | 600850T(P)  | \$124.80 |         |    | \$131.51  |         |
| 4 pin, 5/8" Cam Lock       | 600850T(S)  | \$95.80  |         |    | \$102.51  |         |
| 5 min 2/4" Com Londo       | 600950T (P) | \$127.20 |         |    | \$134.07  |         |
| 5 pin, 3/4" Cam Lock       | 600950T(S)  | \$98.20  |         |    | \$105.07  |         |
|                            | 601150T (P) | \$127.20 |         |    | \$134.07  |         |
| 5 pin, 5/8" Cam Lock       | 601150T(S)  | \$98.20  |         |    | \$105.07  |         |
| 2 -:- 7/10" Care Lask      | 601250T (P) | \$114.10 |         |    | \$120.06  |         |
| 3 pin, 7/16" Cam Lock      | 601250T(S)  | \$85.10  |         |    | \$91.06   |         |
| 2 min 5/0" Com Look        | 601251T(P)  | \$114.10 |         |    | \$120.06  |         |
| 3 pin, 5/8" Cam Lock       | 601251T(S)  | \$85.10  |         |    | \$91.06   |         |
| Enin 11/2" Cam Lock        | 601450T (P) | \$132.00 |         |    | \$139.21  |         |
| 5 pin, 1 1/2" Cam Lock     | 601450T(S)  | \$103.00 |         |    | \$110.21  |         |
| Fig. 2" Compliant          | 601452T (P) | \$136.00 |         |    | \$143.49  |         |
| 5 pin, 2" Cam Lock         | 601452T(S)  | \$107.00 |         |    | \$114.49  |         |

You must specify the operation code to complete the part number. Pinned pricing includes two keys. Standard sizes described, contact Medeco customer service or medeco.com for variations not listed.

There is a 6 piece minimum order quantity for high security Cam Locks.

## **Medeco Cam Lock Part Number Configurations**

| Part Number | Operation Code | Technology | Finish | Keyway | "Cam Lock Operation Code"<br>– Describes the function of the lock: |
|-------------|----------------|------------|--------|--------|--|
| XXXXXXX     | XXX            | X          | 26     | XX     | direction of key turn, rotation, key retaining or two key-pull.    |

## **Cam Lock Operation Codes – Fixed Core Cam Locks**

Describes the function of the lock

| <b>Operation Code</b> | <b>Rotation Distance</b> | Direction to Unlock | Key Retaining or 2 Key Pull |
|-----------------------|--------------------------|---------------------|-----------------------------|
| 219                   | 90°                      | Clockwise           | Key Retaining               |
| 229                   | 90°                      | Clockwise           | 2 Key Pull                  |
| 239                   | 90°                      | Counterclockwise    | Key Retaining               |
| 249                   | 90°                      | Counterclockwise    | 2 Key Pull                  |
| 259                   | 180°                     | Clockwise           | Key Retaining               |
| 269                   | 180°                     | Clockwise           | 2 Key Pull                  |
| 279                   | 180°                     | Counterclockwise    | Key Retaining               |
| 289                   | 180°                     | Counterclockwise    | 2 Key Pull                  |

**Note:** Key Retaining – Key is removable in the locked position only.

2 Key Pull – Key is removable in both the locked and unlocked positions.

# Removable Core Cam Locks

Medeco® Cam Locks are available with a removable core feature allowing cores to be changed out in seconds, to provide an entirely new keying combination. For applications that may require instantaneous re-keying due to lost or stolen keys, or where periodic re-keying is done as a matter of good business practice, Medeco removable core cam Locks save valuable time and money. Removable core cam locks offer the same high security features of a Medeco cam lock with the convenience of a removable core.





#### **Patented Key Control**

Protects against unauthorized duplication of your keys.



#### **Quickly Change Cores**

Medeco removable provide quick and easy cylinder changes in the event keys are lost or stolen.



#### **Protection From Physical Attack**

Medeco<sup>3</sup> Cam Locks are UL 437 Listed and stand up to drilling, picking and other forms of physical attack.

#### **Benefits:**

- Removable cores can be changed out in seconds to provide a new, secure keying combination.
- All Medeco cylinders are constructed of durable machined brass components.
- Hardened stainless steel inserts inside the cylinder provide the ultimate defense against drilling and other forms of physical attack.
- Unique elevating and rotating tumbler pin system is virtually pick proof.
- Patented Medeco<sup>3</sup> keys may only be duplicated by Medeco or an authorized Medeco service outlet, and only at your request.
- Locks can be keyed alike, keyed different, or master keyed depending on your specific needs.
- Available in various lengths and rotations.

#### **Technical Information:**

- Four or five pin models available depending on size
- Available in three standard sizes, 11/16 inch, 7/8 inch and 1 1/8 inch
- Two flat models available, key retaining only
- Clockwise or counterclockwise rotation, 90 or 180 degrees
- Keyed alike, keyed different, or master keyed

#### Warranty:

Warranted for two (2) years against manufacturer's defects. See the Medeco® limited warranty for full details

#### **Finishes:**

- 26 satin chrome finish standard
- Other finishes available, depending on volume

## **Applications:**

- Medeco® Removable Core Cam Locks can be used in any standard 3/4 inch diameter application and a multitude of markets including:
  - Safes

- Utility
- Communications
- Data Encryption
- Alarms
- Cabinets
- Access control
- Transit
- Banking
- Lockers

## **Available Key Technologies:**

#### Mechanical:

 $-M^3$ 



Cam Locks 189

## **High Security Removable Core Cam Locks**

| Description   | Part Number | M³       | BiLevel | X4 | Biax/Orig | KeyMark |
|---|-------------|----------|---------|----|-----------|---------|
| 4 nin 11/16" Demovable core Cam Lock  | 607155XT(P) | \$145.00 |         |    | \$153.12  |         |
| 4 pin, 11/16" Removable core Cam Lock   | 607155XT(S) | \$116.00 |         |    | \$124.12  |         |
| 4 nin 7/0" Dansauchla agus Canalla dh   | 607255XT(P) | \$145.00 |         |    | \$153.12  |         |
| pin, 7/8" Removable core Cam Lock   | 607255XT(S) | \$116.00 |         |    | \$124.12  |         |
| 4 min 1 1 10" Daması akla saya Camalaslı  | 607355XT(P) | \$145.00 |         |    | \$153.12  |         |
| 4 pin, 1 1/8" Removable core Cam Lock   | 607355XT(S) | \$116.00 |         |    | \$124.12  |         |
| 5 min 1 1 10 " Damanushla anno Camalash.  | 607455XT(P) | \$147.00 |         |    | \$155.26  |         |
| pin, 1 1/8" Removable core Cam Lock   | 607455XT(S) | \$118.00 |         |    | \$126.26  |         |
| 5 min 7/0" Domovichle com Com Lock  | 607555XT(P) | \$147.00 |         |    | \$155.26  |         |
| 5 pin, 7/8" Removable core Cam Lock   | 607555XT(S) | \$118.00 |         |    | \$126.26  |         |
| Plug for Removable Core Cam Locks. Cam Locks  | 66391 (P)   | \$102.50 |         |    | \$110.65  |         |
| are provided with plug, but additional plugs may be ordered separately. Keys not included in price. | 66391 (S)   | \$73.50  |         |    | \$81.65   |         |

Pinned price includes 2 keys.

#### X = Rotation for Removable Core Cam Lock

| Description                 | Part Number |
|-----------------------------|-------------|
| 90 degree Clockwise         | 0           |
| 90 degree Counterclockwise  | 1           |
| 180 degree Clockwise        | 2           |
| 180 degree Counterclockwise | 3           |





#### **A Series Flat Cams**

| Description     | Part Number | Price  |
|-----------------|-------------|--------|
| 5/8" Flat Cam   | CT-A00      | \$3.35 |
| 3/4" Flat Cam   | CT-A01      | \$3.35 |
| 7/8" Flat Cam   | CT-A02      | \$3.35 |
| 1" Flat Cam     | CT-A03      | \$3.35 |
| 1 1/8" Flat Cam | CT-A04      | \$3.35 |
| 1 1/4" Flat Cam | CT-A05      | \$3.35 |
| 1 3/8" Flat Cam | CT-A06      | \$3.35 |
| 1 1/2" Flat Cam | CT-A07      | \$3.35 |
| 1 5/8" Flat Cam | CT-A08      | \$3.35 |
| 1 3/4" Flat Cam | CT-A09      | \$3.35 |
| 2" Flat Cam     | CT-A11      | \$3.35 |
| 2 1/8" Flat Cam | CT-A12      | \$3.35 |
| 2 1/4" Flat Cam | CT-A13      | \$3.35 |
| 2 3/8" Flat Cam | CT-A14      | \$3.35 |
| 2 1/2" Flat Cam | CT-A15      | \$3.35 |
| 2 5/8" Flat Cam | CT-A16      | \$3.35 |
| 3" Flat Cam     | CT-A19      | \$3.35 |

## C Series Flat Cams, 45° Tenon



| Description     | Part Number | Price  |
|-----------------|-------------|--------|
| 7/8" Flat Cam   | CT-C02      | \$3.35 |
| 1 1/8" Flat Cam | CT-C04      | \$3.35 |
| 1 1/4" Flat Cam | CT-C05      | \$3.35 |
| 1 5/8" Flat Cam | CT-C08      | \$3.35 |
| 1 3/4" Flat Cam | CT-C09      | \$3.35 |
| 2" Flat Cam     | CT-C11      | \$3.35 |

# $\bigcirc$

#### D Series Flat Cams, Horizontal Tenon

| Description     | Part Number | Price  |
|-----------------|-------------|--------|
| 5/8" Flat Cam   | CT-D00      | \$3.35 |
| 3/4" Flat Cam   | CT-D01      | \$3.35 |
| 7/8" Flat Cam   | CT-D02      | \$3.35 |
| 1" Flat Cam     | CT-D03      | \$3.35 |
| 1 1/8" Flat Cam | CT-D04      | \$3.35 |
| 1 1/4" Flat Cam | CT-D05      | \$3.35 |
| 1 3/8" Flat Cam | CT-D06      | \$3.35 |
| 1 1/2" Flat Cam | CT-D07      | \$3.35 |
| 1 5/8" Flat Cam | CT-D08      | \$3.35 |
| 1 3/4" Flat Cam | CT-D09      | \$3.35 |
| 2" Flat Cam     | CT-D11      | \$3.35 |
| 2 1/8" Flat Cam | CT-D12      | \$3.35 |
| 2 1/2" Flat Cam | CT-D15      | \$3.35 |
| 3" Flat Cam     | CT-D19      | \$3.35 |





## H Series Offset Cam, Vertical Tenon

| Description                  | Part Number | Price  |
|------------------------------|-------------|--------|
| 1 1/4" Cam with 1/8" offset  | CT-H00      | \$3.49 |
| 1 1/8" Cam with 7/32" offset | CT-H07      | \$3.49 |
| 1 1/8" Cam with 1/8" offset  | CT-H09      | \$3.49 |
| 1 1/2" Cam with 7/32" offset | CT-H14      | \$3.49 |
| 1 1/4" Cam with 7/32" offset | CT-H15      | \$3.49 |
| 1 1/8" Cam with 5/16" offset | CT-H16      | \$3.49 |
| 1 1/4" Cam with 5/16" offset | CT-H17      | \$3.49 |
| 1 3/4" Cam with 5/16" offset | CT-H19      | \$3.49 |
| 2" Cam with 5/16" offset     | CT-H20      | \$3.49 |
| 7/8" Cam with 5/32" offset   | CT-H27      | \$3.49 |
| 1 3/4" Cam with 7/32" offset | CT-H30      | \$3.49 |
| 1 1/2" Cam with 5/16" offset | CT-H32      | \$3.49 |





## J Series Offset Cam, Horizontal

| Description                  | Part Number | Price  |
|------------------------------|-------------|--------|
| 1 1/8" Cam with 7/32" offset | CT-J01      | \$3.49 |
| 1" Cam with 1/8" offset      | CT-J05      | \$3.49 |
| 1 1/4" Cam with 1/8" offset  | CT-J07      | \$3.49 |
| 1 5/8" Cam with 1/8" offset  | CT-J08      | \$3.49 |
| 2 1/8" Cam with 1/8" offset  | CT-J11      | \$3.49 |
| 1 1/4" Cam with 7/32" offset | CT-J12      | \$3.49 |
| 1 1/8" Cam with 5/16" offset | CT-J13      | \$3.49 |
| 1 1/4" Cam with 5/16" offset | CT-J14      | \$3.49 |
| 1 5/8" Cam with 5/16" offset | CT-J15      | \$3.49 |
| 2 1/8" Cam with 5/16" offset | CT-J18      | \$3.49 |
| 1 1/8" Cam with 5/32" offset | CT-J22      | \$3.49 |
| 1 1/2" Cam with 5/16" offset | CT-J27      | \$3.49 |
| 2 1/8" Cam with 7/32" offset | CT-J28      | \$3.49 |
| 7/8" Cam with 5/32" offset   | CT-J29      | \$3.49 |
| 3/4" Hex nut for Cam Locks   | CP-050060   | \$1.95 |

## 3/4" Removable Plug Lock

| Description                         | Part Number | $M^3$    | BiLevel | X4 | Biax/Orig | KeyMark |
|-------------------------------------|-------------|----------|---------|----|-----------|---------|
| 1 kovaull 2/4" Pomovahla plug lock  | 640250T (P) | \$132.00 |         |    | \$139.21  |         |
| 1 keypull, 3/4" Removable plug lock | 640250T(S)  | \$103.00 |         |    | \$110.21  |         |
| 2 hannall 2/4" Dansarahla ahrala di | 640251T (P) | \$132.00 |         |    | \$139.21  |         |
| 2 keypull, 3/4" Removable plug lock | 640251T(S)  | \$103.00 |         |    | \$110.21  |         |

## 1 1/8" Removable Plug Lock

| Description                                   | Part Number  | M³       | BiLevel | X4 | Biax/Orig | KeyMark |
|---|--------------|----------|---------|----|-----------|---------|
| 1 kouzull vortical flats flush mount          | 640550T(P)   | \$150.00 |         |    | \$158.47  |         |
| 1 keypull, vertical flats, flush mount        | 640550T(S)   | \$121.00 |         |    | \$129.47  |         |
|   | 640550AT (P) | \$150.00 |         |    | \$158.47  |         |
| 1 keypull, horizontal flats, flush mount      | 640550AT (S) | \$121.00 |         |    | \$129.47  |         |
| 2 keypull, vertical flats, surface mount with | 640550FT (P) | \$150.00 |         |    | \$158.47  |         |
| pered bezel                                   | 640550FT(S)  | \$121.00 |         |    | \$129.47  |         |

Pinned price includes 2 keys.


## **Security Collars**

| Description              | Part Number | Price   |
|--------------------------|-------------|---------|
| Cam Lock security collar | CP-070501   | \$11.20 |
| Cam Lock security collar | CP-070131   | \$11.20 |
| Cam Lock security collar | CP-070161   | \$11.20 |
| Cam Lock security collar | CP-070171   | \$11.20 |
| Cam Lock security collar | CP-070441   | \$11.20 |
| Cam Lock security collar | CP-070201   | \$11.20 |
| Cam Lock security collar | CP-070111   | \$11.20 |
| Cam Lock security collar | CP-070141   | \$11.20 |
| Cam Lock security collar | CP-070181   | \$11.20 |
| Cam Lock security collar | CP-070481   | \$11.20 |

## **Security Collars**

| (H)    | (I)  | (J)   | (K)   | (L)   |  |
|--------|--|---|---|---|--|
| 1.000" | .142"  | .170"   | .312"   | 1.290"  |  |
| .885"  | .142"  | .170"   | .312"   | 1.210"  |  |
| .885"  | .188"  | .250"   | .438"   | 1.356"  |  |
| .885"  | .200"  | .238"   | .438"   | 1.290"  |  |
| .885"  | .260"  | .070"   | .330"   | 1.210"  |  |
| .885"  | .262"  | .050"   | .312"   | 1.210"  |  |
| .885"  | .278"  | .160"   | .438"   | 1.290"  |  |
| .885"  | .325"  | .050"   | .375"   | 1.275"  |  |
| 1.000" | .450"  | .050"   | .500"   | 1.250"  |  |
| 1.000" | .638"  | .050"   | .688"   | 1.313"  |  |
|        | 1.000" .885" .885" .885" .885" .885" .885" .885" .1.000" | 1.000"       .142"         .885"       .142"         .885"       .188"         .885"       .200"         .885"       .260"         .885"       .262"         .885"       .278"         .885"       .325"         1.000"       .450" | 1.000"     .142"     .170"       .885"     .142"     .170"       .885"     .188"     .250"       .885"     .200"     .238"       .885"     .260"     .070"       .885"     .262"     .050"       .885"     .278"     .160"       .885"     .325"     .050"       1.000"     .450"     .050" | 1.000"         .142"         .170"         .312"           .885"         .142"         .170"         .312"           .885"         .188"         .250"         .438"           .885"         .200"         .238"         .438"           .885"         .260"         .070"         .330"           .885"         .262"         .050"         .312"           .885"         .278"         .160"         .438"           .885"         .325"         .050"         .375"           1.000"         .450"         .050"         .500" | 1.000"         .142"         .170"         .312"         1.290"           .885"         .142"         .170"         .312"         1.210"           .885"         .188"         .250"         .438"         1.356"           .885"         .200"         .238"         .438"         1.290"           .885"         .260"         .070"         .330"         1.210"           .885"         .262"         .050"         .312"         1.210"           .885"         .278"         .160"         .438"         1.290"           .885"         .325"         .050"         .375"         1.275"           1.000"         .450"         .050"         .500"         1.250" |





## **Spacers**

| Description                                  | Part Number | Price  |
|--|-------------|--------|
| Cam lock spacer, obtain specific part number |             |        |
| from following dimension chart.              | CP-160XXX   | \$9.57 |

## **Spacers**

| -           |       |       | _ |
|-------------|-------|-------|---|
| Part Number | (M)   | (N)   |   |
| CP-160051   | .125" | .875" |   |
| CP-160101   | .140" | .875" |   |
| CP-160071   | .188" | .875" |   |
| CP-160111   | .200" | .875" |   |
| CP-160081   | .250" | .875" |   |
| CP-160091   | .275" | .875" |   |
| CP-160301   | .375" | .875" |   |
| CP-160121   | .400" | .875" |   |
| CP-160061   | .530" | .875" |   |
| CP-160271   | .437" | .875" |   |
| CP-160541   | .031" | .875" |   |
| CP-160551   | .062" | .875" |   |
| CP-160571   | .312" | .875" |   |
| CP-160591   | .062" | .995" |   |
| CP-160601   | .125" | .995" |   |
| CP-160611   | .250" | .995" |   |





## Pop-Out, T-Handle Cylinder


| Description                            | Part Number  | <b>M</b> <sup>3</sup> | BiLevel | X4 | Biax/Orig | KeyMark |
|--|--------------|-----------------------|---------|----|-----------|---------|
| Cuin aine deedhala                     | 640155CT(P)  | \$114.60              |         |    | \$120.59  |         |
| 5 pin, zinc deadbolt                   | 640155CT(S)  | \$85.60               |         |    | \$91.59   |         |
| Fuin sing anging half                  | 640155T (P)  | \$114.60              |         |    | \$120.59  |         |
| 5 pin, zinc springbolt                 | 640155T (S)  | \$85.60               |         |    | \$91.59   |         |
| 4 min min a muin ala alk               | 640750ET (P) | \$116.80              |         |    | \$122.95  |         |
| 4 pin, zinc springbolt                 | 640750ET(S)  | \$87.80               |         |    | \$93.95   |         |
|  | 640750GT (P) | \$116.80              |         |    | \$122.95  |         |
| 4 pin, zinc deadbolt                   | 640750GT(S)  | \$87.80               |         |    | \$93.95   |         |
| A site of the character of the class   | 640950T (P)  | \$125.80              |         |    | \$132.58  |         |
| 4 pin, steel springbolt                | 640950T(S)   | \$96.80               | -       |    | \$103.58  |         |
| 4 min stool doe dhalt                  | 640952T (P)  | \$125.80              |         |    | \$132.58  |         |
| 4 pin, steel deadbolt                  | 640952T(S)   | \$96.80               |         |    | \$103.58  |         |
| 4 min standardinahalt standahall       | 641050T (P)  | \$162.00              |         |    | \$171.31  |         |
| 4 pin, steel springbolt, steel shell   | 641050T(S)   | \$133.00              |         |    | \$142.31  |         |
| 4 min second docadh alta second ab all | 641051T(P)   | \$162.00              |         |    | \$171.31  |         |
| 4 pin, steel deadbolt, steel shell     | 641051T(S)   | \$133.00              |         |    | \$142.31  |         |

Pinned price includes two keys.

Note: Refer to the XT section for format availability and pricing for XT Intelligent Key T-Handle Cylinders.

# **Cabinet Locks**

Medeco® cabinet locks are specifically designed for drawer or cabinet door applications where a conventional utility cam lock may not be suitable. Cabinet locks utilize heavy-duty bolts and multi-point attachment to the mounting surface in order to withstand the heavy use and higher physical security some applications may require. All Medeco cabinet locks feature solid brass and steel construction, available in either fixed or removable core. Patented key programs prevent the unauthorized





#### **Patented Key Control**

Protects against unauthorized duplication of your keys.



#### **Available in Intelligent Key**

Medeco cabinet locks are also available with Medeco Intelligent Keys for loss & liability control.



#### **Protection From Physical Attack**

Medeco<sup>3</sup> cabinet locks are UL 437 Listed and stand up to drilling, picking and other forms of physical attack.

#### **Benefits:**

- Medeco high security cabinet locks are constructed of durable machined brass and solid steel components.
- Available in either fixed or removable core depending on your specific requirements.
- Available in either deadbolt or spring latch models.
- Unique elevating and rotating tumbler pin system is virtually pick proof.
- Patented Medeco<sup>3</sup> keys may only be duplicated by Medeco or an authorized Medeco service outlet, and only at your request.
- Medeco Cabinet Locks can be keyed in with other 60 Series products.
- Locks can be keyed alike, keyed different, or master keyed depending on your specific needs.

#### **Technical Information:**

- Five pin models available in either deadbolt or spring latch versions.
- 7/8 inch diameter, surface mount, fixed or removable core available.
- Deadbolt fixed core available in non-key retaining.
- Keyed alike, keyed different, or master keyed.

# warranty:

Warranted for two (2) years against manufacturer's defects. See the Medeco® limited warranty for full details.

#### **Finishes:**

- 26 satin chrome finish standard.
- Other finishes available, depending on volume.

## **Applications:**

- Medeco cabinet locks are specifically designed for use in metal or wooden drawer and cabinet door applications including:
  - Medical and narcotics
  - Chests and cabinets
  - Showcases
  - Cash carts
  - Drawers

## Available Key Technologies:

Mechanical: Intelligent Key:

- M³ - Medeco XT

-X4



## **High Security Cabinet Locks**

| Description   | Part Number                  | $M^3$                | BiLevel | X4 | Biax/Orig | KeyMark |
|---|------------------------------|----------------------|---------|----|-----------|---------|
| Cabinet Lock with deadbolt, single keypull                              | 6210555T (P)<br>6210555T (S) | \$169.00<br>\$140.00 |         |    |           |         |
| Cabinet Lock with deadbolt, double keypull                              | 6212555T (P)<br>6212555T (S) | \$169.00<br>\$140.00 |         |    |           |         |
| Cabinet Lock with spring bolt, single keypull                           | 6211555T (P)<br>6211555T (S) | \$187.00<br>\$158.00 |         |    |           |         |
| Removable Core Cabinet Lock with deadbolt, single keypull, less plug    | 6270515                      | \$93.90              |         |    |           |         |
| Removable Core Cabinet Lock with spring bolt, single keypull, less plug | 6271515                      | \$105.00             |         |    |           |         |
| Plug for removable Core Cabinet Lock                                    | 66391 (P)<br>66391 (S)       | \$102.50<br>\$73.50  |         |    |           |         |

Pinned price includes two keys.

#### **SFIC Cabinet Locks**

| Description   | Part Number | Price   |
|---|-------------|---------|
| Cabinet lock with deadbolt for SFIC cylinder. Works with Medeco X4, Medeco XT SFIC, or Best style SFIC. SFIC ordered separately.    | 3307311     | \$78.60 |
| Cabinet lock with spring bolt for SFIC cylinder. Works with Medeco X4, Medeco XT SFIC, or Best style SFIC. SFIC ordered separately. | 3307321     | \$78.60 |
| File Cabinet Lock for SFIC cylinder. Works with Medeco X4,<br>Medeco XT SFIC or Best style SFIC Cylinders. SFIC ordered separately. | 3307350     | \$78.60 |
| Door/Drawer Lock for SFIC cylinder. Works with Medeco X4, Medeco XT SFIC, or best style SFIC. SFIC ordered separately.              | 3307331     | \$78.60 |

#### **Traffic Cabinet Locks**

| Description                                | Part Number | Price    |
|--|-------------|----------|
| Traffic Cabinet Lock – Medeco³ – Deadbolt  | 490435      | \$239.50 |
| Traffic Cabinet Lock – Medeco³ – Slam Bolt | 490436      | \$241.50 |

Note: Available through authorized Medeco service centers only. Traffic Cabinet Locks are available 26 finish only, MM keyway.

# **Plunger Locks**

Medeco® Plunger Locks are specifically designed for use in wooden or metal sliding doors. Complete with a spring loaded pop out cylinder, the Medeco plunger lock is ideal for security merchandise showcases, metal cabinets, and laboratory and office furniture. Plunger Locks require no key when locking the device; simply push in on the cylinder to relock. Patented key programs prevent the unauthorized duplication of keys and maintain system integrity. Keyed alike, keyed different, or master keyed, the Medeco plunger lock is the perfect





#### **Patented Key Control**

solution for your security needs.

Protects against unauthorized duplication of your keys.



#### Can Be Master Keyed

Medeco Plunger Locks can be keyed alike, keyed different or master keyed.



#### **Protection From Physical Attack**

Medeco<sup>3</sup> Plunger Locks are UL 437 Listed and stand up to drilling, picking and other forms of physical attack.

#### **Benefits:**

- Medeco Plunger Locks are constructed of durable machined brass and solid steel components
- Unique elevating and rotating tumbler pin system is virtually pick proof
- Patented Medeco<sup>3</sup> keys may only be duplicated by Medeco or an authorized Medeco service outlet, and only at your request
- Medeco Plunger Locks are completely serviceable, and can be re-keyed in case of lost or stolen keys
- Locks can be keyed alike, keyed different, or master keyed depending on your specific needs

#### **Technical Information:**

- Four and five pin models available
- Non-key retaining cylinders
- 45 degree clockwise rotation to unlock
- Keyed alike, keyed different or master keyed

#### Warranty:

Warranted for two (2) years against manufacturer's defects. See the Medeco limited warranty for full details.

#### Finishes:

- 26 satin chrome finish standard.
- Other finishes available, depending on volume.

## **Applications:**

- Medeco Plunger Locks are specifically designed for use in metal or wooden sliding door applications including:
  - Jewelry and other merchandise showcases
  - Metal cabinets
  - Laboratory furniture
  - Office furniture

## **Available Key Technologies:**

Mechanical: **Intelligent Key:** - Classic CLIQ  $-M^3$ 

#### **Plunger Locks**

| <u> </u>                        |             |          |         |    |           |         |
|---------------------------------|-------------|----------|---------|----|-----------|---------|
| Description                     | Part Number | $M^3$    | BiLevel | X4 | Biax/Orig | KeyMark |
| Plunger Lock, 5 pin round bolt  | 6221557T(P) | \$186.00 |         |    | \$196.99  |         |
|                                 | 6221557T(S) | \$157.00 |         |    | \$167.99  |         |
| Plunger Lock, 5 pin glass mount | 6261557T(P) | \$217.00 |         |    | \$230.16  |         |
|                                 | 6261557T(S) | \$188.00 |         |    | \$201.16  |         |
| Plunger Lock, 4 pin round bolt  | 6221554T(P) | \$186.00 |         |    | \$196.99  |         |
|                                 | 6221554T(S) | \$157.00 |         |    | \$167.99  |         |

Pinned price includes two keys.



# **Micro Switch Locks**

Medeco's 3/4" diameter, high security Switch Locks offer a wide range of electrical functions with the physical security and patented key control of a Medeco cylinder. Available in either single or double switch models, Medeco Switch Locks are ideally suited for applications requiring controlled access to electrically activated systems, including alarms, ATMs, time delay safes, encryption devices, heavy power equipment,



control panels and electrically accessed doors and gates. The Medeco<sup>3</sup> unique design provides triple locking action, making the locks virtually pick proof. All Medeco<sup>3</sup> keys and locks are protected by trademark and copyright laws. Medeco keys may only be duplicated by Medeco or by an authorized Medeco dealer, and only at your request.



#### **Patented Key Control**

Protects against unauthorized duplication of your keys.



#### Can Be Master Keyed

Medeco Switch Locks can be keyed alike, keyed different or master keyed.



#### **Protection From Physical Attack**

Medeco<sup>3</sup> Switch Locks are UL 437 Listed and stand up to drilling, picking and other forms of physical attack.

#### **Benefits:**

- All Medeco cylinders are constructed of durable machined brass components, designed to last the life of your equipment.
- Available in single or double switch models, momentary and maintained positions.
- Silver or gold contacts (for low amperage applications) designed to accept quick connect leads.
- Hardened stainless steel inserts inside the cylinder provide the ultimate defense against drilling and other forms of physical attack.
- Unique elevating and rotating tumbler pin system is virtually pick proof.
- Medeco<sup>3</sup> keys may only be duplicated by Medeco or an authorized Medeco service outlet, and only at your request.
- Medeco Switch Locks are completely serviceable, and can be re-keyed in case of lost or stolen keys.
- Locks can be keyed alike, keyed different, or master keyed depending on your specific needs.

#### **Certification:**

- UL 437 Listed
- Switch UL Registered, CSA Certified

## **Applications:**

- Medeco High Security Switch Locks can be used in any standard 3/4 inch diameter switch lock application and a multitude of markets including:
- Heavy Power Machinery
- Time Delay Safes
- Material Handling Equipment
- Construction Vehicles
- Electrically Accessed Gates
- Cash Control Systems
- Encryption Devices
- Alarms
- Control Panels
- ATMs

#### Warranty:

Warranted for two (2) years against manufacturer's defects. See the Medeco® limited warranty for full details.

#### **Technical Information:**

- Five pin, 3/4 inch double "D" mounting standard.
- Available in either single or double switch models with either silver or gold contacts.
- Rated at 7 amps resistive at 125/250 VAC.
- Contacts designed to accept quick connect leads (AMP connector number 60598-3)

#### **Finishes:**

- 26 satin chrome finish standard.
- Other finishes available, depending on volume.

## **Available Key Technologies:**

#### **Mechanical:**

 $-M^3$ 



## **Single Switch Locks**

| Description                    | Part Number     | M³       | BiLevel | X4 | Biax/Orig | KeyMark |
|--------------------------------|-----------------|----------|---------|----|-----------|---------|
| 1 switch, maintained 1 keypull | 652150T 011 (P) | \$158.00 |         |    | \$167.03  |         |
|                                | 652150T 011 (S) | \$129.00 |         |    | \$138.03  |         |
| 1 switch, maintained 2 keypull | 652150T 012 (P) | \$158.00 |         |    | \$167.03  |         |
|                                | 652150T 012(S)  | \$129.00 |         |    | \$138.03  |         |
| 1 switch, momentary 1 keypull  | 652150T 021 (P) | \$158.00 |         |    | \$167.03  |         |
|                                | 652150T 021 (S) | \$129.00 |         |    | \$138.03  |         |

Pinned price includes two keys.

#### **Double Switch Locks**

| Description                        | Part Number     | M³       | BiLevel | X4 | Biax/Orig | KeyMark |
|------------------------------------|-----------------|----------|---------|----|-----------|---------|
| 2 position maintained 1 keypull    | 652650T 101 (P) | \$255.00 |         |    | \$270.82  |         |
| 2 position, maintained, 1 keypull  | 652650T 101 (S) | \$226.00 |         |    | \$241.82  |         |
| 2 position, maintained, 2 keypull  | 652650T 102 (P) | \$255.00 |         |    | \$270.82  |         |
|                                    | 652650T 102 (S) | \$226.00 |         |    | \$241.82  |         |
| 2 position, momentary, 1 keypull   | 652650T 111 (P) | \$255.00 |         |    | \$270.82  |         |
|                                    | 652650T 111(S)  | \$226.00 |         |    | \$241.82  |         |
| 2 marking projectioned 1 harmall   | 652650T 131 (P) | \$255.00 |         |    | \$270.82  |         |
| 3 position, maintained, 1 keypull  | 652650T 131(S)  | \$226.00 |         |    | \$241.82  |         |
| 2 marking resintational 2 hourself | 652650T 132 (P) | \$255.00 |         |    | \$270.82  |         |
| 3 position, maintained, 2 keypull  | 652650T 132(S)  | \$226.00 |         |    | \$241.82  |         |
| 2 marking projection of 2 house.   | 652650T 133 (P) | \$255.00 |         |    | \$270.82  |         |
| 3 position, maintained, 3 keypull  | 652650T 133 (S) | \$226.00 |         |    | \$241.82  |         |

Pinned price includes two keys.

#### Switch Lock Accessories for 652150 and 652650

| Description  | Part Number | Price   |
|--|-------------|---------|
| Silver Sub Miniature Snap Action Switch: Double Pole/Double Throw  | CP-150082   | \$70.20 |
| Gold Sub Miniature Snap Action Switch: Double Pole/Double Throw  | CP-150102   | \$93.20 |
| Sleeve Kit: Includes chrome plated zinc sleeve with rubber grommet, plain washer, 1 pronged washer locks for mounting Cam Locks in harsh |             |         |
| environments.  | 650003      | \$52.00 |
| Silver Sub Miniature Snap Action Switch: Single Pole-Single or Double Throw  | CP-150142   | \$35.40 |
| Gold Sub Miniature Snap Action Switch: Single Pole-Single or Double Throw  | CP-150152   | \$50.60 |
| 4" Leadwire  | CP-270511   | \$2.46  |
| 6" Leadwire  | CP-270521   | \$2.84  |
| 12" Leadwire   | CP-270531   | \$3.61  |
| 18" Leadwire   | CP-270541   | \$4.52  |
| 24" Leadwire   | CP-270551   | \$9.68  |
| 36" Leadwire   | CP-270561   | \$9.68  |
| 3/4" hex nut for Switch Locks  | CP-050050   | \$3.35  |

# **Rotary Switch Locks**

The Medeco® rotary Switch Locks is designed for use with most brands of rotary switches, providing maximum versatility in systems requiring multiple switch functions. Switch Locks are available with a variety of key withdrawals at 45° increments. Positive stops are available to eliminate over-torquing of switch stops. Switch Locks use a five pin cylinder to maximize keyed different and master keying capabilities. Medeco design and engineering resources are available to assist customers with



special functional requirements. The Medeco<sup>3</sup> unique design provides triple locking action, making the locks virtually pick proof. All Medeco<sup>3</sup> keys and locks are protected under patent, trademark and copyright laws. Medeco<sup>3</sup> keys may only be duplicated by Medeco or by an authorized Medeco dealer, and only at your request.



#### **Patented Key Control**

Protects against unauthorized duplication of your keys.



#### **Available in Intelligent Key**

Medeco Switch Locks are also available with Medeco Intelligent Keys for loss & liability control.



#### Can Be Master Keyed

Medeco switch locks can be keyed alike, keyed different or master keyed.



#### **Protection From Physical Attack**

Medeco<sup>3</sup> switch locks stand up to drilling, picking and other forms of physical attack.

#### **Benefits:**

- All Medeco cylinders are constructed of durable machined brass components, designed to last the life of your equipment.
- Hardened stainless steel inserts inside the cylinder provide the ultimate defense against drilling and other forms of physical attack.
- Unique elevating and rotating tumbler pin system is virtually pick proof.
- Patented Medeco<sup>3</sup> keys may only be duplicated by Medeco or an authorized Medeco service outlet, and only at your request.
- Medeco Switch Locks are completely serviceable, and can be re-keyed in case of lost or stolen keys.
- Locks can be keyed alike, keyed different, or master keyed depending on your specific needs.

## Warranty:

Warranted for two (2) years against manufacturer's defects. See the Medeco limited warranty for full details.

#### **Technical Information:**

• Five pin, 3/4 inch double "D" mounting standard.

#### **Finishes:**

- 26 satin chrome finish standard.
- Other finishes available, depending on volume.

#### **Certification:**

• Switch - UL Registered, CSA Certified

#### **Applications:**

- Medeco Rotary Switch Locks can be used to retrofit many Switch Lock applications including:
  - Heavy Power Machinery
  - Time Delay Safes
  - Material Handline Equipment
  - Construction Vehicles
  - Electrically Accessed Gates
  - Cash Control Systems
  - Encryption Devices
  - Alarms
  - Control Panels
  - ATMs

## Available Key Technologies:

Mechanical:

**Intelligent Key:** 

 $-M^3$ 

- Medeco XT



## **Operation Codes**

| Description                                | Part Number      | M³       | BiLevel | X4 | Biax/Orig | KeyMark |
|--|------------------|----------|---------|----|-----------|---------|
| 2 monition 1 housell A manimum dat D       | 6522560T 121 (P) | \$154.00 |         |    | \$162.75  |         |
| 2 position, 1 keypull A, maintained at B   | 6522560T 121(S)  | \$125.00 |         |    | \$133.75  |         |
| 2 position, 2 keypull A&B, maintained      | 6522560T 122(P)  | \$154.00 |         |    | \$162.75  |         |
|  | 6522560T122(S)   | \$125.00 |         |    | \$133.75  |         |
| 3 position, 2 keypull A&B, maintained      | 6522560T 132(P)  | \$154.00 |         |    | \$162.75  |         |
|  | 6522560T 132(S)  | \$125.00 |         |    | \$133.75  |         |
| 2 position 2 koupull A DOC maintained      | 6522560T 133 (P) | \$154.00 |         |    | \$162.75  |         |
| 3 position, 3 keypull A, B&C, maintained   | 6522560T 133(S)  | \$125.00 |         |    | \$133.75  |         |
| 2 position 2 koupull AQC maintained at D   | 6522560T 134 (P) | \$154.00 |         |    | \$162.75  |         |
| 3 position, 2 keypull A&C, maintained at B | 6522560T 134 (S) | \$125.00 |         |    | \$133.75  |         |
| 2 position, 1 keypull A, momentary at B    | 6522560T 221 (P) | \$154.00 |         |    | \$162.75  |         |
| 2 position, 1 keypun A, momentary at B     | 6522560T 221 (S) | \$125.00 |         |    | \$133.75  |         |

Pinned price includes two keys.

## **Keying Charges**

| Description  | Part Number  | Price    |
|--|--------------|----------|
| Less Key Credit  |              | -\$1.00  |
| MK surcharge to pinned door hardware cylinders and IC cylinders except SFIC cylinders.   |              | \$27.00  |
| No MK surcharge is applied to the pinned cylinder price for Medeco X4 SFIC cylinders.  |              |          |
| MK surcharge to pinned cam lock type product (less keys)   |              | \$6.00   |
| Key Stamping (Standard Key Code Stamping at No Charge)   |              | \$4.00   |
| Lock Stamping (No charge for SFIC)   |              | \$10.50  |
| Surcharge - Medeco X4 Custom Coined Cut keys require a minimum of 100 keys and must be specified on the order. Non-custom coined cut keys are standard from the factory. The surcharge is added to |              |          |
| the cut key price.   |              | \$4.00   |
| Surcharge - High Security Custom Coined Cut keys require a minimum of 100 keys and must be specified on the order. Non-custom coined cut keys are standard from the factory.                       |              |          |
| The surcharge is added to the cut key price.   |              | \$4.00   |
| Sub-assembled deduct applied for door products   |              | \$16.50  |
| Sub-assembled deduct applied for Medeco X4 SFIC  |              | \$16.50  |
| Sub-assembled deduct applied for 60 Series products  |              | \$29.00  |
| Non-Masterkeyed cylinders (less keys)  | RE-KEY       | \$68.10  |
| Masterkeyed Cylinders (5 and 6 pin, less keys)   | RE-KEY-MK    | \$81.60  |
| Decode Key Service   | DE-CODE-KEY  | \$39.60  |
| Decode Lock Service (not available for padlocks)   | DE-CODE-LOK  | \$40.30  |
| Sharpen Cutter for Medeco <sup>3</sup> and Medeco X4 (exchange program; old cutter must be returned upon receipt with RGA)   | KM-SHARP-CUT | \$264.00 |

## **Cut Keys**

| Description                                      | Part Number          | Price   |
|--|----------------------|---------|
| Medeco 4 Large Bow Cut Keys                      | KYC 4LX600 XX XX XXX | \$24.70 |
| Medeco 4 Small Bow Cut Keys                      | KYC 4SX600 XX XX XXX | \$24.70 |
| Medeco 4 Custom Coined Cut Keys - Large Bow*     | KYC 4LX600 XX 99 XXX | \$28.70 |
| Medeco 4 Custom Coined Cut Keys - Small Bow*     | KYC 4SX600 XX 99 XXX | \$28.70 |
| Original, Biaxial and M3 Custom Coined Cut Keys* | KYC XX5600 XX 99     | \$27.60 |
| Original, Biaxial and M3 Cut Keys                | KYC XX6600 XX XX     | \$23.60 |
| Medeco X4 Custom Coined Cut Keys*                | KYC XX6900 XXX 99    | \$25.40 |
| Medeco X4 Cut Keys                               | KYC XX6900 XXX XX    | \$21.40 |
| Medeco B Cut Keys, A5 Bow                        | KYC A50000 AXX 00    | \$15.89 |
| Medeco B Cut Keys, A6 Bow                        | KYC A60000 AXX 00    | \$18.49 |

<sup>\*</sup> Minimum order 100 Custom Coined Cut Keys. Contact Customer Service for specific part number.

## **Coining Dies**

| Description                                  | Part Number | Price          |
|--|-------------|----------------|
| Standard Coining Die-All keyway technologies | CN-DIES     | \$699.00 (NET) |
| Laser Die                                    | ST-LASER    | \$158.00 (NET) |

## **Key Code Cards**

| Description   | Part Number   | Price   |
|---|---------------|---------|
| Authorization Card for 6 Pin Key                          |               |         |
| (Patriot, Liberty, Freedom, Gotham)                       | CARD 1 X XX   | \$15.20 |
| Authorization Card for 5 Pin Key                          |               |         |
| (Patriot, Liberty, Freedom, Gotham)                       | CARD 2 X XX   | \$15.20 |
| Authorization Card for 5 Pin (60Series) Key               |               |         |
| (Patriot,Liberty, Freedom, Gotham)                        | CARD 6 X XX   | \$15.20 |
| Authorization Card with (2) 6 Pin Keys (Medeco KM Silver) | CARD KS XX 8E | \$42.80 |
| Authorization Card with (2) 5 Pin Keys                    |               |         |
| (Patriot, Liberty, GLD,DND, Freedom, Gotham)              | CARD XX 56 XX | \$47.20 |
| Authorization Card with (2) 6 Pin Keys                    |               |         |
| (Patriot, Liberty, GLD, DND, Freedom, Gotham)             | CARD XX 66 XX | \$47.20 |
| Printed Key Code Tag For Dealer Keyways                   | CP-286131     | \$1.29  |

## Code Books, Vouchers, & Paper

| Description   | Part Number | Price         |
|---|-------------|---------------|
| Medeco <sup>3</sup> , Medeco 4, Medeco <sup>3</sup> & Biaxial Code Book | CB-CODE-BIA | \$52.60 (NET) |
| Medeco Original Code Book   | CB-CODE-BOK | \$52.60 (NET) |
| Patriot/Liberty/Freedom/Gotham USB card reader                          | 94-0309     | \$85.70 (NET) |

## **Sales Tools**

| Description  | Part Number           | Price                            |
|--|-----------------------|----------------------------------|
| Smart SFIC Solutions Demo Kit<br>(Includes Arrow, Medeco X4, and Medeco XT SFIC Cylinders)                                 | 94-0261               | \$1,669.00                       |
| Medeco X4 Presentation Kit includes: Std. Rim & Mortise Cylinders,   |                       |                                  |
| SFIC Mortise, Key-In-Knob Cylinder, all LFIC cylinders in plastic case 6 Pin Medeco <sup>3</sup> BiLevel Cut-Away Cylinder | 94-0269<br>100400 CUT | \$356.00 (NET)<br>\$131.56 (NET) |
| 6 Pin Medeco 4 Cut-Away Cylinder   | 100400 CUT H          | \$220.50 (NET)                   |
| Cut-Away 5 Pin Profile Cylinder  | 23130 CUT             | \$212.00 (NET)                   |
| Cut-Away Cam Lock Assembly – Biaxial only  | 600300 CUT W 219      | \$96.39 (NET)                    |
| Plastic Display Sleeve for Maxum (lock not included)   | 90-0028               | \$23.10 (NET)                    |
| XT Install/Demo Key (works cylinders not yet programmed to a system) – Industrial Style                                    | EA-100111             | \$310.00                         |
| XT Install/Demo Control Key (works IC cylinders not yet programmed to a system) – Industrial Style                         | EA-100110             | \$310.00                         |
| XT Install/Demo Key – Slim Line (works cylinders not yet programmed to a system)   | EA-100173             | \$297.00                         |
| XT Install/Demo Control Key – Slim Line (works IC Cylinders not yet programmed to a system)                                | EA-100174             | \$297.00                         |

## Keyblanks for Cam Lock Style - Original, Biaxial, Medeco<sup>3</sup>

| Description  | Part Number      | Price   |
|--|------------------|---------|
| 5 Pin Commercial Original Keyblank for 60 Series, Thick Head       |                  |         |
| (Non Custom Coined)  | KYB 115400 XX 00 | \$11.40 |
| 5 Pin Commercial Original Keyblank for 60 Series, Thin Head        |                  |         |
| (Non Custom Coined)  | KYB 105400 XX 00 | \$11.40 |
| 5 Pin Commercial Medeco Biaxial Keyblank for 60 Series, Thick Head |                  |         |
| (Non Custom Coined)  | KYB 115400 S6 43 | \$11.40 |
| 5 Pin Keyblank for 60 Series (Custom Coined)                       | KYB XX5400 XX 99 | \$11.10 |

## Keyblanks for Door Hardware - Original, Biaxial, Medeco<sup>3</sup>, Medeco<sup>4</sup>

| Description  | Part Number          | Price   |
|--|----------------------|---------|
| 5 or 6 Pin Keyblank for Medeco 4 (Large Bow, Custom Coined)            | KYB 4LX600 XX 99 XXX | \$12.20 |
| 5 or 6 Pin Keyblank for Medeco 4 (Small Bow, Custom Coined)            | KYB 4SX600 XX 99 XXX | \$12.20 |
| 5 or 6 Pin Keyblank – All Bow Sizes (Non Custom Coined)                | KYB 10X600 XX XX     | \$11.40 |
| 5 or 6 Pin Keyblank for Medeco <sup>3</sup> (Small Bow, Custom Coined) | KYB 34X600 XX 99     | \$11.10 |
| 5 or 6 Pin Keyblank for Medeco <sup>3</sup> (Large Bow, Custom Coined) | KYB 33X600 XX 99     | \$11.10 |
| 5 or 6 Pin Keyblank for Medeco Biaxial Rectangular                     |                      |         |
| (Small Bow, Custom Coined)   | KYB 12X600 XX 99     | \$11.10 |
| 5 or 6 Pin Keyblank for Medeco Biaxial, Square                         |                      |         |
| (Large Bow, Custom Coined)   | KYB 17X600 XX 99     | \$11.10 |
| 5 or 6 Pin Keyblank for Thumbturn (blade only)                         | KYB 10X605 XX        | \$14.38 |
| 5 or 6 Pin Keyblank for Thumbturn (blade only) for M4                  | KYB 10X605 XX XXX    | \$15.38 |

## Keyblanks for Door Hardware - Medeco KM, Medeco X4 & Medeco B

| Description  | Part Number       | Price   |
|--|-------------------|---------|
| 6 or 7 Pin Keyblank for Medeco KM (Small Bow, Custom Coined) | KYB 32X600 XX 99  | \$10.60 |
| 6 or 7 Pin Keyblank for Medeco KM (Large Bow, Custom Coined) | KYB 38X600 XX 99  | \$10.60 |
| 6 or 7 Pin Keyblank for Medeco X4 (Small Bow, Custom Coined) | KYB 32X900 XXX 99 | \$10.60 |
| 6 or 7 Pin Keyblank for Medeco X4 (Large Bow, Custom Coined) | KYB 38X900 XXX 99 | \$10.60 |
| 6 or 7 Pin Keyblank for Medeco B, Alphabet & T Keyways       | KYB A50000-AXX00  | \$3.69  |
| 6 or 7 Pin Keyblank for Medeco B, W Family Keyways           | KYB A60000-AXX00  | \$6.29  |

## Keys with Hybrid Heads – 125 kHz Proximity

| Description  | Part Number       | Price   |
|--|-------------------|---------|
| Original/Biaxial heads only                          | EA-300069-01-EL   | \$25.30 |
| Medeco <sup>3</sup> /Medeco X4, Medeco KM Heads only | EA-300070-01-EL   | \$25.30 |
| Medeco X4, Medeco KM/Medeco³ dimpled blade           | KYB 77663F NM XX  | \$32.30 |
| Original/Biaxial dimpled blade                       | KYB 74563F NM XX  | \$32.30 |
| 5 pin Medeco³ key blank                              | KYB 35563P XX 99  | \$32.30 |
| 6 pin Medeco³ key blank                              | KYB 35663P XX 99  | \$32.30 |
| 5 pin Original/Biaxial key blank                     | KYB 74563P XX 99  | \$32.30 |
| 6 pin Original/Biaxial key blank                     | KYB 74663P XX 99  | \$32.30 |
| 6 pin Medeco KM key blank                            | KYB 77663P XX 99  | \$31.80 |
| 7 pin Medeco KM key blank                            | KYB 77763P XX 99  | \$31.80 |
| 6 pin Medeco X4 key blank                            | KYB 77693P XXX 99 | \$31.80 |
| 7 pin Medeco X4 key blank                            | KYB 77793P XXX 99 | \$31.80 |
| 5 pin Medeco³ cut key                                | KYC 35563P XX 99  | \$48.80 |
| 6 pin Medeco³ cut key                                | KYC 35663P XX 99  | \$48.80 |
| 5 pin Original/Biaxial cut key                       | KYC 74563P XX 99  | \$48.80 |
| 6 pin Original/Biaxial cut key                       | KYC 74663P XX 99  | \$48.80 |
| 6 pin Medeco KM cut key                              | KYC 77663P XX 99  | \$46.60 |
| 7 pin Medeco KM cut key                              | KYC 77763P XX 99  | \$46.60 |
| 6 pin Medeco X4 cut key                              | KYC 77693P XXX 99 | \$46.60 |
| 7 pin Medeco X4 cut key                              | KYC 77793P XXX 99 | \$46.60 |

Stamping is required on all restricted keyblanks . Please see the Intelligent Key section for Intelligent Key information.

## Keys with Hybrid 2k Bit Heads – 13.56 MHz iCLASS

| Description                               | Part Number      | Price   |
|---|------------------|---------|
| Original/Biaxial heads only               | EA-300086-01-EL  | \$31.50 |
| Medeco <sup>3</sup> /Medeco X4 Heads only | EA-300087-01-EL  | \$31.50 |
| Original/Biaxial dimpled blade            | KYB 74563H NM XX | \$36.76 |
| Medeco X4/Medeco³ dimpled blade           | KYB 77663H NM XX | \$36.76 |
| 5 pin Medeco³ key blank                   | KYB 35563K XX 99 | \$36.76 |
| 6 pin Medeco³ key blank                   | KYB 35663K XX 99 | \$36.76 |
| 5 pin Original/Biaxial key blank          | KYB 74563K XX 99 | \$36.76 |
| 6 pin Original/Biaxial key blank          | KYB 74663K XX 99 | \$36.76 |
| 5 pin Medeco³ cut key                     | KYC 35563K XX 99 | \$53.26 |
| 6 pin Medeco³ cut key                     | KYC 35663K XX 99 | \$53.26 |
| 5 pin Original/Biaxial cut key            | KYC 74563K XX 99 | \$53.26 |
| 6 pin Original/Biaxial cut key            | KYC 74663K XX 99 | \$53.26 |

Stamping is required on all restricted keyblanks.

## Keys with Hybrid 16k Bit Heads – 13.56 MHz iCLASS

| Description                               | Part Number      | Price   |
|---|------------------|---------|
| Original/Biaxial heads only               | EA-300088-01-EL  | \$44.10 |
| Medeco <sup>3</sup> /Medeco X4 heads only | EA-300089-01-EL  | \$44.10 |
| Original/Biaxial dimpled blade            | KYB 74563N NM XX | \$47.48 |
| Medeco X4/Medeco³ dimpled blade           | KYB 77663N NM XX | \$47.48 |
| 5 pin Medeco³ key blank                   | KYB 35563J XX 99 | \$47.48 |
| 6 pin Medeco³ key blank                   | KYB 35663J XX 99 | \$63.98 |
| 5 pin Original/Biaxial key blank          | KYB 74563J XX 99 | \$63.98 |
| 6 pin Original/Biaxial key blank          | KYB 74663J XX 99 | \$47.48 |
| 5 pin Medeco³ cut key                     | KYC 35563J XX 99 | \$63.98 |
| 6 pin Medeco³ cut key                     | KYC 35663J XX 99 | \$63.98 |
| 5 pin Original/Biaxial cut key            | KYC 74563J XX 99 | \$63.98 |
| 6 pin Original/Biaxial cut key            | KYC 74663J XX 99 | \$63.98 |

Stamping is required on all restricted keyblanks.

## **Hybrid Dummy heads only**

| Description                 | Part Number     | Price   |
|-----------------------------|-----------------|---------|
| Original/Biaxial (25 pack)  | CP-286531-25-EL | \$71.00 |
| Medeco X4/Medeco³ (25 pack) | CP-286541-25-EL | \$71.00 |

## Hybrid Dummy heads with key blanks

| Description               | Part Number       | Price   |
|---------------------------|-------------------|---------|
| 5 pin Medeco <sup>3</sup> | KYB 355640 XX 99  | \$12.65 |
| 6 pin Medeco <sup>3</sup> | KYB 356640 XX 99  | \$12.65 |
| 5 pin Original/Biaxial    | KYB 745640 XX 99  | \$12.65 |
| 6 pin Original/Biaxial    | KYB 746640 XX 99  | \$12.65 |
| 6 pin Medeco KM           | KYB 776640 XX 99  | \$12.15 |
| 7 pin Medeco KM           | KYB 777640 XX 99  | \$12.15 |
| 6 pin Medeco X4 key blank | KYB 776940 XXX 99 | \$12.15 |
| 7 pin Medeco X4 key blank | KYB 777940 XXX 99 | \$12.15 |

Stamping is required on all restricted key blanks.

## Hybrid Dummy heads with cut keys

| Description               | Part Number       | Price   |  |
|---------------------------|-------------------|---------|--|
| 5 pin Medeco <sup>3</sup> | KYC 355640 XX 99  | \$29.15 |  |
| 6 pin Medeco <sup>3</sup> | KYC 356640 XX 99  | \$27.60 |  |
| 5 pin Original/Biaxial    | KYC 745640 XX 99  | \$29.15 |  |
| 6 pin Original/Biaxial    | KYC 746640 XX 99  | \$29.15 |  |
| 6 pin Medeco KM           | KYC 776640 XX 99  | \$26.95 |  |
| 7 pin Medeco KM           | KYC 777640 XX 99  | \$26.95 |  |
| 6 pin Medeco X4 cut key   | KYC 776940 XXX 99 | \$26.95 |  |
| 7 pin Medeco X4 cut key   | KYC 777940 XXX 99 | \$26.95 |  |

## Hybrid Blades only, no heads, key blanks

| Description               | Part Number       | Price   |   |
|---------------------------|-------------------|---------|---|
| 5 pin Medeco <sup>3</sup> | KYB 355600 XX 99  | \$11.10 | · |
| 6 pin Medeco <sup>3</sup> | KYB 356600 XX 99  | \$11.10 |   |
| 5 pin Original/Biaxial    | KYB 745600 XX 99  | \$11.10 |   |
| 6 pin Original/Biaxial    | KYB 746600 XX 99  | \$11.10 |   |
| 6 pin Medeco KM           | KYB 776600 XX 99  | \$10.60 |   |
| 7 pin Medeco KM           | KYB 777600 XX 99  | \$10.60 |   |
| 6 pin Medeco X4 key blank | KYB 776900 XXX 99 | \$10.60 |   |
| 7 pin Medeco X4 key blank | KYB 777900 XXX 99 | \$12.15 |   |

Stamping is required on all restricted key blanks.

## Hybrid Blades only, no heads, cut keys

| Description               | Part Number       | Price   |  |
|---------------------------|-------------------|---------|--|
| 5 pin Medeco³             | KYC 355600 XX 99  | \$27.60 |  |
| 6 pin Medeco <sup>3</sup> | KYC 356600 XX 99  | \$27.60 |  |
| 5 pin Original/Biaxial    | KYC 745600 XX 99  | \$27.60 |  |
| 6 pin Original/Biaxial    | KYC 746600 XX 99  | \$27.60 |  |
| 6 pin Medeco KM           | KYC 776600 XX 99  | \$25.40 |  |
| 7 pin Medeco KM           | KYC 777600 XX 99  | \$25.40 |  |
| 6 pin Medeco X4 cut key   | KYC 776900 XXX 99 | \$25.40 |  |
| 7 pin Medeco X4 cut key   | KYC 777900 XXX 99 | \$25.40 |  |

## Medeco 4/Medeco³/Biaxial Door Hardware Pin Kits

| Description   | Part Number | Price      |
|---|-------------|------------|
| Medeco 4 Side Pin Kit. 30 each of side pins 0 through 5   | KH-5701     | \$599.00   |
| Medeco 4 Distributor Side Pin Kit. 100 each of side pins 0 through 3  | KH-5702     | \$1,073.00 |
| Medeco Biaxial 10 through 50 Series broached and milled pin combination (Door Hardware), Large Metal Box, 30 Each of Bottom, Master, Top Pins | .KW5005     | \$1,185.00 |
| Medeco Biaxial 10 Through 50 Series (Door Hardware), Large Metal Box, 100 Each of Bottom, Master, & Top Pins                                  | .KW5006     | \$2,588.00 |
| Medeco Biaxial 10 Through 50 Series (Door Hardware), Small Metal Box, 10 Each of Bottom, Master & Top Pins                                    | .KW5007     | \$890.00   |
| Medeco Biaxial Pin Kit with 30 ea. 53 Series (broached) Pins for Biaxial Cylinders with Sidebars Manufactured Prior to 2/2003                 | .KW5011     | \$1,185.00 |
| Medeco Biaxial Pin Kit with 100 ea. 53 Series (broached) Pins for Biaxial Cylinders with Sidebars Manufactured Prior to 2/2003                | .KW5012     | \$2,588.00 |
| Medeco Biaxial Pin Kit for 32 Series LFIC Cylinders. 4, 5, and 6 Pins Only with 50 each 53 Series Pins  | .KW5010     | \$589.00   |
| Medeco Biaxial/Medeco³ Pin Kit for Medeco³ CLIQ   | .KW5401     | \$894.00   |

## Medeco<sup>3</sup>/Biaxial Cam and Switch Lock Pin Kits

| Description  | Part Number | Price      |
|--|-------------|------------|
| Medeco Biaxial 60 Series (Cam & Switch locks), 100 Each of Bottom Pins (Top Pins Not Used)                 | .K-9001     | \$1,632.00 |
| Medeco Biaxial 60 Series (Cam & Switch Locks), Small Metal Box, 10 Each of Bottom Pins (Top Pins Not Used) | .KW9003     | \$522.00   |

#### Medeco<sup>3</sup> BiLevel Pin Kits

| Description   | Part Number | Price      |
|---|-------------|------------|
| Medeco <sup>3</sup> BiLevel Pin Kit (100 ea. BiLevel Top & Bottom Pins) | .KJ1501     | \$1,037.00 |

## Medeco KM and X4 Pin Kits (Available in USA and Canada)

| Description   | Part Number | Price      |
|---|-------------|------------|
| Medeco KM and X4 Pin Kit for SFIC; Large Wood Kit, 100 Each Bottom and Master/Top Pins. Springs, Caps, Spring Covers, Set Screws, Pinning Fixture, Capping Punch, Pin Ejector and Key Gauge Included. | .K-4001     | \$1,381.00 |
| Medeco KM and X4 mini Pin Kit for SFIC; Small Metal Pin Kit, 30 Each Bottom Pins, 60 Each Master/Top Pins. Springs, Caps, and Spring Covers included.   | .K-4002     | \$337.00   |
| Medeco X4 Pin Kit for Conventional Cylinders (.511 plug), not SFIC; 100 Each Bottom and Master/Top Pins. Springs, Spring Covers, Set Screws, and Key Gauge included.                                  | .K-4006     | \$1,003.00 |

## Medeco KM and X4 Pin Kits (Available in Canada Only)

| Description  | Part Number | Price      |
|--|-------------|------------|
| Medeco KM Pin Kit; (Classic Only) Large Wooden Pin Kit, 100 Each Bottom, Master & Top Pins. Spring, Caps, Spring Covers, Set Screws, Pinning Fixture, Capping Punch, Pin Ejector & Key Gauge also included | K-4003      | \$1,424.00 |
| Medeco KM Mini Pin Kit; (Classic Only) Small Metal Pin Kit, 30 Bottom Pins, 60 Each of Master & Top Pins, Springs, Caps, Spring Covers, & Set Screws also included.  | K-4004      | \$345.00   |

Contact Factory for LFIC Pinning Requirements.

## Medeco Original Door Hardware Pin Kits

| Description  | Part Number | Price      |
|--|-------------|------------|
| Medeco Original Door Hardware Pins, Full Step, Metal<br>Box, 30 Ea. of Bottom & Top Pins               | .K-1001     | \$537.00   |
| Medeco Original Door Hardware Pins, Full Step, Metal   | .1001       | 00.166     |
| Box, 100 Ea. of Bottom & Top Pins  | .K-1002     | \$1,569.00 |
| Medeco Original Door Hardware Pins, Full Step, Plastic<br>Box, 100 Ea. of Master Pins #1 - #5 Only     | .K-1003     | \$116.00   |
| Medeco Original Door Hardware Pins, Small Metal Box,<br>10 Ea. of Bottom, Master, & Top Pins           | .K-1005     | \$534.00   |
| Medeco Original Door Hardware Pins, 1/2 Step, Large<br>Metal Box, 100 Ea. of Bottom, Master & Top Pins | .K-1006     | \$2,597.00 |

## Medeco Original Cam & Switch Lock Pin Kits

| Description   | Part Number | Price      |
|---|-------------|------------|
| Medeco Original Cam & Switch Type Pins, Full Step,  |             |            |
| Plastic Box, 100 Ea. of Bottom Pins (Top Pins       |             |            |
| Not Used)   | .K-6001     | \$1,301.00 |
| Medeco Original Cam & Switch Style Pins, Full Step, |             |            |
| Plastic Box, 100 Ea. of Master Pins (Top Pins Not   |             |            |
| Used)   | .K-6002     | \$1,519.00 |

## Pins (Sold in bags of 100)

| Description   | Part Number  | Price   |
|---|--------------|---------|
| Medeco 4 Side Combination pin, 1-3, (qty of 10 per pack)                            | TP-F57-X     | \$2.34  |
| Medeco 4 Side Master Pin, 4-5, (qty of 10 per pack)                                 | TP-F57-X     | \$2.34  |
| Medeco 4 Side Lift Pin, 0, (qty of 10 per pack)                                     | TP-F57-0     | \$2.34  |
| Medeco Original Bottom Pins (.030" increment)                                       | TP-F10-XX    | \$1.43  |
| Medeco Original Master Wafers (.030" increment)                                     | TP-F10-XW    | \$0.53  |
| Mushroom driver   | TP-F10-3M    | \$0.91  |
| Standard Driver   | TP-F10-XT    | \$0.55  |
| Medeco <sup>3</sup> /Biaxial Bottom Pins (.025" increment)                          | TP-F50-XX    | \$1.43  |
| Medeco <sup>3</sup> /Biaxial Master Wafers (.025 increment)                         | TP-F50-XW    | \$0.53  |
| Original 60 Series Pins   | TP-F60-XX    | \$1.43  |
| Medeco <sup>3</sup> /Biaxial 60 Series Pins (.025 increment)                        | TP-F90-XX    | \$1.43  |
| Medeco KM and X4 Bottom Pins, #0B-9B<br>(qty of 100 pack) Note: Medeco X4 SFIC only | TP-K40-XX-BH | \$14.90 |
| Medeco KM and X4 Top Pins #02-19T (qty of 100 in pack)                              | TP-K40-XX-TH | \$13.40 |
| Medeco X4 Bottom Pins for Conventional Cylinders #00-09 (qty of 100 in pack)        | TP-K43-XX-BH | \$21.70 |
| Medeco BiLevel Top Pins   | TP-F15-XT    | \$0.54  |
| Medeco BiLevel Bottom Pins (.025 increment)   | TP-F15-XB    | \$0.68  |
| Medeco <sup>3</sup> /Medeco Biaxial Broached Bottom Pins (.025" increment)          | TP-F53-XX    | \$1.43  |
| KM Offset Top Pin   | TP-K42-Z9    | \$1.43  |

## Caps (Sold in bags of 100)

| Description  | Part Number | Price  |
|--|-------------|--------|
| Medeco X4 I/C Pin Spring Caps (Stamped) (for rekeying)   | CP-170430   | \$6.95 |
| Medeco X4 I/C Pin Spring Caps (Machined) (for new cylinder)  | CP-170440   | \$6.95 |
| Spring Covers for Medeco LFIC, Corbin (7 pin) LFIC, and Yale LFIC (6 and 7 pin), Brass, 1.010" Length  | CP-170011   | \$0.65 |
| 5 Pin Spring Covers for Medeco 32 Series I/C,<br>Cam and Switch Lock Plugs, Brass,. 840" Length  | CP-170021   | \$0.45 |
| 3 Pin Spring Covers for Cam and Switch Lock<br>Plugs, Brass, .500" Length  | CP-170031   | \$0.65 |
| 4 Pin Spring Covers for Cam and Switch Lock<br>Plugs, Brass, .670" Length  | CP-170041   | \$0.65 |
| 6 Pin Spring Covers for Medeco and Medeco X4 20<br>Series Key-in-Knob Cyls (Old Style), Schlage LFIC,<br>Stainless Steel, .980" Length   | CP-170051   | \$0.65 |
| 5 Pin Spring Covers for Medeco 20 Series Key-in-<br>Knob Cyls (Old Style), Stainless Steel, .810" Length   | CP-170061   | \$0.65 |
| 6 Pin Spring Covers for Medeco <sup>3</sup> 32*0202 Removable<br>Cylinder for 50 Series Brass Body Padlocks,<br>Brass, 1.010" Length (Notch in cover for steel ball<br>bearing retainer) | CP-170271   | \$0.65 |
| 6 Pin Spring Covers for Medeco & Medeco X4 20<br>Series Key-in-Knob Cylinders & Medeco X4<br>Schlage Style LFIC  | CP-170730-6 | \$0.73 |
| 5 Pin Spring Covers for Medeco 20 Series Key-in-<br>Knob Cylinders   | CP-170730-5 | \$0.73 |
| 6 Pin Spring Cover for Corbin and Sargent LFIC   | CP-170481   | \$0.65 |

## Springs (Sold in bags of 100)

| Description                                   | Part Number | Price   |
|---|-------------|---------|
| Tumbler Springs, 10 Series Door Hardware      | CP-030001   | \$0.11  |
| Tumbler Springs, 60 Series Cam & Switch Locks | CP-030017   | \$0.11  |
| Sidebar Springs                               | CP-030018   | \$0.11  |
| Tumbler Springs, 32 Series (stainless steel)  | CP-030042   | \$0.12  |
| Medeco <sup>3</sup> Slider Springs            | CP-030910   | \$0.12  |
| Medeco X4 Springs (Bag of 300)                | CP-030590   | \$22.40 |
| Medeco 4 Side Pin Springs                     | CP-031560   | \$0.12  |

## Screws (Sold in bags of 100)

| Description   | Part Number   | Price  |
|---|---------------|--------|
| #2-56 x 3/16" Flat Head Cam Screw for 10-0100 Cylinder                              | CP-010203-030 | \$0.28 |
| #2-56 x 1/4" Flat Head Screw for 32 Series I/C Housing                              | CP-010103-040 | \$0.75 |
| #2-56 x 5/16" Flat Head Phillips, Nylon Patch<br>Cam Screw for Mortise Cylinders    | CP-010203-050 | \$0.28 |
| #2-56 x 1/4" Pan Head Screw for 20-0901 and<br>Other Lazy Motion Retainers          | CP-010503-040 | \$0.41 |
| #8-32 x 1/8" Allen Set Screw Cone for Pin<br>Chambers (10 Series Rim & Mortise)     | CP-011013-020 | \$0.34 |
| #8-32 x 1/4" Allen Set Screw Cone for Pin<br>Chambers (23 Series Profile Cylinders) | CP-011013-040 | \$0.47 |
| Set Screw for non-I/C Medeco X4 Rim & Mortise<br>Cylinders                          | CP-011011-020 | \$0.29 |

## **Misc. Components**

| Description  | Part Number | Price   |
|--|-------------|---------|
| Medeco 4 Sidebar - 5 pin                                 | CP-0845A0   | \$11.40 |
| Medeco 4 Sidebar - 6 pin                                 | CP-0846A0   | \$11.40 |
| 5 Pin Sidebar Assembly .123" for Door Hardware Cylinders | CP-084571   | \$9.31  |
| 6 Pin Sidebar Assembly .123" for Door Hardware Cylinders | CP-084671   | \$9.31  |
| Medeco <sup>3</sup> Slider and Spring Package            | 94-0174-XX  | \$15.50 |
| Medeco X4 Conventional Slider and Spring Package         | 94-0255-XX  | \$15.50 |
| Medeco X4 SFIC Slider and Spring Package                 | 94-0256-XX  | \$15.50 |
| Medeco X4 Conventional Locking Pin                       | CP-064231   | \$5.28  |
| Medeco X4 Conventional Locking Pin Spring (Pack of 100)  | CP-031170   | \$0.40  |
| Medeco X4 SFIC Locking Pin                               | CP-064701   | \$5.28  |
| Medeco X4 SFIC Locking Pin Spring (Pack of 100)          | CP-031480   | \$0.40  |

## Cam & Tailpiece Kit

| Description                                      | Part Number | Price    |
|--|-------------|----------|
| 10 and 20 Series Tailpieces (Plastic Box,        |             |          |
| Assorted Cams and Tailpieces for 10 & 20         |             |          |
| Series) Includes: CT-Y02, CT-Y08, CT-Y24, CTY32, |             |          |
| CT-Y49, CT-Y52, CT-Y53, CT-Z00, CT-Z01,          |             |          |
| CT-Z02, CT-Z04, CT-Z06, CT-Z07, CT-Z08, CTZ09,   |             |          |
| CT-Z16   | .K-1099     | \$719.00 |

## **Empty Pin Boxes - Any Technology**

| Description   | Part Number | Price    |
|---|-------------|----------|
| Large Latched Metal Pin Box (Empty) 60 Assorted Size  |             |          |
| Compartments. Overall Measurements 1.875" Deep,       |             |          |
| 13.56" wide, 9.75 front to back.                      | CP-282460   | \$283.00 |
| Small Latched Metal Pin Box (Empty) 67 Assorted Size  |             |          |
| Compartments, Overall .688" Deep, 8.876" Wide, 5.875" |             |          |
| Front to Back   | CP-282470   | \$170.00 |

## Pin Hole Covers for 60 Series (sold in bags of 100)

| Description                  | Part Number | Price  |
|------------------------------|-------------|--------|
| 5 Pin, Pin Hole Covers-Brass | CP-170021   | \$0.45 |
| 4 Pin, Pin Hole Covers-Brass | CP-170041   | \$0.65 |
| 3 Pin, Pin Hole Covers-Brass | CP-170031   | \$0.65 |

Tools & Fixtures 211

## **Tools & Fixtures**

| Description         |  | Part Number  | Price          |
|---------------------|--|--------------|----------------|
|                     | Spanner Wrench for Rim Cylinder Tailpiece Nut                                | 90-0001      | \$4.22         |
| nom medico          | Medeco 4/Universal Key Gauge/Decoder   | 94-0323      | \$41.70        |
|                     | Installation Tool for Key-in-Knob capping                                    | 94-0207      | \$2.31 (NET)   |
| ф                   | 5 Pin Staking Tool, 60 Series Cam/<br>Switch Locks and 32 Series LFIC        | CP-282430    | \$157.00       |
|                     | Holding Block Assembly (use with 10, 20, 32, & 60 Series Cylinders)          | CP-282451    | \$1,133.00     |
|                     | Switch Lock Tool (Facilitates spring insertion on momentary function)        | T-7155       | \$34.80        |
|                     | Medeco X4 I/C Pinning Block (6 or 7 Pin)                                     | CP-282500    | \$236.00       |
| (e)                 | ■ Medeco X4 I/C Pin Ejector  | CP-282530    | \$57.80        |
|                     | Medeco X4 I/C Hand Capping Punch   | CP-282540    | \$37.40        |
|                     | Medeco X4 Key Decoder  | CP-286350    | \$42.70        |
|                     | Sargent LFIC (X4 and M3 cores primarily for pre<br>2008 housings) Shear tool | CP-286851    | \$302.00 (NET) |
|                     | Corbin (For M3 cores) LFIC Shear tool  | CP-287371    | \$302.00 (NET) |
| Lubricants          |  |              |                |
| Description         |  | Part Number  | Price          |
| Fluid Film Spray (2 |  | PX-KYLUBE-02 | \$22.60        |
| Fluid Film Spray (1 | 1.75oz.)   | PX-KYLUBE-11 | \$35.90        |

## **Key Machines**

| Description                        | Part Number | Price       |  |
|------------------------------------|-------------|-------------|--|
| Key Machine, Original, 115V        | 95-M11000   | \$16,132.00 |  |
| Key Machine, Biaxial, 115V         | 95-M23000   | \$16,132.00 |  |
| Key Machine, Universal, 115V       | 95-M34000   | \$17,168.00 |  |
| Key Machine, KM, 115V              | 95-M45000   | \$16,132.00 |  |
| Key Machine, Medeco X4, 115V       | 95-M55000   | \$16,132.00 |  |
| Key Machine, Medeco X4 A2/A4, 115V | 95-M56000   | \$16,707.00 |  |
| Medeco KM Key Punch Machine        | 95-000200   | \$4,392.00  |  |
| Medeco X4 Key Punch Machine        | 95-001100   | \$4,392.00  |  |

Power Key Machines are also available in 220V versions. Ask your customer service representative for details. Note: Key Machines do not include keyway specific clamps. Must order from clamps shown below.



## **Key Machine Parts**

| Description  | Part Number    | Price      |
|--|----------------|------------|
| ITL 9700 M4 Insert - For M4 key cutting on the ITL 9700 and 9700A key machines | 94-0326        | \$276.00   |
| Clamp Kit (Clamp, Handle, Plunger, QC Pin) - Medeco 4                          | 95-210100-MED4 | \$1,650.00 |
| Clamp Retrofit Kit (Clamp, Handle, Plunger) - Medeco 4                         | 95-210130-MED4 | \$1,621.00 |
| Clamp Kit (Clamp, Handle, Plunger, QC Pin) - Medeco <sup>3</sup>               | 95-210100-MED3 | \$1,650.00 |
| Clamp Retrofit Kit (Clamp, Handle, Plunger) - Medeco <sup>3</sup>              | 95-210130-MED3 | \$1,621.00 |
| Clamp Kit (Clamp, Handle, Plunger, QC Pin) - Universal (Selected Biax)         | 95-210100-UNIV | \$921.00   |
| Clamp Retrofit Kit (Clamp, Handle, Plunger) - Universal (Selected Biax)        | 95-210130-UNIV | \$827.00   |
| Clamp Kit (Clamp, Handle, Plunger, QC Pin) - Orig. and Biax. keyways           | 95-210100-XX   | \$921.00   |
| Clamp Retrofit Kit (Clamp, Handle, Plunger) - Orig. and Biax. keyways          | 95-210130-XX   | \$827.00   |

## **Key Machine Cutters**

| Description  | Part Number  | Price    |
|--|--------------|----------|
| Cutter for all High Security technologies                            | 95-100400    | \$653.00 |
| Cutter for Medeco X4 key machine                                     | 95-100070    | \$653.00 |
| Re-Sharpened Cutter – Must provide cutter for re-sharpening exchange | KM-SHARP-CUT | \$264.00 |

| Product No.        | Page | Product No.               | Page | Product No.                | Page | Product No.                | Page |
|--------------------|------|---------------------------|------|----------------------------|------|----------------------------|------|
| 12286              | 154  | 5005511                   | 50   | 100602 (P)                 | 99   | 105200                     | 46   |
| 12288              |      | 5005521                   |      | 100602 (S)                 |      | 105200 (P)                 |      |
| 13327              |      | 5005531                   |      | 100700                     |      | 105200 (S)                 |      |
| 13346              |      | 5005541                   | 50   | 100700 (P)                 | 80   | 105200 C                   |      |
| 13365              |      | 5005711                   |      | 100700 (S)                 |      | 105300 (P)                 |      |
| 13375              |      | 5005721                   |      | 100700 C                   |      | 105300 (S)                 |      |
| 200503             |      | 5005731                   |      | 100702 (P)                 |      | 105400                     |      |
| 200901             |      | 5005741                   |      | 100702 (S)                 |      | 105400 (P)                 |      |
| 200901             |      | 6270515                   |      | 100903 (P)                 |      | 105400 (S)                 |      |
| 200902             |      | 6271515                   |      | 100903 (S)                 |      | 105400 C                   |      |
| 200902             |      | 50762011                  |      | 100909 (P)                 |      | 105500<br>105500 (P)       |      |
| 200904<br>310100   |      | 50762014<br>50762111      |      | 100909 (S)<br>1012040 (P)  |      | 105500 (F)                 |      |
| 320201             |      | 50762114                  |      | 1012040 (F)                |      | 105500 (3)                 |      |
| 320201             |      | 50772011                  |      | 1012040 (3)                |      | 105600 (P)                 |      |
| 322201             |      | 50772014                  |      | 101350 (S)                 |      | 105600 (S)                 |      |
| 490435             |      | 50772111                  |      | 101355 (P)                 |      | 105700 (P)                 |      |
| 490435             |      | 50772114                  |      | 101355 (S)                 |      | 105700 (S)                 |      |
| 490436             |      | 52110040                  | 181  | 1014500 (P)                | 76   | 105700 C                   | 60   |
| 490436             | 195  | 52111040                  |      | 1014500 (S)                |      | 105800 (P)                 |      |
| 500020             | 50   | 52120040                  | 181  | 1014501 (P)                |      | 105800 (S)                 |      |
| 510600             |      | 52121040                  | 181  | 1014501 (S)                | 76   | 105900 (P)                 | 75   |
| 510800             |      | 100100 (P)                |      | 1014502 (P)                |      | 105900 (S)                 |      |
| 526000             |      | 100100 (S)                |      | 1014502 (S)                |      | 105901 (P)                 |      |
| 526002             |      | 100101 (P)                |      | 1014503 (P)                |      | 105901 (S)                 |      |
| 526010             |      | 100101 (S)                |      | 1014503 (S)                |      | 105904 (P)                 |      |
| 526012             |      | 100200                    |      | 1014504 (P)                |      | 105904 (S)                 |      |
| 526100             |      | 100200 (P)                |      | 1014504 (S)                |      | 1065140 (P)                |      |
| 526102<br>526110   |      | 100200 (S)<br>100200A (P) |      | 1014505 (P)<br>1014505 (S) |      | 1065140 (P)<br>1065140 (S) |      |
| 526112             |      | 100200A(F)                |      | 1014505 (3)                |      | 1065140 (S)                |      |
| 526200             |      | 100200A(3)                |      | 1014506 (S)                |      | 10651S4 (P)                |      |
| 526202             |      | 100202 (S)                |      | 1014507 (P)                |      | 10651S4(S)                 |      |
| 526210             |      | 100300H (P)               |      | 1014507 (S)                |      | 1065244 (P)                |      |
| 526212             |      | 100300H (S)               |      | 1014508 (P)                |      | 1065244 (S)                |      |
| 526300             |      | 100300V (P)               |      | 1014508 (S)                |      | 10652S4 (P)                |      |
| 526302             | 178  | 100300V(S)                | 80   | 1014600 (P)                |      | 10652S4 (S)                |      |
| 526310             |      | 100305H (P)               | 80   | 1014600 (S)                | 76   | 10661S4 (P)                | 98   |
| 526312             |      | 100305H(S)                |      | 1014601 (P)                | 76   | 10661S4(S)                 |      |
| 650003             |      | 100305V (P)               |      | 1014601 (S)                |      | 10662S4 (P)                |      |
| 940010             |      | 100305V(S)                |      | 1014602 (P)                |      | 10662S4 (S)                |      |
| 940174             |      | 100400H                   |      | 1014602 (S)                |      | 1075127 (P)                |      |
| 940210             |      | 100400H (P)               | 80   | 1014603 (P)                |      | 1075127 (S)                |      |
| 940219             |      | 100400H (S)               |      | 1014603 (S)                |      | 10M1350                    |      |
| 940243             |      | 100400H C                 |      | 1014604 (P)                |      | 11-0018                    |      |
| 940261<br>940264   |      | 100400H G<br>100400V      |      | 1014604 (S)<br>1014605 (P) |      | 11-0092<br>11-0A10         |      |
| 940279             |      | 100400V (P)               |      | 1014605 (S)                |      | 11-0A12                    |      |
| 1202800            |      | 100400V (S)               |      | 1014607 (P)                |      | 11-0A14                    |      |
| 1202800            |      | 100400V C                 |      | 1014607 (S)                |      | 11-0A16                    |      |
| 1202900            |      | 100400V G                 |      | 1014608 (P)                |      | 11-0A17                    |      |
| 1202900            |      | 100403H                   |      | 1014608 (S)                |      | 11-0A18                    |      |
| 1236200            |      | 100403H(S)                |      | 10400 CUT j                |      | 11-0A20                    |      |
| 1243400            |      | 100403H C                 |      | 10400 CUT T                |      | 11-0A21                    |      |
| 2020000            | 47   | 100403V                   |      | 104001 (P)                 | 76   | 11-0A22                    | 161  |
| 2020000            | 50   | 100403V (P)               | 80   | 104001 (S)                 |      | 11-0A23                    | 161  |
| 2020052            |      | 100403V(S)                |      | 104207 (P)                 |      | 110A00 (P)                 |      |
| 2020073            |      | 100403V C                 |      | 104207 (S)                 |      | 110A00 (S)                 |      |
| 2020074            |      | 100500                    |      | 104207A (P)                |      | 110A01 (P)                 |      |
| 2020078            |      | 100500 (P)                |      | 104207A (S)                |      | 110A01 (S)                 |      |
| 2020097            |      | 100500 (S)                |      | 104407HA (P)               |      | 110A02 (P)                 |      |
| 2020173            |      | 100500 C                  |      | 104407HA (S)               |      | 110A02 (S)                 |      |
| 2021173            |      | 100500 G                  |      | 105100                     |      | 110A03 (P)                 |      |
| 2080147            |      | 100500H (P)               |      | 105100 (P)                 |      | 110A03 (S)                 |      |
| 2080148            |      | 100500H (S)               |      | 105100 (S)                 |      | 110A04 (P)                 |      |
| 3307311            |      | 100501 (P)                |      | 105100 C                   |      | 110A04 (S)                 | 160  |
| 3307321<br>3307331 |      | 100501 (S)<br>100600 (P)  |      | 105100 G<br>105104 (P)     |      | 110A05 (P)<br>110A05 (S)   |      |
| 3307350            |      | 100600 (F)                |      | 105104 (F)                 |      | 110A05 (3)                 |      |
|                    | 195  | 100000 (3)                | 80   | 103104(3)                  |      | 1 1UAU0 (1)                | 160  |

| Product No.          | Page | Product No.              | Page | Product No.                | Page | Product No.                | Page |
|----------------------|------|--------------------------|------|----------------------------|------|----------------------------|------|
| 110A06 (S)           | 160  | 11C63X (P)               | 150  | 11R625                     | 40   | 200503 (P)                 | 05   |
| 110A00 (3)           |      | 11C63X(S)                |      | 11R626                     |      | 200503 (F)                 |      |
| 110A07 (S)           |      | 11C63XT (P)              |      | 11R62L                     |      | 200503 C                   |      |
| 110A08L              |      | 11C63XT(S)               |      | 11R633 (P)                 |      | 200503 G                   |      |
| 110A09L              |      | 11C64X (P)               | 158  | 11R633 (S)                 |      | 200700 (P)                 |      |
| 110A1911             |      | 11C64X (S)               | 158  | 11R634 (P)                 | 163  | 200700 (S)                 | 94   |
| 110A1912             |      | 11C69X (P)               | 158  | 11R634(S)                  | 163  | 200701 (P)                 |      |
| 110A1913             |      | 11C69X(S)                |      | 11R67L                     |      | 200701 (S)                 |      |
| 110A1921             |      | 11C70X                   |      | 11R6DL                     |      | 200801 (P)                 |      |
| 110A1922             |      | 11C71X                   |      | 1200100 T                  |      | 200801 (P)                 |      |
| 110A1923             |      | 11C72X                   |      | 12001002                   |      | 200801 (S)                 |      |
| 11C28X<br>11C30L (P) |      | 11C80X (P)<br>11C80X (S) |      | 12001006 W<br>1200500 T    |      | 200801 (S)<br>200802 (P)   |      |
| 11C30L(S)            |      | 11C81X (P)               |      | 12005001                   |      | 200802 (P)                 |      |
| 11C30X (P)           |      | 11C81X(S)                |      | 12005002                   |      | 200802 (T)                 |      |
| 11C30X(S)            |      | 11C82X (P)               |      | 1202000 T                  |      | 200802 (S)                 |      |
| 11C31L(P)            |      | 11C82X(S)                |      | 1202000                    |      | 200807 (P)                 |      |
| 11C31L(S)            |      | 11C84X (P)               |      | 12020006 W                 |      | 200807 (S)                 |      |
| 11C31X(P)            |      | 11C84X (S)               |      | 1202100 T                  | 77   | 200808 (P)                 |      |
| 11C31X(S)            | 158  | 11C89X (P)               | 159  | 12021002                   | 77   | 200808 (S)                 | 97   |
| 11C32L(P)            |      | 11C89X (S)               | 159  | 12021006 W                 | 77   | 200901 (P)                 | 96   |
| 11C32L(S)            |      | 11C90X (P)               |      | 1203000 T                  |      | 200901 (P)                 |      |
| 11C32X (P)           |      | 11C90X(S)                |      | 12030002                   | 81   | 200901 (S)                 |      |
| 11C32X(S)            |      | 11C91X (P)               |      | 12030006 W                 |      | 200901 (S)                 |      |
| 11C34X (P)           |      | 11C91X (S)               |      | 12126002                   |      | 200901 C                   |      |
| 11C34X (S)           |      | 11C92X (P)               |      | 12126156 W                 |      | 200902 (P)                 |      |
| 11C39X (P)           |      | 11C92X (S)               |      | 1212633 T                  |      | 200902 (P)                 |      |
| 11C39X (S)           |      | 11C94X (P)<br>11C94X (S) |      | 1238900 J                  |      | 200902 (S)<br>200902 (S)   |      |
| 11C40X<br>11C42X     |      | 11R503 (P)               |      | 1239000 J                  |      | 200902 (3)<br>200902 C     |      |
| 11C601               |      | 11R503 (S)               |      | 1251200 J                  |      | 200902 C                   |      |
| 11C601 C             |      | 11R504 (P)               |      | 1251300                    |      | 200903 (P)                 |      |
| 11C602               |      | 11R504(S)                |      | 2000400 (P)                |      | 200903 (P)                 |      |
| 11C602 C             |      | 11R523 (P)               |      | 2000400 (S)                |      | 200903 (P)                 |      |
| 11C603               |      | 11R523 (S)               |      | 2000700 (P)                |      | 200903 (P)                 |      |
| 11C603 C             | 64   | 11R524 (P)               | 163  | 2000700 (S)                | 94   | 200903 (S)                 | 90   |
| 11C604               |      | 11R524(S)                |      | 2000800 (P)                |      | 200903 (S)                 |      |
| 11C604 C             |      | 11R533 (P)               |      | 2000800 (S)                |      | 200903 (S)                 |      |
| 11C605               |      | 11R533 (S)               |      | 2000827 (P)                |      | 200903 (S)                 |      |
| 11C605 C             |      | 11R534 (P)               |      | 2000827 (P)                |      | 200903 (S)                 |      |
| 11C606               |      | 11R534 (S)               |      | 2000827 (S)                |      | 200904 (P)                 |      |
| 11C606 C             |      | 11R57L<br>11R5DL         |      | 2000827 (S)<br>2000854 (P) |      | 200904 (S)<br>200904 C     |      |
| 11C60L<br>11C60L(P)  |      | 11R601                   |      | 2000854 (F)<br>2000854 (S) |      | 200904 C<br>200907 (P)     |      |
| 11C60L(S)            |      | 11R601 C                 |      | 2000834 (3)<br>2000900 (P) |      | 200907 (F)                 |      |
| 11C60L C             |      | 11R602                   |      | 2000900 (S)                |      | 201006 (P)                 |      |
| 11C60X (P)           |      | 11R602 C                 |      | 20009S4                    |      | 201006 (S)                 |      |
| 11C60X(S)            |      | 11R603                   |      | 20009S4 (P)                |      | 201006 G                   |      |
| 11C61L(P)            |      | 11R603 (P)               |      | 20009S4 (P)                |      | 20110039 (P)               |      |
| 11C61L(S)            | 158  | 11R603 (S)               |      | 20009S4 (P)                | 98   | 20110039 (S)               |      |
| 11C61X(P)            | 158  | 11R603 C                 | 64   | 20009S4(S)                 | 92   | 20112B1 G                  | 145  |
| 11C61X (P)           |      | 11R604                   |      | 20009S4(S)                 |      | 2020000 (P)                |      |
| 11C61X(S)            |      | 11R604 (P)               |      | 20009S4(S)                 |      | 2020000 (S)                |      |
| 11C61X(S)            |      | 11R604 (S)               |      | 2001200 (P)                |      | 2020000 C                  |      |
| 11C621               |      | 11R604 C                 |      | 2001200 (S)                |      | 2020000 C                  |      |
| 11C621X (P)          |      | 11R605                   |      | 2001300 (P)                |      | 2020000 G                  |      |
| 11C622               |      | 11R605 C                 |      | 2001300 (S)                |      | 2020049                    |      |
| 11C623<br>11C624     |      | 11R606<br>11R606 C       |      | 2001400 (P)                |      | 2020049 (P)                |      |
| 11C625               |      | 11R60L                   |      | 2001400 (S)<br>200155 K    |      | 2020049 (P)<br>2020049 (P) |      |
| 11C626               |      | 11R60L C                 |      | 2001600 (P)                |      | 2020049 (P)                |      |
| 11C62L               |      | 11R621                   |      | 2001600 (F)                |      | 2020049 (P)                |      |
| 11C62L (P)           |      | 11R622                   |      | 2001600 G                  |      | 2020049 (S)                |      |
| 11C62L(S)            |      | 11R623                   |      | 2001700 (P)                |      | 2020049 (S)                |      |
| 11C62X(S)            |      | 11R623 (P)               |      | 2001700 (S)                |      | 2020049 (S)                |      |
| 11C63L(P)            |      | 11R623 (S)               |      | 2001851 (P)                |      | 2020049 (S)                |      |
| 11C63L(S)            |      | 11R624                   |      | 2001851 (S)                |      | 2020049 (S)                |      |
| 11C63LT (P)          |      | 11R624 (P)               |      | 200500 (P)                 |      | 2020049 C                  |      |
| 11C63LT(S)           |      | 11R624 (S)               |      | 200500 (S)                 | 95   | 2020049 G                  |      |

| Product No.                | Page | Product No.                | Page | Product No.                  | Page | Product No.                        | Page |
|----------------------------|------|----------------------------|------|------------------------------|------|------------------------------------|------|
| 2020051 (P)                | 90   | 20200S1                    | 48   | 2020249 (S)                  | 95   | 2303016A (P)                       | 153  |
| 2020051 (P)                |      | 20200S1 (P)                |      | 2020249 C                    |      | 2303015 G                          |      |
| 2020051 (S)                | 90   | 20200S1 (P)                |      | 2020249 C                    |      | 230301S G                          |      |
| 2020051 (S)                |      | 20200S1 (P)                |      | 2020349 (P)                  |      | 2304005 (P)                        |      |
| 2020051 G                  |      | 20200S1 (S)                |      | 2020349 (S)                  |      | 2304005 (S)                        | 153  |
| 2020052 (P)                |      | 20200S1 (S)                |      | 2020575 (P)                  |      | 2304006 (P)                        |      |
| 2020052 (P)                |      | 20200S1 (S)                |      | 2020575 (S)                  |      | 2304006 (S)                        |      |
| 2020052 (S)                |      | 20200S1 C<br>20200S1 G     |      | 2020777 (P)                  |      | 2304015 (P)<br>2304015 (S)         | 153  |
| 2020052 (S)<br>2020052 C   |      | 20200V0                    |      | 2020777 (S)<br>2021173 C     |      | 2304015 (S)<br>2304016 (P)         |      |
| 2020053 (P)                |      | 20200V0                    |      | 2021173 C                    |      | 2304016 (S)                        |      |
| 2020053 (S)                |      | 20200V0 (P)                |      | 20211730 (S)                 |      | 2304025 (P)                        |      |
| 2020054 (P)                |      | 20200V0 (P)                |      | 203000 (P)                   |      | 2304025 (S)                        |      |
| 2020054 (S)                |      | 20200V0 (P)                |      | 203000 (S)                   |      | 2304026 (P)                        |      |
| 2020058 (P)                |      | 20200V0 (S)                | 89   | 205003 (P)                   | 88   | 2304026 (S)                        | 153  |
| 2020058 (S)                | 90   | 20200V0 (S)                |      | 205003 (S)                   |      | 2305016 (P)                        |      |
| 2020068 (P)                | 90   | 20200V0 (S)                |      | 205004 (P)                   |      | 2305016(S)                         |      |
| 2020068 (S)                |      | 20200V0 C                  |      | 205004 (S)                   |      | 230501S G                          |      |
| 2020070 (P)                |      | 20200V0 C                  |      | 205005 (P)                   |      | 2305015 G                          |      |
| 2020070 (P)                |      | 20200V0 G                  |      | 205005 (S)                   |      | 2306016 (P)                        |      |
| 2020070 (S)                |      | 20200V120200V1             |      | 205005 C<br>205006 (P)       |      | 2306016 (S)<br>230601S G           |      |
| 2020070 (S)<br>2020070 C   |      | 20200V1                    |      | 205006 (F)                   |      | 23070165 (P)                       |      |
| 2020071 (P)                |      | 20200V1 (P)                |      | 205008 (P)                   |      | 23070165 (S)                       |      |
| 2020071 (P)                |      | 20200V1 (P)                |      | 205008 (S)                   |      | 23080166 (P)                       |      |
| 2020071 (S)                |      | 20200V1 (P)                |      | 2051027 (P)                  |      | 23080166 (S)                       |      |
| 2020071 (S)                |      | 20200V1 (P)                |      | 2051027 (P)                  |      | 230801S G                          |      |
| 2020072 (P)                | 90   | 20200V1 (P)                |      | 2051027 (S)                  | 96   | 2309016 (P)                        | 153  |
| 2020072 (S)                | 90   | 20200V1 (P)                |      | 2051027 (S)                  |      | 2309016(S)                         |      |
| 2020073 (P)                |      | 20200V1 (S)                |      | 2051100 (P)                  |      | 2310016 (P)                        |      |
| 2020073 (P)                |      | 20200V1 (S)                |      | 2051100 (S)                  |      | 2310016 (S)                        |      |
| 2020073 (P)                |      | 20200V1 (S)                |      | 2051200 (P)                  |      | 23130 CUT                          |      |
| 2020073 (P)                |      | 20200V1 (S)<br>20200V1 (S) |      | 2051200 (S)                  |      | 2313005 X00 (P)<br>2313005 X00 (S) |      |
| 2020073 (P)<br>2020073 (S) |      | 20200V1 (S)                |      | 2051500 (P)<br>2051500 (S)   |      | 2313005 X00 (3)<br>2313006 X00 (P) |      |
| 2020073 (S)                |      | 20200V1 (3)                |      | 2052000 (P)                  |      | 2313006 X00 (F)                    |      |
| 2020073 (S)                |      | 20200V1 C                  |      | 2052000 (S)                  |      | 2313015 800 (P)                    |      |
| 2020073 (S)                |      | 20200V1 C                  |      | 206005 (P)                   |      | 2313015 800 (S)                    |      |
| 2020073 (S)                | 95   | 20200V1 G                  |      | 206005 (P)                   | 99   | 2313015 801 (P)                    | 152  |
| 2020073 C                  | 61   | 20200V1 G                  |      | 206005 (S)                   |      | 2313015 801 (S)                    |      |
| 2020073 G                  |      | 20200V2                    |      | 206005 (S)                   |      | 2313016 800 (P)                    |      |
| 2020073 G                  |      | 20200V2 (P)                |      | 206100 (P)                   |      | 2313016 800 (S)                    |      |
| 2020074 (P)                |      | 20200V2 (S)                |      | 206100 (P)                   |      | 2313016 801 (P)                    |      |
| 2020074 (S)<br>2020074 C   |      | 20200V2 C<br>20200V2 G     |      | 206100 (S)                   |      | 2313016 801 (S)<br>2313025 X00 (P) |      |
| 2020074 C<br>2020078 (P)   |      | 20200V2 G                  |      | 206100 (S)<br>207001 (P)     |      | 2313025 X00 (F)<br>2313025 X00 (S) |      |
| 2020078 (S)                |      | 20200V3                    |      | 207001 (S)                   |      | 2313025 X00 (3)<br>2313025 X01 (P) |      |
| 2020078 C                  |      | 20200V3 (S)                |      | 208005 (P)                   |      | 2313025 X01 (S)                    |      |
| 2020097 (P)                |      | 20200V3 G                  |      | 208005 (S)                   |      | 2313025 X02 (P)                    |      |
| 2020097 (S)                | 94   | 20200V9                    | 47   | 208006 (P)                   | 93   | 2313025 X02 (S)                    | 152  |
| 2020097 G                  |      | 20200V9 (P)                |      | 208006 (S)                   |      | 2313025 X11 (P)                    |      |
| 20200A1                    |      | 20200V9 (S)                |      | 208007 (P)                   |      | 2313025 X11 (S)                    |      |
| 20200A1 (P)                |      | 20200V9 C                  |      | 208007 (S)                   |      | 2313025 X12 (P)                    |      |
| 20200A1 (S)                |      | 20200V9 G                  |      | 208008 (P)                   |      | 2313025 X12 (S)                    |      |
| 20200A1 C                  |      | 2020149 (P)                |      | 208008 (S)                   |      | 2313026 X00 (P)<br>2313026 X00 (S) |      |
| 20200A1 G<br>20200F1       |      | 2020149 (S)<br>2020169 (P) |      | 2080147 (P)<br>2080147 (S)   |      | 2313026 X00 (3)<br>2313026 X01 (P) |      |
| 20200F1 (P)                |      | 2020169 (S)                |      | 2080147 (3)<br>2080148 (P)   |      | 2313026 X01 (F)                    |      |
| 20200F1 (S)                |      | 2020170 (P)                |      | 2080148 (S)                  |      | 2313026 X02 (P)                    |      |
| 20200F1 G                  |      | 2020170 (S)                |      | 2080700 (P)                  |      | 2313026 X02 (S)                    |      |
| 20200H1 (P)                |      | 2020173 (P)                | 93   | 2080700 (P)                  |      | 2313026 X12 (P)                    |      |
| 20200H1 (P)                |      | 2020173 (S)                |      | 2080700 (S)                  |      | 2313026 X12 (S)                    |      |
| 20200H1 (S)                |      | 2020249 (P)                |      | 2080700 (S)                  |      | 2313035 X00 (P)                    |      |
| 20200H1 (S)                |      | 2020249 (P)                |      | 210503 (P)                   |      | 2313035 X00 (S)                    |      |
| 20200L1                    |      | 2020249 (P)                |      | 210503 (S)                   |      | 2313036 X00 (P)                    |      |
| 20200L1 (P)                |      | 2020249 (P)                |      | 2301016 (P)                  |      | 2313036 X00 (S)                    |      |
| 20200L1 (S)<br>20200L1 C   |      | 2020249 (S)<br>2020249 (S) |      | 2301016 (S)<br>23010168 (P)  |      | 2313045 X00 (P)                    |      |
| 20200L1 G                  |      | 2020249 (S)<br>2020249 (S) |      | 23010168 (F)<br>23010168 (S) |      | 2313045 X00 (S)<br>2313046 X00 (P) |      |
| 20200L1 U                  |      | 2020273 (3)                |      | 23010100 (3)                 |      | 2313040 A00 (1 )                   | 1.   |

| Product No.                        | Page | Product No.                    | Page | Product No.                  | Page | Product No.                    | Page |
|------------------------------------|------|--------------------------------|------|------------------------------|------|--------------------------------|------|
|                                    |      |                                |      |                              |      |                                |      |
| 2313046 X00 (S)                    |      | 23230X7 511                    |      | 320200B (P)                  |      | 33-6B010 (P)                   |      |
| 2313055 X00 (P)                    |      | 23230XS X00 G                  |      | 320200B(S)                   |      | 33-6B010 (S)                   |      |
| 2313055 X00 (S)<br>2313056 X00 (P) |      | 23230XS X00 G                  |      | 320201 (P)                   |      | 33-6B01W (P)                   |      |
| 2313056 X00 (P)                    |      | 23230XS X11 G<br>23230XS X11 G |      | 320201 (P)<br>320201 (P)     |      | 33-6B01W (S)<br>33-6B070 (P)   |      |
| 2313065 X00 (7)                    |      | 2324D21                        |      | 320201 (F)                   |      | 33-6B070 (S)                   |      |
| 2313065 X00 (F)                    |      | 2324D21                        |      | 320201 (S)                   |      | 33-7B010 (P)                   |      |
| 2313066 X00 (P)                    |      | 2324H01                        |      | 320201 (S)                   |      | 33-7B010 (S)                   |      |
| 2313066 X00 (S)                    |      | 2324H05                        |      | 320201CC BI R1               |      | 33-7B01W (S)                   |      |
| 2314003 (P)                        |      | 2324S12X                       |      | 320201H(P)                   | 107  | 33-7B01W(P)                    |      |
| 2314003 (S)                        |      | 2324S15X                       | 127  | 320201H(S)                   |      | 33-7B070 (P)                   | 117  |
| 2315005 (P)                        |      | 2324S52X                       |      | 320202 (P)                   |      | 33-7B070 (S)                   |      |
| 2315005 (S)                        |      | 2325005 C                      |      | 320202 (S)                   |      | 33-7B070S (P)                  |      |
| 2316004 (P)                        |      | 2325025 C                      |      | 320300H (P)                  |      | 33-7B070S(S)                   |      |
| 2316004(S)                         |      | 2326D21                        |      | 320300H(S)                   |      | 33-7B07W (P)                   |      |
| 2317016 (P)                        |      | 2326H01<br>2326S12X            |      | 320300V (P)                  |      | 33-7B07W(S)                    |      |
| 2317016 (S)<br>2320016 (P)         |      | 31-0153H                       |      | 320300V (S)<br>320400H (P)   |      | 33-7B07WS (P)<br>33-7B07WS (S) |      |
| 2320016 (F)                        |      | 31-0153V                       |      | 320400H (S)                  |      | 33600006 (P)                   |      |
| 2322015 300                        |      | 31-0175                        |      | 320400V (P)                  |      | 33600006 (P)                   |      |
| 2322015 301                        |      | 31-0175A                       |      | 320400V (S)                  |      | 33600006 (S)                   |      |
| 2322016 300                        |      | 31-0375H                       |      | 320405H (P)                  |      | 33600006 (S)                   |      |
| 2322016 300 S                      |      | 31-03755                       |      | 320405H(S)                   |      | 33600006 BI CC K               |      |
| 2322016 300 S                      |      | 31-0375V                       |      | 320600 (P)                   |      | 33600007 (P)                   |      |
| 2322016 301                        | 144  | 31-5375                        |      | 320600 (S)                   |      | 33600007 (S)                   | 117  |
| 2322016 301 S                      |      | 310100 (P)                     |      | 320700 (P)                   |      | 3360000R (P)                   |      |
| 2322016 301 S                      |      | 310100 (S)                     |      | 320700 (S)                   |      | 3360000R (S)                   |      |
| 2322017 300 N                      |      | 310100A                        |      | 321200 (P)                   |      | 33602012 (P)                   |      |
| 2322017 301 N                      |      | 310100A (P)                    |      | 321200 (S)                   |      | 33602012 (S)                   |      |
| 2322015 300 G                      |      | 310100A (S)                    |      | 321201 (P)                   |      | 33602013 K (P)                 |      |
| 232201S 300 G232201S 300 G         |      | 310100A G310100CC BI R1        |      | 321201 (S)<br>321350 (P)     |      | 33602013 K (S)<br>33602032 (P) |      |
| 2322015 300 G                      |      | 310100CC BI KT                 |      | 321350 (F)                   |      | 33602032 (F)                   |      |
| 2322015 301 G                      |      | 310101 (S)                     |      | 322201 (P)                   |      | 33602032 (3)                   |      |
| 2322015 301 G                      |      | 310101A(P)                     |      | 322201 (S)                   |      | 33602033 K(S)                  |      |
| 2322015 302 G                      |      | 310101A(S)                     |      | 322201 C                     |      | 33602042 (P)                   |      |
| 232201S 302 G                      |      | 310102H (P)                    |      | 322301 (P)                   |      | 33602042 (S)                   | 118  |
| 232201S 302 G                      | 145  | 310102H (S)                    |      | 322301 (S)                   |      | 33602043 K (P)                 |      |
| 232202S 300 G                      |      | 310102V (P)                    |      | 322401 (P)                   |      | 33602043 K(S)                  |      |
| 232202S 301 G                      |      | 310102V(S)                     |      | 322401 (S)                   |      | 33602052 (P)                   |      |
| 232202S 302 G                      |      | 310104H (P)                    |      | 322801 (P)                   |      | 33602052 (S)                   |      |
| 23220X5 300                        |      | 310104H (S)                    |      | 322801 (S)                   |      | 33602053 K (P)                 |      |
| 23220X5 302                        |      | 310104V (P)                    |      | 324201 (P)                   |      | 33602053 K(S)                  |      |
| 23220X6 300                        |      | 310104V (S)<br>31G0100         |      | 324201 (S)                   |      | 33602062 (P)                   |      |
| 23220XS 300<br>232212SX 300 G      |      | 32-0175                        |      | 325200 (P)325200 (S)         |      | 33602062 (S)<br>33602063 K (P) |      |
| 2322125X 301 G                     |      | 32-0275                        |      | 325400 (P)                   |      | 33602063 K(S)                  |      |
| 232222SX 302 G                     |      | 32-0375H                       |      | 325400 (S)                   |      | 33700006 (P)                   |      |
| 2323016 800 S                      |      | 32-0375V                       |      | 325500 (P)                   |      | 33700006 (P)                   |      |
| 2323016 801 S                      |      | 32-0475H                       |      | 325500 (S)                   |      | 33700006 (S)                   |      |
| 232301S 800 G                      | 41   | 32-0475V                       | 112  | 325600 (P)                   | 109  | 33700006 (S)                   | 160  |
| 232301S 800 G                      | 144  | 32-0477H                       | 112  | 325600 (S)                   | 109  | 33700007 (P)                   | 117  |
| 232301S 801 G                      |      | 32-0675                        | 112  | 325700 (P)                   | 109  | 33700007 (S)                   |      |
| 232301S 801 G                      |      | 32-0775                        |      | 325700 (S)                   |      | 3370000R (P)                   |      |
| 232301ST 800 G                     |      | 32-1375                        |      | 32G2201                      |      | 3370000R (S)                   |      |
| 232301ST 800 G                     |      | 32-5275                        |      | 32G2301                      |      | 3370000S (P)                   |      |
| 2323025 X00                        |      | 32-5375                        |      | 32G2401                      |      | 3370000S (S)                   |      |
| 2323026 X00<br>23230E5 X00 G       |      | 32-5475                        |      | 33 6B07W (P)<br>33 6B07W (S) |      | 33702022 (P)                   |      |
| 23230E5 X00 G                      |      | 32-5575<br>32-5675             |      | 33-07340                     |      | 33702022 (S)<br>33702023 K (P) |      |
| 23230E5 X11 G                      |      | 32-5775                        |      | 33-076011                    |      | 33702023 K (S)                 |      |
| 23230E5 X11 G                      |      | 320100 (P)                     |      | 33-076021                    |      | 33702042 (P)                   |      |
| 23230E6 X00 S                      |      | 320100 (F)                     |      | 33-076025                    |      | 33702042 (S)                   |      |
| 23230E6 X00 S                      |      | 320101 (P)                     |      | 33-076028                    |      | 33702043 K (P)                 |      |
| 23230X5 X00                        |      | 320101 (S)                     |      | 33-07603H                    |      | 33702043 K (S)                 |      |
| 23230X6 X00                        |      | 320101H (P)                    |      | 33-076048                    |      | 337020B2 (P)                   |      |
| 23230X6 X00 S                      |      | 320101H (S)                    | 107  | 33-07604H                    | 120  | 337020B2 (S)                   | 118  |
| 23230X6 X00 S                      |      | 320200 (P)                     |      | 33-076051                    |      | 337020C2 (P)                   |      |
| 23230X7 500                        | 144  | 320200 (S)                     | 109  | 33-076061                    | 120  | 337020C2 (S)                   | 119  |

| Product No.                | Page | Product No.                | Page | Product No.                | Page | Product No.                        | Page |
|----------------------------|------|----------------------------|------|----------------------------|------|------------------------------------|------|
| 337020E2 (P)               | 110  | 5005741 (S)                | 167  | 5451F00 (S)                | 171  | 600550T(S)                         | 187  |
| 337020E2 (S)               |      | 5005741 G                  |      | 5451F00 G                  |      | 600650269 G -XX                    |      |
| 490078 (P)                 | 77   | 5008201 (P)                | 177  | 5451FK0                    |      | 600650T(P)                         |      |
| 490078 (S)                 |      | 5008201 (S)                |      | 5451FL0                    |      | 600650T(S)                         | 187  |
| 490079 (P)                 |      | 5008211 (P)                |      | 5451FR0 (P)                |      | 600650T KIT (P)                    |      |
| 490079 (S)                 |      | 5008211 (S)                |      | 5451FR0 (S)                |      | 600650T KIT (S)                    |      |
| 490214 (P)490214 (S)       |      | 5009201 (P)5009201 (S)     |      | 5451FR0 G<br>5451FX0       |      | 600750T (P)<br>600750T (S)         |      |
| 490258 (P)                 |      | 5009201 (3)<br>5009211 (P) |      | 5452500 (P)                |      | 600850T (P)                        |      |
| 490258 (S)                 |      | 5009211 (S)                |      | 5452500 (S)                |      | 600850T(S)                         |      |
| 490358 C                   |      | 510600 (P)                 |      | 5452500 G                  |      | 600950T(P)                         |      |
| 490359 C                   | 65   | 510600 (P)                 |      | 54525K0                    |      | 600950T(S)                         | 187  |
| 490359 G                   |      | 510600 (S)                 |      | 54525L0                    |      | 601150T (P)                        |      |
| 490361 C                   |      | 510600 (S)                 |      | 54525R0 (P)                |      | 601150T(S)                         |      |
| 490366 C490366 G           |      | 510600 C<br>510600 G       |      | 54525R0 (S)<br>54525R0 G   |      | 601150T KIT (P)<br>601150T KIT (S) |      |
| 490368 C                   |      | 510800 (P)                 |      | 54525X0                    |      | 601250T (P)                        |      |
| 490375 T                   |      | 510800 (F)                 |      | 5461500 (P)                |      | 601250T(S)                         |      |
| 490423 G                   |      | 510800 G                   |      | 5461500 (S)                |      | 601251T(P)                         |      |
| 490426 G                   |      | 526001 (P)                 | 179  | 54615K0                    | 171  | 601251T(S)                         |      |
| 490428 G                   |      | 526001 (S)                 |      | 54615L0                    |      | 601450T(P)                         |      |
| 490429 G                   |      | 526011 (P)                 |      | 54615R0 (P)                |      | 601450T(S)                         |      |
| 490431 G                   |      | 526011 (S)                 |      | 54615R0 (S)                |      | 601450T KIT (P)                    |      |
| 490432 G<br>490437 G       |      | 526101 (P)<br>526101 (S)   |      | 54615X05461F00 (P)         |      | 601450T KIT (S)<br>601452T (P)     |      |
| 50-0551L                   |      | 526111 (P)                 |      | 5461F00 (S)                |      | 601452T(S)                         |      |
| 50-0552L                   |      | 526111 (S)                 |      | 5461FK0                    |      | 60300 CUT W 219                    |      |
| 50-0553L                   |      | 526201 (P)                 |      | 5461FL0                    |      | 607155XT(P)                        |      |
| 50-0554L                   |      | 526201 (S)                 | 178  | 5461FR0 (P)                | 171  | 607155XT (S)                       | 189  |
| 50-0571L                   |      | 526211 (P)                 |      | 5461FR0 (S)                |      | 607255XT (P)                       |      |
| 50-0572L                   |      | 526211 (S)                 |      | 5461FX0                    |      | 607255XT(S)                        |      |
| 50-0573L                   |      | 526301 (P)                 |      | 5471500 (P)                |      | 607355XT(P)                        |      |
| 50-0574L50-74201           |      | 526301 (S)<br>526311 (P)   |      | 5471500 (S)5471500 G       |      | 607355XT (S)<br>607455XT (P)       |      |
| 50-74211                   |      | 526311 (S)                 |      | 54715K0                    |      | 607455XT(S)                        |      |
| 50-75201                   |      | 5293000 (P)                |      | 54715L0                    |      | 607555XT (P)                       |      |
| 50-75211                   |      | 5293000 (S)                |      | 54715R0 (P)                |      | 607555XT (S)                       |      |
| 500020 (P)                 | 183  | 5293000 G                  |      | 54715R0(S)                 |      | 60810 XXX C                        |      |
| 500020 (S)                 |      | 52930L0                    |      | 54715R0 G                  |      | 60810D XXX C                       |      |
| 5002201 (P)                |      | 5431500 (P)                |      | 54715X0                    |      | 60820 XXX C                        |      |
| 5002201 (S)<br>5002211 (P) |      | 5431500 (S)<br>54315K0     |      | 5471F00 (P)<br>5471F00 (S) |      | 60820D XXX C<br>6210555 G XX       |      |
| 5002211 (F)                |      | 54315L0                    |      | 547 1F00 (3)               |      | 6210555T (P)                       | 195  |
| 5003201 (P)                |      | 54315R0 (P)                |      | 5471FK0                    |      | 6210555T (S)                       |      |
| 5003201 (F)                |      | 54315R0 (S)                |      | 5471FL0                    |      | 6211555 G XX                       |      |
| 5003211 (P)                |      | 5431F00 (P)                |      | 5471FR0 (P)                |      | 6211555T (P)                       |      |
| 5003211 (S)                |      | 5431F00 (S)                |      | 5471FR0 (S)                |      | 6211555T(S)                        |      |
| 5005511 (P)                |      | 5431FK0                    |      | 5471FR0 G                  |      | 6212555 G XX                       |      |
| 5005511 (S)                |      | 5431FL0                    |      | 5471FX0                    |      | 6212555T (P)                       |      |
| 5005511 G<br>5005521 (P)   |      | 5431FR0 (P)<br>5431FR0 (S) |      | 5472500 (P)<br>5472500 (S) |      | 6212555T (S)<br>6221554T (P)       |      |
| 5005521 (S)                |      | 5433500 (P)                |      | 5472500 (3)                |      | 6221554T (S)                       |      |
| 5005521 G                  |      | 5433500 (S)                |      | 54725K0                    |      | 6221557T (P)                       |      |
| 5005531 (P)                |      | 54335R0 (P)                |      | 54725L0                    |      | 6221557T (S)                       |      |
| 5005531 (S)                |      | 54335R0 (S)                |      | 54725R0 (P)                | 173  | 6261557T (P)                       |      |
| 5005531 G                  |      | 5433F00 (P)                |      | 54725R0(S)                 |      | 6261557T(S)                        |      |
| 5005541 (P)                |      | 5433F00 (S)                |      | 54725R0 G                  |      | 6280550 G                          |      |
| 5005541 (S)                |      | 5433FR0 (P)                |      | 54725X0                    |      | 6280550 G -XX                      |      |
| 5005541 G<br>5005711 (P)   |      | 5433FR0 (S)<br>5451500 (P) |      | 54815X05481FX0             |      | 6282550 G<br>6282550 G -XX         |      |
| 5005711 (S)                |      | 5451500 (F)                |      | 600250T (P)                |      | 640155CT (P)                       |      |
| 5005711 G                  |      | 5451500 (3)                |      | 600250T (S)                |      | 640155CT (S)                       |      |
| 5005721 (P)                |      | 54515K0                    |      | 600350T (P)                |      | 640155T (P)                        |      |
| 5005721 (S)                |      | 54515L0                    | 171  | 600350T(S)                 | 187  | 640155T(S)                         |      |
| 5005721 G                  |      | 54515R0 (P)                |      | 600350T KIT (P)            |      | 640250T(P)                         |      |
| 5005731 (P)                |      | 54515R0 (S)                |      | 600350T KIT (S)            |      | 640250T(S)                         |      |
| 5005731 (S)                |      | 54515R0 G                  |      | 600450T (P)                |      | 640251T (P)                        |      |
| 5005731 G<br>5005741 (P)   |      | 54515X05451F00 (P)         |      | 600450T(S)<br>600550T(P)   |      | 640251T (S)<br>640550AT (P)        |      |
| JUUJ [ + ] (F )            | 107  | 11 00 (F)                  | 1 1  | υυυς (F)                   | 101  | 07000MI (F)                        | 191  |

| Product No.       | Page | Product No.    | Page | Product No.      | Page | Product No.   | Page |
|-------------------|------|----------------|------|------------------|------|---------------|------|
|                   |      |                |      |                  |      |               | J    |
| 640550AT (S)      |      | 94-0035        |      | 95-M34000        |      | CP-030018     |      |
| 640550FT (P)      |      | 94-0036        |      | 95-M45000        |      | CP-030018     |      |
| 640550FT(S)       |      | 94-0051        |      | 95-M55000        |      | CP-030018     |      |
| 640550T (P)       |      | 94-0052        |      | 95-M56000        |      | CP-030024     |      |
| 640550T(S)        |      | 94-0058-MED    |      | 960357 (P)       |      | CP-030025     |      |
| 640750ET (P)      |      | 94-0059        |      | 960357 (S)       |      | CP-030042     |      |
| 640750ET (S)      |      | 94-0061        |      | 960358 (P)       |      | CP-030430     |      |
| 640750GT (P)      |      | 94-0067        |      | 960358 (S)       |      | CP-030590     |      |
| 640750GT(S)       |      | 94-0098        |      | 960590 W 26-S6   |      | CP-030670     |      |
| 640950T (P)       |      | 94-0174-XX     |      | CARD 1 X XX      |      | CP-030860     |      |
| 640950T(S)        |      | 94-0174-XX     |      | CARD 2 X XX      |      | CP-030860     |      |
| 640952T (P)       |      | 94-0174-XX     |      | CARD 6 X XX      |      | CP-030910     |      |
| 640952T(S)        |      | 94-0188-XX     |      | CARD KS XX 8E    |      | CP-031030     |      |
| 641050T (P)       |      | 94-0199        |      | CARD XX 56 XX    |      | CP-031170     |      |
| 641050T(S)        |      | 94-0203        |      | CARD XX 66 XX    |      | CP-031480     |      |
| 641051T(P)        |      | 94-0204        |      | CB-CODE-BIA      |      | CP-031560     |      |
| 641051T(S)        |      | 94-0207        |      | CB-CODE-BOK      |      | CP-041200     |      |
| 641200 C          |      | 94-0207        |      | CN-DIES          |      | CP-050050     |      |
| 641200 C          |      | 94-0208        |      | CP-010103-040    |      | CP-050060     |      |
| 641200D C         |      | 94-0212        |      | CP-010203-030    |      | CP-050120     |      |
| 641201 C          |      | 94-0213        |      | CP-010203-050    |      | CP-060106     |      |
| 641201 C          |      | 94-0221        |      | CP-010203-050    |      | CP-060203     |      |
| 641201D C         |      | 94-0222        |      | CP-010203-050    |      | CP-063220     |      |
| 652150T 011 (P)   |      | 94-0223        |      | CP-010234-320    |      | CP-063220     |      |
| 652150T 011 (S)   |      | 94-0227-XX     |      | CP-010235-120-XX |      | CP-064231     |      |
| 652150T 012 (P)   |      | 94-0227-XX     |      | CP-010503-040    |      | CP-064490     |      |
| 652150T 012 (S)   |      | 94-0227-XX     |      | CP-010503-040    |      | CP-064701     |      |
| 652150T 021 (P)   |      | 94-0249        |      | CP-011011-020    |      | CP-070011     |      |
| 652150T 021 (S)   |      | 94-0255-XX     |      | CP-011011-020    |      | CP-070111     |      |
| 6522560 G -121-XX |      | 94-0256-XX     |      | CP-011011-020    |      | CP-070131     |      |
| 6522560 G -122-XX |      | 94-0261        |      | CP-011013-020    |      | CP-070141     |      |
| 6522560T 121 (P)  |      | 94-0269        |      | CP-011013-020    |      | CP-070161     |      |
| 6522560T 121 (S)  |      | 94-0272        |      | CP-011013-020    |      | CP-070171     |      |
| 6522560T 122 (P)  |      | 94-0283        |      | CP-011013-020    |      | CP-070181     |      |
| 6522560T 122 (S)  |      | 94-0285        |      | CP-011013-040    |      | CP-070201     |      |
| 6522560T 132 (P)  |      | 94-0287        |      | CP-011013-040    |      | CP-070441     |      |
| 6522560T 132 (S)  | 200  | 94-0288        |      | CP-011511-000    |      | CP-070451     |      |
| 6522560T 133 (P)  |      | 94-0289        |      | CP-011751        |      | CP-070481     |      |
| 6522560T 133 (S)  |      | 94-0290        |      | CP-011753        |      | CP-070501     |      |
| 6522560T 134 (P)  |      | 94-0291        |      | CP-011754        |      | CP-070691     |      |
| 6522560T 134 (S)  |      | 94-0292        |      | CP-011757        |      | CP-070701     |      |
| 6522560T 221 (P)  |      | 94-0304-M0P    |      | CP-011762        |      | CP-070711     |      |
| 6522560T 221 (S)  |      | 94-0304-MBP    |      | CP-011763        |      | CP-070721     |      |
| 652650T 101 (P)   |      | 94-0305-M0P    |      | CP-011764        |      | CP-070731     |      |
| 652650T 101 (S)   |      | 94-0305-MBP    |      | CP-011767        |      | CP-070741     |      |
| 652650T 102 (P)   |      | 94-0306        |      | CP-012409-030    |      | CP-084571     |      |
| 652650T 102 (S)   |      | 94-0307        |      | CP-012411-030    |      | CP-084571     |      |
| 652650T 111 (P)   |      | 94-0309        |      | CP-012411-040    |      | CP-084571     |      |
| 652650T 111 (S)   |      | 94-0316        |      | CP-012917-000    |      | CP-0845A0     |      |
| 652650T 131 (P)   |      | 94-0317-516    |      | CP-014213-061    |      | CP-084671     |      |
| 652650T 131 (S)   |      | 94-0317-716    |      | CP-014642-591    |      | CP-084671     |      |
| 652650T 132 (P)   |      | 94-0318        |      | CP-020010        |      | CP-084671     |      |
| 652650T 132 (S)   |      | 94-0323        |      | CP-020020        |      | CP-0846A0     |      |
| 652650T 133 (P)   |      | 94-0325        |      | CP-020031        |      | CP-100111     |      |
| 652650T 133 (S)   |      | 94-0326        |      | CP-020040        |      | CP-100761     |      |
| 66391 (P)         |      | 95-000200      |      | CP-020100        |      | CP-100771-Z00 |      |
| 66391 (P)         |      | 95-001100      |      | CP-020240        |      | CP-100771-Z01 |      |
| 66391 (P)         |      | 95-100070      |      | CP-021011        |      | CP-100771-Z02 |      |
| 66391 (S)         |      | 95-100400      |      | CP-021031        |      | CP-100771-Z20 |      |
| 66391 (S)         |      | 95-210100-MED3 |      | CP-021121        |      | CP-100771-Z34 |      |
| 66391 (S)         |      | 95-210100-MED4 |      | CP-021130        |      | CP-100781-Z00 |      |
| 66418 (P)         |      | 95-210100-UNIV |      | CP-021370        |      | CP-100781-Z01 |      |
| 66418 (S)         |      | 95-210100-XX   |      | CP-021400        |      | CP-100781-Z02 |      |
| 90-0001           |      | 95-210130-MED3 |      | CP-021490        |      | CP-100781-Z20 |      |
| 90-0028           |      | 95-210130-MED4 |      | CP-021651        |      | CP-100781-Z34 |      |
| 94-0020           |      | 95-210130-UNIV |      | CP-022030        |      | CP-130101     |      |
| 94-0029           |      | 95-210130-XX   |      | CP-030001        |      | CP-130510     |      |
| 94-0030           |      | 95-M11000      |      | CP-030001        |      | CP-142043     |      |
| 94-0034           | 104  | 95-M23000      | 212  | CP-030017        | 209  | CP-142543     | 183  |

| Product No.              | Page | Product No.                  | Page | Product No.                  | Page | Product No.                        | Page |
|--------------------------|------|------------------------------|------|------------------------------|------|------------------------------------|------|
| CP-144110                | 183  | CP-200751-20                 | 150  | CP-200851-10                 | 147  | CP-286071-500                      | 149  |
| CP-144120                |      | CP-200751-25                 |      | CP-200851-15                 |      | CP-286131                          |      |
| CP-144130                |      | CP-200751-25                 |      | CP-200851-20                 |      | CP-286180                          |      |
| CP-144140                |      | CP-200751-30                 |      | CP-200851-25                 |      | CP-286350                          |      |
| CP-144150<br>CP-144160   |      | CP-200751-40<br>CP-200751-45 |      | CP-200851-30<br>CP-200851-45 |      | CP-286531-25-EL<br>CP-286541-25-EL |      |
| CP-144160                |      | CP-200751-45<br>CP-200751-50 |      | CP-200851-45<br>CP-200851-55 |      | CP-286851                          |      |
| CP-144280                |      | CP-200751-55                 |      | CP-200851-60                 |      | CP-287260                          |      |
| CP-144290                |      | CP-200751-60                 |      | CP-200851-65                 |      | CP-287260                          | 57   |
| CP-144300                |      | CP-200751-65                 |      | CP-200851-70                 |      | CP-287260                          |      |
| CP-150082                |      | CP-200751-70                 |      | CP-200851-75                 |      | CP-287371                          |      |
| CP-150102                |      | CP-200751-75                 |      | CP-200851-80                 |      | CP-287720                          |      |
| CP-150142<br>CP-150152   |      | CP-200751-80<br>CP-200751-85 |      | CP-200851-85<br>CP-200851-90 |      | CP-287770CP-301290                 |      |
| CP-160051                |      | CP-200751-90                 |      | CP-220071                    |      | CT-A00                             |      |
| CP-160061                |      | CP-200761-05                 |      | CP-220071                    |      | CT-A01                             |      |
| CP-160071                |      | CP-200761-10                 |      | CP-220090                    | 150  | CT-A02                             | 189  |
| CP-160081                |      | CP-200761-15                 |      | CP-220090                    |      | CT-A03                             |      |
| CP-160091                |      | CP-200761-20                 |      | CP-220120                    |      | CT-A04                             |      |
| CP-160101CP-160111       |      | CP-200761-25<br>CP-200761-30 |      | CP-220201<br>CP-230081       |      | CT-A05                             |      |
| CP-160111                |      | CP-200761-30                 |      | CP-230081                    |      | CT-A07                             |      |
| CP-160180                |      | CP-200761-45                 |      | CP-240761-500                |      | CT-A08                             |      |
| CP-160271                |      | CP-200761-50                 |      | CP-240771-5P                 |      | CT-A09                             |      |
| CP-160301                |      | CP-200761-55                 | 146  | CP-240771-6P                 | 148  | CT-A11                             |      |
| CP-160541                |      | CP-200761-60                 |      | CP-250010                    |      | CT-A12                             |      |
| CP-160551                |      | CP-200761-65                 |      | CP-250020                    |      | CT-A13                             |      |
| CP-160571                |      | CP-200761-70                 |      | CP-250030                    |      | CT-A14                             |      |
| CP-160591CP-160601       |      | CP-200761-75<br>CP-200761-80 |      | CP-250040<br>CP-250140       |      | CT-A15<br>CT-A16                   |      |
| CP-160601                |      | CP-200761-85                 |      | CP-250180                    |      | CT-A19                             |      |
| CP-160661-50             |      | CP-200761-90                 |      | CP-270511                    |      | CT-C02                             |      |
| CP-160661-55             |      | CP-200771-05                 | 147  | CP-270521                    |      | CT-C04                             | 190  |
| CP-160691                |      | CP-200771-05                 |      | CP-270531                    |      | CT-C05                             |      |
| CP-160910                |      | CP-200771-10                 |      | CP-270541                    |      | CT-C08                             |      |
| CP-170011                |      | CP-200771-10                 |      | CP-270551                    |      | CT-C09                             |      |
| CP-170021<br>CP-170021   |      | CP-200771-15<br>CP-200771-15 |      | CP-270561<br>CP-280261       |      | CT-C11                             |      |
| CP-170021                |      | CP-200771-13                 |      | CP-280201                    |      | CT-D01                             |      |
| CP-170031                |      | CP-200771-20                 |      | CP-280271                    |      | CT-D02                             |      |
| CP-170041                | 209  | CP-200771-25                 |      | CP-280330                    |      | CT-D03                             | 190  |
| CP-170041                |      | CP-200771-25                 |      | CP-280620                    |      | CT-D04                             |      |
|                          | 209  | CP-200801-00                 |      |                              | 211  | CT-D05                             |      |
| CP-170061                |      | CP-200801-02                 |      | CP-282451                    |      | CT-D06                             |      |
| CP-170250CP-170271       |      | CP-200801-04<br>CP-200801-06 |      | CP-282460<br>CP-282470       |      | CT-D07<br>CT-D08                   |      |
| CP-170430                |      | CP-200801-00<br>CP-200801-08 |      | CP-282500                    |      | CT-D08                             |      |
| CP-170440                |      | CP-200801-0A                 |      | CP-282530                    |      | CT-D11                             |      |
| CP-170481                |      | CP-200801-12                 | 150  | CP-282540                    |      | CT-D12                             | 190  |
| CP-170730-5              |      | CP-200801-14                 | 150  | CP-285901                    |      | CT-D15                             |      |
| CP-170730-5              |      | CP-200801-16                 |      | CP-285901                    |      | CT-D19                             |      |
| CP-170730-6              |      | CP-200801-18                 |      | CP-285921-500                |      | CT-F34                             |      |
| CP-170730-6<br>CP-170930 |      | CP-200801-1A<br>CP-200801-22 |      | CP-285921-500<br>CP-285931   |      | CT-F36                             |      |
| CP-170930                |      | CP-200801-24                 |      | CP-285931                    |      | CT-F37                             |      |
| CP-170930                |      | CP-200801-26                 |      | CP-285951-500                |      | CT-F38                             |      |
| CP-171011                | 183  | CP-200801-28                 | 147  | CP-285951-500                | 154  | CT-F40                             |      |
| CP-171021                |      | CP-200801-2A                 |      | CP-285961                    | 149  | CT-F42                             |      |
| CP-171031                |      | CP-200801-44                 |      | CP-285961                    |      | CT-F43                             |      |
| CP-180021                |      | CP-200801-46                 |      | CP 285981-500                |      | CT-F44                             |      |
| CP-180031                |      | CP-200801-48<br>CP-200801-4A |      | CP-285981-500<br>CP-285991   |      | CT-H00<br>CT-H07                   |      |
| CP-180061                |      | CP-200801-4A<br>CP-200801-66 |      | CP-285991                    |      | СТ-Н07                             |      |
| CP-200720                |      | CP-200801-68                 |      | CP-286011-500                |      | CT-H14                             |      |
| CP-200751-10             | 146  | CP-200801-6A                 |      | CP-286011-500                |      | CT-H15                             |      |
| CP-200751-10             |      | CP-200801-88                 |      | CP-286021                    |      | CT-H16                             |      |
| CP-200751-15             |      | CP-200801-8A                 |      | CP-286041-500                |      | CT-H17                             |      |
| CP-200751-15             |      | CP-200801-AA                 |      | CP-286041-500                |      | CT-H19                             |      |
| CP-200751-20             | 146  | CP-200830                    | 150  | CP-286051                    | 149  | CT-H20                             | 190  |

| Product No.      | Page | Product No.            | Page | Product No.                    | Page | Product No.                        | Page |
|------------------|------|------------------------|------|--------------------------------|------|------------------------------------|------|
| CT 1127          | 100  | CT 716                 | 70   | FA 100100 M00                  | 20   | EA 1002E0 A01                      | 21   |
| CT-H27<br>CT-H30 |      | CT-Z16<br>CT-Z17       |      | EA-100199-M00EA-100199-M01     |      | EA-100259-A01<br>EA-100259-M00     |      |
| CT-H32           |      | CT-Z18                 |      | EA-100199-MD0                  |      | EA-100259-M01                      |      |
| CT-J01           |      | CT-Z19                 |      | EA-100199-MD1                  |      | EA-100259-MD0                      |      |
| CT-J05           |      | CT-Z20                 |      | EA-100199-MU0                  |      | EA-100259-MD1                      |      |
| CT-J07           |      | CT-Z21                 |      | EA-100199-MU1                  |      | EA-100259-MU0                      |      |
| CT-J08           |      | CT-Z22                 |      | EA-100206                      |      | EA-100259-MU1                      |      |
| CT-J11<br>CT-J12 |      | CT-Z26<br>CT-Z29       |      | EA-100207<br>EA-100208         |      | EA-100260-A00<br>EA-100260-A01     |      |
| CT-J12           |      | CT-Z29                 |      | EA-100208                      |      | EA-100260-M00                      |      |
| CT-J14           |      | CT-Z45                 |      | EA-100219                      |      | EA-100260-M01                      |      |
| CT-j15           |      | CT-Z47                 | 79   | EA-100220                      |      | EA-100260-MD0                      | 31   |
| CT-J18           |      | CT-Z48                 |      | EA-100221                      |      | EA-100260-MD1                      |      |
| CT-J22           |      | CT-Z50                 |      | EA-100229                      |      | EA-100260-MU0                      |      |
| CT-J27           |      | CT-Z50<br>CT-Z51       |      | EA-100232<br>EA-100236-M00     |      | EA-100260-MU1<br>EA-100261-A00     |      |
| CT-J28<br>CT-J29 |      | CT-Z51                 |      | EA-100236-M00EA-100236-M01     |      | EA-100261-A00                      |      |
| CT-V00           |      | CT-Z55                 |      | EA-100236-MD0                  |      | EA-100261-M00                      |      |
| CT-V01           |      | CT-Z56                 |      | EA-100236-MD1                  |      | EA-100261-M01                      |      |
| CT-V02           | 101  | CT-Z57                 | 79   | EA-100236-MU0                  | 30   | EA-100261-MD0                      |      |
| CT-V03           |      | CT-Z58                 |      | EA-100236-MU1                  |      | EA-100261-MD1                      |      |
| CT-V19           |      | CT-Z59                 |      | EA-100237-M00                  |      | EA-100261-MU0                      |      |
| CT-V35           |      | CT-Z61<br>CT-Z69       |      | EA-100237-M01<br>EA-100237-MD0 |      | EA-100261-MU1<br>EA-100262-A00     |      |
| CT-V40           |      | CT-Z70                 |      | EA-100237-MD0<br>EA-100237-MD1 |      | EA-100262-A00                      |      |
| CT-Y02           |      | CT-Z84                 | 79   | EA-100237-MD1                  |      | EA-100262-M00                      |      |
| CT-Y08           |      | CT-Z87                 |      | EA-100237-MU1                  |      | EA-100262-M01                      |      |
| CT-Y08           | 101  | CT-Z88                 |      | EA-100240                      |      | EA-100262-MD0                      | 31   |
| CT-Y24           |      | CT-Z88                 |      | EA-100242-000                  |      | EA-100262-MD1                      |      |
| CT-Y27           |      | CT-Z98                 |      | EA-100242-00G                  |      | EA-100262-MU0                      |      |
| CT-Y28<br>CT-Y29 |      | CT-Z98<br>CT-Z99       |      | EA-100242-010<br>EA-100242-01G |      | EA-100262-MU1<br>EA-100263-A00     |      |
| CT-Y31           |      | CT-ZA2                 |      | EA-100242-01G                  |      | EA-100263-A01                      |      |
| CT-Y32           |      | CT-ZA6                 |      | EA-100242-10G                  |      | EA-100263-M00                      |      |
| CT-Y35           |      | DE-CODE-KEY            |      | EA-100245                      |      | EA-100263-M01                      |      |
| CT-Y37           |      | DE-CODE-LOK            |      | EA-100247-A00                  | 30   | EA-100263-MD0                      | 31   |
| CT-Y46           |      | EA-100088              |      | EA-100247-A01                  |      | EA-100263-MD1                      |      |
| CT-Y47           |      | EA-100108              |      | EA-100247-M00                  |      | EA-100263-MU0                      |      |
| CT-Y49<br>CT-Y52 |      | EA-100109              |      | EA-100247-M01<br>EA-100247-MD0 |      | EA-100263-MU1<br>EA-100264-A00     |      |
| CT-Y52           |      | EA-100109              |      | EA-100247-MD0<br>EA-100247-MD0 |      | EA-100264-A00EA-100264-A01         |      |
| CT-Y54           |      | EA-100111              |      | EA-100247-MU0                  |      | EA-100264-M00                      |      |
| CT-Y55           |      | EA-100117              | 123  | EA-100247-MU1                  |      | EA-100264-M01                      |      |
| CT-Y57           |      | EA-100121              | 67   | EA-100248-A00                  |      | EA-100264-MD0                      |      |
| CT-Y58           |      | EA-100125              |      | EA-100248-A01                  |      | EA-100264-MD1                      |      |
| CT-Y60           |      | EA-100126              |      | EA-100248-M00                  |      | EA-100264-MU0                      |      |
| CT-Y61<br>CT-Y67 |      | EA-100138<br>EA-100142 |      | EA-100248-M01<br>EA-100248-MD0 |      | EA-100264-MU1<br>EA-100265-A00     |      |
| CT-Y68           |      | EA-100145              |      | EA-100248-MD1                  |      | EA-100265-A01                      |      |
| CT-Y69           |      | EA-100148              |      | EA-100248-MU0                  |      | EA-100265-M00                      |      |
| CT-Y70           |      | EA-100149              | 123  | EA-100248-MU1                  |      | EA-100265-M01                      |      |
| CT-Y71           |      | EA-100154              |      | EA-100249-A00                  | 30   | EA-100265-MD0                      | 31   |
| CT-Y72           |      | EA-100159              |      | EA-100249-A01                  |      | EA-100265-MD1                      |      |
| CT-Y73           |      | EA-100160              |      | EA-100249-M00                  |      | EA-100265-MU0<br>EA-100265-MU1     |      |
| CT-Y74<br>CT-Y75 |      | EA-100167<br>EA-100168 |      | EA-100249-M01<br>EA-100249-MD0 |      | EA-100265-MO1                      |      |
| CT-Y76           |      | EA-100173              |      | EA-100249-MD1                  |      | EA-250059                          |      |
| CT-Y77           |      | EA-100173              |      | EA-100249-MU0                  |      | EA-250066                          |      |
| CT-Y78           | 103  | EA-100174              |      | EA-100249-MU1                  |      | EA-300069-01-EL                    | 204  |
| CT-Y97           |      | EA-100174              |      | EA-100250-A00                  |      | EA-300070-01-EL                    | 204  |
| CT-Z00           |      | EA-100177              |      | EA-100250-A01                  |      | EA-300086-01-EL                    |      |
| CT-Z01           |      | EA-100178              |      | EA-100250-M00                  |      | EA-300087-01-EL                    |      |
| CT-Z02<br>CT-Z04 |      | EA-100179<br>EA-100180 |      | EA-100250-M01<br>EA-100250-MD0 |      | EA-300088-01-EL<br>EA-300089-01-EL |      |
| CT-Z05           |      | EA-100181              |      | EA-100250-MD0                  |      | EA-300089-01-EL                    |      |
| CT-Z06           |      | EA-100187              |      | EA-100250-MU0                  |      | EA-300241                          |      |
| CT-Z07           |      | EA-100192              |      | EA-100250-MU1                  |      | EA-300242                          |      |
| CT-Z08           |      | EA-100199-A00          |      | EA-100254                      |      | EA-300243                          |      |
| CT-Z09           | 78   | EA-100199-A01          | 30   | EA-100259-A00                  | 31   | EA-300244                          | 32   |

| Product No.                         | Page | Product No.                            | Page | Product No.                               | Page | Product No.                               | Page |
|-------------------------------------|------|--|------|---|------|---|------|
| EA-300245                           | 32   | KH-5701                                | 207  | KYC 35563P XX 99                          | 204  | SW-500301-2                               | 24   |
| EA-300254                           |      | KH-5702                                |      | KYC 355640 XX 99                          |      | SW-500301-3                               |      |
| EA-300255                           |      | KM KYB 776640 XX 99                    |      | KYC 356600 XX 99                          |      | SW-500301-4                               | 24   |
| EA-300256                           |      | KM KYB 777640 XX 99                    |      | KYC 35663  XX 99                          | 205  | SW-600801                                 | 68   |
| EA-300257                           |      | KM-SHARP-CUT                           |      | KYC 35663K XX 99                          | 205  | SW-600801-6                               |      |
| EA-350084                           |      | KM-SHARP-CUT                           |      | KYC 35663P XX 99                          |      | SW-600801-6R                              |      |
| EA-500054-M0P                       |      | KYB 105400 XX 00                       |      | KYC 356640 XX 99                          |      | SW-600801-6R                              |      |
| EA-500054-MBP                       |      | KYB 10X600 XX XX                       |      | KYC 4L X600 XX 99 XXX                     |      | SW-600801-7                               | 56   |
| EN-150002-XXX                       |      | KYB 10X605 XX                          |      | KYC 4L X600 XX XX XXX                     |      | SW-600801-7                               | 68   |
| EN-150002-XXX (Op Code)             |      | KYB 115400 S6 43                       |      | KYC 45 X600 XX 99 XXX                     |      | SW-600801-7R                              |      |
| EN-150003-XXX (Op Code)<br>EV-8501D |      | KYB 115400 XX 00<br>KYB 12X600 XX 99   |      | KYC 4S X600 XX XX XXX<br>KYC 745600 XX 99 |      | SW-600801-7R<br>SW-600901                 |      |
| EV-8501D                            |      | KYB 17X600 XX 99                       |      | KYC 74563  XX 99                          |      | SW-600901-1                               |      |
| EV-8501S                            |      | KYB 32X600 XX 99                       |      | KYC 74563K XX 99                          |      | SW-600901-1R                              |      |
| EV-8501S                            |      | KYB 32X900 XX 99                       |      | KYC 74563P XX 99                          |      | SW-600901-R                               |      |
| .K-1001                             |      | KYB 33X600 XX 99                       |      | KYC 745640 XX 99                          |      | SW-601201                                 |      |
| .K-1002                             |      | KYB 34X600 XX 99                       |      | KYC 746600 XX 99                          |      | SW-601201-R                               | 56   |
| .K-1003                             | 208  | KYB 355600 XX 99                       | 206  | KYC 74663J XX 99                          | 205  | SW500101-1                                | 68   |
| .K-1005                             |      | KYB 35563J XX 99                       |      | KYC 74663K XX 99                          |      | SW500101-3                                |      |
| .K-1006                             |      | KYB 35563K XX 99                       |      | KYC 74663P XX 99                          |      | SW500101-5                                |      |
| .K-1099                             |      | KYB 35563P XX 99                       |      | KYC 746640 XX 99                          |      | T-7155                                    |      |
| .K-4001                             |      | KYB 355640 XX 99                       |      | KYC 776600 XX 99                          |      | TP-F10-2W (.060")                         |      |
| .K-4002                             |      | KYB 356600 XX 99                       |      | KYC 77663P XX 99                          |      | TP-F10-3M                                 |      |
| .K-4003                             |      | KYB 35663J XX 99<br>KYB 35663K XX 99   |      | KYC 776640 XX 99                          |      | TP-F10-3W (.090")                         |      |
| .K-4004<br>.K-4006                  |      | KYB 35663P XX 99                       |      | KYC 776900 XXX 99<br>KYC 77693P XXX 99    |      | TP-F10-4T (.180")<br>TP-F10-4W-6T (.120") |      |
| .K-6001                             |      | KYB 356640 XX 99                       |      | KYC 776940 XXX 99                         |      | TP-F10-4W-01 (.120 )                      |      |
| .K-6002                             |      | KYB 38X600 XX 99                       |      | KYC 777600 XX 99                          |      | TP-F10-XT                                 |      |
| .K-9001                             |      | KYB 38X900 XX 99                       |      | KYC 77763P XX 99                          |      | TP-F10-XW                                 |      |
| .KJ1501                             |      | KYB 4L X600 XX 99 XXX                  |      | KYC 777640 XX 99                          |      | TP-F10-XX                                 |      |
| .KW5005                             |      | KYB 4S X600 XX 99 XXX                  |      | KYC 777900 XXX 99                         |      | TP-F15-XB                                 |      |
| .KW5006                             |      | KYB 745600 XX 99                       | 206  | KYC 77793P XXX 99                         |      | TP-F15-XT                                 |      |
| .KW5007                             | 207  | KYB 74563F NM XX                       | 204  | KYC 777940 XXX 99                         | 206  | TP-F50-XW                                 | 208  |
| .KW5010                             |      | KYB 74563H NM XX                       |      | KYC A50000 AXX 00                         |      | TP-F50-XX                                 |      |
| .KW5011                             |      | KYB 74563J XX 99                       |      | KYC A60000 AXX 00                         |      | TP-F53-XX                                 |      |
| .KW5012                             |      | KYB 74563K XX 99                       |      | KYC XX5600 XX 99                          |      | TP-F57-0                                  |      |
| .KW5401                             | 57   | KYB 74563N NM XX                       |      | KYC XX6600 XX XX                          |      | TP-F57-X                                  |      |
| .KW5401                             |      | KYB 74563P XX 99<br>KYB 745640 XX 99   |      | KYC XX6900 XXX 99<br>KYC XX6900 XXX XX    |      | TP-F60-XXTP-F90-XX                        |      |
| .KW5401                             |      | KYB 745640 XX 99<br>KYB 746600 XX 99   |      | PK-KYLUBE-02                              |      | TP-H10-9W (.135")                         |      |
| KEB 47600C                          |      | KYB 74663  XX 99                       |      | PK-KYLUBE-11                              |      | TP-K40-XX-BH                              |      |
| KEB 48600C                          |      | KYB 74663K XX 99                       |      | PX-KYLUBE-02                              |      | TP-K40-XX-TH                              |      |
| KEB 49600C                          |      | KYB 74663P XX 99                       |      | PX-KYLUBE-11                              |      | TP-K42-Z9                                 |      |
| KEC 42602B                          |      | KYB 746640 XX 99                       | 206  | RE-KEY                                    | 201  | TP-K43-XX-BH                              | 208  |
| KEC 42603B                          | 67   | KYB 776600 XX 99                       | 206  | RE-KEY-MK                                 | 201  |   |      |
| KEC 4260CR                          |      | KYB 77663F NM XX                       | 204  | SMK004-01                                 | 124  |   |      |
| KEC 426P2B                          |      | KYB 77663H NM XX                       |      | SMK004-02                                 |      |   |      |
| KEC 426P3B                          |      | KYB 77663N NM XX                       |      | SMK032-31                                 |      |   |      |
| KEC 47X002                          |      | KYB 77663P XX 99                       |      | SMK032-33                                 |      |   |      |
| KEC 47X003                          |      | KYB 776900 XXX 99                      |      | SMK032-35                                 |      |   |      |
| KEC 47X013                          |      | KYB 77693P XXX 99<br>KYB 776940 XXX 99 |      | SMK032-37<br>SMK040-30                    |      |   |      |
| KEC 47XB03                          |      | KYB 777600 XX 99                       |      | SMK040-31                                 |      |   |      |
| KEC 47XP02                          |      | KYB 77763P XX 99                       |      | SMK042-30                                 |      |   |      |
| KEC 47XP03                          |      | KYB 777900 XXX 99                      |      | SMK042-32                                 |      |   |      |
| KEC 48X002                          |      | KYB 77793P XXX 99                      |      | SMK042-33                                 |      |   |      |
| KEC 48X003                          |      | KYB 777940 XXX 99                      | 206  | SMK042-35                                 | 124  |   |      |
| KEC 48X013                          |      | KYB A50000-AXX00                       | 203  | ST-LASER                                  | 201  |   |      |
| KEC 48X023                          |      | KYB A60000-AXX00                       |      | SW-500101-1                               |      |   |      |
| KEC 48XB03                          |      | KYB XX5400 XX 99                       |      | SW-500101-3                               |      |   |      |
| KEC 48XP02                          |      | KYB XX6605                             |      | SW-500101-5                               |      |   |      |
| KEC 48XP03                          |      | KYB XX6611                             |      | SW-500141                                 |      |   |      |
| KEC 497043                          |      | KYB XX6620 XX 05                       |      | SW-500141-1                               |      |   |      |
| KEC 49X002                          |      | KYB XX6X31<br>KYB XX7X11               |      | SW-500141-1R                              |      |   |      |
| KEC 49X013                          |      | KYB XX7X11                             |      | SW-500150-R<br>SW-5001570                 |      |   |      |
| KEC 49XB03                          |      | KYC 355600 XX 99                       |      | SW-500170-R                               |      |   |      |
| KEC 49XP02                          |      | KYC 35563J XX 99                       |      | SW-500301-1                               |      |   |      |
| KEC 40AbU3                          | 55   | VVC 35563V VV 00                       | 205  | SW-500301-1P                              | 25   |   |      |

| Notes: |  |
|--------|--|
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |
|        |  |




## Finishes Available – Commercial & Industrial Locks



Note: Product appearance may differ from this chart as a result of the differences in plated versus printed materials.

The ASSA ABLOY Group is the global leader in access solutions. Every day, we help billions of people experience a more open world.

ASSA ABLOY Opening Solutions leads the development within door openings and products for access solutions in homes, businesses and institutions. Our offering includes doors, frames, door and window hardware, locks, perimeter fencing, access control and service.



# medeco<sup>o</sup> ASSA ABLOY

#### **MEDECO USA**

3625 Alleghany Drive | Salem, Virginia 24153-0330 Customer Service **1.877.633.3261** 

#### **MEDECO CANADA**

160 Four Valley Drive | Vaughan, ON L4K 4T9 CANADA Customer Service 1.888.633.3264

f

facebook.com/medecolocks



youtube.com/medecolocks



enewsletter sign up: medeco.com



linkedin.com/company/medecolocks/

© 2023 Medeco Security Locks LT-922119 REV 18