

6-Outlet Surge Protector

Two-Pack

0E-SRGE6F2PK

UltraTech
POWER PRODUCTS

PRODUCT DESCRIPTION

The essential surge protector 0E-SRGE6F2PK two-pack offers vital surge protection for common home and office devices such as computers and electronics. Each unit provides 1,500 joules of surge protection, preventing spikes in energy caused by storms and electrical power surges from reaching your electronic equipment.

FEATURES

- 6 Surge Protected Grounded Outlets
- 1,500 Joules Surge Protection
- 6-Foot Power Cord with Space-Saving Offset Plug
- EMI/RFI Filtration
- Protected LED Indicator



SPECIFICATIONS

PART #	0E-SRGE6F2PK
UPC	840049304543
SURGE SUPPRESSION	1500J
VOLTS	125V
CORD LENGTH	6 ft. (1.8m)
OUTLET TYPES	6 × NEMA 5-15R
PLUG STYLE	Right-angle 45° offset
DIMENSIONS (each)	1.75 x 1.5 x 9.75 in. (44 x 38 x 248mm)
WEIGHT (each)	1.0 lbs. (0.45kg)
WARRANTY	Limited Lifetime
CONNECTED EQUIPMENT GUARANTEE	\$150,000

TYPICAL APPLICATIONS

- Personal Computers
- Chargers
- Personal Electronics
- Home Networking



6-Outlet Surge Protector Two-Pack



ADDITIONAL SPECIFICATIONS

INPUT	Circuit Breaker	15A
	Cord Length	6 ft. (1.8m)
	Maximum Input Current	15A
OUTPUT	Outlet Type	6 x NEMA 5-15R
SURGE PROTECTION AND FILTERING	Attenuation	32 dB
	Clamping Voltage	600V (H-N, H-G, N-G)
	EMI/RFI Filtration	150 KHz / 100 MHz
	Maximum Surge Current	45,000 A
	Maximum Surge Current H-G	15,000 A
	Maximum Surge Current H-N	15,000 A
	Maximum Surge Current N-G	15,000 A
	Maximum Surge Voltage	6000 V
	Response Time	<1 Nanosecond
	Surge Suppression (Joules)	1500 J

6-Outlet Surge Protector

Two-Pack



ADDITIONAL SPECIFICATIONS (CONT.)

PHYSICAL SPECIFICATIONS	Form Factor	Power Strip
	Material of Construction	Plastic
WEIGHTS AND DIMENSIONS (each)	Width/Height/Depth (in) Width/Height/Depth (cm) Width/Height/Depth (mm)	1.75 x 1.5 x 9.75 in. 4.45 x 3.81 x 24.77cm 44 x 38 x 248mm
	Weight (lb) Weight (kg)	1.0 lbs. 0.45kg
CERTIFICATIONS	Environmental	RoHS Compliant
	Safety	UL1449 3rd Edition cUL
WARRANTY	CEG Amount	\$150,000
	Product Warranty	Limited Lifetime