

# 8-Outlet Surge Protector

## 4 Transformer-Spaced Outlets

0E-SRGEWDPLG

**UltraTech**  
POWER PRODUCTS

### PRODUCT DESCRIPTION

The 0E-SRGEWDPLG offers vital surge protection for common home and office devices such as computers and electronics. 0E-SRGEWDPLG features eight grounded outlets (four widely spaced for transformer plugs) with 1,800 joules of surge protection to prevent spikes in energy from reaching your electronic equipment.

### FEATURES

- **8 Surge Protected Grounded Outlets**
  - 4 Transformer-Spaced Outlets
  - 4 Standard-Spaced Outlets
- **1,800 Joules Surge Protection**
- **6-Foot Power Cord with Space-Saving Offset Plug**
- **EMI/RFI Filtration**



### SPECIFICATIONS

<b>PART #</b>	<b>0E-SRGEWDPLG</b>
<b>UPC</b>	840049304550
<b>SURGE SUPPRESSION</b>	1800J
<b>VOLTS</b>	125V
<b>OUTLET TYPES</b>	8 × NEMA 5-15R
<b>CORD LENGTH</b>	6 ft. (1.8m)
<b>PLUG STYLE</b>	Right-angle 45° offset
<b>DIMENSIONS</b>	3.94 x 1.5 x 10.69 in. (100 x 38 x 272mm)
<b>WEIGHT</b>	1.4 lbs. (0.65kg)
<b>WARRANTY</b>	Lifetime Limited
<b>CONNECTED EQUIPMENT GUARANTEE</b>	\$250,000

### TYPICAL APPLICATIONS

- Home and Office Electronics
- Chargers
- Personal Computers



# 8-Outlet Surge Protector

## 4 Transformer-Spaced Outlets



### ADDITIONAL SPECIFICATIONS

INPUT	Circuit Breaker	15A
	Maximum Input Current	15A
OUTPUT	Outlet Type	8 x NEMA 5-15R
	Transformer-Spaced Outlets	4
SURGE PROTECTION AND FILTERING	Attenuation	32 dB
	Clamping Voltage	400V (H-N, H-G, N-G)
	EMI/RFI Filtration	150 KHz / 100 MHz
	Maximum Surge Current	90,000 A
	Maximum Surge Current H-G	30,000 A
	Maximum Surge Current H-N	30,000 A
	Maximum Surge Current N-G	30,000 A
	Maximum Surge Voltage	6000 V
	Response Time	<1 Nanosecond
	Surge Suppression (Joules)	1800 J

# 8-Outlet Surge Protector

## 4 Transformer-Spaced Outlets



### ADDITIONAL SPECIFICATIONS (CONT.)

<b>PHYSICAL SPECIFICATIONS</b>	Form Factor	Power Strip
	Material of Construction	Plastic
<b>WEIGHTS AND DIMENSIONS</b>	Width/Height/Depth (in) Width/Height/Depth (cm) Width/Height/Depth (mm)	3.94 x 1.5 x 10.69 in. 10.01 x 3.81 x 27.15cm 100 x 38 x 272mm
	Weight (lb) Weight (kg)	1.4 lbs. 0.65kg
<b>CERTIFICATIONS</b>	Environmental	RoHS Compliant
	Safety	UL1449 3rd Edition cUL
<b>WARRANTY</b>	CEG Amount	\$250,000
	Product Warranty	Limited Lifetime