

22" HDMI FRAMELESS LED MONITOR

24/7/365 Operating Capability



The 22" frameless LED monitor is designed to excel in 24/7 video surveillance applications. Delivering full HD resolution and 16.7 million colors, the monitor displays every detail with precision, while HDMI and VGA inputs, source auto detection and quick touch scalability help to ensure easy installation. Offering exceptional value with uncompromising quality and reliability, this monitor is an excellent choice for any video surveillance application.

FEATURES

- 21.5" Diagonal Viewing Size
- 1920x1080P Full HD Resolution
- 178° Ultra-Wide Viewing Angle
- Source Auto Detection
- Low Blue Light Technology
- Quick Touch Scalability 16:9/4:3
- VGA, HDMI and Audio Inputs
- Includes HDMI, VGA, Audio and Power Cables
- Two Built-In Speakers
- 30-Month Warranty
- Part #: 0E-22VGHDMI3
- UPC: 840049310469
- Length: 19.3" (490.2mm)
- Width: 8.6" (218.4mm)
- Height: 14.1" (358.1mm)
- Weight: 4.85 lbs. (2.19kg)
- UL Listed



MONITEUR HDMI À DEL SANS CADRE DE 22 PO

Capacité de fonctionnement 24/7/365



Le moniteur à DEL sans cadre de 22 po est parfait pour les applications de vidéosurveillance en permanence. Grâce à une résolution HD intégrale et à ses 16,7 millions de couleurs, ce moniteur saura afficher tous les détails avec précision. De plus, il est doté d'entrées HDMI et VGA et de fonctionnalités de détection automatique de la source et de mise à l'échelle pour assurer une installation facile. Il offre une valeur exceptionnelle, sans compromis sur la qualité et la fiabilité. Il s'agit d'un excellent choix pour toute application de vidéo surveillance.

CARACTÉRISTIQUES

- Dimensions d'achage diagonales de 21.5 po
- Résolution HD intégrale 1920x1080 p
- Grand angle de vue de 178°
- Détection automatique de la source
- Technologie à faible lumière bleue
- Mise à l'échelle Quick Touch 16:9/4:3
- Entrées VGA, HDMI et audio
- Comprend des câbles audio, VGA, HDMI et d'alimentation
- Deux haut-parleurs intégrés
- Garantie de 30 mois
- N° de pièce : 0E-22VGHDMI3
- UPC : 840049310469
- Longueur : 19,3 po (490,2 mm)
- Largeur : 8,6 po (218,4 mm)
- Hauteur : 14,1 po (358,1 mm)
- Poids : 4,85 lb (2,19 kg)
- Homologué UL



TECHNICAL SPECIFICATIONS	
Model	OE-22VGHDMI3
Screen Diagonal Dimension (inches)	21.5"
Viewable Area W x H	18.8" x 10.2" (477.5mm x 259mm)
LED Type	Edge LED
Pixel Pitch (mm)	0.2493mm x 0.241mm
Screen Maximum Resolution	1920x1080
Display Resolutions	720x400; 640x480; 800x600; 1024x768; 1280x1024; 1366x768; 1920x1080
Supported Input Resolutions	720x400; 640x480; 800x600; 1024x768; 1280x1024; 1366x768; 1920x1080
Refresh Rate (hertz)	75Hz
Color Depth (millions)	16.7 million colors
Brightness	250 nits (250 cd/m ²)
Auto Adjust	Yes
Monitor Aspect Ratio	16:9
Display Aspect Ratio	OSD options: Full/4:3/Over Scan
Horizontal TV Lines	1080
Contrast Ratio	4000:1SCR
Response Time (ms)	5 ms (GTG)
View Angle H/V (degrees)	178° x 178°/CR>10
Digital Video Inputs	HDMI up to 1920x1080
Analog Video In/Out	VGA up to 1920x1080
Connectors	HDMI x 1 , VGA x 1 , AUDIO IN x 1
Audio Inputs (stereo)	1 x 3.5mm mini-jack
Speakers (watts)	2 x 2 watts
Stand-by (watts)	<0.5 watt
Power Consumption (watts)	16 watts typical
Monitor Body Dimensions	19.3" x 1.5" x 11" (490.2mm x 38.1mm x 279.4mm)
Dimensions Monitor+Stand	19.3" x 8.6" x 14.1" (490.2mm x 218.4mm x 358.1mm)
Panel Surface	Matte black
Case and Stand Material	Plastic
VESA Mounting Pattern (mm)	75mm x 75mm
Base/Stand Included	Yes
Base Tilt Angle	-5°-15°
Weight Cabinet Only	4.08 lbs. (1.85kg)
Weight Cabinet+Base Stand	4.85 lbs. (2.19kg)
Power Supply (internal)	AC 100-240V-50/60Hz 1.1A
Operating Temperature	0°C-40°C / 32°F-104°F
Storage Temperature	-20°C-50°C / -4°F-122°F
Operating Humidity	10-90%
Accessories Included in the Box	Power cable/HDMI cable/VGA cable/Audio cable/Stand support/Screws/ Base of stand/User manuals
Mounting Screw Size (mm)	M4-L8 mm/4pcs
Certifications	CE/FCC/RoHS/HDMI/UL/WEEE/REACH
Warranty	30 Months