

ENTERPRISE SYSTEM QUICK REFERENCE PRODUCT GUIDE

- » FIBER OPTIC CABLE
- » HYBRID CABLE
- » COPPER CABLE
- » DEPLOYABLE SOLUTIONS
- » CONNECTIVITY & ASSEMBLIES
- » CABINETS & ENCLOSURES

SINGLE-MODE

OM1

OM3

OM4

FIBER ENCLOSURES
& KITS

COPPER CABLE
& CONNECTIVITY

RESI MULTIMEDIA
& FACEPLATES

TOOLS




USA
OPERATIONS

PROUDLY HEADQUARTERED IN THE USA:
OCC employs over 300 talented people across 3 strategically located US manufacturing facilities. OCC is a certified small business by the U.S. Small Business Association (SBA). We serve as leaders in technical and customer support. Our customers rely on us to provide quick lead times, fast shipping, and design-build expertise. Learn more at occfiber.com/about-occ

RELIABLE CABLE & CONNECTIVITY SOLUTIONS PROVIDER:

Our innovation and expertise has expanded beyond cable to include end-to-end fiber optic and copper cabling & connectivity solutions used everywhere from buildings, campuses and data centers, to sporting venues, industrial facilities and harsh environments. You can rely on OCC's strategic product portfolio for all your connectivity needs.



GET TO KNOW

OCC



99+

STRATEGIC GLOBAL PARTNERSHIPS:
Each year, OCC products are used in countries all over the world. We offer some of the most rugged, reliable, and innovative cable and connectivity products and solutions.

INNOVATIVE & RESPONSIVE EXPERTS

Since 1983, OCC's innovative cable and connectivity designs have revolutionized the communications industry. Our history and growth have helped us attract and retain experts in manufacturing, engineering, and design-build applications. We partner with our customers to achieve the right solution. The entire process is simple, fast, and reliable.

FOUNDED
& INNOVATING SINCE

1983

FIBER OPTIC DISTANCE LIMITATION STANDARDS

| FIBER CODE | CORE/CLADDING DIAMETER | WAVELENGTH | INDUSTRY STANDARD | 1 GIGABIT ETHERNET DISTANCE | 10 GIGABIT ETHERNET DISTANCE | MAXIMUM CABLE ATTENUATION | MAXIMUM LASER EMB BANDWIDTH (MHZ-KM) | MAXIMUM OFL LED BANDWIDTH (MHZ-KM) |
|------------|---------------------------|------------|---|-----------------------------|------------------------------|---------------------------|--------------------------------------|------------------------------------|
| WLS | 62.5/125 | 850/1300 | OM1 | 300/600 | 33/300 | 3.5/1.5 | 220/500 | 200/500 |
| ALS | 50/125 | 850/1300 | OM2 | 600/600 | 82/300 | 3.5/1.5 | 510/500 | 500/500 |
| ALT | 50/125(300 METER 10-GBE) | 850/1300 | OM3 | 1000/600 | 300/300 | 3.0/1.0 | 2000/500 | 1500/500 |
| ALE | 50/125 (500 METER 10-GBE) | 850/1300 | OM4 | 1040/600 | 550/300 | 3.0/1.0 | 4700/500 | 3500/500 |
| SLA | 9/125 | 1310/1550 | BEND INSENSITIVE SINGLE-MODE ITU-T G.657.A1 & ITU-T G.652.D | 5 KM | 10 KM | 0.5/0.5 | N/A | N/A |

OCC FIBER OPTIC CABLE CONSTRUCTION

We understand that every application has different demands, that's why we've created tiered solutions for our cables and products.

| CABLE SERIES | APPLICATIONS | | | | | | | | | FIBER TYPE | PROTECTION PACKAGES |
|--------------|--------------|---------|------------------|------------|------------------|------------|------------------|----------------|---------------|--------------|-----------------------|
| | INDOOR | OUTDOOR | INDOOR / OUTDOOR | DEPLOYABLE | LIGHT INDUSTRIAL | CABLE TRAY | HEAVY INDUSTRIAL | AERIAL LASHING | DIRECT BURIED | | |
| DZ-SERIES | X | | X | | | | | | | ALL | ILA |
| DX-SERIES | X | X | X | X | X | | | X | X | ALL | ILA, CST, FRP Braided |
| A-SERIES | X | | | | | | | | | ALL | |
| HD-SERIES | X | | | | | | | | | SM, OM3, OM4 | |
| HC-SERIES | X | X | X | X | X | X | X | X | X | SM, OM1, OM3 | ILA, CST, FRP |
| B-SERIES | X | X | X | X | X | X | X | | | ALL | ILA, CST, FRP Braided |
| G-SERIES | X | | X | | | X | | | | ALL | ILA |
| CX-SERIES | X | | X | | X | | | | | ALL | ILA |

Available fiber counts vary by application, contact OCC Sales for more information.

SINGLE-MODE

FIBER OPTIC CABLES & ASSEMBLIES

INDOOR/OUTDOOR CABLE, 900µm BUFFERED FIBER

| DESCRIPTION | 6-FIBER | 12-FIBER | 24-FIBER | 48-FIBER |
|--|-----------------------|-----------------------|-----------------------|-----------------------|
| Indoor/Outdoor Cable, Riser Rated | DX006DSLA9KR | DX012DSLA9KR | DX024DSLA9KR | DX048DSLA9KR |
| Indoor/Outdoor Cable, Plenum Rated | DZ006TSLA9YP | DZ012TSLA9YP | DZ024TSLA9YP | DX048KSLA9YP |
| I/O with Aluminum Interlocking Armor (ILA) Cable, Riser Rated | DX006DSLA9YRI2 | DX012DSLA9YRI2 | DX024DSLA9YRI2 | DX048DSLA9YRI2 |
| I/O with Aluminum Interlocking Armor (ILA) Cable, Plenum Rated | DZ006TSLA9YPI8 | DZ012TSLA9YPI8 | DZ024TSLA9YPI8 | DX048KSLA9YPI6 |

DX-Series and DZ-Series cables available to order in both riser and plenum. Other cable configurations and fiber counts available, contact OCC Sales for more information.

HIGH-FIBER COUNT CABLE, 250µm ACRYLATE FIBER

| DESCRIPTION | 48-FIBER | 72-FIBER | 96-FIBER | 144-FIBER |
|---|---------------------|---------------------|---------------------|---------------------|
| HC-Series Indoor/Outdoor Cable, Riser Rated | HC048DSLACKR | HC072DSLACKR | HC096DSLACKR | HC144DSLACKR |
| HD-Series Indoor Cable, Plenum Rated | HD048SSLAJYP | HD072SSLAJYP | HD096SSLAJYP | HD144SSLAJYP |

Other cable configurations and fiber counts available, contact OCC Sales for more information.

PRE-TERMINATED CABLE ASSEMBLIES WITH PULLING EYE

| DESCRIPTION | LC-TO-LC | SC-TO-SC | ST-TO-ST |
|---|---------------------------|---------------------------|---------------------------|
| DZ-Series Indoor/Outdoor Cable, 6-Fiber, Single-Mode Fiber, Plenum Rated Cable Assembly, 1 Meter | OCA207551LCLC0001M | OCA207552SCSC0001M | OCA207553STST0001M |
| DZ-Series Indoor/Outdoor Cable, 12-Fiber, Single-Mode Fiber, Plenum Rated Cable Assembly, 1 Meter | OCA207554LCLC0001M | OCA207555SCSC0001M | OCA207556STST0001M |
| DZ-Series Indoor/Outdoor Cable, 24-Fiber, Single-Mode Fiber, Plenum Rated Cable Assembly, 1 Meter | OCA206796LCLC0001M | OCA207557SCSC0001M | OCA207558STST0001M |

Last three digits for the part numbers above indicates length and measurement. Other assembly lengths and Simplex configurations available.

ADAPTER PLATES

| DESCRIPTION | LC | SC | ST |
|---|------------------|------------------|------------------|
| Adapter Plate, 6-Port, Single-Mode, Ceramic Sleeve | 616SMDLC | 616SMDSC | 616SMST |
| Adapter Plate, 12-Port, Single-Mode, Ceramic Sleeve | 6112SMDLC | 6112SMDSC | 6112SMDST |
| Adapter Plate, 24-Port, Single-Mode, Ceramic Sleeve | 6124SMQLC | N/A | N/A |



Time and Cost Savings:
 We understand that a key variable to a successful installation is ready access to parts as you need them. OCC can help you save valuable installation time & inventory costs with our custom kitted solutions. **Contact OCC Sales for more information** occfiber.com/contact



SINGLE-MODE

OM1

OM3

OM4

FIBER ENCLOSURES & KITS

COPPER CABLE & CONNECTIVITY

RESI MULTIMEDIA & WORKSTATION

TOOLS

SINGLE-MODE



CONNECTORS, ADAPTER PLATES, FIBER SPLICE CASSETTES, & JUMPERS

FIBER OPTIC CONNECTORS, MECHANICAL SPLICE

| DESCRIPTION | LC | SC | ST |
|--|-----------------|-----------------|--------------------|
| Xpress Ultra™ Fiber Connector, Pre-Polished, Single-Mode, 250/900 | RFC-LC8 | RFC-SC8 | FXC-ST8-6 (6-PACK) |
| Xpress Ultra™ Fiber Connector, Pre-Polished, Single-Mode, APC, 250/900 | RFC-LCAPC | RFC-SCAPC | N/A |
| Xpress Ultra™ Fiber Connector, Pre-Polished, Single-Mode, 2/3mm | RFC-LC8-2/3MM | RFC-SC8-2/3MM | N/A |
| Xpress Ultra™ Fiber Connector, Pre-Polished, Single-Mode, APC, 2/3mm | RFC-LCAPC-2/3MM | RFC-SCAPC-2/3MM | N/A |
| 2.0mm Boot for FXC Connectors (6-pack) | N/A | N/A | FXC-BOOT-2MM |
| 3.0mm Boot for FXC Connectors (6-pack) | N/A | N/A | FXC-BOOT-3MM |



OCC RFC-SCAPC
Xpress Ultra Connector

FIBER SPLICE CASSETTES

| DESCRIPTION | LC | SC | ST |
|--|-------------|-------------|-----|
| 12 Fiber, Single-Mode Connectors with Fiber Pigtaills | FSCS812DLCP | FSCS812DSCP | N/A |
| 24 Fiber, Single-Mode Connectors with Fiber Pigtaills | FSCS824QLCP | N/A | N/A |
| 12 Fiber, Single-Mode, APC Connectors with Fiber Pigtaills | FSCSA12DLCP | FSCSA12DSCP | N/A |
| 24 Fiber, Single-Mode, APC Connectors with Fiber Pigtaills | FSCSA24QLCP | N/A | N/A |




OCC 24-Fiber Single
Mode Splice Cassette

Other options available, contact OCC Sales for more information.

FIBER OPTIC DUPLEX JUMPERS SM 9/125

| DESCRIPTION | LC-TO-LC | SC-TO-SC | ST-TO-ST |
|---|------------------|------------------|------------|
| F.O. Jumper, SM, 3 Meter, Yellow, Duplex | D8LC-LC-3M | D8SC-SC-3M | D8ST-ST-3M |
| F.O. Jumper, SM, 2 Meter, Yellow, Duplex | D8LC-LC-2M | D8SC-SC-2M | D8ST-ST-2M |
| F.O. Jumper, SM/APC, 1 Meter, Yellow, Duplex | D8LCAPC-LCAPC-1M | D8SCAPC-SCAPC-1M | N/A |
| F.O. Jumper, SM/APC, 2 Meters, Yellow, Duplex | D8LCAPC-LCAPC-2M | D8SCAPC-SCAPC-2M | N/A |



OCC Fiber Adapter Plates

FIBER OPTIC PIGTAILS

| DESCRIPTION | OCC PART # |
|--|--------------|
| Pigtail Assembly, SM, LC, Ultra Polish, 12-Fiber, 3 Meters | P8LCUPC12-3M |
| Pigtail Assembly, SM, LC, APC, 12-Fiber, 3 Meters | P8LCAPC12-3M |
| Pigtail Assembly, SM, SC, Ultra Polish, 12-Fiber, 3 Meters | P8SCUPC12-3M |
| Pigtail Assembly, SM, ST, Ultra Polish, 12-Fiber, 3 Meters | P8STUPC12-3M |
| Pigtail Assembly, SM, SC, APC, 12-Fiber, 3 Meters | P8SCAPC12-3M |

Last two digits of part
number indicate length.
Other lengths available.



Call us today about our Single-Mode options.
OCC Sales at **800-622-7711** for more information.

SINGLE-MODE

OM1

OM3

OM4

FIBER ENCLOSURES
& KITS

COPPER CABLE
& CONNECTIVITY

RESI MULTIMEDIA
& WORKSTATION

TOOLS

OM1

FIBER OPTIC CABLES, ASSEMBLIES, JUMPERS & PIGTAILS

INDOOR/OUTDOOR CABLE, 62.5/125µm BUFFERED FIBER

| DESCRIPTION | 6-FIBER | 12-FIBER | 24-FIBER | 48-FIBER |
|--|-----------------------|-----------------------|-----------------------|-----------------------|
| Indoor/Outdoor Cable, Riser Rated | DX006DWLS9KR | DX012DWLS9KR | DX024DWLS9KR | DX048DWLS9KR |
| Indoor/Outdoor Cable, Plenum Rated | DZ006TWLS90P | DZ012TWLS90P | DZ024TWLS90P | DX048KWLS90P |
| I/O with Aluminum Interlocking Armor (ILA) Cable, Riser Rated | DX006DWLS90RI2 | DX012DWLS90RI2 | DX024DWLS90RI2 | DX048DWLS90RI2 |
| I/O with Aluminum Interlocking Armor (ILA) Cable, Plenum Rated | DZ006TWLS90PI8 | DZ012TWLS90PI8 | DZ024TWLS90PI8 | DX048KWLS90PI6 |

DX-Series and DZ-Series cables available to order in both riser and plenum. Other cable configurations and fiber counts available, contact OCC Sales for more information.

HIGH FIBER COUNT CABLE, 250µm ACRYLATE FIBER

| DESCRIPTION | 48-FIBER | 72-FIBER | 96-FIBER | 144-FIBER |
|--|---------------------|---------------------|---------------------|---------------------|
| HC-Series High-Density Indoor/Outdoor Cable, Riser Rated | HC048DWLSCKR | HC072DWLSCKR | HC096DWLSCKR | HC144DWLSCKR |

Other fiber strand counts available, contact OCC Sales for more information.

PRE-TERMINATED CABLE ASSEMBLIES WITH PULLING EYE

| DESCRIPTION | LC-TO-LC | SC-TO-SC | ST-TO-ST |
|--|---------------------------|---------------------------|---------------------------|
| DZ-Series Indoor/Outdoor Cable, 6-Fiber, 62.5 OM1, Plenum Rated Cable Assembly, 1 Meter | OCA207566LCLC0001M | OCA207567SCSC0001M | OCA207568STST0001M |
| DZ-Series Indoor/Outdoor Cable, 12-Fiber, 62.5 OM1, Plenum Rated Cable Assembly, 1 Meter | OCA207569LCLC0001M | OCA207570SCSC0001M | OCA207571STST0001M |
| DZ-Series Indoor/Outdoor Cable, 24-Fiber, 62.5 OM1, Plenum Rated Cable Assembly, 1 Meter | OCA207572LCLC0001M | OCA207573SCSC0001M | OCA207574STST0001M |

Last three digits of the part numbers above indicate length and measurement. Other assembly lengths and configurations available.

FIBER OPTIC DUPLEX JUMPERS MM 62.5/125

| DESCRIPTION | LC-LC | SC-SC | ST-ST |
|---|-------------------|-------------------|-------------------|
| F.O. Jumper, MM, 1 Meter, Orange, Duplex | D6LC-LC-1M | D6SC-SC-1M | D6ST-ST-1M |
| F.O. Jumper, MM, 2 Meters, Orange, Duplex | D6LC-LC-2M | D6SC-SC-2M | D6ST-ST-2M |

Last two digits of part number indicate length, other lengths available.

FIBER OPTIC PIGTAILS

| DESCRIPTION | OCC PART # |
|---|------------------|
| Pigtail Assembly, OM1, LC, 12-Fiber, 3 Meters | P6LC12-3M |
| Pigtail Assembly, OM1, SC, 12-Fiber, 3 Meters | P6SC12-3M |
| Pigtail Assembly, OM1, ST, 12-Fiber, 3 Meters | P6ST12-3M |

Last two digits of part number indicate length, other lengths available.



OCC
DZ-Series
Cable

Products to Fit Every Need:

OCC offers one of the largest product portfolios in the industry. Explore our superior fiber & copper connectivity solutions designed to meet your needs today and well into the future

Get more information at:
occfiber.com/library



OM1



CONNECTORS, ADAPTER PLATES, FIBER SPLICE CASSETTES, & PATCH CORDS

FIBER OPTIC CONNECTORS, MECHANICAL SPLICE


| DESCRIPTION | LC | SC | ST |
|--|---------------|---------------|--------------------|
| Xpress Ultra™ Fiber Connector, Pre-Polished, 62.5, 250/900 | RFC-LC6 | RFC-SC6 | FXC-ST6-6 (6-PACK) |
| Xpress Ultra™ Fiber Connector, Pre-Polished, 62.5, 2/3mm | RFC-LC6-2/3MM | RFC-SC6-2/3MM | N/A |
| 2.0mm Boot for FXC Connectors (6-pack) | N/A | N/A | FXC-BOOT-2MM |
| 3.0mm Boot for FXC Connectors (6-pack) | N/A | N/A | FXC-BOOT-3MM |



OCC Xpress Ultra LC Connector

ADAPTER PLATES

| DESCRIPTION | LC | SC | ST |
|---|-----------|-----------|-----------|
| Adapter Plate, 6-Port, OM1, Ceramic Sleeve | 616MMDLC | 616MMDSC | 616MMST |
| Adapter Plate, 12-Port, OM1, Ceramic Sleeve | 6112MMDLC | 6112MMDSC | 6112MMDST |
| Adapter Plate, 24-Port, OM1, Ceramic Sleeve | 6124MMQLC | N/A | N/A |



OCC Fiber Adapter Plates


FIBER SPLICE CASSETTES

| DESCRIPTION | LC | SC | ST |
|--|-------------|-------------|------------|
| 6-Fiber Cassette, OM1 Connectors with Pigtailed | FSCS16DLCF | FSCS16SSCP | FSCS16SSTP |
| 12-Fiber Cassette, OM1 Connectors with Pigtailed | FSCS112DLCF | FSCS112DSCP | N/A |
| 24-Fiber Cassette, OM1 Connectors with Pigtailed | FSCS124QLCF | N/A | N/A |

Other options available, contact OCC Sales for more information.



OCC Fiber Splice Cassette



OCC Fiber Adapter Plates



We also offer OM2 connectivity options.
Call OCC Sales at 800-622-7711 for more information.

SINGLE-MODE

OM1

OM3

OM4

FIBER ENCLOSURES
& KITS

COPPER CABLE
& CONNECTIVITY

RESI MULTIMEDIA
& WORKSTATION

TOOLS

OM3



CONNECTORS, ADAPTER PLATES, FIBER SPLICE CASSETTES

INDOOR/OUTDOOR CABLE, 900µm BUFFERED FIBER

| DESCRIPTION | 6-FIBER | 12-FIBER | 24-FIBER | 48-FIBER |
|--|-----------------------|-----------------------|-----------------------|-----------------------|
| Indoor/Outdoor Cable, Riser Rated | DX006DALT9QR | DX012DALT9QR | DX024DALT9QR | DX048DALT9QR |
| Indoor/Outdoor Cable, Plenum Rated | DZ006TALT9QP | DZ012TALT9QP | DZ024TALT9QP | DX048KALT9QP |
| I/O with Aluminum Interlocking Armor (ILA) Cable, Riser Rated | DX006DALT9QRI2 | DX012DALT9QRI2 | DX024DALT9QRI2 | DX048DALT9QRI2 |
| I/O with Aluminum Interlocking Armor (ILA) Cable, Plenum Rated | DZ006TALT9QPI8 | DZ012TALT9QPI8 | DZ024TALT9QPI8 | DX048KALT9QPI6 |

DX-Series and DZ-Series cables available to order in both riser and plenum. Other cable configurations and fiber counts available, contact OCC Sales for more information.



OCC DX-Series Aluminum Interlocking Armored (ILA) Cable

HIGH FIBER COUNT CABLE, 250µm ACRYLATE FIBER

| DESCRIPTION | 48-FIBER | 72-FIBER | 96-FIBER | 144-FIBER |
|---|---------------------|---------------------|---------------------|---------------------|
| HC-Series Indoor/Outdoor Cable, Riser Rated | HC048DALTCKR | HC072DALTCKR | HC096DALTCKR | HC144DALTCKR |
| HD-Series Indoor Cable, Plenum Rated | HD048SALTJQP | HD072SALTJQP | HD096SALTJQP | HD144SALTJQP |

Other cable configurations and fiber counts available, contact OCC Sales for more information.

PRE-TERMINATED CABLE ASSEMBLIES WITH PULLING EYE

| DESCRIPTION | LC-TO-LC | SC-TO-SC | ST-TO-ST |
|--|---------------------------|---------------------------|---------------------------|
| DZ-Series Indoor/Outdoor Cable, 6-Fiber, 50µm OM3, Plenum Rated Cable Assembly, 1 Meter | OCA206943LCLC0001M | OCA207513SCSC0001M | OCA207519STST0001M |
| DZ-Series Indoor/Outdoor Cable, 12-Fiber, 50µm OM3, Plenum Rated Cable Assembly, 1 Meter | OCA206410LCLC0001M | OCA207520SCSC0001M | OCA207521STST0001M |
| DZ-Series Indoor/Outdoor Cable, 24-Fiber, 50µm OM3, Plenum Rated Cable Assembly, 1 Meter | OCA207522LCLC0001M | OCA207523SCSC0001M | OCA207524STST0001M |

Last three digits of the part numbers above indicate length and measurement. Other assembly lengths and configurations available.

FIBER OPTIC JUMPERS

| DESCRIPTION | LC-TO-LC | SC-TO-SC | ST-TO-ST |
|--|--------------------|--------------------|--------------------|
| F.O. Jumper, OM3, 1 Meter, Aqua, Duplex | D5LC-LC-1MG | D5SC-SC-1MG | D5ST-ST-1MG |
| F.O. Jumper, OM3, 2 Meters, Aqua, Duplex | D5LC-LC-2MG | D5SC-SC-2MG | D5ST-ST-2MG |

Last two digits of part number indicate length, other lengths available.

FIBER OPTIC PIGTAILS

| DESCRIPTION | OCC PART # |
|--|-------------------|
| Pigtail Assembly, 50µm OM3, LC, 12-Fiber, 3 Meters | P5GLC12-3M |
| Pigtail Assembly, 50µm OM3, SC, 12-Fiber, 3 Meters | P5GSC12-3M |
| Pigtail Assembly, 50µm OM3, ST, 12-Fiber, 3 Meters | P5GST12-3M |

Last two digits of part number indicate length, other lengths available.

Flexible, Versatile, & Scalable:

OCC's Fiber Splice Cassette is a versatile, cost-effective solution designed to work in almost any Enterprise closet application.

Visit us online to learn more: occfiber.com/product/fiber-splice-cassette/



SINGLE-MODE

OM1

OM3

OM4

FIBER ENCLOSURES & KITS

COPPER CABLE & CONNECTIVITY

RESI MULTIMEDIA & WORKSTATION

TOOLS

CONNECTORS, ADAPTER PLATES, FIBER SPLICE CASSETTES

FIBER OPTIC CONNECTORS, MECHANICAL SPLICE

| DESCRIPTION | LC | SC | ST |
|---|----------------|----------------|---------------------|
| Xpress Ultra™ Fiber Connector, Pre-Polished, OM3, 250/900 | RFC-LC5G | RFC-SC5G | FXC-ST5G-6 (6-PACK) |
| Xpress Ultra™ Fiber Connector, Pre-Polished, OM3, 2/3mm | RFC-LC5G-2/3MM | RFC-SC5G-2/3MM | N/A |
| 2.0mm Boot for FXC Connectors (6-pack) | N/A | N/A | FXC-BOOT-2MM |
| 3.0mm Boot for FXC Connectors (6-pack) | N/A | N/A | FXC-BOOT-3MM |

ADAPTER PLATES

| DESCRIPTION | LC | SC | ST |
|---|------------|------------|------------|
| Adapter Plate, 6-Port, OM3, Ceramic Sleeve | 616DLC50G | 616DSC50G | 616MMSTG |
| Adapter Plate, 12-Port, OM3, Ceramic Sleeve | 6112DLC50G | 6112DSC50G | 6112DST50G |
| Adapter Plate, 24-Port, OM3, Ceramic Sleeve | 6124QLC50G | N/A | N/A |

FIBER SPLICE CASSETTES

| DESCRIPTION | LC | SC | ST |
|---|-------------|-------------|------------|
| 6-Fiber, OM3 Connectors with Pigtailed | FSCS36DLCP | FSCS36SSCP | FSCS36SSTP |
| 12-Fiber, OM3 Connectors with Pigtailed | FSCS312DLCP | FSCS312DSCP | N/A |
| 24-Fiber, OM3 Connectors with Pigtailed | FSCS324QLCP | N/A | N/A |

OCC offers Anaerobic Fiber Optic Connectors for those who prefer to assemble connectors at the component level. Each connector kit offers exceptional optical performance in an easy-to-install form factor.



OCC Fiber Splice Cassette with Fiber Adapter Plates



Call us today to talk about our OM3 options.
OCC Sales at **800-622-7711** for more information.

OM4



FIBER OPTIC CABLES, ASSEMBLIES, JUMPERS & PIGTAILS

INDOOR/OUTDOOR CABLE, 900µm BUFFERED FIBER

| DESCRIPTION | 6-FIBER | 12-FIBER | 24-FIBER | 48-FIBER |
|--|-----------------------|-----------------------|-----------------------|-----------------------|
| Indoor/Outdoor Cable, Riser Rated | DX006DALE9QR | DX012DALE9QR | DX024DALE9QR | DX048DALE9QR |
| Indoor/Outdoor Cable, Plenum Rated | DZ006TALE9QP | DZ012TALE9QP | DZ024TALE9QP | DX048KALE9QP |
| I/O with Aluminum Interlocking Armor (ILA) Cable, Riser Rated | DX006DALE9QRI2 | DX012DALE9QRI2 | DX024DALE9QRI2 | DX048DALE9QRI2 |
| I/O with Aluminum Interlocking Armor (ILA) Cable, Plenum Rated | DZ006TALE9QPI8 | DZ012TALE9QPI8 | DZ024TALE9QPI8 | DX048KALE9QPI6 |

DX-Series and DZ-Series cables available to order in both riser and plenum. Other cable configurations and fiber counts available, contact OCC Sales for more information.



OCC HD-Series Cable

HIGH FIBER COUNT CABLE, 250µm ACRYLATE FIBER

| DESCRIPTION | 48-FIBER | 72-FIBER | 96-FIBER | 144-FIBER |
|--------------------------------------|---------------------|---------------------|---------------------|---------------------|
| HD-Series Indoor Cable, Plenum Rated | HD048SALEJQP | HD072SALEJQP | HD096SALEJQP | HD144SALEJQP |

Other cable configurations and fiber counts available, contact OCC Sales for more information.

PRE-TERMINATED CABLE ASSEMBLIES WITH PULLING EYE

| DESCRIPTION | LC-TO-LC | SC-TO-SC | ST-TO-ST |
|--|---------------------------|---------------------------|---------------------------|
| DZ-Series Indoor/Outdoor Cable, 6-Fiber, 50µm OM4, Plenum Rated Cable Assembly, 1 Meter | OCA207531LCLC0001M | OCA207533SCSC0001M | OCA207534STST0001M |
| DZ-Series Indoor/Outdoor Cable, 12-Fiber, 50µm OM4, Plenum Rated Cable Assembly, 1 Meter | OCA207536LCLC0001M | OCA207537SCSC0001M | OCA207538STST0001M |
| DZ-Series Indoor/Outdoor Cable, 24-Fiber, 50µm OM4, Plenum Rated Cable Assembly, 1 Meter | OCA207541LCLC0001M | OCA207542SCSC0001M | OCA207544STST0001M |

Last three digits of the part numbers above indicate length and measurement. Other assembly lengths and configurations available, contact OCC Sales for more information.



OCC Pre-Terminated 6-Fiber Assembly

FIBER OPTIC JUMPERS

| DESCRIPTION | LC-TO-LC | SC-TO-SC | ST-TO-ST |
|---|--------------------|--------------------|--------------------|
| F.O. Jumper, 50µm OM4, 1 Meter, Aqua, Duplex | D5LC-LC-1MQ | D5SC-SC-1MQ | D5ST-ST-1MQ |
| F.O. Jumper, 50µm OM4, 2 Meters, Aqua, Duplex | D5LC-LC-2MQ | D5SC-SC-2MQ | D5ST-ST-2MQ |

Last two digits of part number indicate length, other lengths available.

FIBER OPTIC PIGTAILS

| DESCRIPTION | OCC PART # |
|--|-------------------|
| Pigtail Assembly, 50µm OM4, LC, 12-Fiber, 3 Meters | P5QLC12-3M |
| Pigtail Assembly, 50µm OM4, SC, 12-Fiber, 3 Meters | P5QSC12-3M |
| Pigtail Assembly, 50µm OM4, ST, 12-Fiber, 3 Meters | P5QST12-3M |

Last two digits of part number indicate length, other lengths available.

OM4



CONNECTORS, ADAPTER PLATES, FIBER SPLICE CASSETTES, & JUMPERS

FIBER OPTIC CONNECTORS, MECHANICAL SPLICE

| DESCRIPTION | LC | SC | ST |
|--|----------------|----------------|---------------------|
| Fiber Connector, Pre-Polished, OM4, 250/900 Boot | RFC-LC5G | RFC-SC5 | FXC-ST5G-6 (6-PACK) |
| Fiber Connector, Pre-Polished, OM4, 2/3mm Boot | RFC-LC5G-2/3MM | RFC-SC5G-2/3MM | N/A |
| 2.0mm Boot for FXC Connectors (6-pack) | N/A | N/A | FXC-BOOT-2MM |
| 3.0mm Boot for FXC Connectors (6-pack) | N/A | N/A | FXC-BOOT-3MM |



OCC Pre-Polished OM4 Adapter

ADAPTER PLATES

| DESCRIPTION | LC | SC | ST |
|---|------------|------------|------------|
| Adapter Plate, 6-Port, OM4, Ceramic Sleeve | 616DLC50Q | 616DSC50Q | 616MMSTQ |
| Adapter Plate, 12-Port, OM4, Ceramic Sleeve | 6112DLC50Q | 6112DSC50Q | 6112DST50Q |
| Adapter Plate, 24-Port, OM4, Ceramic Sleeve | 6124QLC50Q | N/A | N/A |



OCC Fiber Adapter Plates

FIBER SPLICE CASSETTES

| DESCRIPTION | LC | SC | ST |
|--|-------------|-------------|------------|
| 6-Fiber, OM4 Connectors with Pigtails | FSCS46DLCF | FSCS46DSCF | FSCS46SSTP |
| 12-Fiber, OM4 Connectors with Pigtails | FSCS412DLCF | FSCS412DSCF | N/A |
| 24-Fiber, OM4 Connectors with Pigtails | FSCS424QLCF | N/A | N/A |



OCC Fiber Splice Cassette



Call us today to talk about our OM4 options.
OCC Sales at **800-622-7711** for more information.

SINGLE-MODE

OM1

OM3

OM4

FIBER ENCLOSURES
& KITS

COPPER CABLE
& CONNECTIVITY

RESI MULTIMEDIA
& WORKSTATION

TOOLS

FIBER OPTIC ENCLOSURES



RACK MOUNT ENCLOSURES

| DESCRIPTION | OCC PART # |
|---|--------------------|
| Rack Mount Fiber Enclosure, 1RU, Holds up to 3 Adapter Plates, Black | RTC1U-3APB |
| Rack Mount Fiber Enclosure, 2RU, Holds up to 6 Adapter Plates, Black | RTC2U-6APB |
| Rack Mount Fiber Enclosure, 4RU, Holds up to 12 Adapter Plates, Black | RTC4U-12APB |
| Rack Mount Fiber Enclosure, 1RU, Sliding, Holds up to 3 Adapter Plates, Black | RTS1U-3APB |
| Rack Mount Fiber Enclosure, 2RU, Sliding, Holds up to 6 Adapter Plates, Black | RTS2U-6APB |
| Fiber Enclosure, Rack Mount, 4RU, Sliding, Holds up to 12 Adapter Plates, Black | RTS4U-12APB |



Factory installed locking options available.

WALL MOUNT FIBER ENCLOSURES

| DESCRIPTION | OCC PART # |
|--|------------------|
| Wall Mount Fiber Enclosure, Holds up to 6 Adapter Plates, 17"W x 16.3"H x 5"D, No Inner Door | WTC6APB |
| Wall Mount Fiber Enclosure, Holds up to 12 Adapter Plates, 18.5"W x 18"H x 6"D, No Inner Door | WTC12APB |
| Wall Mount Fiber Legacy Enclosure, with Lockable Inner Door, Holds up to 4 Adapter Plates, 13"H x 12"W x 3.5"D | WTC12/24B |
| Wall Mount Mini Enclosure, Holds 1 Adapter Plate, 7"W x 6"H x 1.36"D | ZDMB6B |
| Zone Distribution Enclosure, (Empty) holds 1 Adapter Plate, 9.5"W x 7"H x 1.5"D | ZDMBC1AP |
| Fiber Distribution Hub Enclosure, 13RU, 21.18"W x 24.78"H x 11"D | FDH13RU |



DIN RAIL FIBER ENCLOSURES

| DESCRIPTION | OCC PART # |
|--|----------------|
| DIN Rail Fiber Enclosure, Holds 1 Adapter Plate, Cable Entry Grommet, Black, Empty | DTC1AP |
| DIN Rail Fiber Enclosure, Holds 2 Adapter Plates, Cable Entry Grommet, Black, Empty | DTC2AP |
| DIN Rail Fiber Enclosure, Holds 1 Adapter Plate, Liquid Tight Cable Gland, Black, Empty | DTC1APG |
| DIN Rail Fiber Enclosure, Holds 2 Adapter Plates, Liquid Tight Cable Gland, Black, Empty | DTC2APG |



Call us today to talk about our Fiber Optic options.
OCC Sales at **800-622-7711** for more information.

SINGLE-MODE

OM1

OM3

OM4

FIBER ENCLOSURES
& KITS

COPPER CABLE
& CONNECTIVITY

RESI MULTIMEDIA
& WORKSTATION

TOOLS

FIBER OPTIC ENCLOSURES & KITS



WALL MOUNT NEMA FIBER ENCLOSURES

| DESCRIPTION | OCC PART # |
|---|------------------|
| NEMA 4X Enclosure, 12-Port, Holds 2 Adapter Plates, 10"H x 8"W x 4"D | OC012NX |
| NEMA 4X Enclosure, 12-Port, Holds 2 Adapter Plates, Includes Patch/Splice Block, 10"H x 8"W x 4"D | OC012NXSB |
| NEMA 4X Enclosure, 48-Port, Holds 8 Adapter Plates, 16.5"H x 14.5"W x 8.1"D | OC048NX |
| NEMA 4X Enclosure, Patch & Splice, Includes 1-W48S Kit (2-24 Fiber Splice Trays, Transition Trays, Mounting Hardware, Cable Management, & Port Identification), 16.5"H x 14.5"W x 8.1"D | OC048NXS |
| NEMA 3 Outdoor Rated Enclosure, 6-Port, Holds 1 Adapter Plate, 11.5"H x 8.5"W x 3"D | OC06N |
| NEMA 3 Outdoor Rated Enclosure, 12-Port, Holds 2 Adapter Plates, 11.5"H x 8.5"W x 3"D | OC012N |



NEMA 3 Enclosure

SPLICE TRAY KITS

RACK MOUNT

| DESCRIPTION | OCC PART # |
|--|---------------|
| Rack Mount Splice Tray Kit, (2) Splice Trays, For Use With RTC/RTS1U, 72 Splices | RS1U2T |
| Rack Mount Splice Tray Kit, (4) Splice Trays, For Use With RTC/RTS2U, 144 Splices | RS2U4T |
| Rack Mount Splice Tray Kit, (8) Splice Trays, for Use with RTC/RTS4RU, 288 Splices | RS4U8T |

Other Splice Tray Kits Available Upon Request.

WALL MOUNT

| DESCRIPTION | OCC PART # |
|---|--------------|
| Wall Mount Splice Tray Kit, For WTC12/24 & WTC6APB Enclosures, 24-Fiber Splice Tray | W24PT |
| Wall Mount Splice Tray Kit, For WTC12APB, 48-Fiber Splice Tray | W48S |
| Wall Mount Splice Tray Kit, For Use with WTC12APB, 72-Fiber Splice Tray | W72S |



NEMA 4X Enclosure

Don't see what you're looking for?

Visit our full product offering online at occfiber.com



Rack Mount Splice Tray Kit

SINGLE-MODE

OM1

OM3

OM4

FIBER ENCLOSURES & KITS

COPPER CABLE & CONNECTIVITY

RESI MULTIMEDIA & WORKSTATION

TOOLS

CATEGORY 6A

PATCH PANELS

| DESCRIPTION | OCC PART # |
|--|------------------------|
| Rack Mount Unloaded Panel, KMJ, 24-Port, 1RU | AK24STP6A |
| Rack Mount Unloaded Panel, KMJ, 48-Port, 2RU | AK48STP6A |
| Patch Panel, 24-Port, Category 6A, Field Config, 1RU, Includes K6A02 Connectors | DCC2488/1106AN |
| Patch Panel, 48-Port, Category 6A, Field Config, 2RU, Includes K6A02 Connectors | DCC4888/1106AN |
| Patch Panel, 24-Port, Category 6A, UTP, 1RU, Angled, Includes K6A02 Connectors | ACC2488/1106AN |
| Patch Panel, 48-Port, Category 6A, UTP, 2RU, Angled, Includes K6A02 Connectors | ACC4888/1106AN |
| Patch Panel, 24-Port, Category 6A, Shielded, 1RU, Includes K6AS Connectors | DCC2488/1106A-S |
| Patch Panel, 48-Port, Category 6A, Shielded, 2RU, Includes K6AS Connectors | DCC4888/1106A-S |
| Patch Panel, 24-Port, Category 6A, 110 Punch Down, UTP, 1RU | DCC2488/1106APD |
| Patch Panel, 48-Port, Category 6A, 110 Punch Down, UTP, 2RU | DCC4888/1106APD |
| Patch Panel, 24-Port, Category 6A, Shielded, 1RU, Angled, Includes K6AS Connectors | ACC2488/1106A-S |
| Patch Panel, 48-Port, Category 6A, Shielded, 2RU, Angled, Includes K6AS Connectors | ACC4888/1106A-S |
| 1RU Wall Mount Bracket, 1.75"H x 19.69"W x 3.94"D | WF101 |
| 2RU Wall Mount Bracket, 3.50"H x 19.0"W x 5.0"D | WMB3519 |

Wall Mount Brackets can be utilized with all OCC Patch Panels.

10G-Capable: OCC's end-to-end Category 6A Copper Solution provides a backward-compatible solution that includes cables, jacks, field terminable plugs, patch panels, faceplates, and patch cords.

Visit hubs.ly/H0tszTJ0



CABLE

| DESCRIPTION | OCC PART # |
|--|-------------------------|
| Category 6A UTP CMP Small OD Cable | OCC-U6A4SPLM-xx |
| Category 6A UTP CMR Small OD Cable | OCC-U6A4SR-xx |
| Category 6A F/UTP CMP Cable | OCC-FTP6A4PLM-xx |
| Category 6A F/UTP CMR Cable | OCC-FTP6A4R-xx |
| Category 6A UTP CMP Indoor/Outdoor Cable | OCC-U6A4PIO |

Replace "xx" with color code, see OCC Copper Cable Color Chart for Reference. Minimum Order Quantities may apply.

OCC COPPER CABLE COLOR CODE CHART

| | |
|-------------|----------------|
| 01 - Yellow | 06 - Data Grey |
| 02 - Black | 07 - White |
| 03 - Red | 08 - Violet |
| 04 - Green | 09 - Orange |
| 05 - Blue | |

KMJ JACKS & FIELD TERMINABLE PLUGS

| DESCRIPTION | OCC PART # |
|--|-----------------|
| Category 6A KMJ Outlet Jacks, UTP - Unshielded | K6Axx |
| Category 6A KMJ Outlet Jacks, STP - Shielded | K6ASxx |
| Category 6A Unshielded Field Terminable Plug | OCCUFP6A |
| Category 6A Shielded Field Terminable Plug | OCCSFP6A |

Replace "xx" with color code, see OCC Jack Color Code Chart for reference

OCC JACK COLOR CODE CHART

| | |
|-----------------------|-------------------|
| 00 - Electrical Ivory | 06 - Data Grey |
| 01 - Office White | 08 - Orange |
| 02 - Black | 09 - Yellow |
| 03 - Red | 10 - Purple |
| 04 - Green | 11 - Brown |
| 05 - Blue | 12 - Bright White |
| | 18 - Process Blue |

PATCH CORDS

| DESCRIPTION | OCC PART # |
|---|---------------------|
| Category 6A Patch Cord, Unshielded, Booted, 3ft | PC6AU-B-03yy |
| Category 6A Patch Cord, Unshielded, Booted, 5ft | PC6AU-B-05yy |
| Category 6A Patch Cord, Unshielded, Booted, 7ft | PC6AU-B-07yy |
| Category 6A Shielded 28AWG Mini-Patch Cord, Yellow, 3ft | PC6ASM03B01 |
| Category 6A Shielded 28AWG Mini-Patch Cord, Yellow, 5ft | PC6ASM05B01 |
| Category 6A Shielded 28AWG Mini-Patch Cord, Yellow, 7ft | PC6ASM07B01 |

Replace "yy" with color code, see OCC Patch Cord Color Chart for Reference. Minimum Order Quantities may apply. Also available with Plenum Rating (add "P" to end of part number).

OCC PATCH CORD COLOR CODE CHART

| | |
|-------------|----------------|
| 01 - Yellow | 06 - Data Grey |
| 02 - Black | 07 - White |
| 03 - Red | 08 - Orange |
| 04 - Green | 09 - Brown |
| 05 - Blue | 10 - Purple |



KMJ Category 6A Shielded Jacks

SINGLE-MODE

OM1

OM3

OM4

FIBER ENCLOSURES & KITS

COPPER CABLE & CONNECTIVITY

RESI MULTIMEDIA & WORKSTATION

TOOLS

COPPER CABLE & CONNECTIVITY



CATEGORY 6

CABLE

| DESCRIPTION | OCC PART # |
|--|------------------------|
| Category 6 High-Performance Plenum (CMP) Cable | OCC-U64HPLM-xx |
| Category 6 High-Performance Riser (CMR) Cable | OCC-U64HR-xx |
| Category 6 Plenum (CMP) Cable | OCC-UE64PLM-xx |
| Category 6 Riser (CMR) | OCC-UE64R-xx |
| Category 6 F/UTP Shielded (CMP) Cable | OCC-FTP64PLM-xx |
| Category 6 F/UTP Shielded (CMR) Cable | OCC-FTP64R-xx |
| Category 6 OSP Cable | OCC-U64OSP |

Replace "xx" with color code, see OCC Copper Cable Color Chart for reference. Minimum Order Quantities may apply.

KMJ JACKS

| DESCRIPTION | OCC PART # |
|---------------------|----------------|
| Category 6 KMJ Jack | KMJA6xx |

Replace "xx" with color code, see OCC Jack Color Code Chart for reference.

PATCH PANELS

| DESCRIPTION | OCC PART # |
|--|-------------------------|
| Wall Mount Patch Panel, 568A/B Wired, 12-port, 89D Bracket | PP12SIX |
| Rack Mount Category 6 Patch Panel, 24-Port, 110-Punch Down | DCC2488/110SIX |
| Rack Mount Category 6 Patch Panel, 48-Port, 110-Punch Down | DCC4888/110SIX |
| Rack Mount Patch Panel, 24-port, KMJ Shielded Jacks, 1RU | DCC2488/110SIX-S |
| Rack Mount Patch Panel, 48-port, KMJ Shielded Jacks, 2RU | DCC4888/110SIX-S |
| Rack Mount Angled Patch Panel, 568A/B Wired, 24-port, 1RU | ACC2488/110SIX |
| Rack Mount Angled Patch Panel, 568A/B Wired, 48-port, 2RU | ACC4888/110SIX |
| 1RU Wall Mount Bracket, 1.75"H x 19.69"W x 3.94"D, | WF101 |
| 2RU Wall Mount Bracket, 3.50"H x 19.0"W x 5.0"D | WMB3519 |
| Rack Mount Unloaded Panel, KMJ, 24-Port, 1RU | AK24 |
| Rack Mount Field Configurable Patch Panel, KMJ, 48-Port, 2RU | AK48H |

PATCH CORDS

| DESCRIPTION | OCC PART # |
|--------------------------------------|-------------------|
| Category 6 Patch Cord 3ft, with boot | PCSIX03Byy |
| Category 6 Patch Cord 5ft, with boot | PCSIX05Byy |
| Category 6 Patch Cord 7ft, with boot | PCSIX07Byy |

Replace "yy" with color code, see OCC Patch Cord Color Chart for Reference. Minimum Order Quantities may apply.

CATEGORY 5E

PATCH PANELS

| DESCRIPTION | OCC PART # |
|--|-------------------------|
| 24-Port, Category 5e Patch Panel, 110-Punch Down | DCC2488/110A5E-R |
| 48-Port, Category 5e Patch Panel, 110-Punch Down | DCC4888/110A5E-R |

KMJ JACKS

| DESCRIPTION | OCC PART # |
|----------------------|-----------------|
| Category 5e KMJ Jack | KMJA5EXX |

Replace "xx" with color code, see OCC Jack Color Code Chart for reference.

PATCH CORDS

| DESCRIPTION | OCC PART # |
|---------------------------------------|-------------------|
| Category 5e Patch Cord 3ft, with boot | PC5EB03Byy |
| Category 5e Patch Cord 5ft, with boot | PC5EB05Byy |
| Category 5e Patch Cord 7ft, with boot | PC5EB07Byy |

Replace "yy" with color code, see OCC Patch Cord Color Chart for Reference. Minimum Order Quantities may apply.



KMJ Category 6 Unshielded Jacks



Call us today to talk about our many cable options. OCC Sales at **800-622-7711** for more information.

SINGLE-MODE

OM1

OM3

OM4

FIBER ENCLOSURES & KITS

COPPER CABLE & CONNECTIVITY

RESI MULTIMEDIA & WORKSTATION

TOOLS

RESIDENTIAL/MSDE ENCLOSURES & CONNECTIVITY



MSDE RF TRANSPARENT ENCLOSURES & DISTRIBUTION MODULES PART CONFIGURATOR

| MSDExxP | Txxx | Dxx | Vx | L |
|-------------------------|-------------------------------|-------------------------------------|-----------------------------------|-----------------|
| xx = 15" Enclosure/Door | T = Telco Module | D = Data Module | V = Video Module | L = Lock |
| xx = 30" Enclosure/Door | T000 = No Telco Module | D00=No Data Module | X = Number of Ports (4 or 6) | Blank = No lock |
| | 408 = 4x8 Telco Module | 2nd digit; blank = Cat5e; 6 = Cat6 | V0=No Video Module | |
| | | 3rd digit = #ports | Ex. V4=4 Port Video Module | |
| | | Ex. D65 = Cat6 5-port module | | |

Example: MSDE30PT408D68V6 (30" Enclosure, 4x8 Telco Module, Category 6 8-Port Data Module, 6-Port Video Module)

MSDE RF TRANSPARENT ENCLOSURES & DISTRIBUTION MODULES

| DESCRIPTION | OCC PART # |
|--|----------------------|
| 15" MSDE RF Transparent Enclosure with Hinged Door | MSDE15P |
| 30" MSDE RF Transparent Enclosure with Hinged Door | MSDE30P |
| CAM Lock with Keys for MSDE RF Transparent Enclosure | MSDEP-LOCK |
| 15" MSDE RF Transparent Enclosure, 6-Pack Bulk | MSDE15P-BOX6 |
| 15" MSDE RF Transparent Door, 6-Pack Bulk | MSDE15P-DOOR6 |
| 30" MSDE RF Transparent Enclosure, 6-Pack Bulk | MSDE30P-BOX6 |
| 30" MSDE RF Transparent Door, 6-Pack Bulk | MSDE30P-DOOR6 |
| Network Equipment Mounting Bracket | MSDEP-NBKT |
| Unloaded KMJ 12-Port Mounting Bracket | MODP-12PBKT |
| Category 6 Data Distribution Module, 4-Port (MSDE RF Transparent) | MODP6-DB4 |
| Category 6 Data Distribution Module, 6-Port (MSDE RF Transparent) | MODP6-DB6 |
| Category 6 Data Distribution Module, 8-Port (MSDE RF Transparent) | MODP6-DB8 |
| Category 5e Data Distribution Module, 4-Port (MSDE RF Transparent) | MODP-DB4 |
| Category 5e Data Distribution Module, 6-Port (MSDE RF Transparent) | MODP-DB6 |
| Category 5e Data Distribution Module, 8-Port (MSDE RF Transparent) | MODP-DB8 |
| RF Video Distribution Module, 1x4, 1GHz (MSDE RF Transparent) | MODP-V4 |
| RF Video Distribution Module, 1x6, 1GHz (MSDE RF Transparent) | MODP-V6 |



KMJ 12-Port Mounting Bracket



30" MSDE RF Transparent Enclosure with Video & Data Modules

KMJ COMMERCIAL FACEPLATES & SURFACE MOUNT BOXES

| DESCRIPTION | OCC PART # |
|--|------------------|
| Single Gang Commercial Faceplate, KMJ, 2-Port | FPSK02xx |
| Single Gang Commercial Faceplate, KMJ, 4-Port | FPSK04xx |
| Single Gang Commercial Faceplate, KMJ, 6-Port | FPSK06xx |
| Double Gang Commercial Faceplate, KMJ, 6-Port | DPSK06xx |
| Single Gang Commercial Faceplate, Angled, KMJ, 1-Port, White | FPSK01A12 |
| Single Gang Commercial Faceplate, Angled, KMJ, 2-Port, White | FPSK02A12 |
| Single Gang Commercial Faceplate, Angled, KMJ, 4-Port, White | FPSK04A12 |

Replace "xx" with color choice: 00 = Electrical Ivory, 01 = Office White, or 12 = Bright White

SINGLE-MODE

OM1

OM3

OM4

FIBER ENCLOSURES & KITS

COPPER CABLE & CONNECTIVITY

RESI MULTIMEDIA & WORKSTATION

TOOLS

WORKSTATION



KMJ STAINLESS STEEL FACEPLATES

| DESCRIPTION | OCC PART # |
|--|-----------------|
| Single Gang Stainless Steel Faceplate, KMJ, 2-Port | FPSK02SS |
| Single Gang Stainless Steel Faceplate, KMJ, 4-Port | FPSK04SS |
| Single Gang Stainless Steel Faceplate, KMJ, 6-Port | FPSK06SS |

FURNITURE FACEPLATES


| DESCRIPTION | OCC PART # |
|---|----------------|
| Furniture Faceplate, KMJ, 3-Port, Black | FAPK302 |
| Furniture Faceplate, KMJ, 4-Port, Black | FAPK402 |

SURFACE MOUNT ENCLOSURES

| DESCRIPTION | OCC PART # |
|---------------------------------------|-------------------|
| Surface Mount Enclosure, KMJ, 2-Port | SMEK2XX |
| Surface Mount Enclosure, KMJ, 4-Port | SMEK4XX |
| Surface Mount Enclosure, KMJ, 6-Port | SMEK6XX |
| Fiber Service Outlet Box, 2-Port, KMJ | SMEK2FS012 |

Replace "xx" with color choice: 00 = Electrical Ivory, 01 = Office White, or 12 = Bright White

FURNITURE FACE PLATES



FAPK302

FAPK402

KMJ ADAPTERS

| DESCRIPTION | OCC PART # |
|---|------------------|
| KMJ Snap-In F Coupler | AKFXX |
| HDMI In-Line Coupler, Bright White | AKHDMI12 |
| KMJ Snap-In Dual LC Multimode Adapter | AKDLCMXX |
| KMJ Snap-In SC Multimode Adapter | AKSCMXX |
| KMJ Snap-In SC/SM APC | AKSCAPCXX |
| KMJ Snap-In ST Multimode Adapter | AKSTMXX |
| KMJ 2-Conductor Pass-Thru Adapter | AKDCPT12 |
| KMJ Snap-In Dual LC Single-mode Adapter | AKDLCSXX |
| KMJ Snap-In SC Single-mode Adapter | AKSCSXX |

Replace "xx" with color choice: 00 = Electrical Ivory, 01 = Office White, or 12 = Bright White



KMJ 2-Conductor
Pass-Thru Adapter

Easy Ordering and Re-Ordering:

OCC's pre-terminated options allow us to create custom part numbers for your projects that include the cable, enclosures, and connectivity. Protecting your product specification and allowing for easy reordering with our Sales Team.

Learn more at: hubs.ly/H0z79K70



TOOLS



XPRESS ULTRA TERMINATION KIT

| DESCRIPTION | OCC PART # |
|--|--------------|
| Xpress Ultra™ Fiber Tool Kit | RFCTK |
| Precision Cleave Tool | RFCLL |
| Xpress Ultra™ 250µm / 125µm Fiber Stripper | RFCS |
| HC Fiber Sub Unit stripper, 2.2 mm | FOHC-SLT |
| HC/HD Cable Fan-out Kit, Buffer Tubing, 12-fiber | HCBK12-24900 |



XPRESS ULTRA CLEANING KIT

| DESCRIPTION | OCC PART # |
|--|-------------|
| Xpress Ultra™ Fiber Cleaning Kit | RFCK |
| Xpress Ultra™ Lint Free Dry Wipes (Box) | RFCLFDW |
| Xpress Ultra™ Cleaning Solvent (Spray Bottle) | RFCSOL |
| Xpress Ultra™ One Click Cleaner 1.25 | RFCS1 |
| Xpress Ultra™ One Click Cleaner 2.50 | RFCS2 |
| Xpress Ultra™ One Click Replacement Cartridge for 1.25 (LC and MU) | RFRC1 |
| Xpress Ultra™ Replacement Cartridge for 2.50 (SC, FC and ST) | RFRC2 |
| Xpress Ultra™ One Click Cleaner for MPO connectors | RFCSMPO |
| Xpress Ultra™ Cleaner Mini 1.25 | RFSCM1 |
| Xpress Ultra™ Cleaner Mini 2.50 | RFSCM2 |

Easy Ordering: The OCC Xpress Ultra™ Termination or Cleaning Kit can be ordered as a full kit or with individual parts.



KMJ JACK TOOLS

| DESCRIPTION | OCC PART # |
|--------------------------|------------|
| Parallel Jaw Pliers | FPJP |
| KMJ Jack Terminator Tool | PA8109 |



Call us today to talk about our many tool options.
OCC Sales at **800-622-7711** for more information.

SINGLE-MODE

OM1

OM3

OM4

FIBER ENCLOSURES
& KITS

COPPER CABLE
& CONNECTIVITY

RESI MULTIMEDIA
& WORKSTATION

TOOLS

OCC ENTERPRISE RESOURCES

Copper Solutions Product Guide:

hubs.ly/Q01Yq5wn0

Enterprise Solutions Guide:

hubs.ly/H0tstB00

Fiber Optic Tray Cables Product Guide:

hubs.ly/H0Ctr4f0

MDU/Residential Distribution Systems Guide:

hubs.ly/H0tstGt0

Passive Optical LAN Solutions Guide:

hubs.ly/H0tstn30

Passive Optical LAN Quick Order Guide:

hubs.ly/Q024n4Pd0

Senior Living Solutions Guide:

hubs.ly/H0tstKz0

Fiber Splice Cassette Specification Sheet:

hubs.ly/H0x-Nln0



WARRANTY & ASSURANCE

WARRANTIES

At OCC, we understand reliability is critical to your business. The demands of modern industry require datacomm components that provide both flawless performance and exceptional integrity. We're committed to providing cabling and connectivity solutions that exceed industry standards. Then you can be certain you are getting components that are fully warranted by OCC, according to each applicable warranty statement. Learn more occfiber.com/performance-warranties

MDIS PROGRAM

OCC's Multimedia Design and Integration Specialist (MDIS) Program is designed to serve as a guarantee that our quality products are being installed to our extremely rigorous installation standards. This means the installer can rely on technical assistance, specification support and various resources for any application or project using OCC cable and connectivity products. Learn more about the MDIS 25 Year System Warranty: occfiber.com/25-year-warranty

QUALITY ASSURANCE

Our Quality Management System is certified to ISO 9001:2015, the internationally recognized standard for quality management systems. This means that each customer will receive the highest quality standard on each and every product. OCC conducts rigorous inspections to ensure the quality and reliability of all our products. This includes extensive environmental and mechanical testing on each product type to verify compliance on a continuing basis. In addition, many independent testing and verification laboratories continue to confirm our compliance to UL, MSHA, and other applicable product standards. **Rest assured, our quality is sound.**



FIBER




COPPER



WIRELESS



SECURITY



OCC ROANOKE, VA

Corporate Headquarters and Fiber Optic Cable Manufacturing Facility
5290 Concourse Drive
Roanoke, VA 24019 USA
540.265.0690 or 800.622.7711

OCC ASHEVILLE, NC

Enterprise Connectivity Manufacturing Facility
33 Superior Way
Swannanoa, NC 28778 USA
828.298.2260 or 800.622.7711

OCC DALLAS, TX

Harsh Environment and Specialty Connectivity Manufacturing Facility
1700 Capital Avenue, Suite 150
Plano, TX 75074 USA
972.509.1500 or 877.509.1500

**VISIT US AT
OCCFIBER.COM**

**CONTACT US AT
INFO@OCCFIBER.COM**



Like us on Facebook:
facebook.com/occsolutions



Follow us on Twitter:
twitter.com/occsolutions



Watch us on YouTube:
youtube.com/user/occsolutions



Follow us on LinkedIn:
linkedin.com/company/optical-cable-corporation



Follow us on Instagram:
instagram.com/opticalcablecorporation/