# **Product datasheet**

Specifications





# **APC Replacement Battery** Cartridge, VRLA battery, 9Ah, 12VDC, 2-year warranty

RBC17

### **Overview**

Lead Time	Usually in Stock
Main	
Product Or Component Type	Replacement battery cartridge
Number Of Cables	1
Battery Type	Lead-acid battery
Provided Equipment	All required connectors Battery recycling guide Reusable packaging Installation guide

### **Batteries & Runtime**

Battery Location	Internal battery
Number Of Battery Free Slots	0
Number Of Battery Filled Slots	0
Device Mounting	Stand alone battery stack
Battery Voltage	12 V
Number Of Battery Replacement	1

Quantity

#### **Physical**

Black
6.5 cm
9.4 cm
15.1 cm
2.59 kg
Not rack-mountable
No

### Output

Battery Capacity

9.0 Ah

#### **Environmental**

Ambient Air Temperature For Operation	040 °C
Operating Altitude	010000 ft



Relative Humidity	095 %
Ambient Air Temperature For Storage	-1545 °C
Storage Altitude	0.0015240.00 m
Storage Relative Humidity	095 %

### **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	8.9 cm
Package 1 Width	17.5 cm
Package 1 Length	21.3 cm
Package 1 Weight	2.86 kg

# Logistical informations

Country Of Origin

CN

#### **Contractual warranty**

Warranty

2 years repair or replace



# Sustainability

Green Premium<sup>TM</sup> label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.



#### **Resource performance**

Take-Back Program Available

#### Well-being performance

Rohs Exemption Information Yes

### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information



