

VISTA-15P

VISTA® Control Panel

The VISTA family of products is among the most widely recognized and reliable brands in the industry with the largest security system install base in the world.

The versatile VISTA-15P offers optional alarm signals, upload/download capability, and remote services via IP or LTE communications, improving the speed at which information can be delivered to and from the control panel. This maximizes system longevity, reduces service calls and future upgrade costs. The VISTA-15P has the broadest array of residential hardwired or wireless sensor zone options that protect life and property, creates awareness and convenience with environmental options like thermostat, water shut-off and lighting control, as well as advanced functions like audio control via Denon. VISTA also offers fixed-English, custom Alpha or touchscreen keypad displays, two-wire smokes detectors, connected home support through Tuxedo Touch® with the ability to customize system actions, and events using scene control.



FEATURES AND BENEFITS

- IP and cellular radio alarm reporting and upload/download capability
- Z-Wave® thermostats, lights, locks, water shut-off, garage door, shades and audio control via Tuxedo Touch and VAM
- Six on-board hardwired zones
 - 16 hardwired expansion zones totalling 22
 - 26 wireless expansion zones
- Supports two graphic touchscreen keypads
- Eight independent keyfob zones allow wireless keys to be programmed without using any of the 26 zones
- Eight output devices
 - Relays (Model 4204 Relay Modules, or 4229 Expansion Module)
- Two low current on-board trigger outputs
- 50 Event Log viewable at system keypads with time/date stamp
- 32 system user codes
- Two installer configurable zone types allows the installer to "create custom zone types" by assigning all zone attributes
- Multiple actions on output devices depending on system "state"
 - Turns light off when system arms
 - Turns same lights on when system disarms
 - Flashes same lights when system is in alarm
- Built-in phone line cut monitor with programmable delay and annunciation options
 - Display on system keypads
 - Trigger local sounders
 - Trigger system bell
- Supports four-wire and up to 16 two-wire smokes
 - Works with Sentrol CleanMe™ maintenance signal

SECURITY DEALER FEATURES

- Automatic System Load Shed
 - During extended AC power fail, the system battery will be disconnected to prevent irreversible battery failure. Reduces service calls to replace batteries.
- Dynamic Signaling
 - Reduces redundant reporting to the central station when multiple reporting methods are used; i.e. digital dialer and AlarmNet® radio

VALUABLE END-USER FEATURES

- Now viewable on system keypads:
 - Exit countdown
 - Time and date display*
 - Event log*
 - Auto keypad backlighting on entry
 - Keyswitch arming
 - Programmable macro buttons and single-button arming
 - A variety of wireless remote controls for single-button operation
 - User Scheduling
 - Latchkey reports to pagers
 - Auto arm/disarm
 - "User access" time windows
 - Supports up to two numeric pagers
 - VIP Module allows system control from any touchtone phone
 - Chime by zone
 - Fully compatible with Resideo Total Connect Remote Services
- *Requires custom alpha keypad

VISTA-15P Technical Specifications

ELECTRICAL

- Aux. power 12VDC, 600mA maximum
- Seven hour standby at 400mA aux. load with four amp hour battery
- 16.5 VAC/25 VA transformer
- Alarm output 12VDC, 2.0 amps max.
- For UL installations, combined aux. and alarm output cannot exceed 700mA

OUTPUT CONTROL

- Supports a maximum of eight output devices (combination of relays and/or X-10) plus two onboard triggers

ZONES

- Six hardwired zones
- Selectable response 10msec, 350msec, 750msec
- 16 selectable zone types plus two configurable zone types
- Programmable swinger suppression

AGENCY LISTINGS

cETLus Listed to:

- UL 985: Household Fire Warning System Units
- UL 1635: Digital Alarm Communicator System Units
- UL 1023: Household Burglar-Alarm System Units
- UL 365: Police Station Connected Burglar Alarm Units And Systems
- UL 609: Standard For Safety Local Burglar Alarm Units And Systems
- UL 1610: Central-Station Burglar-Alarm Units

- ULC S545: Standard For Residential Fire Warning System Control Units
- ULC SUBJECT C1023: Preliminary Standard For Household Burglar Alarm
- CAN/ULC S303: Standard for Local Burglar Alarm Units and Systems
- ULC S304: Standard For Control Units, Accessories And Receiving Equipment For Intrusion Alarm Systems

cULus Listed to:

- UL 985: Household Fire Warning System Units
- UL 1023: Household Burglar-Alarm System Units
- UL 609: Local Burglar Alarm Units and Systems
- UL 365: Police Station Connected Burglar Alarm Units
- UL 1610: Central Station burglar Alarm Units
- UL 1635: Digital Alarm Communicator System Units
- UL 1037: Antitheft Alarms and Devices

CNL indicates investigations to the following Canadian Standards:

- CAN/ULC-S303-M91: Standard for Local Burglar Alarm Units and Systems
- ULC/ORD-C1023-74: Preliminary Standard for Household Burglar Alarm System Units
- CAN/ULC-S545-M89: Standard for Residential Fire Warning System Control Units

VISTA-15P Compatible Devices

EXPANSION DEVICES

- 4219 – Eight hardwired zones – 16mA
- 4204 – Up to four relays – 15mA standby (each active relay draws an additional 40mA)
- 4229 – Eight hardwired zones and two relays – 36mA (each active relay draws an additional 40mA)

WIRELESS RECEIVERS/TRANSCIVERS

- 5881ENL Receiver supports up to 8 zones – 60mA
- 5881ENM Receiver supports up to 16 zones – 60mA
- 5881ENH Receiver supports up to 26 zones* – 60mA
- 5883H Transceiver supports up to 26 zones* – 80mA

HONEYWELL HOME KEYPADS

- 6150 Fixed English Display Keypad (40mA/70mA)
- 6150RF/6150RFFR Fixed English/French Display Keypad w/ Integrated Wireless Transceiver (80mA/105mA)
- 6151/6151FR Fixed English/French Display Keypad with Hardwired Zone (35mA/80mA)
- 6160 Custom Alpha Display Keypad (40mA/120mA)
- 6160V Custom Alpha Display Keypad w/ Voice Annunciation and Message Center (60mA/190mA)
- 6160RF Custom Alpha Display Keypad w/ Integrated Wireless Transceiver - (120mA/210mA)
- 6290W 7" Graphic Touchscreen Keypad with Voice Annunciation
- TUXEDOW 7" Graphic Touchscreen Keypad with Smart Control and Voice Annunciation

RESIDEO KEYPADS

- 6150C Fixed English Display Keypad (40mA/70mA)
- 6150RFC/6150RFFRC Fixed English/French Display Keypad w/ Integrated Wireless Transceiver (80mA/105mA)
- 6151C/6151FRC Fixed English/French Display Keypad with Hardwired Zone (35mA/80mA)
- 6160C Custom Alpha Display Keypad (40mA/120mA)
- 6160VC Custom Alpha Display Keypad w/ Voice Annunciation and Message Center (60mA/190mA)
- 6160RFC Custom Alpha Display Keypad w/ Integrated Wireless Transceiver - (120mA/210mA)
- 6290WC 7" Graphic Touchscreen Keypad with Voice Annunciation
- TUXEDOWC 7" Graphic Touchscreen Keypad with Smart Control and Voice Annunciation

SMOKE DETECTORS

- Supports up to 16 two-wire smoke detectors
- Supports four-wire smoke detectors
- Supports the 5800COMBO Smoke and Carbon Monoxide Detector

COMMUNICATORS

- LTEM-PA Advanced Modular Communicator (AT&T)
- LTEM-PV Advanced Modular Communicator (Verizon)
- LTEM-PIA LTE Cat M1 Cellular and Internet Communicator (AT&T)
- LTEM-PIV LTE Cat M1 Cellular and Internet Communicator (Verizon)
- LTEM-XV LTE Cat M1 Communicator (Verizon)

- LTEM-XA LTE Cat M1 Communicator (AT&T)
- LTEM-XC LTE Cat M1 Communicator (Bell)
- LTE-IA LTE and Internet Multi-Path Communicator (AT&T)
- LTE-IV LTE and Internet Multi-Path Communicator (Verizon)
- LTE-IC LTE and Internet Multi-Path Communicator (Bell)
- 7847i-E Enterprise Internet Communicator
- 7847i Internet Communicator

*number of zones is dependent on the control panel

ORDERING

VISTA-15P	Control Panel
VISTA-15PSIA	Control Panel for SIA installations
VISTA-15PCN	Control Panel - Canada



Resideo Technologies, Inc.
2 Corporate Center Drive,
Suite 100
P.O. Box 9040
Melville, NY 11747
1-800-645-7492

L/VISTA15PD/D | 11/21
© 2021 Resideo Technologies,
Inc. All rights reserved.
The Honeywell Home trademark
is used under license from
Honeywell International Inc.
These products are manufactured
by Resideo Technologies, Inc.
and its affiliates.