IC570V04TBBC – 70 Volts In-ceiling Speaker with Tile Bridge and Backcan

70V ceiling speakers, UL Listed, 5.25 inch full range, max 4W with tile bridge and backcan. Suitable for covered outdoor installation . Paintable white aluminum grill.



Features:

- 70 Volt System
- UL Listed
- 2-Way Full Range
- .5/1/2/4 Watts Power
- Speaker support truss and speaker enclosure included
- Works in covered outdoor
- Aluminum grill.
- Sold as combo
- · Color: paintable white

Available in the following models:

IC570V04	- In ceiling speaker, 5.25 inch
IC570V10	- In ceiling speaker, 5.25 inch
IC570V10TBBC	- In ceiling speaker with tile bridge and backcan, 5.25 inch
IC670V10	- In ceiling speaker, 6.5 inch
IC670V10TBBC	- In ceiling speaker with tile bridge and backcan, 6.5 inch

IC570V10TBBC – 70 Volts In-ceiling Speaker with Tile Bridge and Backcan

70V ceiling speakers, UL Listed, 5.25 inch full range, max 10W with tile bridge and backcan. Suitable for covered outdoor installation. Paintable white aluminum grill.




Features:

- 70 Volt System.
- UL Listed
- 5.25 inch co-axial
- .62/1.25/ 2.5/5/10W Power
- Speaker support truss and speaker enclosure included
- Works in covered outdoor
- Aluminum grill
- Sold as combo
- Color: paintable white.

Available in the following models:

IC570V04	- In ceiling speaker, 5.25 inch
IC570V04TBBC	- In ceiling speaker with tile bridge and backcan, 5.25 inch
IC570V10	- In ceiling speaker, 5.25 inch
IC670V10	- In ceiling speaker, 6.5 inch
IC670V10TBBC	- In ceiling speaker with tile bridge and backcan, 6.5 inch



IC670V10TBBC – 70 Volts In-ceiling Speaker with Tile Bridge and Backcan

70V ceiling speakers, 6.5 inch co-axial, max 10W with tile bridge and backcan. Suitable for covered outdoor installation. Paintable white aluminum grill.



Features:

- 70 Volt System.
- UL Listed
- 6.5 inch co-axial
- .62/1.25/ 2.5/5/10W Power
- Speaker support truss and speaker enclosure included
- Works in covered outdoor
- Aluminum grill
- Sold as combo
- Color: paintable white.

Available in the following models:

IC570V04	- In ceiling speaker, 5.25 inch
IC570V04TBBC	- In ceiling speaker with tile bridge and backcan, 5.25 inch
IC570V10	- In ceiling speaker, 5.25 inch
IC570V10TBBC	- In ceiling speaker with tile bridge and backcan, 5.25 inch
IC670V10	- In ceiling speaker, 6.5 inch

