



A simple sensor solution to save energy.


RRW600UTC, RRW600VTC

Ideal for bathrooms, laundry rooms or mudrooms, garages and more, radiant® Occupancy/Vacancy Sensors offer energy savings by automatically turning lights off when a room has been vacant for a period of time. The RRW600UTC will automatically turn on the light or a fan when someone enters a room and can be optionally configured as a vacancy sensor (Manual-ON), while the RRW600VTC is a vacancy sensor only (Manual-ON) in compliance with Title 24. No neutral is required for installation. These sensors come with three interchangeable face plates, and now as part of the radiant collection, offer a better fit, form and finish.

Features & Benefits

Lighted switch for visibility in darkened rooms.

Low-profile styling with uniform color-matched lens and device.



White LED locator light glows when device is off for easy location in the dark.

Interchangeable face plates – Three colors in one box (Ivory, White, Light Almond).

RRW600UTC

- Part of the radiant® collection.
- Replaces a standard light or fan single pole switch.
- RRW600UTC features Auto ON/Auto OFF and can be configured to be Manual ON.
- RRW600VTC is Title 24 compliant.

- RRW600UTC features adjustable time delay of 30 seconds to 30 minutes – others have fixed 30-minute time delay, no adjustment necessary.
- Coverage: 180°, max. 600 sq. ft. (56 sq. m.).
- Supports multiple sensors (multi-location)

3rd Party Compliance



Technical Information

Performance

Electrical

Voltage	120VAC, 60 Hz
Load	Incandescent 600W LED/CFL 450W MLV 600VA ELV 5A Motor 1/6HP
Installation	Single Pole/Multi-Location
Manual ON	Yes

Mechanical


Terminal Accommodation	#16 AWG wire leads for circuit termination and ground lug
------------------------	---

Environmental

Application	Indoor Use Only
-------------	-----------------

Materials

Enclosure Material	Polycarbonate
--------------------	---------------



RRW600VTC

Warranty

5 Year

Ordering Information


Single Pole Vacancy Sensors

CATALOG NUMBER	DESCRIPTION	VOLTAGE	LOAD	AUTO ON	MANUAL ON	SELECTABLE AUTO/MAN. ON	COLOR
RRW600VTC	No neutral required, ideal for bedrooms and baths. Comes with three interchangeable face colors.	120VAC 60Hz	0-600W All	No	Yes	No	Ivory White Light Almond



Single Pole Occupancy Sensors

RRW600UTC	No neutral required, ideal for bedrooms and baths. Comes with three interchangeable face colors.	120VAC 60Hz	0-600W All	Yes	Yes	Yes	Ivory White Light Almond
-----------	--	----------------	---------------	-----	-----	-----	--------------------------------

RRW600U/ RRW600V Wiring



Coverage




Vertical Markets

- Residential
- Multiple Dwelling

Also available in the radiant® collection...

- Lighting & Fan Controls
- Paddle Switches
- Tamper-Resistant & Standard Duplex Receptacles
- GFCI Receptacles
- Timers
- Combination Devices
- USB Charging Devices
- Night Lights
- Home Automation Controls
- Screwless Wall Plates

 The paper used to print this document is an environmentally responsible paper with 10% post consumer waste, with FSC and SFI Chain of Custody certifications, Lacey Act compliant. 100% of the electricity used to manufacture Flo sheets is generated with Green-e certified renewable energy.

All brand and product names referenced in this document are registered trademarks or trademarks of their respective holders.



Legrand, North America
60 Woodlawn Street
West Hartford, CT 06110
1.877.BY.LEGRAND (295.3472)
www.legrand.us

570 Applewood Crescent
Vaughan, Ontario L4K 4B4
905.738.9195
www.legrand.ca

FOLLOW US

